

# ZË-RO Evals Report v0.1

- evalSpecVersion: evalSpec.v0.1
- specId: public-grounding-probe.v0.1
- runId: battery.v0.1.deepseek.deepthinking.r02
- provider: deepseek
- model: deepthinking
- label: r02

Aperture proxy (fixed): A=1.0, O=0.8, E=0.6, Ë=0.5, U=0.4, Y=0.3, I=0.1.

## T2\_LADDER\_V0\_1 - Full Ladder - V1..V7

- kind: byo
- languageHint: en
- targetBuckets: V1, V2, V3, V4, V5, V6, V7
- nPerBucket: 10

### Buckets

| Bucket | expectedN | providedN | validN | invalidN | dupN | mean(primary) | mean(presenceMean) |
|--------|-----------|-----------|--------|----------|------|---------------|--------------------|
| V1     | 10        | 10        | 10     | 0        | 0    | 0.700         | 0.680              |
| V2     | 10        | 10        | 10     | 0        | 0    | 0.520         | 0.540              |
| V3     | 10        | 10        | 10     | 0        | 0    | 0.750         | 0.650              |
| V4     | 10        | 10        | 10     | 0        | 0    | 0.540         | 0.502              |
| V5     | 10        | 10        | 10     | 0        | 0    | 0.780         | 0.667              |
| V6     | 10        | 10        | 10     | 0        | 0    | 0.520         | 0.551              |
| V7     | 10        | 10        | 10     | 0        | 0    | 0.510         | 0.559              |


### Slope - aperturePrimary

- pearson r: -0.345 (p=0.442)
- spearman rho: -0.321 (p=0.494)
- permutation: iters=12000, seed=90273163

### Slope - aperturePresenceMean

- pearson r: -0.352 (p=0.436)
- spearman rho: -0.214 (p=0.656)
- permutation: iters=12000, seed=97631760

### Diagnostics



- missingBuckets: (none)
- extraBuckets: (none)
- emptyTokenCount: 0
- whitespaceTokenCount: 0
- noVowelTokenCount: 0
- totalInvalidTokenCount: 0
- notes: (none)

### T3\_NEGATIVE\_CONTROL\_SHUFFLE\_V0\_1 - Negative Control - Deterministic Label Shuffle (tokens fixed)

- kind: derived
- languageHint: en
- targetBuckets: V1, V2, V3, V4, V5, V6, V7
- nPerBucket: 10

#### Buckets

| Bucket | expectedN | providedN | validN | invalidN | dupN | mean(primary) | mean(presenceMean) |
|--------|-----------|-----------|--------|----------|------|---------------|--------------------|
| V1     | 10        | 10        | 10     | 0        | 0    | 0.610         | 0.632              |
| V2     | 10        | 10        | 10     | 0        | 0    | 0.750         | 0.640              |
| V3     | 10        | 10        | 10     | 0        | 0    | 0.480         | 0.492              |
| V4     | 10        | 10        | 10     | 0        | 0    | 0.670         | 0.636              |
| V5     | 10        | 10        | 10     | 0        | 0    | 0.570         | 0.520              |
| V6     | 10        | 10        | 10     | 0        | 0    | 0.600         | 0.607              |
| V7     | 10        | 10        | 10     | 0        | 0    | 0.640         | 0.621              |

#### Slope - aperturePrimary

- pearson r: -0.110 (p=0.815)
- spearman rho: -0.143 (p=0.783)
- permutation: iters=12000, seed=90273163

#### Slope - aperturePresenceMean

- pearson r: -0.087 (p=0.859)
- spearman rho: -0.357 (p=0.444)
- permutation: iters=12000, seed=97631760

#### Diagnostics

- missingBuckets: (none)
- extraBuckets: (none)

- emptyTokenCount: 0
- whitespaceTokenCount: 0
- noVowelTokenCount: 0
- totalInvalidTokenCount: 0
- notes: (none)