**recovered mu values**
**ground truth mu=60.00; rho = 0.50**

recovered mu values
ground truth mu=60.00; rho = 0.65

recovered mu values
ground truth mu=60.00; rho = 0.90

recovered mu values
ground truth mu=60.00; rho = 1.10

recovered mu values
**ground truth mu=60.00; rho = 1.30**

recovered mu values
ground truth mu=60.00; rho = 1.50

recovered mu values
ground truth mu=90.00; rho = 0.50

recovered mu values
ground truth mu=90.00; rho = 0.65

recovered mu values
ground truth mu=90.00; rho = 0.90

recovered mu values
ground truth mu=90.00; rho = 1.10

**recovered mu values**
ground truth mu=90.00; rho = 1.30

recovered mu values
ground truth mu=90.00; rho = 1.50

**recovered mu values**
ground truth mu=120.00; rho = 0.50

recovered mu values
ground truth mu=120.00; rho = 0.65

recovered mu values
ground truth mu=120.00; rho = 0.90

recovered mu values
ground truth mu=120.00; rho = 1.10

recovered mu values
ground truth mu=120.00; rho = 1.30

recovered mu values
ground truth mu=120.00; rho = 1.50

Frequency

ground truth

recovered mu values
ground truth mu=150.00; rho = 0.50

**recovered mu values**
ground truth mu=150.00; rho = 0.65

recovered mu values
**ground truth mu=150.00; rho = 0.90**

**recovered mu values**
ground truth mu=150.00; rho = 1.10

**recovered mu values**
ground truth mu=150.00; rho = 1.30

**recovered mu values**
**ground truth mu=150.00; rho = 1.50**

Frequency vs. ground truth

recovered mu values
ground truth mu=180.00; rho = 0.50

recovered mu values
ground truth mu=180.00; rho = 0.65

**recovered mu values**
ground truth mu=180.00; rho = 0.90

**recovered mu values**
ground truth mu=180.00; rho = 1.10

Frequency

ground truth

recovered mu values
ground truth mu=180.00; rho = 1.30

recovered mu values
ground truth mu=180.00; rho = 1.50

Frequency

ground truth

recovered mu values
ground truth mu=200.00; rho = 0.50

**recovered mu values
ground truth mu=200.00; rho = 0.65**

recovered mu values
**ground truth mu=200.00; rho = 0.90**

recovered mu values
ground truth mu=200.00; rho = 1.10

Frequency

ground truth

recovered mu values
ground truth mu=200.00; rho = 1.30

recovered mu values
ground truth mu=200.00; rho = 1.50