#### **COGS300**


Self-Organisation in Behaviour

Instructor: Márton Sóskuthy marton.soskuthy@ubc.ca


TAs: Daichi Furukawa · Victoria Lim · Amy Wang


cogs.300@ubc.ca

# Finger-wagging



# Finger-wagging






## Finger-wagging

order parameter

(phasing relationship)




control parameter (speed)

- termite nest building
- mud-balls impregnated with chemical trace randomly deposited, with chemical traces acting as attractors

- termite nest building
- mud-balls impregnated with chemical trace randomly deposited, with chemical traces acting as attractors




- termite nest building
- mud-balls impregnated with chemical trace randomly deposited, with chemical traces acting as attractors







- termite nest building
- mud-balls impregnated with chemical trace randomly deposited, with chemical traces acting as attractors




- termite nest building
- mud-balls impregnated with chemical trace randomly deposited, with chemical traces acting as attractors




- termite nest building
- mud-balls impregnated with chemical trace randomly deposited, with chemical traces acting as attractors



- termite nest building
- mud-balls impregnated with chemical trace randomly deposited, with chemical traces acting as attractors




- termite nest building
- mud-balls impregnated with chemical trace randomly deposited, with chemical traces acting as attractors



• a video...


https://www.youtube.com/watch?v=zhy27gMTMTg




• another video...


https://www.youtube.com/watch?v=2IVBDDVPI68

- explanations not based on self-organisation:
  - denying existence of phenomenon
  - anthropomorphic explanations (e.g. sense of rhythm + "empathy")
  - external stimulus (thunder / "puffs of wind")
  - following leader








#### signal coincides with flash → flashing continues without change





#### signal more than ~200 ms before flash → flashing resets






































#### excitation cycle - reset during rising phase






#### excitation cycle - reset during falling phase




• two fireflies following this algorithm



• 400 fireflies



fireflies with inter-individual variation in cycle length (80–120 timesteps) – robust algorithm (?)



 fireflies who only notice nearby flashes 10% of the time – robust algorithm (?)

