

Bankruptcy Prediction - A Case of Indian Firms

Aayush Solanki^{*1}, Dr. Sonal Thukral^{*2}

Department of Finance and Business Economics,
Delhi University

aayushsolanki2024@dbc-du.org

Abstract

Predicting corporate bankruptcy holds profound implications for businesses, investors, and the broader economic ecosystem, especially in the dynamic Indian landscape. This research endeavours to develop a robust bankruptcy prediction model tailored for Indian firms, addressing the nuances of the regulatory environment and cultural intricacies. Through a comprehensive analysis of critical financial ratios, market variables, and macroeconomic factors, the study employs advanced machine learning techniques, including ensemble methods and deep learning models. The research encompasses three key objectives: identifying determinants of financial distress, developing tailored bankruptcy prediction models, and evaluating the performance of statistical and machine learning approaches. The findings underscore the superior predictive capabilities of ensemble methods like Random Forest and XGBoost, coupled with the promising potential of Long Short-Term Memory (LSTM) models in capturing temporal dependencies within financial data. The study contributes to the field by bridging the gap in long-term, context-specific bankruptcy prediction frameworks for Indian firms, incorporating qualitative factors, and leveraging diverse datasets. The results pave the way for enhanced resilience and stability within the Indian corporate ecosystem while informing decision-making processes for businesses, investors, and regulatory bodies.

Keywords: Bankruptcy Prediction, Logit Model, Machine Learning, KNN, Ensemble Methods, Random Forest, XGBoost, LSTM, Market returns, Macroeconomic Factors.

I. Introduction

In the ever-changing and complex world of India's business sector, companies are constantly confronted with the looming threat of financial crises that can disrupt their stability and resilience. These crises bring with them an increased risk of bankruptcy, diminished competitiveness, and financial instability, all of which are influenced by the distinctive dynamics of the Indian economic environment. It is crucial, therefore, to understand and predict these crises in order to not only ensure the survival of individual companies but also to safeguard the broader economic ecosystem.

Rationale of the research

The ability to predict bankruptcy holds great significance for Indian companies as it provides them with a proactive defense against financial turbulence. By enabling businesses to

anticipate, manage, and mitigate risks associated with economic uncertainties, bankruptcy prediction offers a strategic advantage. This is particularly relevant in the context of India, where cultural nuances, regulatory intricacies, and economic fluctuations add layers of complexity to the financial landscape.

Problem Statement

In light of these challenges, our research aims to address a critical gap by undertaking the development of a robust bankruptcy prediction model explicitly tailored for Indian companies. The unique challenges faced by these enterprises, coupled with the intricacies of the regulatory framework, notably the Insolvency and Bankruptcy Code (IBC), underscore the need for a model seamlessly aligned with the specific nuances of the Indian business context.

This research study had a comprehensive framework with three key objectives. Firstly, it aimed to identify and analyze the critical factors that contribute to financial distress and subsequent bankruptcy of companies. Secondly, the study focused on developing robust bankruptcy prediction models using advanced machine learning techniques, specifically tailored for Indian companies. The third objective was to evaluate and compare the performance of both statistical and machine learning models in the context of bankruptcy prediction for Indian firms. These objectives collectively formed the foundation for a study designed to not only advance academic understanding of bankruptcy prediction but also offer practical insights and tools..

As we navigate through the complexities of bankruptcy prediction for Indian companies, our research endeavors to provide insights that go beyond theoretical frameworks. By developing a model that is attuned to the unique challenges of the Indian economic landscape, we aim to empower businesses, investors, and regulatory bodies with a tool that goes beyond generic predictions. Ultimately, our objective is to contribute to the resilience and stability of Indian firms in the face of potential financial crises.

II. Literature review

The prediction of corporate bankruptcy has garnered significant attention from researchers and practitioners alike, prompted by the profound implications it holds for businesses, investors, and the broader economic landscape. The seminal work of Edward I. Altman (1968) laid the foundation for this field, introducing the application of multiple discriminant analysis (MDA) on financial ratios to forecast bankruptcy. Altman's Z-score model, derived from a meticulous analysis of liquidity, profitability, leverage, solvency, and activity ratios, exhibited remarkable accuracy in predicting bankruptcy up to two years prior to its occurrence. This pioneering study underscored the utility of quantitative models in assessing financial distress and catalyzed subsequent explorations into statistical techniques.

As research progressed, scholars embraced alternative methodologies, such as logistic regression (Aziz & Dar, 2006; Bandyopadhyay, 2006) and hazard models (Nam et al., 2008). Logistic regression models facilitated the estimation of bankruptcy probabilities, while hazard models incorporated temporal and macroeconomic dependencies, enriching the predictive framework with dynamic considerations.

The advent of machine learning (ML) techniques ushered in a transformative phase in bankruptcy prediction. Studies by Atiya (2001), Nagaraj and Sridhar (2015), and Jabeur et al. (2023) demonstrated the superior performance of neural networks, support vector machines, and ensemble methods like XGBoost in capturing intricate patterns and nonlinearities within financial data. The integration of these advanced algorithms often outperformed traditional statistical approaches, underscoring the potential of ML in enhancing predictive accuracy.

Recognizing the complementary strengths of statistical and machine learning methodologies, researchers have proposed hybrid models that synergistically integrate both paradigms. The work of Altman et al. (2020) exemplifies this approach, harnessing the collective power of machine learning and statistical techniques to augment predictive capabilities. However, a notable limitation pervades the existing literature – the predominant focus on short-term predictions within a 2-3 year time horizon. Long-horizon bankruptcy forecasting, spanning extended periods, remains an understudied and challenging frontier (Altman et al., 2020).

In the Indian context, the landscape of bankruptcy prediction is relatively nascent, with a paucity of studies tailored to the unique dynamics and regulatory environment of the Indian business ecosystem. While some researchers have applied generic models to Indian firms (Bapat & Nagale, 2014), others have underscored the imperative need for frameworks that explicitly account for the nuances of the Indian economic landscape (Sehgal et al., 2021; Narvekar & Guha, 2021).

A significant research gap persists in the development of robust long-term bankruptcy prediction models specifically designed for Indian firms. Integrating advanced machine learning techniques with expert knowledge of the Indian business ecosystem presents a promising avenue for enhancing predictive accuracy and relevance. Addressing data quality issues, incorporating relevant macroeconomic factors, and aligning methodologies with the intricacies of India's Insolvency and Bankruptcy Code are critical areas that warrant further exploration.

Furthermore, the existing literature has predominantly focused on quantitative variables, primarily financial ratios and market indicators. While these variables hold undeniable value, the potential predictive power of qualitative factors, such as management quality, corporate governance practices, and industry-specific dynamics, remains largely unexplored. Developing hybrid models that seamlessly integrate both quantitative and qualitative variables could contribute to a more comprehensive understanding of bankruptcy risk, transcending the limitations of purely numerical approaches.

The review of the literature also reveals an opportunity to broaden the scope of datasets employed in bankruptcy prediction studies. Many existing works have concentrated on listed companies or specific sectors, potentially limiting the generalizability of their findings. Expanding the dataset to encompass a diverse range of companies, including small and medium-sized enterprises (SMEs) and private entities across various industries, could enhance the applicability and robustness of the predictive models developed.

In conclusion, while the field of corporate bankruptcy prediction has witnessed remarkable advancements, facilitated by the integration of advanced statistical and machine learning techniques, several critical gaps persist. Addressing these gaps through the development of long-term, context-specific models tailored to the Indian business landscape, incorporating qualitative factors, and leveraging diverse datasets, presents a fertile ground for future research endeavors. By bridging these gaps, researchers can contribute to the establishment of more accurate, adaptable, and comprehensive bankruptcy prediction frameworks, ultimately enhancing the resilience and stability of the Indian corporate ecosystem.

III. Data and Methodology

3.1 Data

The data utilized in this research on bankruptcy prediction among Indian firms was meticulously sourced from multiple reliable sources. The list of bankrupt firms was acquired from the Insolvency and Bankruptcy Board of India (IBBI), focusing on listed companies to ensure data accessibility to the public. Conversely, the roster of non-bankrupt firms was extracted from the National Stock Exchange (NSE) Nifty 500 index, representing a diverse set of stable companies. Financial and market data pertaining to both bankrupt and non-bankrupt firms was procured from ProwessIQ by the Centre for Monitoring Indian Economy (CMIE), encompassing comprehensive information on financial statements and market variables. Additionally, macroeconomic indicators crucial for the analysis were sourced from Macrotrends.com, enriching the dataset with external economic context.

To facilitate effective prediction modeling, data for all firms—both bankrupt and non-bankrupt—was collected for a period of three years preceding their last published financial reports. This timeframe was chosen based on established literature suggesting that a three-year window provides a robust foundation for predictive analytics in bankruptcy prediction models Altman et al. (2020). The data collection spanned from 2002 to 2022, aligning with the IBBI's available list of bankrupt firms up to 2022.

The selection of predictive factors was informed by a comprehensive approach, categorizing 63 pertinent variables into four distinct categories: accounting ratios, financial metrics, market variables, and macroeconomic factors. This meticulous categorization ensured a holistic assessment of firm performance and environmental influences, contributing to the robustness and comprehensiveness of the predictive model. For a detailed overview of the selected predictive factors, refer to Table 01.

Factors	Description	Data Type
Bankruptcy	1 if Bankrupt 0 if Non-Bankrupt	Integer
Profitability	ROA (EBITDA)	Float
	ROA (EBIT)	Float
	ROA (PAT)	Float
	Gross Profit Margin	Float
	EBITA/Capital Employed	Float
	Net Profit/Capital Employed	Float
	Total income/Total expense	Float
	Net Income to Total Assets	Float
Liquidity	Current Ratio	Float
	Quick Ratio	Float
	Cash/Current Liability	Float
	Current Liability to Assets	Float
Coverage	Interest Expense Ratio	Float
	Interest cover (times)	Float
	DSCR	Float
Solvency	Contingent Liability/Net worth	Float
	Total Debt/Total Net Worth	Float

	Debt/Equity Ratio	Float
Efficiency	Reinvestment rate	Float
	Employees utilisation ratio(times)	Float
	Fixed Assets turnover frequency	Float
	Accounts Receivable turnover	Float
	Creditor turnover frequency	Float
	Working Capital to Total Assets	Float
	Current Asset Turnover Rate: Current Assets to revenue	Float
Cash Flow	Cash Turnover Rate: Cash to Revenue	Float
	Cash Flow to Revenue	Float
	Cash Flow to Total Assets	Float
	Cash Flow to Liability	Float
	CFO to Assets	Float
	Cash Flow to Equity	Float
Asset Management	Equity/Total Assets	Float
	Current Assets/Total Assets	Float
	Cash/Total Assets	Float
	Total expense/Assets	Float
	Retained Earnings to Total Assets	Float
	Fixed Assets to Assets	Float
Risk Management	Current Liabilities/Liability	Float
	Working Capital/Equity	Float
	Current Liability to Liability	Float
	Current Liability to Equity	Float
	Equity to Long-term Liability	Float
	Liability to Equity	Float
Financial Factors	Pre-Tax Interest Rate (%)	Float
	Tax rate	Float
	After-Tax Interest Rate (%)	Float
	R&D Expense	Integer
	CSR expense to be incurred or incurred	Integer
	Liability-Assets Flag: 1 if Total Liability exceeds Total Assets, 0 otherwise	Integer
	Degree of Financial Leverage (DFL)	Float
	Net Income Flag: 1 if Net Income is Negative, 0 otherwise	Integer
Market Return	Cash Flow per share	Float
	Revenue per share	Float
	EBITDA per share	Float
	EBT per share	Float
	EPS	Float
	Net Income to Stockholder's Equity (Return on Equity)	Float
Macro Factors	GDP Growth Rate	Float
	Inflation Rate	Float
	Unemployment Rate (%)	Float
	FDI as % of GDP	Float

	Market Return Volatility	Float Float
--	-----------------------------	----------------

Table 01: Overview of Factors

3.2 Data Processing

In the data processing phase of the research, the original dataset comprising 817 companies—317 bankrupt and 500 non-bankrupt—underwent meticulous refinement to ensure data integrity and suitability for predictive modeling. Due to missing information across various factors, the dataset was streamlined to include 75 bankrupt firms and 450 non-bankrupt firms, ensuring a more robust and complete dataset for analysis.

Accounting ratios, deemed pivotal for bankruptcy prediction, were meticulously derived from the financial statements available within the ProwessIQ database. Additionally, dummy variables were strategically constructed based on financial metrics to encapsulate nuanced variations in firm performance and characteristics. Macro-economic variables, crucial for contextualizing firm performance within broader economic trends, were harmonized to align with the temporal scope of the dataset for each company. This ensured that macroeconomic factors accurately reflected the economic conditions pertinent to each firm during the analyzed period.

Prior to analysis, the dataset underwent thorough scrutiny to identify and rectify any missing values. Fortunately, no missing values were detected, affirming the completeness and reliability of the dataset. To standardize the data and mitigate potential biases arising from varying scales and magnitudes across different variables, a scaling process was implemented using the scikit-learn library. Scaling ensures that each feature contributes uniformly to the analysis, preventing dominance by variables with larger magnitudes and enhancing the efficacy of the predictive model. This approach facilitates robust and unbiased analysis by ensuring that each variable's influence is appropriately weighted within the predictive framework.

3.3 Fitting the Data into Models

In the process of fitting the dataset into the model, several steps were undertaken to ensure robustness and accuracy in predictive modelling. Initially, a correlation matrix was constructed to assess the interrelationships among the 63 predictive factors. To mitigate multicollinearity, factors exhibiting mutual correlations exceeding an absolute value of 0.5 were systematically removed from the dataset, resulting in a refined set of 28 factors. Figure 01 shown below displays the correlation matrix for the refined set of factors. This step ensured that redundant or highly correlated variables did not unduly influence the model, enhancing the reliability of subsequent analyses.




Figure 01: Correlation matrix for heatmap for selected factors

Subsequently, the dataset was partitioned into training and test sets, with 70% of the samples allocated to the training set and the remaining 30% to the test set. This partitioning strategy allowed for rigorous evaluation of model performance on unseen data, thereby providing insights into the generalization capabilities of the predictive models. Such evaluation is critical for assessing the practical utility of machine learning algorithms in real-world scenarios.

For the logistic regression model, which serves as the baseline model, the refined dataset of 28 variables was utilized. Meanwhile, for more complex machine learning models—Random Forest, KNN, and XGBoost—the entire dataset of 63 variables was employed. These models were selected based on their demonstrated efficacy in providing highly accurate results in previous studies, making them well-suited for the task of bankruptcy prediction. Random Forest, KNN, and XGBoost algorithms are renowned for their ability to handle complex relationships within data and exhibit robust performance across diverse datasets, thereby justifying their inclusion in the analysis.

To further enhance computational efficiency and interpretability, dimensionality reduction was performed on the dataset using Principal Component Analysis (PCA). This technique enabled the extraction of essential information while reducing the dimensionality of the dataset, thereby streamlining computational complexity without sacrificing predictive accuracy. Figure 02 illustrates the proportion of variance explained by each principal component, demonstrating the effectiveness of PCA in retaining the most relevant information. Subsequently, the three machine learning models - Random Forest,

KNN, and XGBoost were re-run using the reduced dataset to evaluate the impact of dimensionality reduction on model performance.




Figure 02: Proportion of Variance in Principal components

Lastly, in recognition of the temporal dynamics inherent in financial data, a Long Short-Term Memory (LSTM) model was developed. LSTM models, a type of recurrent neural network (RNN), are well-suited for capturing sequential dependencies in time-series data, making them particularly apt for modelling financial time series. The LSTM model was trained and tested using the entire dataset of 63 variables, leveraging its ability to capture temporal patterns and dependencies for enhanced predictive performance. By incorporating an LSTM model, the analysis aimed to harness the power of deep learning techniques to augment the predictive capabilities of the overall model ensemble.

3.4 Performance Evaluation

In evaluating the performance of the Logit model, model fit was assessed using the log likelihood value and pseudo R-squared statistic, which provide insights into the goodness of fit of the model to the data. Furthermore, accuracy scores were computed for both the training and test sets to gauge the overall predictive performance of the model.

In comparing the performance of ML models, accuracy score, Receiver Operating Characteristic (ROC) curve, and Area Under ROC Curve (AUC) were utilized as evaluation metrics. The accuracy score provided a measure of overall classification accuracy, while the ROC curve and AUC facilitated a more nuanced assessment of model performance by capturing the trade-off between true positive rate (TPR) and false positive rate (FPR). Additionally, the F1 score, which considers both precision and recall, was computed to provide a holistic assessment of model performance.

These evaluation metrics were computed for all three ML models—Random Forest, KNN, and XGBoost—both before and after PCA dimensionality reduction to discern any potential impact on model performance. Cross-validation techniques were employed to optimize model hyperparameters and identify the best-performing model based on the chosen evaluation metrics.

Additionally, the LSTM model underwent similar evaluation using the specified metrics to ascertain its predictive capabilities in the context of bankruptcy prediction. By systematically

evaluating model performance across multiple metrics, this analysis aimed to provide a comprehensive understanding of the relative strengths and weaknesses of each model, thereby informing decision-making and model selection in practical applications.

IV. Results and Analysis

Building upon the methodology and evaluation outlined previously, this section presents the findings of our bankruptcy prediction study, employing a range of models including logistic regression, machine learning algorithms, and a LSTM model. Through detailed analysis, we explore the predictive performance of each model and draw comparisons with previous research to provide insights into their effectiveness in assessing bankruptcy risk.

4.1 Statistical Model

The logistic regression model served as the statistical backbone in our analysis. Table 02 presents a comprehensive overview of the model coefficients and the corresponding levels of statistical significance for each predictor variable.

Accuracy: 91.77 Pseudo Rsquare: 0.8244 LogLikelihood: -37.799				
	coef	std err	z	P> z
const	-7.59	2.66	-2.86	0.00
Inflation Rate	31.63	24.19	1.31	0.19
Fixed Assets to Assets	-0.76	2.08	-0.37	0.71
Reinvestment rate	-0.08	0.40	-0.19	0.85
Gross Profit Margin	-3.16	1.77	-1.79	0.07
ROA (EBITDA)	-9.40	5.79	-1.62	0.10
Total expense/Assets	-1.20	0.68	-1.77	0.08
DSCR	0.00	0.01	-0.46	0.64
Current Asset Turnover Rate: Current Assets to revenue	0.06	1.79	0.03	0.98
CFO to Assets	-2.10	2.45	-0.86	0.39
Contingent Liability/Net worth	-0.03	0.13	-0.24	0.81
Cash/Total Assets	-7.98	5.73	-1.39	0.16
Current Liability to Assets	2.26	1.48	1.53	0.13
EPS	0.00	0.00	0.03	0.98
Degree of Financial Leverage (DFL)	0.02	0.07	0.26	0.80
Accounts Receivable turnover	-0.12	0.07	-1.66	0.10
Tax rate	2.10	1.10	1.90	0.06
R&D Expense	0.02	0.83	0.02	0.98
Employees utilisation ratio(times)	0.01	0.01	2.02	0.04
Liability to Equity	-0.01	0.02	-0.53	0.60
FDI as % of GDP	426.39	82.73	5.15	0.00

Retained Earnings to Total Assets	0.07	0.14	0.53	0.60
Pre-Tax Interest Rate (%)	0.00	0.04	0.13	0.90
CSR expense to be incurred or incurred	-1.98	1.26	-1.57	0.12
Current Assets/Total Assets	0.04	0.06	0.64	0.52
Creditor turnover frequency	0.10	0.07	1.48	0.14
Cash Flow to Liability	0.00	0.00	0.00	1.00
Net Income Flag: 1 if Net Income is Negative, 0 otherwise	0.70	1.21	0.58	0.57
Current Ratio	-0.35	0.48	-0.72	0.47

Table 02: Logistic Regression Model Results

Compared to previous studies, the accuracy of our logistic regression model (91.77%) is higher than the findings reported by Bapat and Nagale (2014) for Indian firms, where logistic regression achieved an accuracy of 75.00%. However, it is lower than the 97.2% accuracy reported by Nagaraj and Sridhar (2015) using logistic regression. Bandyopadhyay's study (2007) on Indian corporate bonds also achieved a higher accuracy of 87% with a ROC of 0.9383 using a logit model.

The discrepancy in accuracy can be attributed to several factors, including variable selection, sample size, and the specific characteristics of the dataset used in each study. Our model incorporates a comprehensive set of financial ratios and macroeconomic variables, which may have contributed to its relatively high accuracy compared to some previous studies. However, the variable selection process and the underlying relationships between these variables and bankruptcy risk can vary across different datasets and industries, potentially influencing the model's performance.

It is worth noting that while our logistic regression model demonstrates a high level of accuracy, certain variables, such as "FDI as % of GDP" and "Employees utilisation ratio(times)," exhibit statistical significance, suggesting their potential relevance in predicting bankruptcy. Conversely, variables like "Inflation Rate," "Reinvestment rate," and "EPS" do not appear to be statistically significant in our model, which may warrant further investigation into their predictive power or the need for alternative variable transformations.

4.2 Machine Learning Models

4.2.1 Before Dimensionality Reduction

In exploring the performance of machine learning models before dimensionality reduction, we examined the accuracy, ROC AUC, F1-score, and cross-validation results. Table 03 provides a concise summary of these metrics for each model.

Model	Accuracy	ROC AUC	F1-Score	Cross validation
KNN	93.67%	0.9395	0.76	0.8414
Random Forest	97.47%	0.9939	0.91	0.9568
XGBoost	98.10%	0.9784	0.93	0.9375

Table 03: Machine Learning Model Results (Before Dimensionality Reduction)

The results demonstrate the superior performance of ensemble methods like Random Forest and XGBoost compared to the KNN algorithm. This aligns with findings from previous studies, such as Barboza et al. (2017), which reported a Random Forest ROC AUC of 92.92%, and Nagaraj and Sridhar (2015), who achieved 98.6% accuracy using a neural network.

The high accuracy and ROC AUC scores of Random Forest and XGBoost can be attributed to their ability to capture complex non-linear relationships and handle high-dimensional data effectively. Additionally, ensemble methods often exhibit better generalization performance and robustness to overfitting compared to single models like KNN.

4.2.2 After Dimensionality Reduction

Following dimensionality reduction, we evaluated the performance of machine learning models and compared them against their pre-reduction counterparts. Table 04 presents a succinct overview of the accuracy, ROC AUC, F1-score, and cross-validation results for each model.

Model	Accuracy	ROC AUC	F1-Score	Cross validation
KNN	96.84%	0.9957	0.89	0.8879
Random Forest	97.47%	0.9847	0.81	0.8751
XGBoost	98.1%	0.9826	0.83	0.8655

Table 04: Machine Learning Model Results (After Dimensionality Reduction)

Dimensionality reduction using PCA can improve model performance by mitigating the curse of dimensionality and reducing noise in the data. However, in our case, the results after dimensionality reduction are mixed. While KNN exhibited an improvement in accuracy, ROC AUC, and F1-score, the performance of Random Forest and XGBoost slightly declined compared to their pre-dimensionality reduction results.

This discrepancy may be attributed to the potential loss of informative features during the dimensionality reduction process. While PCA aims to capture the maximum variance in the data, some relevant information for bankruptcy prediction could have been inadvertently discarded, leading to a slight performance degradation for ensemble methods like Random Forest and XGBoost, which are known to be more robust to high-dimensional data.

Nonetheless, the cross-validation scores indicate that Random Forest remains the most consistent and robust model, with the highest cross-validation score of 0.9568 before dimensionality reduction and 0.8751 after dimensionality reduction. Cross-validation is a crucial technique for evaluating model performance and generalization ability, as it provides an estimate of how the model will perform on unseen data.

4.3 LSTM Model

Incorporating the Long Short-Term Memory (LSTM) model into our analysis, we scrutinized its performance in predicting bankruptcy risk. Table 05 encapsulates the key metrics, including accuracy, ROC AUC, and F1-score, delineating the effectiveness of the LSTM model in our study.

Model	Accuracy	ROC AUC	F1-Score
LSTM	96.2%	0.98	0.88

Table 05: LSTM Model Results

Compared to our machine learning models, the LSTM model's performance is competitive, with an accuracy and ROC AUC score comparable to the top-performing models like Random Forest and XGBoost. However, its F1-score is slightly lower, which may indicate a trade-off between precision and recall.

As a novel approach in bankruptcy prediction, LSTM models are not widely reported in the literature, making direct comparisons with previous studies challenging. Nonetheless, the results suggest that LSTM models can effectively capture temporal dependencies and patterns in financial data, which are critical for bankruptcy prediction.

When compared to traditional neural networks, as reported by Atiya (2001), our LSTM model outperforms the reported accuracy of 85.50% for testing. This aligns with the general trend of deep learning models, such as LSTMs, exhibiting superior performance in various domains due to their ability to learn hierarchical representations and handle sequential data effectively.

It is important to note that the performance of LSTM models can be influenced by factors such as the choice of hyperparameters, the quality and quantity of training data, and the specific architectural design. Further exploration and fine-tuning of these factors may lead to improved performance in bankruptcy prediction tasks.

V. Conclusion

The results demonstrate the effectiveness of machine learning models, particularly ensemble methods like Random Forest and XGBoost, in predicting bankruptcy with high accuracy. The novel application of an LSTM model also showcased promising performance, highlighting the potential of deep learning techniques in this domain. However, a major challenge faced was data scarcity, as the study primarily utilized publicly available data due to difficulties in accessing information from private companies. While dimensionality reduction improved certain models' performance, careful consideration of feature selection and the trade-off between model complexity and interpretability is crucial.

Looking ahead, future advancements could involve integrating qualitative factors, such as management quality and corporate governance practices, to enhance the comprehensiveness of the models. Employing semi-supervised learning techniques and transfer learning approaches could help mitigate data limitations. Ensembling diverse models and developing interpretable AI systems to explain bankruptcy risk drivers are also promising avenues. Leveraging AI capabilities like natural language processing and advanced neural networks will be crucial in these endeavours. Additionally, the discrepancies observed between our results and previous studies underscore the importance of dataset-specific characteristics, variable selection techniques, and the dynamic nature of financial conditions, necessitating periodic model updates and refinements to maintain relevance and accuracy over time.

References

1. Agarwal, V., & Taffler, R. (2008). Comparing the performance of market-based and accounting-based bankruptcy prediction models. *Journal of Banking and Finance*, 32(8), 1541–1551. <https://doi.org/10.1016/j.jbankfin.2007.07.014>
2. Alaka, H., Oyedele, L. O., Owolabi, H. A., Kumar, V., Ajayi, S. O., Akinadé, O. O., & Bilal, M. (2018). Systematic review of bankruptcy prediction models: Towards a framework for tool selection. *Expert Systems With Applications*, 94, 164–184. <https://doi.org/10.1016/j.eswa.2017.10.040>
3. Altman, E. I. (1968). Financial ratios, discriminant analysis and the prediction of corporate bankruptcy. *The Journal of Finance*, 23(4), 589–609. <https://doi.org/10.1111/j.1540-6261.1968.tb00843.x>
4. Altman, E. I., Iwanicz-Drozdzowska, M., Laitinen, E. K., & Suvas, A. (2020). A race for long horizon bankruptcy prediction. *Applied Economics*, 52(37), 4092–4111. <https://doi.org/10.1080/00036846.2020.1730762>
5. Atiya, A. F. (2001). Bankruptcy prediction for credit risk using neural networks: A survey and new results. *IEEE Transactions on Neural Networks*, 12(4), 929–935. <https://doi.org/10.1109/72.935101>
6. Aziz, M. A., & Dar, H. A. (2004). Predicting Corporate Bankruptcy: whither do we stand? *Loughborough University's Institutional Repository*. https://dspace.lboro.ac.uk/dspace-jspui/bitstream/2134/325/3/DepartmentalPaper_AzizandDar_.pdf
7. Bandyopadhyay, A. (2006). Predicting probability of default of Indian corporate bonds: logistic and Z-score model approaches. *The Journal of Risk Finance*, 7(3), 255–272. <https://doi.org/10.1108/15265940610664942>
8. Bapat, V., & Nagale, A. (2014b). Comparison of Bankruptcy Prediction Models: Evidence from India. *Accounting and Finance Research*, 3(4). <https://doi.org/10.5430/afr.v3n4p91>
9. Barboza, F., Kimura, H., & Altman, E. I. (2017). Machine learning models and bankruptcy prediction. *Expert Systems With Applications*, 83, 405–417. <https://doi.org/10.1016/j.eswa.2017.04.006>

10. Chopra, A., Bansal, A., & Wadhwa, A. (2020). Evidence of Predicting Early Signs of Corporate Bankruptcy Using Financial Ratios in the Indian Landscape. *arXiv: Risk Management*. <https://doi.org/10.48550/arXiv.2008.04782>
11. Chouhan, V., Chandra, B., & Goswami, S. (2014). Predicting financial stability of select BSE companies Revisiting Altman Z score. *International Letters of Social and Humanistic Sciences*, 26, 92–105. <https://doi.org/10.18052/www.scipress.com/ilshs.26.92>
12. Cielen, A., Peeters, L., & Vanhoof, K. (2004). Bankruptcy prediction using a data envelopment analysis. *European Journal of Operational Research*, 154(2), 526–532. [https://doi.org/10.1016/s0377-2217\(03\)00186-3](https://doi.org/10.1016/s0377-2217(03)00186-3)
13. Du Jardin, P. (2010b). Predicting bankruptcy using neural networks and other classification methods: The influence of variable selection techniques on model accuracy. *Neurocomputing*, 73(10–12), 2047–2060. <https://doi.org/10.1016/j.neucom.2009.11.034>
14. Grice, J.S., Dugan, M.T. The Limitations of Bankruptcy Prediction Models: Some Cautions for the Researcher. *Review of Quantitative Finance and Accounting* 17, 151–166 (2001). <https://doi.org/10.1023/A:1017973604789>
15. Gupta, V. (2014). An Empirical analysis of default risk for listed companies in India: A comparison of two prediction models. *International Journal of Business and Management*, 9(9). <https://doi.org/10.5539/ijbm.v9n9p223>
16. Jabeur, S. B., Stef, N., & Ibáñez, P. C. (2022). Bankruptcy Prediction using the XGBoost Algorithm and Variable Importance Feature Engineering. *Computational Economics*, 61(2), 715–741. <https://doi.org/10.1007/s10614-021-10227-1>
17. Kim, H., Cho, H., & Ryu, D. (2020b). Corporate Default Predictions Using Machine Learning: Literature Review. *Sustainability*, 12(16), 6325. <https://doi.org/10.3390/su12166325>
18. Murari, K. (2012). Insolvency Risk and Z-Index for Indian Banks: A Probabilistic interpretation of bankruptcy. *The IUP Journal of Bank Management*, 3, 7–21. <https://EconPapers.repec.org/RePEc:icf:icfjbm:v:11:y:2012:i:3:p:7-21>
19. Nagaraj, K., & Sridhar, A. (2015b). A predictive system for detection of bankruptcy using machine learning techniques. *International Journal of Data Mining & Knowledge Management Process*, 5(1), 29–40. <https://doi.org/10.5121/ijdkp.2015.5103>
20. Nam, C. W., Kim, T. S., Park, N. J., & Lee, H. K. (2008). Bankruptcy prediction using a discrete-time duration model incorporating temporal and macroeconomic dependencies. *Journal of Forecasting*, 27(6), 493–506. <https://doi.org/10.1002/for.985>

21. Narvekar, A., & Guha, D. (2021b). Bankruptcy prediction using machine learning and an application to the case of the COVID-19 recession. *Data Science in Finance and Economics*, 1(2), 180–195. <https://doi.org/10.3934/dsfe.2021010>
22. Nimbalkar, Pramod, & Nagendra, Marisetty. (2022). Bankruptcy Prediction for Cement Industry in India Using Altman Z Score Model. *Asian Journal of Economics Business and Accounting*, 22, 77-85. <https://doi.org/10.9734/AJEBA/2022/v22i24896>.
23. Pompe, P. P. M., & Bilderbeek, J. (2005). The prediction of bankruptcy of small- and medium-sized industrial firms. *Journal of Business Venturing*, 20(6), 847–868. <https://doi.org/10.1016/j.jbusvent.2004.07.003>
24. Sehgal, S., Mishra, R. K., Deisting, F., & Vashisht, R. (2021b). On the determinants and prediction of corporate financial distress in India. *Managerial Finance*, 47(10), 1428–1447. <https://doi.org/10.1108/mf-06-2020-0332>
25. Shrivastav, S. K., & Ramudu, P. J. (2020). Bankruptcy Prediction and Stress Quantification Using Support Vector Machine: Evidence from Indian Banks. *Risks*, 8(2), 52. <https://doi.org/10.3390/risks8020052>
26. Shrivastava, A., Kumar, K., & Kumar, N. (2018). Business distress prediction using Bayesian logistic Model for Indian firms. *Risks*, 6(4), 113. <https://doi.org/10.3390/risks6040113>
27. Siddiqui, S. A. (2012). Business Bankruptcy prediction models: A significant study of the Altman's Z-Score model. *Social Science Research Network*. <https://doi.org/10.2139/ssrn.2128475>
28. Singh, B., & Mishra, A. K. (2016b). Re-estimation and comparisons of alternative accounting based bankruptcy prediction models for Indian companies. *Financial Innovation*, 2(1). <https://doi.org/10.1186/s40854-016-0026-9>
29. Swalih, M., Adarsh, K. B., & M.M., Sulphrey. (2021). A study on the financial soundness of Indian automobile industries using Altman Z-Score. *Accounting*, 295-298. <https://doi.org/10.5267/j.ac.2020.12.001>.
30. Tsai, C. (2009). Feature selection in bankruptcy prediction. *Knowledge Based Systems*, 22(2), 120–127. <https://doi.org/10.1016/j.knosys.2008.08.002>