

FREEDOM MOBILE

Floating Bottom Address Bar

UI design brief for Android - Safari-inspired, content-first browser chrome

Goal

Design a **Safari-inspired floating bottom address bar** for the Freedom Browser Android app.


The UI should feel lighter and more modern than Chrome/Firefox-style bottom toolbars. The browser chrome should appear as an independent floating layer above the webpage rather than as a fixed full-width toolbar.

Do not copy Safari pixel-for-pixel. Use the interaction model and spatial treatment as inspiration while giving Freedom its own visual identity.

Core Layout

The webpage should render edge-to-edge across the full screen.

Overlay a floating rounded address-bar capsule near the bottom:



Address bar

- Bottom-centered floating capsule
- Approximately 12-16 dp horizontal screen margin
- Clearly separated from screen edges
- Rounded/pill geometry
- Semi-transparent or material-style background
- Subtle elevation/shadow
- Page content remains visible around and visually beneath it
- Respect Android gesture/navigation safe-area insets

The bar must not look like a full-width bottom toolbar.

States

1. Normal / Resting

Primary browsing state.

- current hostname/domain
- security/site-status indicator where appropriate
- back control when navigation history exists
- tabs control
- optional overflow/menu control

Keep visual density low. The URL/domain should be the primary visual element.

2. Compact / Scrolling

When the user scrolls down:

- reduce the width and/or height of the bar
- reduce secondary controls
- optionally show only the domain or a minimal page indicator
- maintain enough visible surface to make the browser chrome discoverable

Transition smoothly rather than disappearing abruptly. Scrolling upward should restore the normal state.

3. URL Editing

When tapped:

- smoothly expand the capsule
- focus the URL/search input
- select or emphasize the current URL
- summon the keyboard
- reveal appropriate navigation/search controls
- maintain the floating visual treatment

The transition should feel like the existing bar transforms into the editor, not like a separate screen appearing.

4. Loading / Navigation

While navigating:

- expose subtle loading progress
- support reload/stop state
- avoid large layout shifts
- keep the animation restrained

Consider a thin progress treatment inside or along the edge of the capsule rather than a separate progress bar.

Interaction Principles

Scroll behaviour

Desired feel:

```

scroll down
  ↓
normal bar
  ↓
compact floating bar

scroll up
  ↓
normal bar

```

Avoid hiding the bar completely unless usability testing strongly supports it.

Tap behaviour

- Tap domain -> enter URL/search mode
- Back -> browser navigation
- Tabs -> tab switcher
- Long press may expose URL actions such as copy/share
- Gestures should not conflict with Android system back/navigation gestures

Keyboard

When the keyboard appears:

- move the editing bar above the keyboard
- preserve smooth transition
- avoid sudden jumps
- maintain adequate touch targets

Visual Direction

Target feeling:

- minimal
- calm
- lightweight
- premium
- content-first
- native rather than web-like

Avoid:

- thick browser chrome
- permanent icon rows
- heavy borders
- excessive shadows
- opaque full-width bottom surfaces
- cluttered Chrome-style controls

The webpage should visually dominate the screen.

Freedom-Specific Identity


The component should leave room for Freedom-specific browser states later, including:

- ENS resolution
- decentralized content indicators
- IPFS / Swarm status
- wallet state
- local AI assistant
- verified decentralized content

Do not expose all of these simultaneously.

Design the left/right status areas so contextual indicators can appear without fundamentally changing the component.

Example:



where ♦ could eventually represent a decentralized/verified-content state.

Suggested Dimensions

Treat these as starting points, not hard requirements:

- horizontal margin: 12-16 dp
- bar height: ~52-58 dp
- corner radius: ~26-30 dp
- compact height: ~40-44 dp
- internal horizontal padding: 12-16 dp
- minimum interactive touch target: 48 dp
- distance above navigation/gesture inset: ~8-12 dp

Android Implementation Assumptions

The design should be practical to implement using native Android UI, preferably Jetpack Compose.

Expected structure:

```

Root edge-to-edge container
├── Browser/Web rendering surface
├── Floating browser chrome overlay
│   └── Address bar

```

The bar should be independent of the underlying web renderer.

Use Android window insets rather than fixed bottom offsets.

Account for:

- gesture navigation
- 3-button navigation
- keyboard/IME insets
- different screen sizes
- display cutouts
- landscape orientation
- tablets/foldables

Motion

Motion is important to the design.

Prioritize polished transitions for:

1. normal -> compact
2. compact -> normal
3. normal -> editing
4. editing -> normal
5. keyboard appearing/disappearing

Prefer geometry morphing and position/size interpolation over fade-heavy transitions.

Animations should feel responsive rather than decorative.

Deliverables

1. resting-state UI
 2. compact-on-scroll UI
 3. URL-editing state
 4. loading state
 5. light and dark variants
 6. example with normal HTTPS domain
 7. example with .eth / decentralized content
 8. interaction/motion specification
 9. Android implementation-ready spacing and component measurements
- Include realistic webpage content behind the bar so the floating treatment can be judged in context.

Primary Design Principle

The page is the interface; the browser chrome should feel like a lightweight floating control layered above it.

The result should evoke the usability of Safari's bottom address bar while remaining recognizably Freedom rather than an imitation of Safari.