



UNIVERSIDAD POLITÉCNICA DE MADRID

ESCUELA TÉCNICA SUPERIOR DE INGENIERÍA Y DISEÑO INDUSTRIAL

Grado en Ingeniería Eléctrica

TRABAJO DE FIN DE GRADO

Desarrollo de una herramienta software para la simulación de sistemas fotovoltaicos con R

Autor: Francisco Delgado López

Tutor: Oscar Perpiñán Lamigueiro Departamento de Ingeniería Eléctrica, Electrónica, Automática y Física aplicada

Madrid, 8 de septiembre de 2024

Agradecimientos

Agradezco a \dots

Resumen

El presente proyecto se enfoca en el desarrollo de un paquete de software estadístico en R, denominado solaR2, diseñado para estimar la productividad de sistemas fotovoltaicos a partir de datos de irradiación solar. solaR2 es una evolución del paquete solaR, con mejoras significativas en su modularidad y eficiencia. A diferencia de solaR, que utilizaba el paquete zoo para la gestión de series temporales, solaR2 se basa en data table, lo que optimiza la manipulación de grandes volúmenes de datos y acelera el procesamiento. Este avance es crucial para un análisis más detallado y eficiente en el campo de la energía solar fotovoltaica.

solaR2 ofrece herramientas avanzadas para simular el rendimiento de sistemas conectados a la red y sistemas de bombeo de agua con energía solar. Incluye clases, métodos y funciones que permiten calcular la geometría solar y la radiación solar incidente, así como estimar la productividad final de estos sistemas a partir de la irradiación global horizontal diaria e intradiaria.

El diseño modular basado en clases S4 facilita el manejo de series temporales multivariantes y proporciona métodos de visualización avanzados para el análisis de rendimiento en plantas fotovoltaicas a gran escala. La implementación con data.table mejora la eficiencia en la manipulación de datos, permitiendo análisis más rápidos y precisos. Entre sus funcionalidades destacadas están el cálculo de radiación solar en diferentes planos, la estimación de rendimiento de sistemas fotovoltaicos y de bombeo, y la evaluación de sombras.

Además, solaR2 ofrece herramientas avanzadas para la visualización estadística del rendimiento, compatible con otros paquetes de R para manipulación de series temporales y análisis espacial. Esto la convierte en una herramienta útil para investigadores y profesionales en el diseño y optimización de sistemas fotovoltaicos, permitiendo un análisis detallado bajo diversas condiciones. En resumen, solaR2 representa una mejora significativa en el análisis y simulación de sistemas solares, proporcionando una herramienta flexible y reproducible para mejorar la eficiencia energética y la rentabilidad de las instalaciones solares.

Palabras clave: geometría solar, radiación solar, energía solar, fotovoltaica, métodos de visualización, series temporales, datos espacio-temporales, S4.

Abstract

This project focuses on the development of a statistical software package in R, called solaR2, designed to estimate the productivity of photovoltaic systems based on solar irradiation data. solaR2 is an evolution of the solaR package, with significant improvements in modularity and efficiency. Unlike solaR, which used the zoo package for time series management, solaR2 is based on data.table, optimizing the handling of large data volumes and speeding up processing. This advancement is crucial for more detailed and efficient analysis in the field of photovoltaic solar energy.

solaR2 offers advanced tools to simulate the performance of grid-connected systems and solar-powered water pumping systems. It includes classes, methods, and functions that allow for the calculation of solar geometry and incident solar radiation, as well as the estimation of the final productivity of these systems from daily and intraday global horizontal irradiation data.

The modular design, based on S4 classes, facilitates the handling of multivariate time series and provides advanced visualization methods for performance analysis in large-scale photovoltaic plants. The implementation with data table improves data manipulation efficiency, enabling faster and more accurate analysis. Key features include the calculation of solar radiation on different planes, performance estimation of photovoltaic and pumping systems, and shadow evaluation.

In addition, solaR2 offers advanced tools for statistical visualization of performance, compatible with other R packages for time series manipulation and spatial analysis. This makes it a useful tool for researchers and professionals in the design and optimization of photovoltaic systems, allowing for detailed analysis under various conditions. In summary, solaR2 represents a significant improvement in the analysis and simulation of solar systems, providing a flexible and reproducible tool to enhance energy efficiency and profitability of solar installations.

Keywords: solar geometry, solar radiation, solar energy, photovoltaic, visualization methods, time series, spatiotemporal data, S4.

Índice general

In	ndice general	IX
Ín	adice de figuras	XI
Ín	adice de tablas	XII
N	omenclatura	xv
1	Introducción1.1. Objetivos1.2. Análisis previo de soluciones	
2	Estado del arte 2.1. Situación actual de la generación fotovoltaica	
3	Marco teórico 3.1. Radiación solar	$\frac{16}{20}$
4	Desarrollo del código 4.1. Geometría solar	41 47 55 66 70 73
5	Ejemplo práctico de aplicación 5.1. solaR 5.2. PVsyst 5.3. solaR2 5.4. Comparación y conclusiones	85 86
A	Manual de referencia de solaR2	91
Bi	ibliografía	179

Índice de figuras

3.1.	El procedimiento de cálculo consiste en obtener la irradiancia efectiva a partir de la irradiación global en un plano horizontal. Primero, se separan las componentes directa	
	y difusa utilizando índices de claridad y fracciones difusas. Luego, se trasladan estos	
	valores al plano inclinado y se ajustan por factores de suciedad y sombras. Con la	
	irradiancia efectiva y la eficiencia del sistema fotovoltaico, se calcula la potencia en	
	corriente continua, que luego se convierte en corriente alterna a través de un inversor.	
	Finalmente, al integrar esta potencia, se obtiene la energía. Figura modificada de la	
	figura 3.3 del libro ESF [Per23]	11
3.2.	Perfil de irradiancia difusa y global obtenido a partir del generador empírico de [CR79]	
	para valores de irradiancia tomadas cada 10 minutos. Figura 3.4 del libro ESF [Per23].	17
3.3.	Ángulo de visión del cielo. Figura 3.5 del libro ESF [Per23]	18
3.4.	Pérdidas angulares de un módulo fotovoltaico para diferentes grados de suciedad en	
	función del ángulo de incidencia. Figura 3.7 del libro ESF [Per23]	19
3.5.	Curvas corriente-tensión (línea discontinua) y potencia-tensión (línea continua) de una	~ .
2.0	célula solar $(T_a = 20^{\circ}C \text{ y } G = 800W/m^2)$. Figura 4.6 del libro ESF [Per23]	20
3.6.	Evolución de la eficiencia de células según la tecnología (según el National Renewable	~ -
a -	Energy Laboratory [Nat24] (EEUU))	21
3.7.	Dimensiones y distancias entre filas de un sistema estático. Figura 6.10 del libro ESF	26
0.0	[Per23]	29
3.8.	Sombras mutuas en un conjunto de cuatro seguidores. Figura 6.11 del libro ESF	0.0
0.0	[Per23]	30
3.9.	Dimensiones de un seguidor a doble eje y longitud de su sombra arrojada. Figura	0.1
9.10	6.12 del libro ESF [Per23]	31
	Posibles sombras en un conjunto de seis seguidores. Figura 6.13 del libro ESF [Per23].	31
3.11.	Ábaco para planta de seguimiento a doble eje. Recoge el ratio entre la energía anual	
	producida por un seguidor afectado por sombras mutuas (E_{acS}) y la producida por	
	un seguidor sin sombreado (E_{ac0}) . Las curvas de color negro representan la fracción	
	de energía no afectada por sombras. Las curvas de puntos representan el valor del ROT. Figura 6.14 del libro ESF [Per23].	33
2 19	ROT. Figura 6.14 del libro ESF [Per23]	96
3.12.	libro ESF [Per23]	33
		υe
4.1.	Proceso de cálculo de las funciones de solaR2	35
4.2.	Cálculo de la geometría solar mediante la función calcSol, la cual unifica las fun-	
	ciones fSolD y fSolI resultando en un objeto clase Sol el cual contiene toda la	
	información geométrica necesaria para realizar las siguientes estimaciones	36
4.3.	Los datos meteorologicas se pueden leer mediante las funciones readGOdm, readBD,	
	dt2Meteo, zoo2Meteo y readSIAR las cuales procesan estos datos y los almacenan	
	en un objeto de clase Meteo	41
4.4.	Cálculo de la radiación incidente en el plano horizontal mediante la función calcG0,	
	la cual procesa un objeto clase Sol y otro clase Meteo mediante las funciones fCompD	
	y fCompI resultando en un objeto clase GO.:	47

4.5.	Cálculo de la radiación efectiva incidente en el plano del generador mediante la fun-	
	ción calcGef, la cual emplea la función fInclin para el computo de las componentes	
	efectivas, la función fTheta que provee a la función anterior los ángulos necesarios	
	para su computo y la función calcShd que reprocesa el objeto de clase Gef resultante,	
	añadiendole el efecto de las sombras producidas entres módulos	55
4.6.	Estimación de la producción eléctrica de un SFCR mediante la función prodGCPV, la	
	cual emplea la función fProd para el computo de la potencia a la entrada (P_{DC}) , a	
	la salida (P_{AC}) y el rendimiento (η_{inv}) del inversor	66
4.7.	Estimación de la producción eléctrica de un SFB mediante la función prodPVPS , la	
	cual emplea la función fPump para el computo del rendimiento de las diferentes parte	
	de una bomba centrífuga alimentada por un convertidor de frecuencia.	70

Índice de tablas

3.1.	Valor d_n correspondiente a los doce días promedio	14
3.2.	Valores del coeficiente de pérdidas angulares y transmitancia relativa en incidencia normal para diferentes tipos de suciedad	19
5.1.	Parámetros técnicos de diferentes tipos de células solares	83
5.2.	Sistemas fotovoltaicos	83
5.3.	Carácteristicas del inversor	84
5.4.	Energía media mensual estimada por PVSyst en KWh del sistema 1	85
5.5.	Energía media mensual estimada por PVSyst en KWh del sistema $2. \dots \dots$	86

Nomenclatura

α	Ángulo de orientación de un sistema fotovoltaico
AM	Masa de aire
AO	Adelanto oficial durante el horario de invierno
B	Radiación directa
$B_0(0)$	Irradiancia extra-atmosférica o extra-terrestre en el plano horizontal
$B_{0d}(0)$	Irradiación diaria extra-atmosférica en el plano horizontal
β	Ángulo de inclinación de un sistema fotovoltaico
D	Radiación difusa
D^C	Radiación difusa circunsolar
δ	Declinación
$\Delta \lambda$	Diferencia entre la longitud local y la longitud del huso horario
D^{I}	Radiación difusa isotrópica
d_{min}	Distancia mínima entre hileras de un generador para evitar el sombreado
d_n	Día del año
EoT	Ecuación del tiempo
ϵ_0	Corrección debida a la excentricidad de la elipse de la trayectoria terrestre alrededor del Sol
η_{mp}	Eficiencia de una motobomba
F_D	Fracción de difusa
F_{Dd}	Fracción de difusa diaria
F_{Dm}	Fracción de difusa mensual
FT_B	Factor de pérdidas angulares para irradiancia directa
FT_R	Factor de pérdidas angulares para irradiancia de albedo

Área de una célula

Área de un generador fotovoltáico

 A_c

 A_G

Factor de pérdidas angulares para irradiancia difusa Aceleración de la gravedad gGRadiación global GCR Ground coverage ratio G_{STC} Irradiancia incidente en condiciones estandar de medida H_{dt} Nivel dinámico de un pozo H_f Altura asociada a las pérdidas de frición en una tubería Diferencia de cotas entre la salida de agua y la entrada en el depósito H_{OT} H_{st} Nivel estático de un pozo H_T Altura total incluyendo las pérdidas de fricción de la tubería H_{TE} Altura total equivalente de un sistema de bombeo H_v Altura vertical aparente Corriente de una célula en el punto de máxima potencia I_{mpp} I_{sc} Corriente de cortocircuito de una célula K_T Índice de claridad K_{Td} Índice de claridad diario K_{Tm} Índice de claridad mensual L_{eo} Separación entre seguidores en sentido Este-Oeste Separación entre seguidores en sentido Norte-Sur L_{ns} MPP Punto de máxima potencia de un dispositivo fotovoltaico Hora solar o tiempo solar verdadero ω Àngulo del amanecer ω_s P_{el} Potencia eléctrica necesaria en la entrada de una motobomba Pérdidas de frición en la tubería de un sistema de bombeo P_f P_H Potencia hidraúlica necesaria en un sistema de bombeo de agua P_H Potencia hidráulica ϕ Latitud Potencia nominal de un inversor P_{inv} Ángulo acimutal solar ψ_s

Q

Caudal de agua

Caudal máximo del pozo

 Q_t Caudal de ensayo de un pozo

R Radiación del albedo

 r_D Relación entre la irradiancia y la irradiación difusa en el plano horizontal

 ρ Densidad del agua

 ρ Coeficiente de reflexión del terreno para la irradiancia de albedo

ROT Ratio de ocupación del terreno

STC Condiciones estándar de medida de un dispositivo fotovoltaico

Ta Temperatura ambiente

 T_c^* Temperatura de célula en condiciones estándar de medida

 T_c Temperatura de célula

 θ_s Ángulo de incidencia o ángulo entre el vector solar y el vector director de una superficie

 θ_{zs} Ángulo cenital solar

 T_{max} Temperatura máxima en un día

 T_{min} Temperatura mínima en un día

TO Hora oficial

TONC Temperatura de operación nominal de célula

 V_{mpp} Tensión de una célula en el punto de máxima potencia

 V_{oc} Tensión de circuito abierto de una célula

CAPÍTULO **1**

Introducción

1.1. Objetivos

El objetivo principal de este proyecto es el desarrollo de un paquete en R [R C23] con el cual poder realizar estimaciones y representaciones gráficas de la geometría solar, radiación solar en el plano horizontal y del generador, y el funcionamiento de sistemas fotovoltaicos de conexión a red y de bombeo de agua.

Durante el resto del documento, cuando sea preciso, se hará referencia al paquete desarrollado en este proyecto con el nombre solaR2.

El usuario puede colocar los datos que considere convenientes (desde una base de datos oficial hasta una base de datos propia) en cada una de las funciones que ofrece el paquete pudiendo así obtener resultados de la geometría solar, de la radiación horizontal, de la efectiva y hasta de la producción de diferentes tipos de sistemas fotovoltaicos.

El paquete también incluye una serie de funciones que permiten hacer representaciones gráficas de estos resultados con el fin de poder apreciar con más detalle las diferencias entre sistemas y contemplar cual es la mejor opción para el emplazamiento elegido.

Este proyecto, toma su origen en el paquete ya existente solaR [Per12], el cual, desarrolló el tutor de este proyecto en 2010. Esta versión, la 0.14, ha tenido una serie de actualizaciones, siendo la más reciente la 0.46 (en el 2021). Sin embargo, al ser versiones de un software antiguo se propuso la idea de renovarlo teniendo en cuenta el paquete en el que basa su funcionamiento. El paquete solaR ha basado su funcionamiento en el paquete zoo [ZG05] el cual proporciona una sólida base para trabajar con series temporales. Sin embargo, como base de solaR2 se ha optado por el paquete data.table [Bar+24]. Este paquete ofrece una extensión de los clásicos data.frame de R en los data.table, los cuales pueden trabajar rápidamente con enormes cantidades de datos (por ejemplo, 100 GB de RAM).

La clave de ambos proyectos es que, al estar basados en R, cualquier usuario puede acceder a ellos de forma gratuita; tan solo se necesita tener instalado R en tu dispositivo.

Para alojar este proyecto se toman dos vías:

■ Github [Wan+23]: donde se aloja la versión de desarrollo del paquete.

■ CRAN [R C24]: acrónimo de Comprehensive R Archive Network, es el repositorio donde se alojan las versiones definitivas de los paquetes y desde el cual se descargan a la sesión de R.

El paquete solaR2 permite realizar las siguientes operaciones:

- Cálculo de toda la geometría que caracteriza a la radiación procedente del Sol.
- Tratamiento de datos meteorológicos (en especial de radiación), procedentes de datos ofrecidos del usuario y de la red de estaciones SIAR [Min23].
- Una vez calculado lo anterior, se pueden hacer estimaciones de:
 - Los componentes de radiación horizontal.
 - Los componentes de radiación eficaz en el plano inclinado.
 - La producción de sistemas fotovoltaicos conectados a red y sistemas fotovoltaivos de bombeo.

Este proyecto ha tenido a su vez una serie de objetivos secundarios:

- Uso y manejo de *GNU Emacs* [Sta85] en el que se realizaron todos los archivos que componen este documento (utilizando el modo Org [Dom+03]) y el paquete descrito (empleando ESS [Pro24]).
- Dominio de diferentes paquetes de R:
 - zoo [ZG05]: paquete que proporciona un conjunto de clases y métodos en S3 para trabajar con series temporales regulares e irregulares. Usado en el paquete solaR como pilar central.
 - data.table [Bar+24]: otorga una extensión a los datos de tipo data.frame que permite una alta eficiencia especialmente con conjuntos de datos muy grandes. Se ha utilizado en el paquete solaR2 en sustitución del paquete zoo como tipo de dato principal en el cual se construyen las clases y métodos de este paquete.
 - microbenchmark [Mer+23]: proporciona infraestructura para medir y comparar con precisión el tiempo de ejecución de expresiones en R. Usado para comparar los tiempos de ejecución de ambos paquetes.
 - profvis [Wic+24]: crea una interfaz gráfica donde explorar los datos de rendimiento de una expresión dada. Aplicada junto con microbenchmark para detectar y corregir cuellos de botella en el paquete solaR2
 - lattice [Sar08]: proporciona diversas funciones con las que representar datos. solaR2 utiliza este paquete para representar de forma visual los datos obtenidos en las estimaciones.
- Junto con el modo Org, se ha utilizado el prepador de textos LATEX (partiendo de un archivo .org, se puede exportar a un archivo .tex para posteriormente exportar un .pdf).
- Obtener conocimientos teóricos acerca de la radiación solar y de la producción de energía solar mediante sistemas fotovoltaicos y sus diversos tipos. Para ello, se ha usado en mayor medida el libro *Energía Solar Fotovoltaica* [Per23].

1.2. Análisis previo de soluciones

Antes de comenzar el desarrollo del proyecto, se llevó a cabo una revisión de las soluciones de estimaciones de instalaciones fotovoltaicas existentes en el mercado. Algunas de las soluciones encontradas fueron:

- 1. **PVSyst- Photovoltaic Software**: el software PVSyst, desarrollado por la empresa suiza con el mismo nombre, es quizá el más conocido dentro del ámbito del estudio y la estimación de instalaciones fotovoltaicas. Ofrece una amplia capacidad de personalización de todos los componentes de la instalación.
- 2. **SISIFO**: es una herramienta web diseñada y desarrollada por el Grupo de Sistemas Fotovoltaicos del Instituto de Energía Solar de la Universidad Politécnica de Madrid. Ha sido y es la herramienta interna utilizada por los ingenieros de dicho grupo.
- 3. **PVGIS**: aplicación web desarrollada por el European Commission Joint Research Center desde. Su enfoque es asistir en el cálculo y estimación de instalaciones fotovoltaicas, ya sean conectadas a red, de seguimiento o de autoconsumo.
- 4. System Advisor Model: system Advisor Model (SAM), desarrollado por el Laboratorio Nacional de Energías Renovables, perteneciente al Departamento de Energía del gobierno americano, es un software técnico-económico gratuito que ayuda a la toma de decisiones en el amplio campo de las energías renovables. Ofrece un conjunto de soluciones muy completas no solamente relacionadas con la energía fotovoltaica, sino también termosolar, eólica, geotermal o biomasa, entre otras.
- 5. solaR: solaR es un paquete de código para el entorno de R, desarrollado por Oscar Perpiñán. Es el antecesor del paquete del que trata este proyecto.

En el apartado 2.2 se lleva a cabo un desarrollo más detallado de las características de las soluciones mencionadas, así como sus ventajas y limitaciones.

Estado del arte

2.1. Situación actual de la generación fotovoltaica

Según el informe anual de 2023 de la UNEF¹ [UNE23], en 2022 la fotovoltaica se posicionó como la tecnología con más crecimiento a nivel internacional, tanto entre las renovables como entre las no renovables. Se instalaron 240 GWp de nueva capacidad fotovoltaica a nivel mundial, suponiendo esto un incremento del 137 % con respecto a 2021.

A pesar de las diversas crisis internacionales, la energía solar fotovoltaica superó los 1185 GWp instalados. Como otros años, las cifras indican que China continuó siendo el primer actor mundial, superando los 106 GWp de potencia instalada en el año. La Unión Europea se situó en el segundo puesto, duplicando la potencia instalada en 2021 y alcanzando un nuevo record con 41 GWp instalados en 2022.

La producción energía fotovoltaica a nivel mundial representó el 31 % de la capacidad de generación renovable, convirtiendose así en la segunda fuente de generación, solo por detrás de la energía hidráulica. En 2022 se añadió 3 veces más de energía solar que de energía eólica en todo el mundo.

Por otro lado, la Unión Europea superó a EE.UU. como el segundo mayor actor mundial en desarrollo fotovoltaico, instalando un 47 % más que en 2021 y alcanzando una potencia acumulada de más de 208 GWp. España lideró el mercado europeo con 8,6 GWp instalados en 2022, superando a Alemania.

El año 2022 fue significativo en términos legislativos con el lanzamiento del Plan REPowerEU² [Eur22]. Dentro de este plan, se lanzó la Estrategía de Energía Solar con el objetivo de alcanzar 400 GWp (320 GW) para 2030, incluyendo medidas para desarrollar tejados solares, impulsar la industria fotovoltaica y apoyar la formación de profesionales en el sector.

En 2022, España vivió un auge en el desarrollo fotovoltaico, instalando $5.641~\mathrm{MWp}$ en plantas en suelo, un 30~% más que en 2021, y aumentando el autoconsumo en un 108~%, alcanzando $3.008~\mathrm{MWp}$. El sector industrial de autoconsumo creció notablemente, representando el 47~% del autoconsumo total.

¹UNEF: Unión Española Fotovoltaica.

²Plan REPowerEU: Proyecto por el cual la Unión Europea quiere poner fin a su dependencia de los combustibles fósiles rusos ahorrando energía, diversificando los suministros y acelerando la transción hacia una energía limpia.

España implementó varias iniciativas legislativas para enfrentar la volatilidad de precios de la energía y la dependencia del gas, destacando el RD-ley 6/2022 [BOE22b] y el RD 10/2022 [BOE22a], que han modificado mecanismos de precios y estableciendo límites al precio del gas.

El Plan SE+³ [dem22] incluye medidas fiscales y administrativas para apoyar las renovables y el autoconsumo. En 2022, se realizaron subastas de energía renovable, asignando 140 MW a solar fotovoltaica en la tercera subasta y 1.800MW en la cuarta, aunque esta última quedó desierta por precios de reserva bajos.

Se adjudicaron 1.200 MW del nudo de transición justa de Andorra a Enel Green Power España, con planes para instalar plantas de hidrógeno verde y agrovoltaica. la actividad en hidrógeno verde y almacenamiento también creció, con fondos adicionales y exenciones de cargos.

El autoconsumo, apoyado por diversas regulaciones y altos precios de la electricidad, registró un crecimiento significativo, alcanzado 2.504 MW de nueva potencia en 2022. Las comunidades energéticas también avanzaron gracias a ayudas específicas, a pesar de la falta de un marco regulatorio definido.

2022 estuvo marcado por los programas financiados por la Unión Europea, especialmente el Mecanismo de Recuperación y Resiliencia [Hac22] que canaliza los fondos NextGenerationEU [Uni20]. El PERTE⁴, aprobado en diciembre de 2021, espera crear más de 280.000 empleos, con ayudas que se ejecutarán hasta 2026. En 2023 se solicitó a Bruselas una adenda para segunda fase del PERTE, obteniendo 2.700 millones de euros adicionales.

La contribución del sector fotovoltaico a la economía española en 2022 fue significativa, aportando 7.014 millones de euros al PIB⁵, un 51 % más que el año anterior, y generando una huella econóimca total de 15.656 millones de euros. En términos de empleo, el sector involucró a 197.383 trabajadores, de los cuales 40.683 fueros directos, 97.600 indirectos y 59.100 inducidos.

El sector industrial fotovoltaico nacional tiene una fuerte presencia en España, con hasta un 65 % de los componentes manufacturados localmente. Empresas españolas se encuentran entre los principales fabricantes mundiales de inversores y seguidores solares. Además, España es un importante exportador de estructuras fotovoltaicas y cuenta con iniciativas prometedoras para la fabricación de módulos solares.

En definitiva, la fotovoltaica es una tecnología en auge y con perspectivas para ser el pilar de la transición ecológica. Por ello, surge la necesidad de encontrar herramientas que permitan estimar el desempeño que estos sistemas pueden tener a la hora de realizar estudios de viabilidad económica.

2.2. Soluciones actuales y sus carencias

Como se mencionó en el capítulo 1, existen una serie de herramientas que permiten el cálculo y la simulación de instalaciones fotovoltaicas. Todas ellas presentan una serie de ventajas específicas, en contraste de una serie de limitaciones. Estas son:

1. PVsyst - Photovoltaic Software [PVS24].

³Plan + Seguridad Energética: Se trata de un plan con medidas de rápido impacto dirigidas al invierno 2022/2023, junto con medidas que contribuyen a un refuerzo estructural de esa seguridad energética.

⁴PERTE: Proyecto Estratégico para la Recuperación y Transformación Económica.

⁵PIB: Producto Interior Bruto.

Este software es probablemente se encuentra entre los más conocidos dentro del ámbito del estudio y la estimación de instalaciones fotovoltaicas. Destaca por la personalización detallada de los componentes de la instalación (módulos, inversores, sombreado, etc.), lo que permite una simulación precisa a través de datos meteorológicos y parámetros detallados del sistema. Su uso está extendido en proyectos de gran escala y estuidos avanzados de eficiencia.

Ventajas:

- completo y profesional: PVsyst es altamente detallado, permitiendo análisis avanzados para proyectos pequeños y grandes.
- base de datos meteorológicos: integra datos climáticos de fuentes como Meteonorm [JG20], lo que mejora la precisión de las simulaciones.
- simulaciones avanzadas: permite modelar la energía producida por una planta fotovoltaica y calcular las pérdidas debidas a sombreamiento, inclinación, orientaciones y resistencias internas de los módulos.
- herramientas de dimensionamiento: ofrece módulos específicos para diseñar la configuración de inversores y módulos solares.

■ Limitaciones:

- costo: es un software comercial, con licencias que pueden ser costosas para proyectos pequeños.
- **curva de aprendizaje**: su interfaz puede resultar compleja para usuarios nuevos, lo que implica una curva de aprendizaje considerable.
- enfoque técnico: está más orientado a ingenieros y técnicos, por lo que carece de accedsibilidad para usuarios no especializados.

2. **SISIFO** [Sis24].

Herramienta web diseñada por el **Grupo de Sistemas Fotovoltaicos del Instituto de Energía Solar de la Universidad Politécnica de Madrid**. Está diseñada para ser accesible y fácil de usar, enfocándose en una audiencia más general, incluyenco ingenieros, pero también técnicos y académicos.

• Ventajas:

- facilidad de uso: tiene una interfaz amigable y fácil de utilizar, lo que lohace accesible para usuarios con distintos niveles de experiencia.
- **open-source**: al ser de código abierto, permite a los desarrolladores modificar y adaptar el software a sus necesidades específicas.
- simulación integrada: ofrece la posibilidad de realizar simulaciones basadas en datos meteorológicos, aunque con un nivel de detalle inferior a PVsyst.
- soporte comunitario: al ser de código abierto, cuenta con una comunidad activa de usuarios y desarrrolladores que colaboran en mejoras y actualizaciones.

■ Limitaciones:

- escasa precisión: al compararse con otras herramientas, su precisión puede ser menor en cuanto a modelado y simulación de pérdidas, ya que simplifica varios aspectos del sistema.
- poca funcionalidad en grandes proyectos: no se adapta a las grandes instalaciones o análisis financieros avanzados con la misma eficacia que en los proyectos más reducidos.

3. **PVGIS** [PVG24].

Aplicación web desarrolada por el European Commission Joint Research Center desde 2001. Está diseñada para proporcionar estimaciones de producción de energía solar en función de la ubicación geográfica y condiciones meteorológicas históricas.

• Ventajas:

- gratuito y accesible: esta herramienta es completamente gratuira y accesible a través de una interfaz web, lo que facilita el uso por parte de cualquier persona.
- datos meteorológicos precisos: proporciona acceso a datos meteorológicos satelitales y de estaciones terrestres, lo que permite obtener estimaciones razonables de producción de energía.
- estudios rápidos: es ideal para obtener estimaciones preliminares y estudios de viabilidad de sistemas fotovoltaicos.

• Limitaciones:

- falta de personalización: en comparación con otros programas más avanzados, PVGIS no permite personalizar detalles técnicos de la instalación (por ejemplo, inversores específicos o modelos de paneles) lo que puede reducir la precisión en estudios detallados.
- limitación en análisis de pérdidas: no ofrece herramientas avanzadas para modelar pérdidas complejas como sombreamiento detallado, resistencias internas o interacciones entre componentes específicos del sistema.
- enfoque limitado: está diseñado principalmente para estimaciones rápidas, por lo que no es adecuado para proyectos a gran escala o análisis financieros detallados.

4. System Advisor Model [SAM24].

Desarrollado por el Laboratorio Nacional de Energías Renovables, perteneciente al Departamento de energía del gobierno de EE.UU. Está orientada a la modelación tanto técnica como económica de sistemas de energía renovable, incluyendo fotovoltaicos.

• Ventajas:

- modelo económico avanzado: integra análisis detalados sobre la viabilidad económica, lo que permite evaluar tanto la producción energética como los costos y benefecios a lo largo de la vida útil del proyecto.
- acceso a múltiples tecnologías: además de fotovoltaicos, permite modelar otras tecnologías de energía renovable, lo que lo hace más flexible para estuidos multidisciplinares.
- integración de bases de datos: utiliza datos meteorológicos detallados, lo que mejora la precisión de las simulaciones.

Limitaciones:

- **complejidad**: aunque gratuito, SAM es bastante complejo y técnico, esto puede hacer que solo los usuarios con experiencia en el modelado de sistemas energéticos puedan utilizarlo.
- interfaz poco intuitiva: comparado con otras herramientas, requiere un mayor tiempo de familiarización debido a su enfoque integral y detalle en las simulaciones.

Como se mencionó en el capitulo 1 este proyecto toma su base en el paquete solaR [Per12], el cual es una herramienta robusta para el cálculo de la radiación solar y el rendimiento de sistemas fotvoltaicos.

Este paquete está diseñado utilizando clases S4 en R, y su núcleo se basa en series temporales multivariantes almacenadas en objetos de la clase zoo. Su funcionamiento se basa, al igual que solaR2, en una serie de funciones constructoras que calculan objetos relacionados con cada paso de la simulación de un sistema fotovoltaico. Podemos dividir su funcionamiento en los siguientes grupos:

- 1. cálculo de la geometría solar: calcula el movimiento aparente diario (con fSolD) e intradiario (con fSolI) del Sol desde la Tierra. Para ello se vale de la función calcSol la cual devuelve un objeto de clase Sol que contiene todos los ángulos necesarios.
- 2. almacenamiento de datos meteorológicos: se define la clase Meteo, la cual, se construye mediante una serie de funciones (readBD, readGOdm, zoo2Meteo, df2Meteo ...). Estas funciones toman los datos meteorológicos provenientes de distintas vias (un data.frame, un objeto zoo, un fichero...) y los adapta para que puedan ser manipulados por el resto de funciones del paquete.
- 3. cálculo de radiación en un plano horizontal: tomando los objetos anteriores, es capaz de calcular (si no vienen ya dadas) las componentes de la irradiación (con fCompD) y de la irradiancia (con fCompI). La función calcGO devuelve un objeto GO que contiene las anteriores componentes y añade medias mensuales de valores diarios y sumas anuales de la irradiación.
- 4. cálculo de radiación en el plano del generador: toma un objeto G0 y lo transforma en un objeto Gef mediante la función calcGef, la cual utilizando las funciones fTheta y fInclin determinan la irradiación y la radiación efectiva al igual que las medias mensuales de la irradiación diaria y sumas anuales.
- 5. simulación de sistemas fotovoltaicos conectados a red: con un objeto Gef y con los parametros del sistema, la función prodGCPV, tomando los resultado de la función fProd, cálcula la producción energética de un SFCR. Devuleve un objeto de clase ProdGCPV que incluye valores de potencias instantaneas y energías diarias, medias mensuales y sumas anuales.
- 6. simulación de sistemas fotovoltaicos de bombeo: toma un objeto Gef y con los paremetros del sistema y de la bomba, la función prodPVPS, tomando los resultados de la función fPump, cálcula la producción energética de un SFB.
- 7. **optimización de distancias**: es capaz de optimizar las distancias de un sfcr mediante la función **optimShd**, la cual devuelve un objeto **Shade** el cual contiene multiples combinaciones de distancias para que el usuario pueda decidir la mejor.
- 8. **métodos de visualización**: para cada uno de los objetos mencionados existen métodos de visualización gráfica para ayudar a comprender los resultados obtenidos.

Pese a ser un herramienta muy capaz, solaR presenta una serie de carencias relativas:

- Modularidad: el paquete solaR contiene funciones que realizan muchas operaciones, esto deja poco lugar al usuario para que pueda entender cada componente independientemente.
- Eficiencia y rendimiento: el paquete solaR utiliza zoo para manejar series temporales, lo cual es adecuado para volúmenes de datos moderados. Sin embargo, zoo no está optimizado para operaciones de alta eficiencia en datasets grandes.

2. Estado del arte

- Escalabilidad: solaR puede experimentar problemas de escalabilidad al trabajar con datasets extensos, ya que zoo no es tan eficiente en operaciones que requieren manipulación compleja o paralelización.
- Manipulación de datos: zoo es adecuado para manejar series temporales básicas, pero carece de las capacidades avanzadas de manipulación de datos que ofrecen otros paquetes.

En el capitulo 5 se realizará un ejemplo práctico que compare los resultados entre PVsyst, solaR y solaR2.

Marco teórico

El paquete **solaR2** toma como marco teórico el libro de Oscar Perpiñán, tutor de este trabajo, Energía Solar Fotovoltaica [Per23] para cada una de las operaciones de cálculo que realizan cada una de las funciones. En la figura 3.1, se muestra un diagrama que resume los pasos que se siguen a la hora de calcular la producción de sistemas fotovoltaicos.




Figura 3.1: El procedimiento de cálculo consiste en obtener la irradiancia efectiva a partir de la irradiación global en un plano horizontal. Primero, se separan las componentes directa y difusa utilizando índices de claridad y fracciones difusas. Luego, se trasladan estos valores al plano inclinado y se ajustan por factores de suciedad y sombras. Con la irradiancia efectiva y la eficiencia del sistema fotovoltaico, se calcula la potencia en corriente continua, que luego se convierte en corriente alterna a través de un inversor. Finalmente, al integrar esta potencia, se obtiene la energía. Figura modificada de la figura 3.3 del libro ESF [Per23].

Estos pasos son:

- 1. Calcular la geometría que define la posición relativa del Sol desde la Tierra.
- 2. Obtener la irradiación global diaria en el plano horizontal.
- 3. A partir de la irradiación global, obtener las componentes de difusa y directa.
- 4. Trasladar estos valores de irradiación a valores de irradiancia.
- 5. Integrando estos valores, obtener las estimaciones irradiación diaria difusa, directa y global.
- 6. El generador fotovoltaico produce una potencia en corriente continua dependiente del rendimiento del mismo.
- 7. Un inversor, el cual tiene una efciencia asociada, convierte esta potencia en corriente alterna.
- 8. Integrar esta potencia para obtener la energía que produce el generador en un tiempo determinado.

3.1. Radiación solar

3.1.1. Geometría Sol y Tierra

Como es sabido, el movimiento terrestre se compone de una traslación alrededor del Sol y un giro sobre su eje. En este movimiento, la Tierra se desplaza alrededor del Sol siguiendo una elipse de baja excentricidad en la que el Sol ocupa uno de los focos. La duración de este movimiento define el concepto de año. La corrección debida a la excentricidad de la elipse¹ se calcula con:

$$\epsilon_0 = 1 + 0.033 \cdot \cos(\frac{2\pi d_n}{365}) \tag{3.1}$$

donde d_n es el número de día del año (siendo $d_n = 1$ el 1 de enero).

El movimiento que describe la Tierra al girar alrededor del Sol, está contenido en un plano conocido como plano de la eclíptica, el cual, entre este y el eje polar (línea imaginaria que uno los dos polos de la Tierra), se forma un ángulo conocido como declinación², el cual se puede aproximar de forma sencilla de la siguiente manera³:

$$\delta = 23.45^{\circ} \cdot \sin(\frac{2\pi \cdot (d_n + 284)}{365}) \tag{3.2}$$

3.1.2. Movimiento aparente del sol

Las variaciones en la declinación hacen que los días fluctúen su duración. Esta duración se puede calcular mediante el ángulo del amanecer⁴ (ω_s), el cual determina la diferencia angular entre el mediodía solar y el momento en el que amanece. Por lo tanto, un día durará $2 \cdot |\omega_s|$

¹Correspondiente a la función eccentricity.

²Correspondiente a la función declination

³Por razones de economización del espacio, se va a optar por utilizar las ecuaciones de Cooper [Coo69] por su sencillez. Sin embargo, la función fSolD (como se verá en el capítulo 4) puede seleccionar entre 4 tipos de ecuaciones expuestas por diferentes autores (Strous [Str11], Spencer [Spe71] y Michalsky [Mic88]).

⁴Correspondiente a la función sunrise.

(ya que es el ángulo entre el amanecer y el mediodía, y el mediodía y el anochecer). Se puede calcular el ángulo del amanecer de la siguiente manera:

$$\omega_s = \begin{cases} -\arccos(-\tan\delta\tan\phi) & \text{si } |\tan\delta\tan\phi| < 1\\ -\pi & \text{si } -\tan\delta\tan\phi < -1\\ 0 & \text{si } -\tan\delta\tan\phi > 1 \end{cases}$$
(3.3)

donde ϕ corresponde a la latitud (positiva al norte y negativa al sur).

Sin embargo, cada localización tiene una hora oficial, TO, la cual no se corresponde con el ángulo que forma el Sol a lo largo del día, por lo que resulta necesario calcular la hora solar verdadera $(\omega)^5$:

$$\omega = 15 \cdot (TO - AO - 12) + \Delta\lambda + \frac{EoT}{4}$$
(3.4)

donde:

- TO es la hora oficial.
- AO es el adelanto oficial durante el horario de invierno.
- $\Delta\lambda$ es la diferencia entre la longitud local y la longitud del huso horario.
- EoT es la ecuación del tiempo⁶, se calcula de la siguiente manera:

$$EoT = 229, 18 \cdot (-0,0334 \cdot sin(\frac{2\pi}{365,24} \cdot dn) + 0,04184 \cdot sin(2 \cdot \frac{2\pi}{365,24} \cdot dn + 3,5884))$$
(3.5)

3.1.3. Radiación fuera de la atmósfera terrestre

La radiación extra-atmosférica es la radiación directa del Sol que alcanza la superficie de la atmósfera. El tamaño de la Tierra frente a la distancia que la separa del Sol es muy pequeña, por lo que es razonable asumir que su valor es constante en toda la superficie exterior de la atmósfera. Se define la constante solar B_0 como el valor de irradiancia solar incidente en un plano normal al vector Sol-Tierra. Se acepta como representativo el valor promedio de $B_0 = 1367W/m^2$.

Para calcular la irradiancia incidente en una superficie tangente a la atmósfera en una latitud determinada $(B_0(0))^7$, se toma la siguiente ecuación:

$$B_0(0) = B_0 \cdot \epsilon_0 \cdot \cos(\theta_{zs}) \tag{3.6}$$

donde, $\cos(\theta_{zs})^8$ es el coseno del ángulo cenital solar⁹, que se calcula de la siguiente manera:

$$cos(\theta_{zs}) = cos(\delta)cos(\omega)cos(\phi) + sin(\delta) + sin(\phi)$$
(3.7)

Es importate añadir que, con el ángulo cenital, se puede obtener otro ángulo relevante en la geometría solar. Se trata del ángulo azimutal, ψ_s^{10} , el cual es el ángulo formado por el meridiano

⁵Correspondiente a la función **sunHour**.

⁶Correspondiente a la función **eot**.

⁷Este cálculo, junto con el de la hora solar, ω , el coseno del ángulo cenital, θ_{zs} y el ángulo azimutal, ψ_s , se pueden calcular mediante la función **fSolI**, haciendo uso de sus respectivas funciones.

⁸Correspondiente a la función zenith.

⁹El ángulo cenital, θ_{zs} , es el complementario de la áltura solar, γ_s .

¹⁰Correspondiente a la función azimuth.

solar y el meridiano del lugar (Sur en el hemisferio Norte y viceversa).

$$\cos(\psi_s) = signo(\phi) \cdot \frac{\cos(\delta)\cos(\omega)\cos(\phi) - \cos(\phi)\sin(\delta)}{\sin(\theta_{zs})}$$
(3.8)

Para calcular la irradiación diaria extra-atmoférica¹¹, $B_{0d}(0)^{12}$, se puede integrar la ecuación 3.6:

$$B_{0d}(0) = -\frac{24}{\pi} B_0 \epsilon_0(\omega_s \sin\phi \sin\delta + \cos\phi \cos\delta \sin\omega_s)$$
 (3.9)

Es posible demostrar que el promedio mensual de esta irradiación diaria coincide numéricamente con el valor de irradiación diaria correspondiente a los denominados "días promedios", días en los que la declinación correpondiente coincide con el promedio mensual (tabla 3.1).

Todas estas ecuaciones están recogidas en la función calcSol, la cual computa todos los ángulos solares, diarios e intradiarios, necesarios para la simulación de sistemas fotovoltaicos.

3.1.4. Influencia de la atmósfera

La radiación solar, al atravesar la atmósfera, es afectada por reflexión, atenuación y difusión, lo que altera sus características. La reflexión en las nubes reduce la radiación que llega a la Tierra, mientras que la absorción por vapor de agua, ozono y CO_2 cambia el espectro de la radiación. Además, la dispersión por partículas afecta la distribución espacial. Existen tres tipos de difusión según el tamaño de las partículas en interacción:

- Difusión de Rayleigh: la longitud de onda esmayor que el tamaño de la partícula, ocurre en las capas altas y causa el color azul del cielo.
- Difusión de Mie: la longitud de onda es similar al tamaño de la partícula, ocurre en las capas bajas.
- Difusión no selectiva: la longitud de onda es menor que el tamaño de la partícula.

Resulta útil definir la masa de aire (AM, air mass) como la relación entre el camino recorrido por los rayos directos del Sol a través de la atmósfera hasta la superficie receptora y el que recorerían en caso de incidencia vertical. Se puede aproximar de la siguiente manera:

$$AM = 1/\cos(\theta_{zs}) \tag{3.10}$$

Table 3.1: Valor d_n correspondiente a los doce días promedio.

Mes	Ene	Feb	Mar	Abr	May	Jun	Jul	Ago	Sep	Oct	Nov	Dic
d_n	17	45	74	105	135	161	199	230	261	292	322	347

¹¹Correspondiente a la función **bo0d**.

 $^{^{12}}$ Este cálculo, junto con la declinación, δ , la corrección por excentricidad, ϵ_0 , la ecuación el tiempo, EoT, y el ángulo del amanecer, ω_s , se pueden calcular mediante la función fSolD, haciendo uso de sus respectivas funciones.

Para el cálculo de la irradiancia solar que finalmente incide en una superficie arbitraria localizada en corteza terrestre, será útil distinguir tres contribuciones diferentes. Estas contribuciones, comúnmente denominadas *componentes*, son:

- Radiación Directa, B: representa la fracción de irradiación procendente en línea recta del Sol.
- Radiación Difusa, D: fracción de radiación que procede de todo el cielo, excepto del Sol. Son todos aquellos rayos que dispersa la atmósfera.
- Radiación del albedo, R: parte de la radiación procedente de la reflexión con el suelo.

La suma de las tres componentes constituye la denominada radiación global:

$$G = B + D + R \tag{3.11}$$

3.1.5. Cálculo de componentes de radiación solar

Para caracterizar la radiación solar en un lugar, Liu y Jordan [LJ60] propusieron el índice de claridad, K_T . Este índice es la relación entre la radiación global y la radiación extra-atmosférica, ambas en el plano horizontal. El índice de claridad diario es la relación entre los valores diarios de irradiación:

$$K_{Td} = \frac{G_d(0)}{B_{0d}(0)} \tag{3.12}$$

mientras que el índice de claridad mensual es la relación entre las medias mensuales de la irradiación diaria:

$$K_{Tm} = \frac{G_{d,m}(0)}{B_{0d,m}(0)} \tag{3.13}$$

Una vez se tiene el índice de claridad, se puede calcular la fracción de radiación difusa en el plano horizontal. En el caso de medias mensuales [Pag61]:

$$F_{Dm} = 1 - 1, 13 \cdot K_{Tm} \tag{3.14}$$

donde:

• Fracción de radiación difusa: $F_D = \frac{D(0)}{G(0)}$

Al tener la fracción de radiación difusa, se pueden obtener los valores de la radiación directa y difusa en el plano horizontal¹³:

$$D_d(0) = F_D \cdot G_d(0) \tag{3.15}$$

$$B_d(0) = G_d(0) - D_d(0) (3.16)$$

Estas expresiones se recogen en la función calcGO, la cual calcula las componentes de la irradiancia intradiaria y la irradiación diaria (además de medias mensuales de estas y sumas anuales). Se vale de las funciones fCompD, para la irradiación, y fCompI, para la irradiancia.

¹³Correpondiente a la familia de funciones corrFdKt.

3.2. Radiación en superficies inclinadas

Dados los valores de irradiación diaria difusa, directa y global en el plano horizontal se puede realizar la transformación al plano inclinado. Para ello, es necesario estimar el perfil de irradiancia correspondiente a cada valor de irradiación. Dado que la variación solar durante una hora es baja, podemos suponer que el valor medio de la irradiancia durante esa hora coincide numéricamente con la irradiación horaria. Por otra parte, el análisis de valores medios en largas series temporales ha mostrado que la relación entre la irradiancia y la irradiación extra-atmosférica [CR79] (3.17):

$$r_D = \frac{D(0)}{D_d(0)} = \frac{B_0(0)}{B_{0d}(0)} \tag{3.17}$$

Este factor r_D es calculable directamente sabiendo que la relación entre irradiancia e irradiación extra-atmosférica es deducible teóricamente a partir de las ecuaciones 3.6 y 3.9:

$$\frac{B_0(0)}{B_{0d}(0)} = \frac{\pi}{T} \cdot \frac{\cos(\omega) - \cos(\omega_s)}{\omega_s \cdot \cos(\omega_s) - \sin(\omega_s)} = r_D$$
(3.18)

el mismo análisis mostró una relación entre la irradiancia e irradiación global asimilable a una función dependiente de la hora solar (3.19):

$$r_G = \frac{G(0)}{G_d(0)} = r_D \cdot (a + b \cdot \cos(w))$$
 (3.19)

donde:

- $a = 0,409 0,5016 \cdot sin(\omega_s + \frac{\pi}{3})$
- $b = 0,6609 + 0,4767 \cdot sin(\omega_s + \frac{\pi}{3})$

Es importante resaltar que estos perfiles proceden de medias sobre largos períodos, de ahí que, como es observable en la figura 3.2, las fluctuaciones propias del movimiento de nubes a lo largo del día queden atenuadas y se obtenga una curva sin alteraciones.

3.2.1. Transformación al plano del generador

Una vez otenidos los valores de irradiancia en el plano horizontal, se traspone al plano del generador:

• Irradiancia Directa $B(\beta, \alpha)$: ecuación basada en geometría solar (ángulo zenital) y del generador (ángulo de incidencia).

$$B(\beta, \alpha) = B(0) \cdot \frac{max(0, cos(\theta_s))}{cos(\theta_{zs})}$$
(3.20)

donde:

- Ángulo de inclinación: β .
- Ángulo de orientación: α .
- Irradiancia Difusa $D(\beta, \alpha)$: utilizando el modelo de cielo anisotrópico [Per23], se distinguen dos componentes de la irradiancia difusa, denominados *circunsolar* e *isotrópica*.

$$D(\beta, \alpha) = D^{I}(\beta, \alpha) + D^{C}(\beta, \alpha)$$
(3.21)




Figura 3.2: Perfil de irradiancia difusa y global obtenido a partir del generador empírico de [CR79] para valores de irradiancia tomadas cada 10 minutos. Figura 3.4 del libro ESF [Per23].

$$D^{I}(\beta, \alpha) = D(0)(1 - k_1) \cdot \frac{1 + \cos(\beta)}{2}$$
(3.22)

$$D^{C}(\beta, \alpha) = D(0) \cdot k_1 \cdot \frac{max(0, cos(\theta_s))}{cos(\theta_{zs})}$$
(3.23)

donde:

•
$$k_1 = \frac{B(n)}{B_0 \cdot \epsilon_0} = \frac{B(0)}{B_0(0)}$$

■ Irradiancia de albedo $R(\beta, \alpha)$: se considera isotrópica debido a su baja contribución a la radiación global. Se calcula a partir de la irradiancia global en el plano horizontal usando un coeficiente de reflexión, ρ , que depende del terreno. En la ecuación 3.24, se utiliza el factor $\frac{1-\cos(\beta)}{2}$, complemetario al factor de visión de la difusa isotrópica (figura 3.3)

$$R(\beta, \alpha) = \rho \cdot G(0) \cdot \frac{1 - \cos(\beta)}{2}$$
(3.24)

3.2.2. Ángulo de incidencia y suciedad

En un módulo fotovoltaico, la radiación incidente generalmente no es perpendicular a la superficie del módulo, lo que provoca pérdidas por reflexión o pérdidas angulares, cuantificadas por el ángulo de incidencia θ_s . La suciedad acumulada en la superficie del módulo también reduce la transmitancia del vidrio (representada por $T_{limpio}(0)$), disminuyendo la irradiancia efectiva, es decir, la radiación que realmente puede ser aprovechada por el módulo. La irradiancia efectiva




FIGURA 3.3: Ángulo de visión del cielo. Figura 3.5 del libro ESF [Per23].

para radiación directa se expresa en la ecuación 3.25:

$$B_{ef}(\beta, \alpha) = B(\beta, \alpha) \cdot \left[\frac{T_{sucio}(0)}{T_{limpio}(0)} \right] \cdot (1 - FTB(\theta_s))$$
(3.25)

donde $FTB(\theta_s)$ es el factor de pérdidas angulares, que se calcula con la ecuación ¹⁴ 3.26:

$$FTB(\theta_s) = \frac{exp(-\frac{cos(\theta_s)}{a_r}) - exp(-\frac{1}{a_r})}{1 - exp(-\frac{1}{a_r})}$$
(3.26)

Este factor depende del ángulo de incidencia, θ_s , y del coeficiente de pérdidas angulares, a_r . Cuando la radiación es perpendicular a la superficie ($\theta_s = 0$), FTB es cero. En la figura 3.4 se puede observar que las pérdidas angulares son más significativas cuando θ_s supera los 60° , y se acentúan con niveles mayores de suciedad.

Para calcular las componente de radiación difusa isotrópica y de albedo, se utilizan las ecuaciones 15 3.27 y 3.2.2:

$$FTD(\beta) \approx exp\left[-\frac{1}{a_r} \cdot \left(c_1 \cdot \left(\sin\beta + \frac{\pi - \beta - \sin\beta}{1 + \cos\beta}\right) + c_2 \cdot \left(\sin\beta + \frac{\pi - \beta - \sin\beta}{1 + \cos\beta}\right)^2\right)\right]$$
(3.27)

$$FTR(\beta) \approx exp\left[-\frac{1}{a_r} \cdot \left(c_1 \cdot \left(\sin\beta + \frac{\beta - \sin\beta}{1 - \cos\beta}\right) + c_2 \cdot \left(\sin\beta + \frac{\beta - \sin\beta}{1 - \cos\beta}\right)^2\right)\right]$$
(3.28)

donde:

- Ángulo de inclinación del generador (en radianes): β .
- Coeficiente de pérdidas angulares: a_r .
- Coeficientes de ajuste: c_1 y c_2 (en la tabla 3.2 se recogen algunos valores característicos de un módulo de silicio monocristalino convencional para diferentes grados de suciedad).

¹⁴Implementada en la función fInclin.

 $^{^{15}}$ Implementadas en la función f
Inclin.




Figura 3.4: Pérdidas angulares de un módulo fotovoltaico para diferentes grados de suciedad en función del ángulo de incidencia. Figura 3.7 del libro ESF [Per23].

Tabla 3.2: Valores del coeficiente de pérdidas angulares y transmitancia relativa en incidencia normal para diferentes tipos de suciedad.

Grado de suciedad	$\frac{T_{sucio}(0)}{T_{limpio}(0)}$	$a_{\rm r}$	c_2
Limpio	1	0.17	-0.069
Bajo	0.98	0.20	-0.054
Medio	0.97	0.21	-0.049
Alto	0.92	0.27	-0.023

Para estas componentes el cálculo de irradiancia efectiva es similar al de la irradiancia directa (ecuaciones 3.29 y 3.31). Para la componente difusa circunsolar, se empleará el factor de pérdidas angulares de la irradiancia efectiva (ecuacion 3.30):

$$D_{ef}^{I}(\beta,\alpha) = D^{I}(\beta,\alpha) \cdot \left[\frac{T_{sucio}(0)}{T_{limnio}(0)}\right] \cdot (1 - FT_{D}(\beta))$$
(3.29)

$$D_{ef}^{C}(\beta, \alpha) = D^{C}(\beta, \alpha) \cdot \left[\frac{T_{sucio}(0)}{T_{limpio}(0)} \right] \cdot (1 - FT_{B}(\theta_{s}))$$
(3.30)

$$R_{ef}(\beta, \alpha) = R(\beta, \alpha) \cdot \left[\frac{T_{sucio}(0)}{T_{limnio}(0)} \right] \cdot (1 - FT_R(\beta))$$
(3.31)

Siguiendo el esquema de la figura 3.1, a partir de estas irradiancias efectivas se puede calcular la irradiación global efectiva diaria, mensual y anual¹⁶. Comparando la irradiación global incidente con la irradición efectiva, se puede evaluar el impacto de la suciedad y el desajuste del ángulo en períoods prolongados.

¹⁶Correpondiente a la función calcGef.

3.3. Cálculo de la energía producida por un generador fotovoltaico

3.3.1. Funcionamiento de una célula solar

Para calcular la energía producida por un generador fotovoltaico, se deben tener en cuenta la influencia de factores tales como la radiación o la temperatura en una célula solar¹⁷ y en los valores de tensión y corriente que se alcanzan en dichas condiciones.

Para definir una célula solar, se tomar 4 variables:

- La corriente de cortocircuito: I_{sc}
- La tensión de circuito abierto: V_{oc}
- La corriente en el punto de máxima potencia: I_{mpp}
- La tensión en el punto de máxima potencia: V_{mpp}

Punto de máxima potencia

El punto de máxima potencia es aquel situado en la curva de funcionamiento del generador donde, como su propio nombre indica, los valores de tensión y corriente son tales que la potencia que entrega es máxima (figura 3.5).




FIGURA 3.5: Curvas corriente-tensión (línea discontinua) y potencia-tensión (línea continua) de una célula solar ($T_a = 20^{\circ}C$ y $G = 800W/m^2$). Figura 4.6 del libro ESF [Per23].

¹⁷Los cálculos de este apartado quedan recogidos en la función fProd.

Factor de forma y eficiencia

El área encerrada por el rectángulo definido por el producto $I_{mpp} \cdot V_{mpp}$ es, como se puede apreciar en la figura 3.5, inferior a la respresentada por el producto $I_{sc} \cdot V_{oc}$. La relación entre estas dos superficies se cuantifica con el factor de forma:

$$FF = \frac{I_{mpp} \cdot V_{mpp}}{I_{sc} \cdot V_{oc}} \tag{3.32}$$

Conocidos los valores de I_{sc} y V_{oc} , es posible calcular la potencia en el punto de máxima potencia, dado que $P_{mpp} = FF \cdot I_{sc} \cdot V_{oc}$.

Por otra parte, la calidad de una célula se puede cuantificar con la eficiencia de conversión (ecuación 3.33).

$$\eta = \frac{I_{mpp} \cdot V_{mpp}}{P_L} \tag{3.33}$$

donde $P_L = A_c \cdot G_{ef}$ representa la potencia luminosa que incide en la célula. Como es evidente de la ecuación 3.33, este valor de eficiencia se corresponde al caso en el que el acoplamiento entre la carga y la célula permite a esta trabajar en el punto de máxima potencia. En la figura 3.6 se muestra la evolución temporal del valor de eficiencia de célula de laboratorio para diferentes tecnologías.

Influencia de la temperatura y la radiación

La temperatura y la radiación son factores cruciales en el funcionamiento de una célula solar. El aumento de la temperatura ambiente reduce la tensión de circuito abierto según la relación dV_{oc}/dT_c , que para células de silicio cristalino es de $-2, 3\frac{mV}{\circ C}$. Además, disminuye la eficiencia de la célula solar con $\frac{d\eta}{dT_c} = -0, 4\,\%/^\circ C$.

En cuanto a la iluminación, la fotocorriente y la tensión de circuito abierto son proporcionales a la irradiancia incidente.




Figura 3.6: Evolución de la eficiencia de células según la tecnología (según el National Renewable Energy Laboratory [Nat24] (EEUU)).

Tomando en cuenta estas influencias, se definen una condiciones de funcionamiento, denominadas condiciones estándar de medida (STC), válidas para caracterizar una célula en el entorno de un laboratorio. Estas condiciones vienen determinadas por:

• Irradiancia: $G_{stc} = 1000W/m^2$ con incidencia normal

• Temperatura de célula: $T_c^* = 25^{\circ}C$

• Masa de aire: $AM = 1, 5^{18}$

Frecuentemente los fabricantes informan de los valores de las tensiones V_{oc}^* y V_{mpp}^* y las corrientes I_{sc}^* y I_{mpp}^* 19. A partir de estos valores es posible referir a estas condiciones:

• La potencia: $P_{mpp}^* = I_{mpp}^* \cdot V_{mpp}^*$

 \bullet El factor de forma: $FF^* = \frac{P^*_{mpp}}{I^*_{sc} \cdot V^*_{oc}}$

 \bullet La eficiencia: $\eta^* = \frac{I_{mpp}^* \cdot V_{mpp}^*}{A_c \cdot G_{stc}}$

3.3.2. Funcionamiento de un módulo fotovoltaico

Comportamiento térmico de un módulo

La mayoría de las ecuaciones que definen el comportamiento de un módulo fotovoltaico 20 se establecen en lo que se conoce como condiciones estándar de funcionamiento. En estas condiciones, la temperatura de la célula es de $25^{\circ}C$. Sin embargo, la temperatura de operación de la célula es diferente y depende directamente de la radiación que recibe el módulo en cada momento.

El módulo recibe una cantidad de radiación dada, absorbiendo la fracción de esta que no se refleja al exterior. De dicha fracción, parte de ella es transformada en energía eléctrica, mientras que el resto se entrega en forma de calor al entorno.

Para simplificar, se puede asumir que el incremento de la temperatura de la célula respecto de la temperatura ambiente depende linealmente de la irradiancia incidente en esta. El coeficiente de proporcionalidad depende de muchos factores, tales como el modo de instalación del módulo, la velocidad del viento, la humedad ambiente y las características constructivas del laminado.

Estos factores quedan recogidos en un valor único representado por la temperatura de operación nominal de célula (NOCT o TONC), definida como aquella que alcanza una c'elula cuando su m'odulo trabaja en las siguientes condiciones:

• Irradiancia: $G = 800W/m^2$

• Masa de aire: AM = 1, 5

Irradiancia normal

 $^{^{18}}$ Relación entre el camino recorrido por los rayos directos del Sol a través de la atmósfera hasta la superficie receptora y el que recorrerían en caso de incidencia vertical $(AM = 1/\cos\theta_{zs})$.

¹⁹Es de uso común añadir un asterisco como superíndice para denotar aquellos parámetros medidos en estas condiciones.

 $^{^{20}\}mathrm{Los}$ cálculos de este apartado, quedan recogidos en la función $\mathtt{fProd}.$

- Temperatura ambiente: $T_a = 20^{\circ}C$
- Velocidad de viento: $v_v = 1m/s$

La ecuación 3.34 expresa una aproximación aceptable del comportamiento térmico de una célula integrada en un módulo en base a las consideraciones previas:

$$T_c = T_a + G_{ef} \cdot \frac{NOCT - 20}{800} \tag{3.34}$$

Para la simulación del funcionmaiento de un módulo fotovoltaico en condiciones de operación real, es necesario contar con secuencias de valores de temperatura ambiente. Si no se dispone de información detallada, se puede asumir un valor constante de $T_a = 25^{\circ}C$ para simulaciones anuales. Sin embargo, si se conocen los valores máximos y mínimos diarios de la temperatura ambiente, se puede generar una secuencia intradiaria usando una combinación de funciones coseno:

1. Calcular los valores de T_m y T_r : Se definen los valores de la temperatura media diaria, T_m simplemente como la media entre la T_{max} y la T_{min} :

$$T_m = \frac{T_{max} + T_{min}}{2} \tag{3.35}$$

y la mitad de la amplitud de temperaturas, T_r :

$$T_r = \frac{T_{max} - T_{min}}{2} \tag{3.36}$$

2. Calcular la matriz de T_a : Una vez obtenidos los valores de T_m y T_r , el siguiente paso es calcular la matriz de valores de temperatura ambiental T_a para cada hora. Para ello, se deben calcular 3 valores auxiliares:

$$a_1 = \frac{12\pi \cdot (\omega_s - \omega)}{21\pi + 12 \cdot \omega_s} \tag{3.37}$$

$$a_2 = \frac{\pi \cdot (3\pi - 12\omega)}{3\pi - 12\omega} \tag{3.38}$$

$$a_3 = \frac{\pi(24\pi + 12 \cdot (\omega_s - \omega))}{21 \cdot \pi + 12 \cdot \omega_s} \tag{3.39}$$

Con estos tres valores se pueden calcular la terna de temperaturas T_1 , T_2 , T_3 :

$$T_1 = T_m - T_r \cdot \cos(a_1) \tag{3.40}$$

$$T_2 = T_m + T_r \cdot \cos(a_2) \tag{3.41}$$

$$T_3 = T_m - T_r \cdot \cos(a_3) \tag{3.42}$$

3. Selección del valor clave: Se selecciona el valor adecuado de T_a en base al siguiente criterio:

$$T_a = \begin{cases} T_1 & \text{si } \omega \le \omega_s \\ T_2 & \text{si } \omega_s < \omega \le \frac{\pi}{4} \\ T_3 & \text{si } \omega > \frac{\pi}{4} \end{cases}$$
 (3.43)

Cálculo de V_{oc} y I_{sc}

Conocidos los valores horarios de temperatura de la célula, se puede calcular V_{oc} utilizando la ecuación 3.44. Y, por último, mediante la ecuación 3.45 se puede calcular I_{sc} .

$$V_{oc}(T_c) = V_{oc}^* + (T_c - T_c^*) \cdot \frac{dV_{oc}}{dT_c} \cdot N_{cs}$$
(3.44)

$$I_{sc} = G_{ef} \cdot \frac{I_{sc}^*}{G^*} \tag{3.45}$$

Factor de forma variable

Una vez obtenidos los valores de V_{oc} y I_{sc} , el siguiente paso ha de ser calcular los valores de tensión y corriente en el punto de máxima potencia, pues es donde el generador estará entregando su máxima potencia, como su propio nombre indica. Por tanto, es un punto de interés para el cálculo.

Existen dos metodologías de cálculo de dicho punto, uno de ellos significantemente más sencillo que el otro. Este consiste en suponer que el Factor de Forma, definido en la expresión 3.32, es constante.

Si suponemos que FF es constante, se podrían extraer los valores de tensión y corriente en el punto de máxima potencia, ya que si

$$FF = FF^* \tag{3.46}$$

entonces

$$\frac{I_{mpp} \cdot V_{vmpp}}{I_{sc} \cdot V_{oc}} = \frac{I_{mpp}^* \cdot V_{vmpp}^*}{I_{sc}^* \cdot V_{oc}^*}$$
(3.47)

pudiendo así obtener los valores de I_{mpp} y V_{vmmp}

Sin embargo, este suposición da resultados alejados a una estimación acertada. Por ello, se tendrá en cuenta la variación del factor de forma:

• Cálculo de la tensión termica, V_t , a temperatura de la célula: se calculará el valor de V_t a 25°C con la expresión:

$$V_{tn} = \frac{V_t \cdot (273 + 25)}{300} \tag{3.48}$$

• Cálculo de R_s^* : el segundo paso consiste en calcular el valor de resistencia en serie con los valores STC:

$$R_s^* = \frac{\frac{V_{oc}^*}{N_{cs}} - \frac{V_{mpp}^*}{N_{cs}} + m \cdot V_{tn} \cdot ln(1 - \frac{I_{mpp}^*}{I_{sc}^*})}{\frac{I_{mpp}^*}{N_{cp}}}$$
(3.49)

■ Cálculo de r_s : utilizando el valors de R_s^* , calculado en el paso anterior junto con los valores de V_{oc} y I_{sc} , podemos calcular r_s que se utilizará más adelante en el proceso.

$$r_s = R_s^* \cdot \left(\frac{N_{cs}}{N_{cn}} \cdot \frac{I_{sc}}{V_{oc}}\right) \tag{3.50}$$

■ Cálculo de k_{oc} : a continuación, utilizando los valores de temperatura ambiente obtenidos con anterioridad junto con la tensión de circuito abierto, se calcula k_{oc} mediante la expresión:

$$k_{oc} = \frac{V_{oc}/N_{cs}}{m \cdot V_t \cdot \frac{T_c + 273}{300}}$$
 (3.51)

Con los cálculos previos, este método propone localizar el punto de máxima potencia de forma aproximada mediante las ecuaciones:

$$i_{mpp} = 1 - \frac{D_M}{k_{oc}}$$
 (3.52)

$$v_{mpp} = 1 - \frac{\ln(k_{oc}/D_M)}{k_{oc}} - r_s \cdot i_{mpp}$$
 (3.53)

donde:

$$D_M = D_{M0} + 2 \cdot r_s \cdot D_{M0}^2 \tag{3.54}$$

$$D_{M0} = \frac{k_{oc} - 1}{k_{oc} - lnk_{oc}} \tag{3.55}$$

Por último, multiplicando los valores de i_{mpp} y v_{mpp} por I_{sc} y V_{oc} respectivamente, se obtienen los valores de I_{mpp} y V_{mpp} , que serán los que se utilicen para calcular la potencia entregada por el generador en el punto de máxima potencia.

Teniendo estos valores se puede obtener:

$$P_{mpp} = I_{mpp} \cdot V_{mpp} \tag{3.56}$$

3.3.3. Cálculo de potencias y energías de un sistema fotovoltaico conectado a la red

La potencia obtenida en el paso anterior es la de un solo módulo. Para conocer la potencia que va a ser capaz de entregar un SFCR, se debe tener en cuenta su configuración de módulos en serie y en paralelo²¹.

$$P_q^* = N_s \cdot N_p \cdot P_m^* \tag{3.57}$$

Con este paso se obtiene la potencia horaria entregada por el generador fotovoltaico. El siguiente paso será pasar esa potencia a través del inversor y calcular la potencia a la salida de este.

Primero, se esteblecen las expresiones de las potencias normalizadas, siendo P_{inv} la potencia nominal del inversor:

$$p_i = \frac{P_{DC}}{P_{inv}} \tag{3.58}$$

$$p_o = \frac{P_{AC}}{P_{inv}} \tag{3.59}$$

Por otro lado, el rendimiento de un inversor fotovoltaico se puede modelizar de la siguiente manera:

$$\eta_{inv} = \frac{p_o}{p_o + k_0 + k_1 p_o + k_2 p_o^2} \tag{3.60}$$

De las dos ecuaciones anteriores se puede deducir:

$$p_i = p_o + k_0 + k_1 p_o + k_2 p_o^2 (3.61)$$

Desarrollando esta ecuación, se puede obtener una ecuación de segundo grado con p_o como incógnita:

$$k_2 p_o^2 + (k_1 + 1)p_o + (k_0 - p_i) = 0 (3.62)$$

²¹Los cálculos de este apartado, quedan recogidos en las funciones fProd y prodCGPV.

Por último, volviendo a las primeras expresiones, se puede obtener la potencia en corriente alterna:

$$P_{AC} = p_o \cdot P_{inv} \tag{3.63}$$

Con esta potencia, integrando en función del tiempo, se puede obtener la energía que genera el sistema

$$E_{AC} = \int_{T} P_{AC} dt \tag{3.64}$$

y la productividad:

$$Y_f = \frac{E_{ac}}{P_q^*} \tag{3.65}$$

3.3.4. Cálculo de potencias y energías de un sistema fovoltaico de bombeo Potencia hidráulica

La potencia hidráulica, P_H , necesaria para bombear agua es función de:

- La altura vertical aparente, H_v
- El caudal de agua, Q

$$P_H = g \cdot \rho \cdot Q \cdot H_V \tag{3.66}$$

Expresando P_H en watios, H_v en metros y Q en m^3/h la ecuación resulta en:

$$P_H = 2,725 \cdot Q \cdot H_v \tag{3.67}$$

Asumiendo que el agua bombeado sale por el coducto a baja velocidad, la potencia de salida de la bomba necesita satisfacer P_H , más las pérdidas de fricción en la tubería, P_f . Este valor se asimila a una altura equivalente H_f , asociado a un caudal determinado:

$$H_T = H_v + H_f \tag{3.68}$$

La potencia eléctrica a la entrada de la motobomba, P_{el} , es:

$$P_{el} = \frac{P_H + P_f}{\eta_{mp}} \tag{3.69}$$

donde η_{mp} es la eficiencia de la motobomba. La potencia eléctrica requerida por la motobomba es entregada por un generador FV y acondicionador de potencia:

$$P_{el} = P_g^* \cdot \frac{G}{G_{stc}} \frac{\eta_g}{\eta_g^*} \cdot \eta_{inv}$$
(3.70)

siendo G la irradiancia en el plano del generador, eta_{inv} la eficiencia del equipo de acondicionamiento de potencia y $\frac{\eta_g}{\eta_g^*}$ modela el comportamiento del generador con la temperatura.

Caudal diario

El caudal diario bombeado por este conjunto es:

$$Q_d = \int_d \frac{G}{G^*} \cdot P_g^* \cdot \eta_g \cdot \frac{\eta_{ig}}{\eta_{ig}^*} \cdot \eta_{inv} \cdot \eta_{mp} dt$$
 (3.71)

Altura

Se puede definir una altura total equivalente, H_{TE} , con las siguientes suposiciones:

- Las pérdidas de fricción en tubería son despreciables $(H_f < 0.05 \cdot H_T)$.
- El nivel del agua dentro del pozo se mantiene constante.

$$Q_d = \frac{P_g^*}{2,725 \cdot G^* \cdot H_{TE}} \int \left(\frac{G}{\eta_{ig}^* \eta_m^* \eta_{inv} \eta_{mp}}\right) dt$$
 (3.72)

Ahora el cálculo en la integral solo depende de la radiación, temperatura, y equipos.

Para calcular esta altura total equivalente, se debe suponer que:

- El pozo está caracterizado con tres parámetros:
 - Nivel estático, H_{st}
 - Nivel dinámico, H_{dt}
 - Caudal de ensayo, Q_t
- Que se ha realizado el ensayo de bombeo para caracterizar los pozos con bomba portátil empleando el caudal máximo del pozo, Q_{max} ($Q_t = Q_{max}$).

Con estas suposiciones se puede llegar a la expresión:

$$H_{TE} = H_{ot} + H_{st} + \left(\frac{H_{dt} - H_{st}}{Q_T}\right)Q_{AP} + H_f(Q_{AP})$$
 (3.73)

donde:

- H_{OT} , es la altura desde la salida de agua hasta el suelo.
- Nivel estático, H_{st} .
- Nivel dinámico, H_{dt} .
- Caudal aparente, $Q_{AP} = \alpha \cdot Q_d \ (\alpha = 1/24 = 0.0416h^{-1}).$
- $H_f(Q_{AP})$, pérdidas en la tubería al caudal aparente.

Potencia del generador

Como primera aproximación, se consideran constantes a lo largo del tiempo las eficiencias de los componentes del sistema con la elección de ciertos valores adecuados ($\frac{\eta_g}{\eta_g^*} = 0.85, \eta_{mp} = 0.35, \eta_{inv} = 0.9$). Así, es posible calcular de forma aproximada la potencia nominal del generador necesaria para bombear un caudal diario Q_d a una altura total equivalente H_{TE} a partir de la ecuación:

$$P_g^* = \frac{10 \cdot HTE \cdot Q_d}{\frac{G_d}{G_{stc}}} \tag{3.74}$$

Simulación de sistemas fotovoltaicos de bombeo

Debido a la complicación del cálculo del dimensionamiento de los sistemas fotovoltaicos de bombeo, se puede recurrir a métodos de simulación asistidos por ordenador²². El algoritmo a seguir es:

1. Curva característica de la bomba que relaciona la altura, H, y el caudal, Q, a la frecuencia nominal de la bomba:

$$H = a \cdot f^2 + b \cdot f \cdot Q + c \cdot Q^2 \tag{3.75}$$

- Donde a, b, y c son coeficientes característicos de la bomba y f es la frecuencia.
- 2. Relaciones de semejanza para bombas centrífugas:

$$\frac{f_1}{f_2} = \frac{Q_1}{Q_2} = \left(\frac{H_1}{H_2}\right)^{1/2} = \left(\frac{P_1}{P_2}\right)^{1/3} \tag{3.76}$$

3. Cálculo de caudal y altura a frecuencia nominal (50 Hz):

$$Q_{50} = \frac{50 \cdot Q}{f} \tag{3.77}$$

$$H_{50} = H \cdot \left(\frac{50}{f}\right)^2 \tag{3.78}$$

4. Ecuación de potencia hidráulica:

$$P_{h.50} = 2,725 \cdot Q_{50} \cdot H_{50} \tag{3.79}$$

5. Potencia mecánica en el eje de la bomba a 50 Hz:

$$P_{b,50} = \frac{P_{h,50}}{\eta_b} \tag{3.80}$$

6. Potencia mecánica a frecuencia f:

$$P_b = P_{b,50} \cdot \left(\frac{f}{50}\right)^3 \tag{3.81}$$

7. Potencia eléctrica demandada por el motor:

$$P_{bc} = P_b \cdot \frac{50}{f} \tag{3.82}$$

$$P_{e,50} = \frac{P_{bc}}{\eta_m} \tag{3.83}$$

$$P_e = P_{e,50} \cdot \frac{f}{50} \tag{3.84}$$

8. Perfil de irradiancia diaria (según IEC 61725):

$$G = G_{max} \cdot \cos\left(\frac{t}{t_0} \cdot \frac{\pi}{2}\right) \cdot \left[1 + s \cdot \left(1 - \cos\left(\frac{t}{t_0} \cdot \frac{\pi}{2}\right)\right)\right]$$
(3.85)

donde G es la irradiancia (W/m^2) en la hora t, G_{max} es el valor máximo de irradiancia (W/m^2) durante el día en cuestión y s es el factor de forma definido por:

$$s = \frac{d \cdot \frac{\pi}{2} - 1}{1 - \frac{\pi}{4}} \tag{3.86}$$

siendo d el factor de conjunto de datos calculado con:

$$d = \frac{G_d}{G_{max} \cdot h} \tag{3.87}$$

²²Correspondientes a la función fPump.

3.4. Sombras y ocupación de terreno

Al diseñar una central fotovoltaica se debe decidir la ubicación de las diferentes partes del generador resolviendo un compromiso entre la mejor ocupación del terreno disponible y la minimización del impacto de sombras mutuas arrojadas entre los módulos²³.

Este factor de sombras implica un nivel de ocupación de terreno que depende del modo de seguimiento del generador. La ocupación del terreno se puede medir con dos métricas:

■ Relación de ocupación del terreno (Ground Coverage Ratio, GCR): es la relación entre el área del generador, A_G , y el área del terreno ocupado, A_T (por tanto, siempre será GCR <1).

$$GCR = \frac{A_G}{A_T} \tag{3.88}$$

■ Ratio de ocupación del terreno (ROT, o Ground Requirement Ratio, GRR): es el inverso del GCR, la relación entre el área de terreno ocupado, A_T , y el área del generador, A_G .

$$ROT = \frac{A_T}{A_G} \tag{3.89}$$

3.4.1. Sistemas estáticos

Las filas que componen el generador arrojan sombras unas sobre otras en determinados momentos del días y año. Como recomendación general, es de uso común respetar un mínimo de 4 horas de sol en torno al mediodía del solsticio de invierno libres de sombra. La longitud de la sombra de un obstáculo se mide con:

$$d = \frac{h}{\tan \gamma_s} \tag{3.90}$$

siendo h la altura de la fila adyacente, $h = L \cdot sin(\beta)$, y L la longitud del generador, según se indica en la figura 3.7.

En el mediodía del solsticio de invierno, la altura solar es $\gamma_s = 90^{\circ} - 23,45^{\circ} - |\phi| \simeq 67^{\circ} - |\phi|$. Por tanto, la distancia mínima que permite 4 horas libres de sombra alrededor del mediodía es:

$$d_{min} = \frac{h}{tan(61^{\circ} - |\phi|)} \tag{3.91}$$




Figura 3.7: Dimensiones y distancias entre filas de un sistema estático. Figura 6.10 del libro ESF [Per23].

²³Correpondiente a las funciones calcShd (cálculo de sombras) y optimShd (optimización de distancias).

3.4.2. Sistemas de seguimiento a doble eje

El diseño de un sistema de seguimiento solar a doble eje busca optimizar la ubicación de los seguidores para minimizar las pérdidas de radiciación por sombras, utilizando eficientemente el terreno. Para esto, se simula el sistema en diferentes configuraciones y se elige la más eficiente en términos de productividad y ROT, que se calcucula con la fórmula:

$$ROT = \frac{L_{ns} \cdot L_{eo}}{L \cdot W} \tag{3.92}$$

donde (figuras 3.8 y 3.9):

- L_{ns} es la separación entre seguidores en la dirección Norte-Sur.
- L_{eo} es la separación en la dirección Este-Oeste.
- ullet L es la longitud del seguidor.
- ullet W es la anchura del seguidor.

El sistema se modela como un grupo de seis seguidores en una matriz de dos filas en dirección Norte-Sur (figura 3.10), representando tres situaciones de sombra: lateral (Este-Oeste), frontal (Norte-Sur) y diagonal, caracterizados por los factores de sombra FS_{xx} (definidos como la relación entre el área sombreada y el área total del generador). Las ecuaciones para estos factores son, en las que se emplean los valores normalizados de las distancias, $l_{eo} = \frac{L_{eo}}{W}$ y $l_{ns} = \frac{L_{ns}}{W}$:

$$\frac{|l_{eo} \cdot \cos(\psi_s)| < 1}{|l_{eo} \cdot \sin(\psi_s)| < s} \Rightarrow FS_{eo} = \frac{(1 - |l_{eo} \cos(\psi_s)|) \cdot (s - |l_{eo} \sin(\psi_s)|)}{s}$$
(3.93)

$$\begin{aligned} |l_{ns} \cdot \cos(\psi_s)| &< s \\ |l_{ns} \cdot \sin(\psi_s)| &< 1 \end{aligned} \Rightarrow FS_{ns} = \frac{(s - |l_{ns} \cos(\psi_s)|) \cdot (1 - |l_{ns} \sin(\psi_s)|)}{s}$$
(3.94)

$$\begin{array}{l} s > |l_{ns} \cdot \cos(\psi_s)| + |l_{eo}\sin(\psi_s)| \\ 1 > |l_{eo} \cdot \cos(\psi_s)| - |l_{ns} \cdot \sin(\psi_s)| \end{array} \Rightarrow$$

$$FS_d = \frac{[s - (|l_{eo} \cdot \sin(\psi_s)| + |l_{ns}\cos(\psi_s)|)] \cdot [1 - (|l_{eo} \cdot \cos(\psi_s)| - |l_{ns}\sin(\psi_s)|)]}{s}$$
(3.95)




Figura 3.8: Sombras mutuas en un conjunto de cuatro seguidores. Figura 6.11 del libro ESF [Per23].




FIGURA 3.9: Dimensiones de un sequidor a doble eje y longitud de su sombra arrojada. Figura 6.12 del libro ESF [Per23].




Figura 3.10: Posibles sombras en un conjunto de seis seguidores. Figura 6.13 del libro ESF [Per23].

siendo ψ_s el acimut solar y γ_s la altura solar y donde la longitud de sombra (normalizada con la anchura del seguidor) se calcula con:

$$s = s_1 + s_2 \tag{3.96}$$

$$s_1 = b \cdot \cos(\beta) \tag{3.97}$$

$$s_2 = \frac{b \cdot \sin(\beta)}{|\tan(\gamma_s)|} \tag{3.98}$$

El factor $\frac{\sin(\gamma_s)}{\sin(\gamma_s+\beta)}$ representa la proyección de sombra existente en el suelo sobre el plano del generador, y por tanto, el porcentaje de área sombreada que debe ser eliminado de la radiación directa. Desarrollando este factor, se obtiene una formulación alternativa que puede facilitar el cálculo de los tres factores:

$$FS_{eo} = \frac{(1 - l_{eo}\cos(\psi_s)) \cdot (s - l_{eo}\sin(\psi_s))}{s}$$

$$FS_{ns} = \frac{(s - l_{ns}\cos(\psi_s)) \cdot (1 - l_{ns}\sin(\psi_s))}{s}$$
(3.100)

$$FS_{ns} = \frac{\left(s - l_{ns}\cos(\psi_s)\right) \cdot \left(1 - l_{ns}\sin(\psi_s)\right)}{s} \tag{3.100}$$

$$FS_d = \frac{[s - (l_{eo} \cdot \sin(\psi_s) + l_{ns}\cos(\psi_s))] \cdot [1 - (l_{eo} \cdot \cos(\psi_s) - l_{ns}\sin(\psi_s))]}{s}$$
(3.101)

Realizando la simulación de este sistema, incluyendo el cálculo de sombras y repitiendo la simulación para varias combinaciones (Lns, Leo) pueden elaborarse gráficos de nivel como el de la figura 3.11. En estas, se recoge el ratio entre la energía anual producida por un seguidor promedio incluyendo el efecto de por sombras mutuas²⁴ y la energía anual producida por un seguidor sin sombreado.

3.4.3. Sistemas de seguimiento de eje horizontal

Se considera que los seguidores son de longitud infinita en sentido Norte-Sur (se desprecia el efecto de borde). Así, los parámetros que determinan el diseño de este tipo de sistema son (figura 3.12):

- 1. La inclinación del generador fotovoltaico, β , (coincidente con el ángulo ψ_{ns}).
- 2. La dimensión en sentido Este-Oeste del campo generador, L.
- 3. La separación entre los diferente seguidores en la dirección Este-Oeste, L_{eo} . Por tanto, $ROT = \frac{L_{eo}}{L}$.

Para caracterizar numéricamente el sombreado, se empreará el factor FS_{eo} . Mediante consideraciones geométricas, utilizando la distancia normalizada $l_{eo} = \frac{L_{eo}}{L}$, es posible escribir:

$$FS_{eo} = \frac{s - l_{eo}}{s}$$

$$= 1 - l_{eo} \cdot \cos(\beta)$$

$$= 1 - l_{eo} \cdot \frac{\sin(\omega)}{\sqrt{\sin^2(\omega) + (\cos(\omega)\cos(\phi) + \tan(\delta)\sin(\phi))^2}}$$
(3.102)

Limitación de ángulo y retroseguimeitno

En seguidores de eje horizontal se puede evitar la incidencia de sombras en cualquier en cualquier instante mediante algoritmos de *backtracking* o retroseguimiento [Pan+91]. Esta técnia provoca el desvío del seguidor de su posición óptima en los instantes en los que se produce la sombra entre seguidores, evitando el impacto de sombras pero con la consiguiente reducción en energía producida pro alejamiento del apuntamiento óptimo.

Para evitar la aparición de sombras, el ángulo de inclinación de los seguidores debe ser tal que la longitud de la sombra sea igual a la distancia entre seguidores. Siendo β el ángulo de inclinación con retroseguimiento, y β_0 el ángulo de inclinación original. De la ecuación 3.102 se deduce que sólo será necesario aplicar esta técnica cuando $l_{eo} \cdot cos(\beta_0) \le 1$. El triángulo definido por el rayo solar, el seguidor y la sombra debe cumplir la siguiente condición, basada en el teorema de los senos:

$$\frac{l_{eo}}{\cos(\beta_0 - \beta)} = \frac{1}{\cos \beta_0} \tag{3.103}$$

Por tanto, el ángulo de inclinación que garantiza la ausencia de sombras a costa de apartarse de la condición de seguimiento es:

$$\beta = \beta_0 - \arccos(l_{eo} \cdot \cos \beta_0) \tag{3.104}$$

ecuación que debe aplicarse solo cuando $l_{eo} \cdot \cos(\beta_0) \le 1$. En caso contrario, $\beta = \beta_0$.

²⁴En el cálculo de la producción del seguidor afectado por sombras mutuas, se considera que la reducción en potencia está exclusivamente relacionada con el área sombreada, por tanto, no se tienen en cuenta las conexiones eléctricas entre módulos.




FIGURA 3.11: Ábaco para planta de seguimiento a doble eje. Recoge el ratio entre la energía anual producida por un seguidor afectado por sombras mutuas (E_{acS}) y la producida por un seguidor sin sombreado (E_{ac0}) . Las curvas de color negro representan la fracción de energía no afectada por sombras. Las curvas de puntos representan el valor del ROT. Figura 6.14 del libro ESF [Per23].




Figura 3.12: Dimensiones básicas en sistemas con seguidores de eje horizontal. Figura 6.16 del libro ESF [Per23].

Desarrollo del código

En la figura 4.1, se muestra el proceso de cálculo que sigue el paquete a la hora de obtener la estimación de la producción del sistema fotovoltaico. A la hora de estimar la producción, el programa sigue los siguientes procesos¹:




FIGURA 4.1: Proceso de cálculo de las funciones de solaR2

 $^{^1}$ Todas las funciones recogidas en este capítulo están descritas en el manual de uso del paquete solaR2, el cual, está disponible en el apéndice A de este documento.

4.1. Geometría solar

Para calcular la geometría que definen las posiciones de la Tierra y el Sol, solaR2 se vale de una función constructora, calcSol, la cual calcula mediante las funciones fSolD y fSolI todos los ángulos y componentes que caracterizan la geometría solar.

Como se puede ver en la figura 4.2, calcSol funcia gracias a las siguientes funciones:

- fSolD: la cual, a partir de la latitud (ϕ) , calcula la geometría a nivel diario, es decir, los ángulos y componentes que se pueden calcular en cada día independiente. Estas son:
 - Declinación (δ): calculada a partir de la función **declination**.
 - Excentricidad (ϵ_o): obtenida mediante la función **eccentricity**.
 - Ecuación del tiempo (EoT): obtenida mediante la función eot.
 - Ángulo del amanecer (ω_s): calculada a partir de la función sunrise.
 - Irradiancia diaria extra-atmosférica $(B_{0d}(0))$: obtenida a paritr de la función **bo0d**.

```
1 lat <- 37.2
2 BTd <- fBTd(mode = 'prom')
3 solD <- fSolD(lat = lat, BTd = BTd)
4 show(solD)</pre>
```

```
Key: <Dates>
         Dates
                 lat
                            decl
                                                      EoI
                                                                         Bo0d
                                        eo
                                                                 WS
        <IDat> <num>
                           <niim>
                                      <n11m>
                                                    <niim>
                                                              <niim>
                                                                         <num>
   2024-01-17
                37.2 -0.36271754 1.0340422 -0.0455346238
                                                          -1.278593
                                                                     4738.993
2: 2024-02-14
                37.2 -0.22850166 1.0259717 -0.0614793356 -1.393341
                                                                     6137.388
   2024-03-15
                37.2 -0.03191616 1.0107943 -0.0368674274 -1.546560
                                                                     8086.323
                      0.17531794 0.9926547
                37.2
                                            0.0017482721 -1.705659
5: 2024-05-15
                37.2
                      0.33246485 0.9775162 0.0143055938 -1.835976 11115.619
6: 2024-06-10
                37.2
                      0.40257826 0.9691480 -0.0007378952 -1.899934 11573.907
   2024-07-18
                37.2
                      0.36439367 0.9675489 -0.0263454380 -1.864521
                                                                    11257,133
8: 2024-08-18
                37.2
                      0.22407398 0.9758022 -0.0111761118 -1.744657 10183.208
9: 2024-09-18
                37.2 0.02730595 0.9907919
                                           0.0342189964 -1.591529
                                                                     8508,642
   2024-10-19
                37.2 -0.17900474 1.0088406
                                            0.0689613044 -1.433019
                                                                     6554.218
11: 2024-11-18
                37.2 -0.33862399 1.0245012
                                            0.0575423573 -1.300179
                                                                     4951.750
                37.2 -0.40478283 1.0328516
12: 2024-12-13
                                            0.0158622941 -1.239567
```





Figura 4.2: Cálculo de la geometría solar mediante la función calcSol, la cual unifica las funciones fSolD y fSolI resultando en un objeto clase Sol el cual contiene toda la información geométrica necesaria para realizar las siguientes estimaciones.

Tiene los siguientes argumentos:

- lat: para introducir la latitud en grados.
- BTd: para introducir la base temporal diaria sobre la que se harán los cálculos.
- method: para elegir el método de cálculo. Se puede elegir entre: michalsky, cooper, spencer y strous

```
BTd <- fBTd(mode = 'prom')
   solD_michalsky <- fSolD(lat, BTd, method = 'michalsky')</pre>
2
   solD_michalsky[, group := 'michalsky']
3
   solD cooper <- fSolD(lat, BTd, method = 'cooper')</pre>
4
   solD cooper[, group := 'cooper']
5
   solD spencer <- fSolD(lat, BTd, method = 'spencer')</pre>
6
   solD spencer[, group := 'spencer']
   solD strous <- fSolD(lat, BTd, method = 'strous')</pre>
8
   solD strous[, group := 'strous']
9
   solD_all <- rbind(solD_michalsky, solD_cooper,</pre>
10
                     solD_spencer, solD_strous)
11
   12
13
          par.settings = solaR.theme, scales = list(y = 'free'),
14
          ylab = '', layout = c(1, 3))
15
```




- fSolI: toma los resultados obtenidos en fSolD y calcula la geometría a nivel intradiario, es decir, aquella que se puede calcular en unidades de tiempo menores a los días. Estas son:
 - La hora solar o tiempo solar verdadero (ω): calculada a partir de la función **sunHour**.

- Los momentos del día en los que es de noche (night): calculada a partir del resultado anterior y de el ángulo del amanecer (cálculada en fSolD)².
- El coseno del ángulo cenital solar $(cos(\theta_{zs}))$: obtenida a partir de la función **zenith**.
- La altura solar (γ_s) : obtenida a partir del resultado anterior³.
- El ángulo acimutal solar (θ_{zs}) : calculada mediante la función azimuth.
- La irradiancia extra-atmosférica $(B_0(0))$: calculada mediante el coseno del ángulo cenital, la constante solar (B_0) y la excentridad (cálculada en fSolD) [ecuación 3.6].

Su argumento principal es **sample** con el cual se puede determinar el intervalo intradiario de cálculos.

```
solD <- solD[1] #Computo solo un día a fin mejorar la visualización
solI <- fSolI(solD = solD, sample = 'min')
xyplot(solI)
```




Además, como los datos nocturnos aportan poco a los cálculos que atañen a este proyecto, fSolI presenta la posibilidad de eliminar estos datos con el argumento keep.night.

```
solI_nigth <- fSolI(solD = solD, sample = 'min', keep.night = FALSE)
xyplot(solI_nigth)</pre>
```


²Cuando la hora solar verdadera excede los ángulos en los que amanece y anochece ($|\omega| >= |\omega_s|$), el Sol queda por debajo de la línea del horizonte, por lo que es de noche.

 $^{^{3}\}gamma_{s} = asin(cos(\theta_{s})).$




Aparte, en vez de identificar el intervalo intradiario (con el argumento sample), se puede dar directamente la base temporal intradiaria.

```
BTd <- solD$Dates
BTi <- fBTi(BTd, sample = 'min')
solI_BTi <- fSolI(solD, BTi = BTi, keep.night = FALSE)
xyplot(solI_BTi)
```



También, se puede indicar que no realice las correcciones de la ecuación del tiempo.

```
solI_EoT <- fSolI(solD = solD, BTi = BTi, EoT = FALSE)
xyplot(solI_EoT)
```



Finalmente, estas dos funciones, como se muestra en la figura 4.2, convergen en la función calcSol, dando como resultado un objeto de clase Sol. Este objeto muestra un resumen de ambos elementos junto con la latitud de los cálculos. Los argumentos de calcSol son las argumentos de las funciones anteriores

```
sol <- calcSol(lat = lat, BTd = BTd, sample = 'hour')
show(sol)</pre>
```

```
Object of class Sol
Latitude: 37.2 degrees
Daily values:
    Dates
                        decl
                                          ео
                                                       EoT
                                                                          WS
                                                   Min. :-0.04553
Min. :2024-01-17 Min. :-0.3627 Min. :1.034
                                                                          :-1.279
                                                                    Min.
1st Qu.:2024-01-17
                   1st Qu.:-0.3627 1st Qu.:1.034
                                                   1st Qu.:-0.04553
                                                                    1st Qu.:-1.279
Median :2024-01-17
                                    Median :1.034
                   Median :-0.3627
                                                   Median :-0.04553
                                                                    Median :-1.279
                   Mean :-0.3627
Mean :2024-01-17
                                   Mean :1.034
                                                   Mean :-0.04553
                                                                    Mean :-1.279
3rd Qu.:2024-01-17
                    3rd Qu.:-0.3627
                                    3rd Qu.:1.034
                                                   3rd Qu.:-0.04553
                                                                    3rd Qu.:-1.279
                   Max. :-0.3627
                                    Max. :1.034
                                                         :-0.04553
Max.
      :2024-01-17
                                                   Max.
                                                                    Max.
    Bo0d
      :4739
1st Qu.:4739
Median:4739
Mean :4739
3rd Qu.:4739
Max.
      :4739
Intradaily values:
    Dates
                                               night
                                                               cosThzS
                                                                                  AlS
```

```
:2024-01-17 00:00:00
                                                                      :-0.9586
                             Min.
                                    :-2.92240
                                                Mode :logical
                                                               Min.
                                                                                 Min.
                                                                                        :-1.2819
Min.
1st Qu.:2024-01-17 05:45:00
                             1st Qu.:-1.41740
                                               FALSE:10
                                                               1st Qu.:-0.7289
                                                                                 1st Qu.:-0.8172
Median :2024-01-17 11:30:00
                             Median: 0.08759
                                                TRUE :14
                                                               Median :-0.2143
                                                                                 Median :-0.2160
      :2024-01-17 11:30:00
                             Mean
                                   : 0.08766
                                                               Mean
                                                                     :-0.2144
                                                                                 Mean
                                                                                        :-0.2724
Mean
3rd Qu.:2024-01-17 17:15:00
                             3rd Qu.: 1.59259
                                                               3rd Qu.: 0.3003
                                                                                 3rd Qu.: 0.3051
      :2024-01-17 23:00:00
                             Max. : 3.09905
                                                               Max. : 0.5295
                                                                                 Max. : 0.5580
Max.
    AzS
                       Bo0
Min.
     :-2.49463
                  Min.
                            0.0
1st Qu.:-1.18986
                  1st Qu.: 0.0
Median : 0.09526
                  Median: 0.0
Mean : 0.08773
                  Mean
                        :197.0
                  3rd Qu.: 424.5
3rd Qu.: 1.28896
     : 3.00158
                  Max.
                         :748.4
```

4.2. Datos meteorológicos

Para el procesamiento de datos meteorologicos, solaR2 provee una serie de funciones que son capaces de leer todo tipo de datos. Estos datos se procesan y se almacenan en un objeto de tipo Meteo tal y como se ve en la figura 4.3. Estas funciones son:

- readG0dm: Esta función construye un objeto Meteo a partir de 12 valores de medias mensuales de irradiación. Como argumentos tiene:
 - GOdm: vector con medias mensuales de irradiación global horizontal.
 - Ta: vector con la temperatura ambiente.
 - lat: latitud en grados.
 - year: año de los datos. Por defecto, presenta el año actual.
 - source: información de la fuente de los datos.






FIGURA 4.3: Los datos meteorologicas se pueden leer mediante las funciones readGOdm, readBD, dt2Meteo, zoo2Meteo y readSIAR las cuales procesan estos datos y los almacenan en un objeto de clase Meteo.




- readBD: Esta familia de funciones puede leer ficheros de datos y transformarlos en un objeto de clase Meteo. Se dividen en:
 - readBDd: Procesa datos meteorológicos de tipo diarios. Como argumentos tiene:
 - o file: nombre del archivo que contiene los datos.
 - o lat: latitud en grados.
 - o format: formato de los datos de fechas.
 - header, fill, dec, sep: argumentos para fread.
 - o dates.col: nombre de la columna que contiene los datos de fechas. Por defecto, es 'Dates'.
 - o ta.col: nombre de la columna que contiene los datos de temperatura. Por defecto, es 'Ta'.
 - o **g0.col**: nombre de la columna que contiene los datos de irradiación. Por defecto, es 'G0'.
 - o **keep.cols**: si su valor es **TRUE**, mantiene las columnas que no sean importantes para el resto de operaciones.

```
## Se utiliza un archivo alojado en el
  ## github del tutor de este proyecto
2
  myURL <-"https://raw.githubusercontent.com/oscarperpinan/R/master/data/
3
       aranjuez.csv"
  download.file(myURL, 'data/aranjuez.csv', quiet = TRUE)
4
  BDd <- readBDd(file = 'data/aranjuez.csv', lat = lat,
5
                    format = '%Y-%m-%d', header = TRUE,
6
                    fill = TRUE, dec = '.', sep = ',', dates.col = '', ta.col = 'TempAvg', g0.col = 'Radiation', keep.cols = TRUE)
7
8
  xyplot(BDd)
```




- readBDi: procesa datos meteorológicos de tipo intradiarios. Como argumentos tiene:
 - o file: nombre del archivo que contiene los datos.
 - o lat: latitud en grados.
 - o format: formato de los datos de fechas.
 - o header, fill, dec, sep: argumentos para fread.
 - o dates.col: nombre de la columna que contiene los datos de fechas y/o tiempos. Por defecto, es 'Dates'.
 - o times.col: nombre de la columna que contiene los datos de tiempos en caso de que dates.col no los incluyera.
 - o ta.col: nombre de la columna que contiene los datos de temperatura. Por defecto, es 'Ta'.
 - g0.col: nombre de la columna que contiene los datos de irradiancia. Por defecto, es 'G0'.
 - **keep.cols**: si su valor es **TRUE**, mantiene las columnas que no sean importantes para el resto de operaciones.

```
myURL <- "https://raw.githubusercontent.com/oscarperpinan/R/master/data/
       NREL-Hawaii.csv"
   download.file(myURL, 'data/NREL-Hawaii.csv', quiet = TRUE)
2
   BDi <- readBDi(file = 'data/NREL-Hawaii.csv', lat = 19,
3
                  format = "%d/%m/%Y %H:%M", header = TRUE,
4
                  fill = TRUE, dec = '.', sep = ',',
5
                  dates.col = 'DATE', times.col = 'HST',
6
                  ta.col = 'Air Temperature [deg C]',
7
                  g0.col = 'Global Horizontal [W/m^2]',
8
                  keep.cols = TRUE)
   xyplot(BDi)
10
```



- dt2Meteo: transforma un data.table o data.frame en un objeto de clase Meteo. Como argumentos tiene:
 - file: data.table que contiene los datos.
 - lat: latitud en grados.
 - source: información sobre la fuente de los datos.
 - type: tipo de datos. A elegir entre bdI (intradiarios), bd (diarios) y prom (medias mensuales). Si no viene dado, lo calcula por su cuenta.

```
data(helios)
names(helios) <- c('Dates', 'GOd', 'TempMax', 'TempMin')
helios_meteo <- dt2Meteo(file = helios, lat = 40, type = 'bd')
xyplot(helios_meteo)</pre>
```



- zoo2Meteo: transforma un objeto de clase zoo⁴ en un objeto de clase Meteo. Como argumentos tiene:
 - file: data.table que contiene los datos.
 - lat: latitud en grados.
 - source: información sobre la fuente de los datos.

```
library(zoo)
bd_zoo <- read.csv.zoo('data/aranjuez.csv')
BD_zoo <- zoo2Meteo(file = bd_zoo, lat = 40)
show(BD_zoo)</pre>
```

```
Object of class Meteo
Source of meteorological information: bd-zoo-bd_zoo
Latitude of source: 40 degrees
Meteorological Data:
   TempAvg
                   TempMax
                                    TempMin
                                                     HumidAvg
                                                                     HumidMax
                                                                                      WindAvg
      :-5.309
                                                                                  Min. :0.251
                      :-2.362
                                 Min. :-12.980
                                                  Min. : 19.89
                                                                  Min. : 35.88
Min.
                 Min.
1st Qu.: 7.692
                 1st Qu.:14.530
                                 1st Qu.: 1.515
                                                  1st Qu.: 47.04
                                                                   1st Qu.: 81.60
                                                                                   1st Qu.:0.667
Median :13.810
                 Median :21.670
                                 Median : 7.170
                                                  Median : 62.58
                                                                   Median : 90.90
                                                                                   Median :0.920
Mean
      :14.405
                 Mean :22.531
                                 Mean : 6.888
                                                  Mean : 62.16
                                                                   Mean : 87.22
                                                                                   Mean :1.174
3rd Qu.:21.615
                 3rd Qu.:30.875
                                 3rd Qu.: 12.590
                                                  3rd Qu.: 77.38
                                                                   3rd Qu.: 94.90
                                                                                   3rd Qu.:1.431
Max.
      :30.680
                 Max. :41.910
                                 Max. : 22.710
                                                  Max. :100.00
                                                                   Max. :100.00
                                                                                   Max. :8.260
                                 NA's
                                       : 4
                                                                   NA's
                                                                        :13
                                                                                   NA's
                                                                                          :8
   WindMax
                     Rain
                                  Radiation
                                                       ET
                 Min. : 0.000
                                 Min. : 0.277
                                                       :0.000
Min. : 0.000
                                                 Min.
1st Qu.: 3.783
                 1st Qu.: 0.000
                                 1st Qu.: 9.370
                                                 1st Qu.:1.168
Median : 5.027
                 Median : 0.000
                                 Median :16.660
                                                 Median :2.758
Mean
      : 5.208
                 Mean : 1.094
                                 Mean
                                       :16.742
                                                 Mean
                                                       :3.091
```

⁴Pese a que este proyecto trate de "desligarse" del paquete **zoo**, sigue siendo un paquete muy extendido. Por ello, es interesante tener una función así para que los usuarios tengan una mayor flexibilidad.

```
      3rd Qu.: 6.537
      3rd Qu.: 0.200
      3rd Qu.: 24.650
      3rd Qu.: 4.926

      Max. :10.000
      Max. :49.730
      Max. :32.740
      Max. :8.564


      NA's :128
      NA's :4
      NA's :13
      NA's :18
```

- readSIAR: esta función es capaz de extraer información de la red SIAR⁵ y transformarlo en un objeto de clase Meteo. Como argumentos tiene:
 - Lon: longitud en grados.
 - Lat: latitud en grados.
 - inicio: primer día de los registros.
 - final: último día de los registros.
 - tipo: la API SIAR 6 permite tener 4 tipos de registros: Mensuales, Semanales, Diarios y Horarios.
 - n_est: con este argumento, la función es capaz de localizar el número seleccionado de estaciones más proximas a la ubicación dada, y obtener los datos individuales de cada una de ellas. Una vez obtenidos estos datos realiza una interpolación de distancia inversa ponderada (IDW⁷) y entrega un solo resultado. Es importante añadir que la API SIAR tiene una limitación a la solicitud de registros que se le hace cada minuto, por lo que esta función cuenta con un comprobante para impedir que el usuario exceda este límite.

⁵La red SiAR (Sistema de Información Agroclimática para el Regadio) es una infraestructura que captura, registra y divulga los datos climáticos necesarios para el cálculo de la demanda hídrica en las zonas de riego [Min23].

⁶La API (Interfaz de Programación de Aplicaciones) que se usa para la función **readSIAR** está proporcionada por la propia red SIAR [Min23].

⁷La interpolación IDW es un método de interpolación que estima el valor de un punto desconocido basado en los valores conocidos de puntos cercanos. Los puntos más cercanos tienen más peso en la estimación que los más lejanos, utilizando una relación inversa con la distancia.



4.3. Radiación en el plano horizontal

Una vez se ha calculado la geometría solar (sección 4.1) y se han procesado los datos meteorológicos (sección 4.2), es necesario calcular la radiación en el plano horizontal. Para ello, solaR2 cuenta con la función calcG0 la cual mediante las funciones fCompD y fCompI procesan los objetos de clase Sol y clase Meteo para dar un objeto de tipo G0.

Como se puede ver en la figura 4.4, calcGO funciona gracias a las siguientes funciones:

- fCompD: la cual calcula todas las componentes de la irradiación diaria en una superficie horizontal mediante regresiones entre los parámetros del índice de claridad y la fracción difusa. Tiene los siguientes argumentos:
 - sol: un objeto de clase Sol.
 - GOd: un objeto clase Meteo o un data.table con datos de irradiación diaria en una superficie horizontal.





Figura 4.4: Cálculo de la radiación incidente en el plano horizontal mediante la función calcGO, la cual procesa un objeto clase Sol y otro clase Meteo mediante las funciones fCompD y fCompI resultando en un objeto clase GO. :

• corr: a elegir el tipo de correlación entre la fracción de difusa y el índice de claridad. Dependiendo del tipo de datos:

o Mensuales:


```
lat <- 37.2
   BTd <- fBTd(mode = 'prom')
   solD <- fSolD(lat, BTd)</pre>
   GOd <- c
       (2.766, 3.491, 4.494, 5.912, 6.989, 7.742, 7.919, 7.027, 5.369, 3.562, 2.814, 2 | 179)
   compD_page <- fCompD(sol = solD, GOd = GOd, corr = "Page")</pre>
   compD_page[, group := 'page']
   compD lj <- fCompD(sol = solD, GOd = GOd, corr = "LJ")</pre>
   compD lj[, group := 'lj']
   compD_dia <- rbind(compD_page, compD_lj)</pre>
9
   xyplot(Fd + DOd + BOd ~ Dates, compD_dia,
10
           groups = group, type = '1', auto.key = TRUE,
11
           par.settings = solaR.theme, scales = list(y = 'free'),
12
           ylab = '', layout = c(1, 3)
13
14
```



o Diarios:


```
GOd \leftarrow readSIAR(Lat = 40.40596822621351, Lon = -3.70038308516172,
1
                     inicio = '2024-07-15', final = '2024-08-01',
2
                     tipo = 'Diarios', n_est = 3)
3
   sol <- calcSol(lat, BTd = indexD(GOd))</pre>
4
   compD cpr <- fCompD(sol = sol, GOd = GOd, corr = "CPR")</pre>
   compD_cpr[, group := 'cpr']
   compD_ekdd <- fCompD(sol = sol, GOd = GOd, corr = 'EKDd')</pre>
   compD ekdd[, group := 'ekdd']
   compD climedd <- fCompD(sol = sol, GOd = GOd, corr = 'CLIMEDd')</pre>
   compD_climedd[, group := 'climedd']
10
   compD_mes <- rbind(compD_cpr, compD_ekdd, compD_climedd)</pre>
```

```
xyplot(Fd + D0d + B0d ~ Dates, compD_mes,
groups = group, type = 'l',auto.key = TRUE,
par.settings = solaR.theme, scales = list(y = 'free'),
ylab = '', layout = c(1, 3))
```



También, se puede aportar una función de correlación propia con el argumento ${\tt f}$.

```
f_corrd <- function(sol, GOd){</pre>
     ## Función CLIMEDd
2
       Kt <- Ktd(sol, GOd)</pre>
3
       Fd=(Kt \le 0.13)*(0.952)+
4
       (Kt>0.13 & Kt<=0.8)*(0.868+1.335*Kt-5.782*Kt^2+3.721*Kt^3)+
5
         (Kt>0.8)*0.141
6
7
     return(data.table(Fd, Kt))
8
  compD user <- fCompD(sol = sol, GOd = GOd, corr = 'user', f = f corrd)</pre>
  xyplot(compD user)
```




Por último, si **GOd** ya contiene todos los componentes, se puede especifica que no haga ninguna correlación.

```
compD_none <- fCompD(sol = sol, GOd = compD_user, corr = 'none')
compD_none</pre>
```

```
Key: <Dates>
        Dates
                      Fd
                                Kt
                                        GOd
                                                  DOd
                                                           B<sub>0</sub>d
        <POSc>
                   <num>
                             <num>
                                       <num>
                                                <num>
 1: 2024-07-15 0.2724591 0.6798139 7697.945 2097.375 5600.570
 2: 2024-07-16 0.2455880 0.7000272 7911.858 1943.057 5968.801
 3: 2024-07-17 0.2705287 0.6812283 7684.293 2078.822 5605.472
 4: 2024-07-18 0.6086148 0.4674993 5262.702 3202.958 2059.744
 5: 2024-07-19 0.2454217 0.7001561 7865.166 1930.282 5934.884
 6: 2024-07-20 0.2452020 0.7003266 7849.961 1924.826 5925.135
 7: 2024-07-21 0.2013208 0.7365959 8237.938 1658.468 6579.470
 8: 2024-07-22 0.1873678 0.7493438 8361.056 1566.592 6794.463
9: 2024-07-23 0.2259736 0.7156288 7965.753 1800.050 6165.703
10: 2024-07-24 0.2483878 0.6978638 7748.845 1924.718 5824.126
11: 2024-07-25 0.2630540 0.6867564 7606.140 2000.826 5605.314
12: 2024-07-26 0.3202837 0.6462270 7138.548 2286.361 4852.187
13: 2024-07-27 0.3077503 0.6547900 7213.697 2220.018 4993.679
14: 2024-07-28 0.2653324 0.6850625 7526.355 1996.986 5529.369
15: 2024-07-29 0.6029930 0.4709412 5159.260 3110.998 2048.263
16: 2024-07-30 0.3076331 0.6548709 7153.359 2200.610 4952.749
17: 2024-07-31 0.2334298 0.7096003 7728.034 1803.954 5924.080
18: 2024-08-01 0.2224291 0.7185406 7801.435 1735.266 6066.168
```

- fCompI: calcula, en base a los valores de irradiación diaria, todas las componentes de irradiancia. Se vale de dos procedimientos en base al tipo de argumentos que toma:
 - compD: si recibe un data.table resultado de fCompD, calcula las relaciones entre las componentes de irradiancia e irradiación de las componentes de difusa y global, obteniendo con ellas un perfil de irradiancias [3.2] (las irradiancias global y difusa salen de estas relaciones, mientras que la directa surge por diferencia entre las dos).

```
sol <- calcSol(lat = 37.2, BTd = fBTd(mode = 'prom'),
```



• GOI: este argumento recibe datos de irradiancia, para después, poder aplicar las correcciones indicadas en el argumento corr.

```
GOI <- compI$GO
1
   compI_ekdh <- fCompI(sol = sol, GOI = GOI, corr = 'EKDh')</pre>
   compI_ekdh[, group := 'ekdh']
3
   compI brl <- fCompI(sol = sol, GOI = GOI, corr = 'BRL')</pre>
   compI brl[, group := 'brl']
   compI climedh <- fCompI(sol = sol, GOI = GOI, corr = 'CLIMEDh')</pre>
   compI climedh[, group := 'climedh']
7
   compI all <- rbind(compI ekdh, compI ekdh, compI climedh)</pre>
8
   xyplot(Fd+ D0 +B0 ~ Dates, compI_all,
9
          groups= group, type = 'l',auto.key= TRUE,
10
          par.settings= solaR.theme,scales =list(y = 'free'),
11
          ylab = '', layout = c(1,3)
12
```

Como con fCompD, se puede añadir una función correctora propia.

```
f_corri <- function(sol, G0i){
    ## Función CLIMEDh
    Kt <- Kti(sol, G0i)
    Fd=(Kt<=0.21)*(0.995-0.081*Kt)+
        (Kt>0.21 & Kt<=0.76)*(0.724+2.738*Kt-8.32*Kt^2+4.967*Kt^3)+
        (Kt>0.76)*0.180
    return(data.table(Fd, Kt))
}
```

```
compI_user <- fCompI(sol = sol, GOI = GOI, corr = 'user', f = f_corri)
show(compI_user)</pre>
```

```
Key: <Dates>
                  Dates
                               Fd
                                         Κt
                                                    GO
                                                              DO
                                                                        B0
                  <POSc>
                             <num>
                                       <num>
                                                 <num>
                                                           <num>
                                                                     <num>
 1: 2024-01-17 08:00:00 0.7093252 0.4583592 84.06042 59.62617
                                                                  24.43424
 2: 2024-01-17 09:00:00 0.5818534 0.5277148 215.49558 125.38683
                                                                  90.10875
 3: 2024-01-17 10:00:00 0.4782729 0.5821268 340.45500 162.83039 177.62462
 4: 2024-01-17 11:00:00 0.4110389 0.6178887 433.04376 177.99784 255.04592
 5: 2024-01-17 12:00:00 0.3840268 0.6325646 473.44106 181.81406 291.62701
141: 2024-12-13 12:00:00 0.5416063 0.5488870 382.71443 207.28055 175.43387
142: 2024-12-13 13:00:00 0.5639749 0.5371376 352.10710 198.57956 153.52754
143: 2024-12-13 14:00:00 0.6220088 0.5063725 276.60890 172.05317 104.55573
144: 2024-12-13 15:00:00 0.7087489 0.4586869 172.87432 122.52448 50.34984
145: 2024-12-13 16:00:00 0.8099691 0.3973283 63.15968 51.15739
```

Y además, se puede no añadir correlación.

```
GOI <- compI_user
compI_none <- fCompI(sol = sol, GOI = GOI, corr = 'none')
show(compI_none)</pre>
```

```
Key: <Dates>
                   Dates
                                Fd
                                          Kt
                                                    GO
                                                              DO
                                                                        BO
                  <POSc>
                             <num>
                                                 <num>
                                                           <num>
                                       <num>
                                                                     <num>
 1: 2024-01-17 08:00:00 0.7093252 0.4583592 84.06042 59.62617
                                                                  24.43424
 2: 2024-01-17 09:00:00 0.5818534 0.5277148 215.49558 125.38683
 3: 2024-01-17 10:00:00 0.4782729 0.5821268 340.45500 162.83039 177.62462
 4: 2024-01-17 11:00:00 0.4110389 0.6178887 433.04376 177.99784 255.04592
 5: 2024-01-17 12:00:00 0.3840268 0.6325646 473.44106 181.81406 291.62701
141: 2024-12-13 12:00:00 0.5416063 0.5488870 382.71443 207.28055 175.43387
142: 2024-12-13 13:00:00 0.5639749 0.5371376 352.10710 198.57956 153.52754
143: 2024-12-13 14:00:00 0.6220088 0.5063725 276.60890 172.05317 104.55573
144: 2024-12-13 15:00:00 0.7087489 0.4586869 172.87432 122.52448
145: 2024-12-13 16:00:00 0.8099691 0.3973283 63.15968 51.15739
                                                                  12.00229
```

Por útlimo, esta función incluye un argumento extra, **filterGO** que cuando su valor es **TRUE**, elimina todos aquellos valores de irradiancia que son mayores que la irradiancia extra-atmosfércia (ya que es incoherente que la irradiancia terrestre sea mayor que la extra-terrestre).

Estas dos funciones, como se muestra en la figura 4.4, convergen en la función constructora calcGO, dando como resultado un objeto de clase GO. Este objeto muestra la media mensual de la irradiación diaria y la irradiación anual. Aparte, incluye los resultados de fCompD y fCompI y los objetos Sol y Meteo de los que parte.

Como argumento más importante está modeRad, el cual selecciona el tipo de datos que introduce el usuario en el argumento dataRad. Estos son:

Medias mensuales.

```
GOdm <- c(2.766, 3.491, 4.494, 5.912, 6.989, 7.742, 7.919, 7.027, 5.369, 3.562, 2.814, 2.179) * 1000

Ta <- c(10, 14.1, 15.6, 17.2, 19.3, 21.2, 28.4, 29.9, 24.3, 18.2, 17.2, 15.2)
```

```
prom <- data.table(GOdm, Ta)
g0_prom <- calcGO(lat, modeRad = 'prom', dataRad = prom)
show(g0_prom)</pre>
```

```
Object of class GO
Source of meteorological information: prom-
Latitude of source: 37.2 degrees
Latitude for calculations: 37.2 degrees
Monthly avarages:
                      DOd
                                BOd
       Dates GOd
      <char> <num>
                     <num>
                              <num>
 1: Jan. 2024 2.766 0.941698 1.824302
 2: Feb. 2024 3.491 1.247146 2.243854
 3: Mar. 2024 4.494 1.671763 2.822237
 4: Apr. 2024 5.912 1.931146 3.980854
 5: May. 2024 6.989 2.023364 4.965636
 6: Jun. 2024 7.742 1.889994 5.852006
 7: Jul. 2024 7.919 1.624064 6.294936
 8: Aug. 2024 7.027 1.547591 5.479409
9: Sep. 2024 5.369 1.540708 3.828292
10: Oct. 2024 3.562 1.374513 2.187487
11: Nov. 2024 2.814 1.006959 1.807041
12: Dec. 2024 2.179 0.926737 1.252263
Yearly values:
 Dates GOd
                    D0d
                              B0d
  <int>
           <num>
                   <num>
                             <num>
1: 2024 1839.365 540.6331 1298.732
```

• Generación de secuencias diarias mediante matrices de transición de Markov.

```
g0_aguiar <- calcGO(lat, modeRad = 'aguiar', dataRad = prom)
show(g0_aguiar)</pre>
```

```
Object of class GO
Source of meteorological information: bd-aguiar
Latitude of source: 37.2 degrees
Latitude for calculations: 37.2 degrees
Monthly avarages:
       Dates GOd
                       DOd
                    <num>
      <char> <num>
                               <num>
1: Jan. 2024 2.766 1.128342 1.637658
 2: Feb. 2024 3.491 1.503687 1.987313
 3: Mar. 2024 4.494 2.130246 2.363754
 4: Apr. 2024 5.912 2.264793 3.647207
 5: May. 2024 6.989 2.322846 4.666154
 6: Jun. 2024 7.742 2.519177 5.222823
 7: Jul. 2024 7.919 2.238833 5.680167
 8: Aug. 2024 7.027 2.091969 4.935031
9: Sep. 2024 5.369 1.910453 3.458547
10: Oct. 2024 3.562 1.661002 1.900998
11: Nov. 2024 2.814 1.283809 1.530191
12: Dec. 2024 2.179 1.019766 1.159234
Yearly values:
Key: <Dates>
  Dates GOd
                    D0d
                               B0d
  <int> <num>
                  <num>
                             <num>
1: 2024 1839.365 673.3369 1166.028
```


Diarios.

```
bd <- as.data.tableD(g0_aguiar)
g0_bd <- calcGO(lat, modeRad = 'bd', dataRad = bd)
show(g0_bd)</pre>
```

```
Object of class GO
Source of meteorological information: bd-data.table
Latitude of source: 37.2 degrees
Latitude for calculations: 37.2 degrees
Monthly avarages:
       Dates GOd
                      DOd
                                B0d
      <char> <num>
                     <num>
                              <num>
 1: Jan. 2024 2.766 1.128342 1.637658
 2: Feb. 2024 3.491 1.503687 1.987313
 3: Mar. 2024 4.494 2.130246 2.363754
 4: Apr. 2024 5.912 2.264793 3.647207
 5: May. 2024 6.989 2.322846 4.666154
 6: Jun. 2024 7.742 2.519177 5.222823
 7: Jul. 2024 7.919 2.238833 5.680167
 8: Aug. 2024 7.027 2.091969 4.935031
9: Sep. 2024 5.369 1.910453 3.458547
10: Oct. 2024 3.562 1.661002 1.900998
11: Nov. 2024 2.814 1.283809 1.530191
12: Dec. 2024 2.179 1.019766 1.159234
Yearly values:
Key: <Dates>
             GOd
  Dates
                     D0d
                               B0d
                  <num>
         <num>
   <int>
                             <num>
1: 2024 1839.365 673.3369 1166.028
```

Intradiarios

```
bdI <- as.data.tableI(g0_aguiar)
g0_bdI <- calcGO(lat, modeRad = 'bdI', dataRad = bdI)
xyplot(g0_bdI)</pre>
```



4.4. Radiación efectiva en el plano del generador

Teniendo la radiación incidente en plano horizontal (sección 4.3), se puede calcular la radiación efectiva incidente en el plano del generador. Para ello, solaR2 cuenta con la función calcGef la cual mediante las funciones finclin y calcShd procesa un objeto de clase GO para obtener un objeto Gef.

Como se puede ver en la figura 4.5, calcGef funciona gracias a las siguientes funciones:

• fTheta: la cual, partiendo del ángulo de inclinación (β) y la orientación (α) , calcula el ángulo de inclinación en cada instante (β) , el ángulo azimutal (ψ_s) y el coseno del ángulo





Figura 4.5: Cálculo de la radiación efectiva incidente en el plano del generador mediante la función calcGef, la cual emplea la función finclin para el computo de las componentes efectivas, la función finclin que provee a la función anterior los ángulos necesarios para su computo y la función calcShd que reprocesa el objeto de clase Gef resultante, añadiendole el efecto de las sombras producidas entres módulos.


de incidencia de la radiación solar en la superficie $(cos(\theta_s))$. Como principal argumento tiene **modeTrk**, el cual determina el sistema de seguimiento que tiene el sistema:

• fixed: para sistemas estáticos.

```
BTd <- fBTd(mode = 'serie')[1:10]
sol <- calcSol(lat, BTd = BTd, keep.night = FALSE)
beta <- lat - 10
alpha <- 0
angGen_fixed <- fTheta(sol = sol, beta = beta, alpha = alpha,
modeTrk = 'fixed')
xyplot(angGen_fixed)
```




• two: para sistemas de seguimiento de doble eje.




• horiz: para sistemas de seguimiento horizontal Norte-Sur.

```
angGen_horiz <- fTheta(sol = sol, beta = beta, alpha = alpha,
modeTrk = 'horiz')
xyplot(angGen_horiz)</pre>
```




También, tiene un argumento BT que indica cuando se usa la técnica de backtracking para un sistema horizontal Norte-Sur. Para funcionar, necesita de los argumentos struct, el

cual presenta una lista con la altura de los módulos, y dist, el cual presenta un data.frame (o data.table) con la distancia que separa los módulos en la dirección Este-Oeste.




- fInclin: la cual, partiendo del resultado de fTheta y de un objeto de clase G0, calcula la irradiancia solar incidente en una superficie inclinada junto con los efectos del ángulo de incidencia y la suciedad para obtener la irradiancia efectiva. Como argumentos principales están:
 - iS: permite seleccionar entre 4 valores del 1 al 4 correspondientes al grado de suciedad del módulo. Siendo 1 limpio y 4 alto y basandose en los valores de la tabla 3.2 calcula la irradiancia efectiva. Por defecto, tiene valor 2 (grado de suciedad bajo).

```
compI <- calcGO(lat, modeRad = 'bd', dataRad = bd[1:31], keep.night = FALSE</pre>
1
   sol <- calcSol(lat, BTi = indexI(compI))</pre>
   angGen <- fTheta(sol = sol, beta = beta, alpha = alpha)
   inclin limpio <- fInclin(compI = compI, angGen = angGen, iS = 1)
   inclin_limpio[, group := 'is = 1']
   inclin sucio <- fInclin(compI = compI, angGen = angGen, iS = 4)
   inclin sucio[, group := 'is = 4']
7
   inclin is <- rbind(inclin limpio, inclin sucio)</pre>
8
   xyplot(Gef + Def + Bef + Ref ~ Dates, inclin_is,
9
          groups = group, type = 'l', auto.key = TRUE,
10
          par.settings = solaR.theme, scales = list(y = 'free'),
11
          ylab = '', layout = c(2, 2))
12
```



• alb: correspondiente al coeficiente de reflexión del terreno para la irradiancia de albedo. Por defecto, tiene un valor de 0,2 (valor aceptable para un terreno normal).

```
inclin_alb0 <- fInclin(compI = compI, angGen = angGen, alb = 0)</pre>
  inclin_alb0[, group := 'alb = 0']
2
  inclin_alb1 <- fInclin(compI = compI, angGen = angGen, alb = 1)</pre>
3
  inclin_alb1[, group := 'alb = 1']
4
  inclin_alb <- rbind(inclin_alb0, inclin_alb1)</pre>
5
  xyplot(Gef + Def + Bef + Ref ~ Dates, inclin alb,
6
7
          groups = group, type = 'l', auto.key = TRUE,
          par.settings = solaR.theme, scales = list(y = 'free'),
8
          ylab = '', layout = c(2, 2))
9
```



Además, cuenta con dos argumentos adicionales, horizBright, el cual, cuando su valor es TRUE (el que tiene por defecto), realiza una corrección de la radiación difusa [RBD90], y HCPV, es el acrónimo de High Concentration PV system⁸ (sistema fotovoltaico de alta concentración) que cuando su valor es TRUE (por defecto está puesto en FALSE), anula los valores de radiación difusa y de albedo.

```
0.4644
Min. :2024-01-01 08:00:00.00
                                            0.0
                                                            0.0
                                 Min.
                                                  Min.
                                                                  Min.
                                                                        :
                                       :
                                                        :
1st Qu.:2024-01-09 09:45:00.00
                                                  1st Qu.:261.5
                                 1st Qu.: 642.2
                                                                  1st Qu.:241.0570
Median :2024-01-17 09:30:00.00
                                 Median :1005.1
                                                  Median :468.9
                                                                  Median: 433.9855
Mean :2024-01-16 21:56:08.92
                                 Mean : 898.5
                                                  Mean :445.4
                                                                  Mean :445.8438
3rd Qu.:2024-01-24 13:15:00.00
                                 3rd Qu.:1152.8
                                                  3rd Qu.:639.6
                                                                  3rd Qu.:653.0312
Max.
      :2024-01-31 17:00:00.00
                                 Max.
                                        :1248.5
                                                  Max.
                                                         :912.4
                                                                  Max.
                                                                         :962.4321
                         Di
                                            Dc
                                                             В
                                                                             R.
                         : 0.4402
      : 0.4402
                   Min.
                                      Min.
                                            : 0.00
                                                       Min.
                                                                 0.0
                                                                       Min.
                                                                              :0.02417
1st Qu.: 87.7596
                   1st Qu.: 43.7023
                                      1st Qu.: 31.70
                                                       1st Qu.:114.4
                                                                       1st Qu.:1.60563
Median: 149.4905
                   Median: 65.6835
                                      Median: 64.87
                                                       Median :273.8
                                                                       Median :3.16487
     :141.8711
                        : 76.3467
                                      Mean : 65.52
                                                       Mean :300.8
                   Mean
                                                                       Mean
                                                                            :3.20341
3rd Qu.:190.0728
                   3rd Qu.:106.6447
                                      3rd Qu.:103.19
                                                       3rd Qu.:459.5
                                                                       3rd Qu.:4.69123
Max.
      :260.8244
                   Max.
                         :194.8056
                                      Max.
                                            :133.24
                                                       Max.
                                                             :780.1
                                                                       Max.
                                                                              :6.86791
                                                           Dief
                                                                              Dcef
      :0.005218
                         :0.06474
                                           :0.2995
                                                            : 0.4035
                                                                               : 0.00
Min.
                   Min.
                                     Min.
                                                      Min.
                                                                         Min.
1st Qu.:0.010325
                   1st Qu.:0.06474
                                     1st Qu.:0.2995
                                                      1st Qu.: 40.0558
                                                                         1st Qu.: 27.91
Median :0.022076
                   Median :0.06474
                                     Median :0.2995
                                                      Median: 60.2028
                                                                         Median : 60.20
Mean
      :0.062300
                   Mean
                         :0.06474
                                     Mean
                                           :0.2995
                                                      Mean
                                                            : 69.9763
                                                                         Mean : 62.21
3rd Qu.:0.096613
                   3rd Qu.:0.06474
                                     3rd Qu.:0.2995
                                                      3rd Qu.: 97.7461
                                                                         3rd Qu.: 99.50
                                          :0.2995
Max. :0.344085
                   Max. :0.06474
                                                      Max. :178.5507
                                                                               :129.63
                                     Max.
                                                                         Max.
     Gef
                       Def
                                           {\tt Bef}
                                                           Ref
        0.4201
                            0.4035
                                                0.0
                                                             :0.01659
Min.
                   Min.
                                      Min.
                                                      Min.
```

⁸La tencología de concentración fotovoltaica funciona gracias a unos dispositivos ópticos que permiten concentrar la radiación solar sobre una célula fotovoltaica de tamaño reducido pero con una eficiencia muy superior a las células tradicionales. Con ello, se consigue emplear una menor cantidad de semiconductores, reduciendo los costes.

```
1st Qu.:206.7988
                  1st Qu.: 79.0877
                                      1st Qu.:101.1
                                                      1st Qu.:1.10228
Median :404.3015
                   Median :141.0409
                                      Median :258.0
                                                      Median :2.17271
                                                      Mean :2.19917
Mean :419.8527
                   Mean :132.1902
                                      Mean :285.5
3rd Qu.:624.7071
                   3rd Qu.: 178.6869
                                      3rd Qu.:440.4
                                                      3rd Qu.: 3.22057
      :932.0654
                          :244.0411
                                             :759.0
                                                             :4.71488
Max.
                  Max.
                                      Max.
                                                      Max.
```

```
inclin_HCPV <- fInclin(compI = compI, angGen = angGen,
HCPV = TRUE)
summary(inclin_HCPV)</pre>
```

```
Dates
                                     Во
                                                      Bn
                                                                     G
                                                     : 0.0
                                          0.0
Min. :2024-01-01 08:00:00.00
                               Min.
                                     :
                                                Min.
                                                               Min.
                                                                     : 0.4691
1st Qu.:2024-01-09 09:45:00.00
                               1st Qu.: 642.2
                                                1st Qu.:261.5
                                                               1st Qu.:241.7309
Median :2024-01-17 09:30:00.00
                               Median :1005.1
                                                Median :468.9
                                                               Median: 434.6429
Mean :2024-01-16 21:56:08.92
                               Mean : 898.5
                                                Mean :445.4
                                                               Mean :446.4869
3rd Qu.:2024-01-24 13:15:00.00
                               3rd Qu.:1152.8
                                                3rd Qu.:639.6
                                                               3rd Qu.:653.9372
Max.
      :2024-01-31 17:00:00.00
                               Max.
                                      :1248.5
                                                Max.
                                                      :912.4
                                                               Max.
                                                                     :962.9223
                                          Dc
                                                         В
                                                                         R
                       Di
Min.
     : 0.4449
                  Min.
                        : 0.4449
                                    Min.
                                          : 0.00
                                                     Min.
                                                           : 0.0
                                                                    {\tt Min.}
                                                                          :0.02417
1st Qu.: 88.1852
                  1st Qu.: 44.1823
                                    1st Qu.: 31.70
                                                     1st Qu.:114.4
                                                                    1st Qu.:1.60563
Median :150.0239
                  Median: 66.3383
                                    Median: 64.87
                                                     Median :273.8
                                                                    Median: 3.16487
     :142.5141
                  Mean : 76.9898
                                    Mean : 65.52
                                                     Mean :300.8
                                                                    Mean
                                                                         :3.20341
3rd Qu.:191.0574
                  3rd Qu.:107.2965
                                    3rd Qu.:103.19
                                                     3rd Qu.:459.5
                                                                    3rd Qu.:4.69123
Max. :262.3132
                  Max. :195.9901
                                    Max. :133.24
                                                     Max. :780.1
                                                                    Max.
                                                                          :6.86791
    FTb
                                                        Dief
                                                                    Dcef
                                                                               Gef
      :0.005218
                                   Min. :0.2995
                  Min.
                       :0.06474
                                                    Min. :0
                                                               Min.
                                                                     :0
                                                                           Min. : 0.0
Min.
1st Qu.:0.010325
                  1st Qu.:0.06474
                                   1st Qu.:0.2995
                                                    1st Qu.:0
                                                               1st Qu.:0
                                                                           1st Qu.:101.1
Median :0.022076
                  Median :0.06474
                                   Median :0.2995
                                                    Median :0
                                                               Median :0
                                                                           Median :258.0
                                   Mean :0.2995
     :0.062300
                  Mean :0.06474
                                                    Mean :0
                                                                           Mean :285.5
Mean
                                                               Mean :0
3rd Qu.:0.096613
                  3rd Qu.:0.06474
                                   3rd Qu.:0.2995
                                                    3rd Qu.:0
                                                               3rd Qu.:0
                                                                           3rd Qu.:440.4
Max. :0.344085
                  Max. :0.06474
                                   Max. :0.2995
                                                   Max. :0
                                                               Max. :0
                                                                           Max. :759.0
    Def
                Bef
                               Ref
                 : 0.0
Min.
     :0
           Min.
                          Min.
1st Qu.:0
           1st Qu.:101.1
                          1st Qu.:0
                          Median :0
Median :0
           Median :258.0
Mean :0
           Mean
                 :285.5
                          Mean :0
3rd Qu.:0
           3rd Qu.:440.4
                          3rd Qu.:0
Max. :0
                 :759.0
           Max.
                          Max.
```

Finalmente, esta función le otorga estos datos a la función calcGef para que produzca un objeto de clase Gef como resultado. Esta función tiene como argumentos principales los mismos que los que tiene calcGO 4.3, es decir, modeRad y dataRad. Y además, como es lógico, con todos los argumentos mencionados con anterioridad en fTheta y fInclin.

```
Object of class Gef
Source of meteorological information: prom-
Latitude of source: 37.2 degrees
Latitude for calculations: 37.2 degrees
Monthly avarages:
        Dates
                   Bod
                             Bnd
                                         Gd
                                                  Dd
                                                           Bd
                                                                    Gefd
                                                                             Defd
                                                                                       Refd
       <char>
                 <num>
                            <num>
                                      <num>
                                                <num>
                                                         <num>
                                                                   <num>
                                                                            <num>
                                                                                      <num>
```

```
1: Jan. 2024 14.13536 4.924221
                                 6.522313 1.440413 4.924221 6.348801 1.384087 4.825736
2: Feb. 2024 15.42754 5.034287
                                 6.875052 1.672079 5.034287
                                                             6.680139 1.599929 4.933601
3: Mar. 2024 16.58107 5.163713 7.329138 1.998110 5.163713 7.104641 1.902356 5.060439
4: Apr. 2024 17.64047 6.408617 8.843422 2.265896 6.408617
                                                            8.578222 2.158071 6.280444
5: May. 2024 18.70771
                       7.617499 10.178196 2.394606 7.617499 9.885240 2.284334 7.465149
6: Jun. 2024 19.87238 9.102430 11.606533 2.329653 9.102430 11.293417 2.230338 8.920381
7: Jul. 2024 18.51695 10.037233 11.801533 2.029150 9.589205 11.495648 1.948530 9.397421
8: Aug. 2024 17.34098
                      8.640959 10.777404 1.947410 8.640959 10.493150 1.869393 8.468140
9: Sep. 2024 16.25295 6.698488 8.831006 1.948075 6.698488 8.584604 1.864962 6.564518
10: Oct. 2024 15.16994 4.546024 6.418653 1.711039 4.546024 6.226290 1.631551 4.455104
11: Nov. 2024 14.00493 4.638289
                                 6.247341 1.452953 4.638289
                                                             6.076159 1.393353 4.545523
12: Dec. 2024 12.70717 3.439788 4.825181 1.254616 3.439788 4.685547 1.198824 3.370992
Yearly values:
  Dates
            Bod
                      Bnd
                                Gd
                                         Dd
                                                  Bd
                                                         Gefd
                                                                Defd
                                                                          Refd
   <int>
           <num>
                    <num>
                             <num>
                                      <num>
                                               <num>
                                                        <num>
   2024 5988.455 2326.882 3058.651 684.4232 2312.993 2973.115 654.591 2266.733
Mode of tracking: two
   Inclination limit: 90
```

Sin embargo, como argumento importante está **modeShd**, el cual permite incluir el efecto de las sombras entre módulos al objeto **Gef** mediante el uso de la función **calcShd**. Esta opción añade las variables **Gef0**, **Def0** y **Bef0**, las cuales son las componentes de radiación efectiva previas a aplicar el efecto de las sombras con el fin de poder comparar.

```
struct <- list(W=23.11, L=9.8, Nrow=2, Ncol=8)
distances <- data.table(Lew=40, Lns=30, H=0)
gef_shd <- calcShd(radEf = gef_prom, modeShd = 'prom',
struct = struct, distances = distances)
show(gef_shd)</pre>
```

```
Object of class Gef
Source of meteorological information: prom-
Latitude of source: 37.2 degrees
Latitude for calculations: 37.2 degrees
Monthly avarages:
                 Gef0d
       Dates
                          Def0d
                                   Bef0d
                                                Gd
                                                         Dd
                                                                 Bd
                                                                          Gefd
                                                                                   Defd
                                                                                            Refd
       <char>
                 <num>
                          <num>
                                   <num>
                                             <num>
                                                      <num>
                                                               <num>
                                                                         <num>
                                                                                  <num>
                                                                                           <num>
1: Jan. 2024 6.348801 1.384087 4.825736 6.522313 1.440413 4.924221
                                                                      6.104126 1.343455 4.621693
2: Feb. 2024 6.680139 1.599929 4.933601 6.875052 1.672079 5.034287
                                                                      6.406274 1.553670 4.705996
              7.104641 1.902356 5.060439
3: Mar. 2024
                                          7.329138 1.998110 5.163713
                                                                      6.788630 1.848127 4.798657
4: Apr. 2024 8.578222 2.158071 6.280444 8.843422 2.265896 6.408617
                                                                      8.295340 2.112064 6.043569
5: May. 2024 9.885240 2.284334 7.465149 10.178196 2.394606 7.617499
                                                                     9.688308 2.253942 7.298609
6: Jun. 2024 11.293417 2.230338 8.920381 11.606533 2.329653 9.102430 11.115054 2.205314 8.767042
7: Jul. 2024 11.495648 1.948530 9.397421 11.801533 2.029150 9.589205 11.308971 1.924962 9.234312
8: Aug. 2024 10.493150 1.869393 8.468140 10.777404 1.947410 8.640959 10.196758 1.830334 8.210807
9: Sep. 2024 8.584604 1.864962 6.564518 8.831006 1.948075 6.698488
                                                                     8.228309 1.810198 6.262986
10: Oct. 2024 6.226290 1.631551 4.455104 6.418653 1.711039 4.546024
                                                                      6.018374 1.595528 4.283212
11: Nov. 2024 6.076159 1.393353 4.545523 6.247341 1.452953 4.638289 5.875732 1.359514 4.378935
12: Dec. 2024 4.685547 1.198824 3.370992 4.825181 1.254616 3.439788 4.575893 1.179346 3.280817
Yearly values:
                  Def0d
  Dates Gef0d
                            Bef0d
                                        Gd
                                                 Dd
                                                          Bd
                                                                 Gefd
                                                                          Defd
                                                                                   Befd
   <int>
           <num>
                   <num>
                            <num>
                                     <num>
                                              <num>
                                                       <num>
                                                                <num>
                                                                         <num>
1: 2024 2973.115 654.591 2266.733 3058.651 684.4232 2312.993 2886.328 640.9157 2193.621
Mode of tracking: two
   Inclination limit: 90
```

```
Object of class Gef
Source of meteorological information: prom-
Latitude of source: 37.2 degrees
Latitude for calculations: 37.2 degrees
Monthly avarages:
        Dates
                  Gef0d
                           Def0d
                                     Bef0d
                                                  Gd
                                                           Dd
                                                                    Bd
                                                                             Gefd
                                                                                      Defd
                  <num>
                                               <num>
                                                        <num>
                                                                  <num>
                                                                            <num>
                                                                                     <num>
                                                                                               <num>
       <char>
                           <num>
                                     <num>
 1: Jan. 2024 6.348801 1.384087 4.825736 6.522313 1.440413 4.924221 6.104126 1.343455 4.621693
 2: Feb. 2024
               6.680139 1.599929 4.933601
                                            6.875052 1.672079 5.034287
                                                                         6.406274 1.553670 4.705996
 3: Mar. 2024 7.104641 1.902356 5.060439
                                                                        6.788630 1.848127 4.798657
                                           7.329138 1.998110 5.163713
 4: Apr. 2024 8.578222 2.158071 6.280444 8.843422 2.265896 6.408617 8.295340 2.112064 6.043569
 5: May. 2024
              9.885240 2.284334 7.465149 10.178196 2.394606 7.617499
                                                                        9.688308 2.253942 7.298609
 6: Jun. 2024 11.293417 2.230338 8.920381 11.606533 2.329653 9.102430 11.115054 2.205314 8.767042
 7\colon \mathtt{Jul.}\ \ 2024\ \ 11.495648\ \ 1.948530\ \ 9.397421\ \ 11.801533\ \ 2.029150\ \ 9.589205\ \ 11.308971\ \ 1.924962\ \ 9.234312
 8: Aug. 2024 10.493150 1.869393 8.468140 10.777404 1.947410 8.640959 10.196758 1.830334 8.210807
9: Sep. 2024 8.584604 1.864962 6.564518 8.831006 1.948075 6.698488 8.228309 1.810198 6.262986
10: Oct. 2024 6.226290 1.631551 4.455104 6.418653 1.711039 4.546024
                                                                        6.018374 1.595528 4.283212
11: Nov. 2024 6.076159 1.393353 4.545523 6.247341 1.452953 4.638289 5.875732 1.359514 4.378935
12: Dec. 2024 4.685547 1.198824 3.370992 4.825181 1.254616 3.439788 4.575893 1.179346 3.280817
Yearly values:
            Gef0d
                    Def0d
                             Bef0d
                                          Gd
                                                   Dd
                                                            Bd
                                                                             Defd
   Dates
                                                                   Gefd
                                                                                      Befd
   <int>
            <num>
                    <num>
                              <num>
                                       <num>
                                                <num>
                                                         <num>
                                                                            <num>
                                                                                     <num>
                                                                   <num>
1: 2024 2973.115 654.591 2266.733 3058.651 684.4232 2312.993 2886.328 640.9157 2193.621
Mode of tracking: two
    Inclination limit: 90
```

El argumento modeShd puede ser de distintas maneras:

• area: el efecto de las sombras se calcula como una reducción proporcional de las irradiancias difusa circunsolar y directa.

```
Object of class Gef
Source of meteorological information: prom-
Latitude of source: 37.2 degrees
Latitude for calculations: 37.2 degrees
Monthly avarages:
       Dates
                 Gef0d
                          Def0d
                                   Bef0d
                                                 Gd
                                                          Dd
                                                                   Bd
                                                                           Gefd
                                                                                    Defd
                                                                                             Befd
      <char>
                  <num>
                           <num>
                                    <num>
                                              <num>
                                                       <num>
                                                                <num>
                                                                          <num>
                                                                                   <num>
                                                                                             <num>
1: Jan. 2024 6.348801 1.384087 4.825736 6.522313 1.440413 4.924221 5.877879 1.305883 4.433019
2: Feb. 2024
               6.680139 1.599929 4.933601
                                           6.875052 1.672079 5.034287
                                                                       6.291348 1.534257 4.610483
3: Mar. 2024 7.104641 1.902356 5.060439 7.329138 1.998110 5.163713
                                                                       6.743478 1.840379 4.761253
4: Apr. 2024 8.578222 2.158071 6.280444 8.843422 2.265896 6.408617 8.254928 2.105491 6.009730
5: May. 2024 9.885240 2.284334 7.465149 10.178196 2.394606 7.617499
                                                                       9.660175 2.249601 7.274817
```


```
6: Jun. 2024 11.293417 2.230338 8.920381 11.606533 2.329653 9.102430 11.089573 2.201739 8.745137
  7\colon \mathtt{Jul.}\ \ 2024\ \ 11.495648\ \ 1.948530\ \ 9.397421\ \ 11.801533\ \ 2.029150\ \ 9.589205\ \ 11.282303\ \ 1.921596\ \ 9.211011\ \ 2024\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 9.211011\ \ 10.282303\ \ 1.921596\ \ 10.282303\ \ 1.921596\ \ 1.921596\ \ 10.282303\ \ 1.921596\ \ 1.921596\ \ 10.282303\ \ 1.921596\ \ 1.921596\ \ 10.282303\ \ 1.921596\ \ 1.921596\ \ 10.282303\ \ 1.921596\ \ 1.921596\ \ 10.282303\ \ 1.921596\ \ 1.921596\ \ 10.282303\ \ 1.921596\ \ 1.921596\ \ 10.282303\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.921596\ \ 1.9
  8: Aug. 2024 10.493150 1.869393 8.468140 10.777404 1.947410 8.640959 10.154416 1.824754 8.174045
  9: Sep. 2024 8.584604 1.864962 6.564518 8.831006 1.948075 6.698488 8.177410 1.802375 6.219910
10: Oct. 2024 6.226290 1.631551 4.455104 6.418653 1.711039 4.546024 5.950189 1.583714 4.226840
11: Nov. 2024 6.076159 1.393353 4.545523 6.247341 1.452953 4.638289 5.705306 1.330740 4.237284
12: Dec. 2024 4.685547 1.198824 3.370992 4.825181 1.254616 3.439788 4.440179 1.155239 3.169210
Yearly values:
        Dates
                              Gef0d Def0d
                                                                                       Bef0d
                                                                                                                        Gd
                                                                                                                                                     Dd
                                                                                                                                                                                 Bd
                                                                                                                                                                                                        Gefd
                                                                                                                                                                                                                                    Defd
                                                                                                                                                                                                                                                               Befd
         <int>
                                   <num>
                                                           <num>
                                                                                      <num>
                                                                                                                    <num>
                                                                                                                                               <num>
                                                                                                                                                                           <num>
                                                                                                                                                                                                       <num>
                                                                                                                                                                                                                                  <num>
1: 2024 2973.115 654.591 2266.733 3058.651 684.4232 2312.993 2856.633 636.0199 2168.822
Mode of tracking: two
          Inclination limit: 90
```

• prom: cuando modeTrk es two, se puede calcular el efecto de las sombras de un seguidor promedio.

```
Object of class Gef
Source of meteorological information: prom-
Latitude of source: 37.2 degrees
Latitude for calculations: 37.2 degrees
Monthly avarages:
      Dates
               Gef0d
                        Def0d
                                 Bef0d
                                            Gd
                                                    Dd
                                                             Bd
                                                                     Gefd
                                                                              Defd
                                                                                       Befd
                       <num>
      <char>
                <num>
                                <num>
                                          <num>
                                                  <num>
                                                           <num>
                                                                    <num>
                                                                             <n11m>
                                                                                      <niim>
2: Feb. 2024 6.680139 1.599929 4.933601 6.875052 1.672079 5.034287 6.406274 1.553670 4.705996
3: Mar. 2024 7.104641 1.902356 5.060439 7.329138 1.998110 5.163713 6.788630 1.848127 4.798657
4: Apr. 2024 8.578222 2.158071 6.280444 8.843422 2.265896 6.408617 8.295340 2.112064 6.043569
5: May. 2024 9.885240 2.284334 7.465149 10.178196 2.394606 7.617499 9.688308 2.253942 7.298609
6: Jun. 2024 11.293417 2.230338 8.920381 11.606533 2.329653 9.102430 11.115054 2.205314 8.767042
7\colon \mathtt{Jul.}\ \ 2024\ \ 11.495648\ \ 1.948530\ \ 9.397421\ \ 11.801533\ \ 2.029150\ \ 9.589205\ \ 11.308971\ \ 1.924962\ \ 9.234312
8: Aug. 2024 10.493150 1.869393 8.468140 10.777404 1.947410 8.640959 10.196758 1.830334 8.210807
9: Sep. 2024 8.584604 1.864962 6.564518 8.831006 1.948075 6.698488 8.228309 1.810198 6.262986
10: Oct. 2024 6.226290 1.631551 4.455104 6.418653 1.711039 4.546024 6.018374 1.595528 4.283212
11: Nov. 2024 6.076159 1.393353 4.545523 6.247341 1.452953 4.638289 5.875732 1.359514 4.378935
12: Dec. 2024 4.685547 1.198824 3.370992 4.825181 1.254616 3.439788 4.575893 1.179346 3.280817
Yearly values:
  Dates
         Gef0d
                 Def0d
                          Bef0d
                                     Gd
                                              Dd
                                                      Bd
                                                             Gefd
                                                                     Defd
          <num>
                  <num>
                          <num>
                                  <num>
                                           <num>
                                                    <num>
                                                            <num>
                                                                     <n11m>
1: 2024 2973.115 654.591 2266.733 3058.651 684.4232 2312.993 2886.328 640.9157 2193.621
Mode of tracking: two
   Inclination limit: 90
```

• bt: cuando modeTrk es horiz, se puede calcular el efecto del backtracking en las sombras.

```
Object of class Gef
Source of meteorological information: prom-
Latitude of source: 37.2 degrees
Latitude for calculations: 37.2 degrees
Monthly avarages:
      Dates
               Gef0d
                         Def0d
                                 Bef0d
                                            Gd
                                                    Dd
                                                             Bd
                                                                     Gefd
      <char>
                <num>
                        <num>
                                 <num>
                                          <num>
                                                  <num>
                                                           <num>
                                                                    <num>
                                                                             <num>
                                                                                      <num>
1: Jan. 2024 4.274445 1.0909303 3.118987 4.528022 1.166334 3.285391 3.826940 1.0166151 2.745797
2: Feb. 2024 5.173537 1.3974587 3.699745 5.414413 1.484046 3.839622 4.709780 1.3191237 3.314324
3: Mar. 2024 6.270377 1.8008592 4.379272 6.512568 1.906181 4.498391 5.856407 1.7298195 4.036342
4: Apr. 2024 8.160354 2.1103041 5.938446 8.429640 2.222836 6.072611 7.744288 2.0426359 5.590049
5: May. 2024 9.639011 2.2544315 7.260788 9.932830 2.366831 7.416258 9.158384 2.1802588 6.854334
7: Jul. 2024 11.220872 1.9183453 9.163290 11.527430 2.000253 9.358648 10.747413 1.8585724 8.749603
8: Aug. 2024 10.066277 1.8239013 8.112148 10.352216 1.904515 8.290847 9.601132 1.7626031 7.708301
9: Sep. 2024 7.732062 1.7621525 5.864625 7.991813 1.852070 6.013507 7.317424 1.6984219 5.513717
10: Oct. 2024 5.023316 1.4757157 3.471271 5.250215 1.568278 3.591050 4.691499 1.4182254 3.196944
11: Nov. 2024 4.211801 1.1318865 3.014748 4.452659 1.209397 3.166130 3.846165 1.0701542 2.710845
12: Dec. 2024 3.024846 0.9640813 2.008270 3.237139 1.039367 2.135901 2.849995 0.9330218 1.864479
Yearly values:
 Dates Gef0d
                                     Gd
                                                      Bd
                 Def0d
                           Bef0d
                                              Dd
                                                            Gefd
                                                                     Defd
                                                                             Befd
  <int>
          <num>
                  <num>
                          <num>
                                  <num>
                                           <num>
                                                   <num>
                                                            <num>
                                                                    <num>
                                                                            <num>
1: 2024 2618.414 607.6589 1975.038 2714.415 640.9193 2030.645 2463.159 583.5528 1843.889
Mode of tracking: horiz
   Inclination limit: 90
```



4.5. Producción eléctrica de un SFCR

Con la radiación efectiva, se puede estimar la producción eléctrica que va a tener un sistema fotovoltaico conectado a red. Esta estimación se puede calcular mediante la función **prodGCPV**, la cual mediante la función **fProd** procesa un objeto de clase **Gef** y obtiene un objeto **ProdGCPV**.

Como se puede ver en la figura 4.6, prodGCPV funciona gracias a la siguiente función:

- **fProd**: simula el comportamiento de un sistema fotovoltaico conectado a red bajo diferentes condiciones de temperatura e irradiancia. Tiene los siguientes argumentos:
 - inclin: puede ser tanto un objeto de clase Gef como un data.frame (o data.table). Sin embargo, si es un data.frame, debe contener como mínimo una columna para Gef y otra para Ta.
 - module: una lista de valores numéricos con la información sobre el módulo fotovoltaico:
 - o **Vocn**: tensión de circuito abierto en STC (V_{oc}^*) (condiciones estandar de médida). Por defecto, tiene un valor de 57,2V.




FIGURA 4.6: Estimación de la producción eléctrica de un SFCR mediante la función **prodGCPV**, la cual emplea la función **fProd** para el computo de la potencia a la entrada (P_{DC}) , a la salida (P_{AC}) y el rendimiento (η_{inv}) del inversor.

- o Iscn: corriente de cortocircuito en STC (I_{sc}^*) . Por defecto, tiene un valor de 4,7A.
- o Vmn: tensión en el punto de máxima potencia en STC (I_{MPP}^*) . Por defecto, tiene un valor de 46,08V.
- o Imn: corriente de cortocircuito en STC (I_{MPP}^*) . Por defecto, tiene un valor de 4,35A).
- Ncs: número de células en serie dentro del módulo. Por defecto, tiene un valor de 96.
- Ncp: número de células en paralelo dentro del módulo. Por defecto, tiene un valor de 1
- CoefVT: coeficiente de disminución de la tensión de cada célula con la temperatura (dV_{oc}/dT_c) . Por defecto, tiene un valor de $-0.0023V/^{\circ}C$.
- o TONC: temperatura de operación nominal de célula (TONC). Por defecto, tiene un valor de $47^{\circ}C$.
- generator: lista de valores numéricos con la información sobre el generador:
 - o Nms: número de módulos en serie. Por defecto, tiene un valor de 12.
 - o Nmp: número de módulos en paralelo. Por defecto, tiene un valor de 11.
- inverter: lista de valores númericos con la información del inversor DC/AC.
 - Ki: coeficientes de la curva de eficiencia del inversor. Se puede presentar en un vector de 3 valores (por defecto, c(0.01, 0.025, 0.05)) o una matriz de 9 valores (si tiene dependencia del voltage).
 - o Pinv: potencia nominal del inversor. Por defecto, tiene un valor de 25000W.
 - $\circ\,$ Vmin: mínima tensión del rango MPP del inversor. Por defecto, tiene un valor de 420V.
 - $\circ\,$ Vmax: máxima tensión del rango MPP del inversor. Por defecto, tiene un valor de 750V.
 - o **Gumb**: irradiancia umbral de funcionamienot del inversor. Por defecto, tiene un valor de $20W/m^2$.
- effSys: una lista de valores numéricos con la información sobre las pérdidas del sistema.
 - o ModQual: tolerancia media del set de módulos (%). Por defecto, tiene un valor de 3
 - ModDisp: pérdidas por dispersión en los módulos (%). Por defecto, tiene un valor de 2.
 - \circ $\mathsf{OhmDC}:$ pérdidas por efecto Joule en el cableado de DC (%). Por defecto, tiene un valor de 1.5.
 - \circ OhmAC: pérdidas por efecto Joule en el cableado de AC (%). Por defecto, tiene un valor de 1.5.
 - o MPP: error promedio del algoritmo de búsqueda del MPP del inversor (%). Por defecto, tiene un valor de 1.
 - \circ TrafoMT: pérdidas por el transformador MT (%). Por defecto, tiene un valor de 1.
 - \circ $\tt Disp:$ pérdidas por las paradas del sistema (%). Por defecto, tiene un valor de 0.5.

```
inclin <- calcGef(lat, dataRad = prom, keep.night = FALSE)
module <- list(Vocn=51.91, Iscn=14.07, Vmn=43.76, Imn=13.03,
Ncs=24, Ncp=6, CoefVT=0.0049, TONC=45)
```

```
generator <- list(Nms=22, Nmp=130)</pre>
4
   inverter \leftarrow list(Ki=c(0.002, 0.005, 0.008), Pinv=1.5e6,
5
                      Vmin=822, Vmax=1300, Gumb=20)
6
   effSys <- list(ModQual=3, ModDisp=2, OhmDC=1.5, OhmAC=1.5,
7
                   MPP=1, TrafoMT=1, Disp=0.5)
8
   prod <- fProd(inclin = inclin, module = module,</pre>
9
                  generator = generator, inverter = inverter,
10
                  effSys = effSys)
11
   show(prod)
12
```

```
Dates
                             Тc
                                     Voc
                                               Isc
                                                                            Vdc
                                                                                      Idc
                                                                                                Pac
                                                        Vmpp
                                                                  Impp
                 <POSc>
                          <niim>
                                   <niim>
                                             <niim>
                                                       <num>
                                                                <num>
                                                                           <niim>
                                                                                    <niim>
                                                                                              <niim>
 1: 2024-01-17 08:00:00 14.88601 1168.187 285.9840 1077.0286 281.5825 1077.0286 281.5825
                                                                                            268123.4
 2: 2024-01-17 09:00:00 20.58596 1153.440 619.6090 1036.1564 609.2849 1036.1564 609.2849
                                                                                           560379.6
 3: 2024-01-17 10:00:00 25.95934 1139.538 934.1195 997.7254 917.3608 997.7254 917.3608
                                                                                           812614.5
 4: 2024-01-17 11:00:00 29.89559 1129.354 1164.5127
                                                    969.6380 1142.4697
                                                                        969.6380 1142.4697
 5: 2024-01-17 12:00:00 31.60281 1124.937 1264.4385 957.4740 1239.9440 957.4740 1239.9440 1053527.7
141: 2024-12-13 12:00:00 32.56081 1122.459 1016.1490 973.6793 996.9651
                                                                       973.6793 996.9651
                                                                                           861789.2
142: 2024-12-13 13:00:00 31.26654 1125.807 940.3936 982.9069
                                                              922.9524 982.9069 922.9524
                                                                                           805430.9
143: 2024-12-13 14:00:00 28.05993 1134.103 752.7071 1005.7948 739.3506 1005.7948 739.3506
                                                                                           660234.0
144: 2024-12-13 15:00:00 23.61973 1145.591 492.8171 1037.5473 484.5958 1037.5473 484.5958
                                                                                           445987.5
145: 2024-12-13 16:00:00 18.91579 1157.761 217.4896 1071.2575 214.0935 1071.2575 214.0935
                                                                                           202135.8
         Pdc
                  EffI
        <num>
                  <num>
 1: 281126.7 0.9829651
 2: 585214.4 0.9868993
 3: 848438.6 0.9871193
 4: 1026889.1 0.9868113
 5: 1100520.9 0.9866274
---
141:
     899839.7 0.9870551
142: 840932.1 0.9871267
143: 689333.0 0.9871299
144:
     466076.0 0.9862145
145: 212601.6 0.9799008
```

Esta función brinda tales datos a la función **prodGCPV** para que produzca un objeto de clase **ProdGCPV** como resultado. Esta función tiene como argumentos principales los mismo que **calcGef**, ya que parte de un objeto tipo **Gef**, y los argumentos de la función **fProd**.

```
prodFixed <- prodGCPV(lat, modeTrk = 'fixed', dataRad = prom)
show(prodFixed)</pre>
```


```
Object of class ProdGCPV
Source of meteorological information: prom-
Latitude of source: 37.2 degrees
Latitude for calculations: 37.2 degrees
Monthly avarages:
       Dates
                   Eac
                            Edc
                                      Υf
      <char>
                <num>
                         <num>
 1: Jan. 2024 6678.640 6978.809 4.095437
 2: Feb. 2024 7194.835 7519.763 4.411976
 3: Mar. 2024 7843.267 8195.794 4.809603
 4: Apr. 2024 8929.962 9336.190 5.475980
 5: May. 2024 9484.132 9914.605 5.815805
 6: Jun. 2024 9862.108 10309.878 6.047585
7: Jul. 2024 10019.327 10475.108 6.143994
 8: Aug. 2024 9703.467 10142.955 5.950304
```

```
9: Sep. 2024 8757.170 9151.202 5.370022
10: Oct. 2024 6908.624 7220.274 4.236467
11: Nov. 2024 6431.264 6720.101 3.943743
12: Dec. 2024 5229.190 5463.318 3.206614
Yearly values:
          Eac Edc Yf <num> <num> <num>
  Dates Eac
                             Υf
   <int>
1: 2024 2959931 3093711 1815.072
Mode of tracking: fixed
  Inclination: 27.2
   Orientation: 0
Generator:
  Modules in series: 22
   Modules in parallel: 130
Nominal power (kWp): 1630.8
```

```
prod2x <- prodGCPV(lat, modeTrk = 'two', dataRad = prom)
show(prod2x)</pre>
```

```
Object of class ProdGCPV
Source of meteorological information: prom-
Latitude of source: 37.2 degrees
Latitude for calculations: 37.2 degrees
Monthly avarages:
       Dates Eac Edc <char> <num> <num>
      <char>
                                   <num>
 1: Jan. 2024 9725.125 10159.052 5.963585
 2: Feb. 2024 10163.306 10616.084 6.232284
3: Mar. 2024 10793.363 11273.933 6.618644
4: Apr. 2024 12779.088 13349.623 7.836319
 5: May. 2024 14473.608 15121.428 8.875422
 6: Jun. 2024 16252.186 16981.660 9.966072
7: Jul. 2024 15916.049 16632.343 9.759948
8: Aug. 2024 14511.287 15163.412 8.898528
9: Sep. 2024 12350.603 12903.142 7.573565
10: Oct. 2024 9458.655 9878.812 5.800182
11: Nov. 2024 9177.823 9586.046 5.627972
12: Dec. 2024 7284.466 7606.879 4.466938
Yearly values:
 Dates Eac
                 Edc
   <int> <num> <num> <num>
1: 2024 4358566 4553392 2672.735
Mode of tracking: two
 Inclination limit: 90
Generator:
   Modules in series: 22
   Modules in parallel: 130
   Nominal power (kWp): 1630.8
```

```
prodHoriz <- prodGCPV(lat, modeTrk = 'horiz', dataRad = prom)
xyplot(prodHoriz)</pre>
```



4.6. Producción eléctrica de un SFB

De igual forma que en el apartado anterior, se puede estimar la producción eléctrica de un sistema fotovoltaico de bombeo.

Como se puede ver en la figura 4.7, prodPVPS funciona gracias a la siguiente función:

- fPump: calcula el rendimiento de las diferentes partes de una bomba centrífuga alimentada por un convertidor de frecuencia siguiendo las leyes de afinidad. Tiene solo dos argumentos:
 - pump: lista que contiene los parametros de la bomba que va a ser simulada. Puede ser una fila de pumpCoef:




FIGURA 4.7: Estimación de la producción eléctrica de un SFB mediante la función **prodPVPS**, la cual emplea la función **fPump** para el computo del rendimiento de las diferentes parte de una bomba centrífuga alimentada por un convertidor de frecuencia.

• H: el salto manometrico total.

```
fSP8A44 <- fPump(pump = CoefSP8A44, H = 40)
```

Obtiene como resultado los siguientes valores y funciones:

• lim: rango de valores de la potencia eléctrica de salida.

```
1 show(fSP8A44$lim)
```

```
[1] 190.100 4084.218
```

• fQ: función que relaciona el caudal con la potencia eléctrica.

```
show(fSP8A44$fQ)
```

```
function (x, deriv = OL)
    deriv <- as.integer(deriv)</pre>
    if (deriv < 0L || deriv > 3L)
        stop("'deriv' must be between 0 and 3")
    if (deriv > OL) {
        z0 <- double(z$n)</pre>
        z[c("y", "b", "c")] \leftarrow switch(deriv, list(y = z$b, b = 2 *
            z$c, c = 3 * z$d, list(y = 2 * z$c, b = 6 * z$d,
            c = z0), list(y = 6 * z$d, b = z0, c = z0))
        z[["d"]] \leftarrow z0
    }
    res <- .splinefun(x, z)
    if (deriv > 0 \&\& z = 2 \&\& any(ind <- x <= z = [1L]))
        res[ind] <- ifelse(deriv == 1, z$y[1L], 0)
<bytecode: 0x000002089c53a978>
<environment: 0x000002089c53ee80>
```

• fPb: función que relaciona la potencia del eje de la bomba con la potencia eléctrica del motor.

```
show(fSP8A44$fPb)
```

• fPh: función que relaciona la potencia hidráulica con la potencia eléctrica del motor.

```
show(fSP8A44$fPh)
```

```
function (x, deriv = OL)
    deriv <- as.integer(deriv)</pre>
    if (deriv < OL || deriv > 3L)
        stop("'deriv' must be between 0 and 3")
    if (deriv > OL) {
        z0 <- double(z$n)</pre>
        z[c("y", "b", "c")] \leftarrow switch(deriv, list(y = z$b, b = 2 *
            z$c, c = 3 * z$d, list(y = 2 * z$c, b = 6 * z$d,
            c = z0), list(y = 6 * z$d, b = z0, c = z0))
        z[["d"]] <- z0
    }
    res <- .splinefun(x, z)
   if (deriv > 0 && z$method == 2 && any(ind <- x <= z$x[1L]))
        res[ind] <- ifelse(deriv == 1, z$y[1L], 0)</pre>
}
<bytecode: 0x000002089c53a978>
<environment: 0x000002089c56ee40>
```

• fFreq: función que relaciona la frecuencia con la potencia eléctrica del motor.

```
show(fSP8A44$fFreq)
```

```
function (x, deriv = OL)
    deriv <- as.integer(deriv)</pre>
    if (deriv < 0L || deriv > 3L)
        stop("'deriv' must be between 0 and 3")
    if (deriv > OL) {
        z0 <- double(z$n)</pre>
        z[c("y", "b", "c")] \leftarrow switch(deriv, list(y = z$b, b = 2 *
            z$c, c = 3 * z$d), list(y = 2 * z$c, b = 6 * z$d,
            c = z0), list(y = 6 * z$d, b = z0, c = z0))
        z[["d"]] \leftarrow z0
    }
    res <- .splinefun(x, z)
    if (deriv > 0 && z$method == 2 && any(ind <- x <= z$x[1L]))
        res[ind] <- ifelse(deriv == 1, z$y[1L], 0)
<bytecode: 0x000002089c53a978>
<environment: 0x000002089c55e190>
```


Se pueden realizar operaciones con este objeto:

```
SP8A44 = with(fSP8A44,{
     Pac = seq(lim[1], lim[2], l=10)
2
     Pb = fPb(Pac)
3
     etam = Pb/Pac
4
     Ph = fPh(Pac)
5
     etab = Ph/Pb
6
     f = fFreq(Pac)
7
     Q = fQ(Pac)
8
     result = data.table(Q,Pac,Pb,Ph,etam,etab,f)})
9
   show(SP8A44)
10
```

```
Q
                   Pac
                             Pb
                                        Ph
        <num>
                 <num>
                           <num>
                                      <num>
                                                <num>
                                                          <num>
                                                                  <num>
1: 0.3133325 190.1000 124.8346
                                  34.15325 0.6566786 0.2735880 20.47033
   2.0718468 622.7798 429.6728 225.83130 0.6899274 0.5255890 22.33036
3: 4.0764128 1055.4595 752.8970 444.32900 0.7133358 0.5901591 25.51459
4: 5.6406747 1488.1393 1087.3665 614.83354 0.7306887 0.5654336 28.73213
   6.9474993 1920.8190 1429.7984 757.27743 0.7443692 0.5296393 31.78514
```

```
6: 8.1028841 2353.4988 1778.0156 883.21437 0.7554776 0.4967416 34.69527
7: 9.1607296 2786.1786 2130.4683 998.51953 0.7646560 0.4686855 37.49608
8: 10.1514390 3218.8583 2486.0213 1106.50685 0.7723301 0.4450915 40.21428
9: 11.0937480 3651.5381 2843.8295 1209.21854 0.7788032 0.4252078 42.86977
10: 12.0000000 4084.2179 3203.2578 1308.00000 0.7843014 0.4083343 45.47737
```


Esta función entrega todos estos resultados a **prodPVPS**, la cual calcula los resultados en base a la potencia del generador a simular y devuelve un objeto de clase **ProdPVPS**.



4.7. Optimización de distancias

Por último, el paquete solaR2 contiene una función que permite calcular un conjunto de combinaciones de distancias entre los elementos de un sistema fotovoltaico conectado a red, con el fin de que el usuario posteriormente pueda valorar cuál es la opción mas rentable en base a los precios del cableado y de la ocupación del terreno.

Esta función es **optimShd**, la cual en base a una resolución (determinada por el argumento **res**, el cual, indica el incremento de la secuencia de distancias) obtiene la producción de cada combinación y la plasma en un objeto de clase **Shade**.



```
structHoriz = list(L = 4.83)
  distHoriz = list(Lew = structHorizL * c(2,5))
  Shd12HorizBT <- optimShd(lat = lat, dataRad = prom,</pre>
3
                             modeTrk = 'horiz',
4
                             betaLim = 60,
5
                             distances = distHoriz, res = 2,
6
                             struct = structHoriz,
7
                            modeShd = 'bt',
8
                            prog = FALSE) #Se quita la barra de progreso
  show(Shd12HorizBT)
```

```
Object of class Shade
Source of meteorological information: prom-
Latitude of source: 37.2 degrees
Latitude for calculations: \bar{37.2} degrees
Monthly avarages:
Dimensions of structure:
[1] 4.83
Shade calculation mode:
[1] "bt"
Productivity without shadows:
Object of class ProdGCPV
Source of meteorological information: prom-
Latitude of source: 37.2 degrees
Latitude for calculations: 37.2 degrees
Monthly avarages:
       Dates
                    Eac
                              Edc
       <char>
                            <num>
                  <num>
 1: Jan. 2024 6789.039 7088.612 4.163135
```


```
2: Feb. 2024 8054.032 8409.761 4.938847
 3: Mar. 2024 9614.838 10040.667 5.895956
 4: Apr. 2024 12160.009 12701.260 7.456691
 5: May. 2024 14028.543 14655.892 8.602502
6: Jun. 2024 15691.671 16395.713 9.622356
7: Jul. 2024 15451.474 16145.991 9.475064
8: Aug. 2024 13931.234 14555.274 8.542831
9: Sep. 2024 11241.111 11740.699 6.893209
10: Oct. 2024 7780.058 8123.781 4.770842
11: Nov. 2024 6583.802 6874.444 4.037281
12: Dec. 2024 4875.306 5091.940 2.989607
Yearly values:
  Dates Eac
                      Edc
                                   Yf
            <num> <num> <num>
   <int>
1: 2024 3850450 4022013 2361.151
Mode of tracking: horiz
  Inclination limit: 60
Generator:
   Modules in series: 22
    Modules in parallel: 130
Nominal power (kWp): 1630.8
Summary of results:
 Lew H FS GRR Yf
Min.: 9.66 Min.: 0 Min.: 0.04702 Min.: 2.000 Min.: 2036
 1 \\ \text{st Qu.:} 13.16 \quad 1 \\ \text{st Qu.:} 0 \quad 1 \\ \text{st Qu.:} 0.05607 \quad 1 \\ \text{st Qu.:} 2.725 \quad 1 \\ \text{st Qu.:} 2139

      Median :16.66
      Median :0
      Median :0.07152
      Median :3.449
      Median :2192

      Mean :16.66
      Mean :0
      Mean :0.07933
      Mean :3.449
      Mean :2174

 3rd Qu.:20.16 3rd Qu.:0 3rd Qu.:0.09424 3rd Qu.:4.174
                                                                         3rd Qu.:2229
 Max. :23.66 Max. :0 Max. :0.13783 Max. :4.899 Max. :2250
```

```
structFixed = list(L = 5)
  distFixed = list(D = structFixed$L*c(1,3))
2
  Shd12Fixed <- optimShd(lat = lat, dataRad = prom,</pre>
3
                           modeTrk = 'fixed',
4
                           distances = distFixed, res = 2,
5
6
                           struct = structFixed,
                          modeShd = 'area',
7
                           prog = FALSE) #Se quita la barra de progreso
8
  shadeplot(Shd12Fixed)
```



4.8. Aspectos técnicos de la elaboración de un paquete en R

4.8.1. Estructura básica del paquete

En la creación de un paquete en R, la estructura de los archivos es clave para asegurar un desarrollo organizado y que R pueda interactuar correctamente con el código y los datos. Los paquetes de R son esencialmente un conjunto de archivos organizados en un directorio específio. El contenido mínimo requerido incluye:

- Un archivo **DESCRIPTION**, que proporciona la información esencial del paquete.
- Un archivo NAMESPACE, que controla qué funciones y objetos son visibles fuera del paquete.
- Subdirectoriso como R/ y man/:
 - R/: contiene los archivos de codigo .R, que son las funciones, clases y métodos definidos en el paquete.
 - man/: contiene las páginas de ayuda y documentación para las funciones, métodos y clases del paquete.

La estructura básica de un paquete puede generarse con package.skeleton(), una función que crea los archivos y carpetas necesarios para empezar a trabajar en el desarrollo.

4.8.2. DESCRIPTION

El fichero **DESCRIPTION** es fundamental, ya que incluye la información descriptiva y técnica del paquete, como el nombre, la versión, los autores y las dependencias. Un ejemplo típico de este archivo es el siguiente:

```
Package: pkgname
Version: 0.5-1
Date: 2004-01-01
Title: My First Collection of Functions
Authors@R: c(person("Joe", "Developer", role = c("aut", "cre"),
                     email = "Joe.Developer@some.domain.net"),
              person("Pat", "Developer", role = "aut"),
              person("A.", "User", role = "ctb",
                     email = "A.User@whereever.net"))
Author: Joe Developer and Pat Developer, with contributions from A. User
Maintainer: Joe Developer <Joe.Developer@some.domain.net>
Depends: R (>= 1.8.0), nlme
Suggests: MASS
Description: A short (one paragraph) description of what
  the package does and why it may be useful.
License: GPL (>= 2)
URL: http://www.r-project.org, http://www.another.url
```

Los campos principales de este archivo son:

- Package: nombre del paquete.
- Version: versión del paquete. Generalmente sigue un esquema de numeración semántica (major.minor-patch)⁹.
- Title: un título breve pero descriptivo de lo que hace el paquete.
- Authors@R: especifica el o los autores con sus respectivos roles, como "aut" (autor) y "cre" (creador principal).
- Maintainer: persona responsable del mantenimiento del paquete, con su correo electrónico.
- **Depends**: lista de dependencias, es decir, otros paquetes de los que depende el correcto funcionamiento del paquete.
- Suggests: lista de paqeute que no son obligatorios, pero que pueden ser útiles.
- Description: una breve descripción del propósito del paquete.
- License: tipo de licencia bajo la cual se distribuye el paquete (GPL, MIT, etc.).

Este archivo es crucial para que los usuarios y el sistema ${\tt R}$ identifiquen las características y requisitos del paquete

⁹Un esquema de numeración semántica es un sistema de versiones que sigue un patrón específico para asignar números a las versiones de software. Se utiliza para indicar claramente la magnitud de los cambios realizados y su impacto en la compatibilidad. Una versión major o mayor se refiere a modificaciones grandes o incompatibles con versiones anteriores; minor o menor es una versión que incluye mejoras o nuevas funciones compatibles con versiones anteriores y patch o parche es una versión que incluye correcciones menores o mejoras que no afectan a la funcionalidad.

4.8.3. NAMESPACE

El archivo **NAMESPACE** es el encargado de gestionar el espacio de nombres del paquete, permitiendo definir qué funciones y objetos serán visibles (exportados) y cuáles se mantendrán internos. Además, es útil para definir qué funciones o métodos de otros paquetes serán importados para su uso dentro del paquete.

R usa un sistema de gestión de **espacio de nombres** que permite al autor del paquete especificar:

- Las variables del paquete que se exportan (y son, por tanto, accesibles a los usuarios).
- Las variables que se importan de otros paquetes.
- Las clases y métodos S3 y S4 que deben registrarse.

El NAMESPACE controla la estrategia de búsqueda de variables que utilizan las funciones del paquete:

- En primer lugar, busca entre las creadas localmente (por el código de la carpeta R/).
- En segundo lugar, busca entre las variables importadas explícitamente de otros paquetes.
- En tercer lugar, busca en el NAMESPACE del paquete base.
- Por último, busca siguiendo el camino habitual (usando search()).

```
search()
```

```
[1] ".GlobalEnv"
                             "package: jsonlite"
                                                      "package:httr2"
                                                                              "package:zoo'
[5] "package:solaR2"
                                                      "package:lattice"
                             "package:latticeExtra"
                                                                              "package:data.table"
[9] "ESSR"
                             "package:stats"
                                                      "package:graphics"
                                                                              "package:grDevices"
                                                      "package:methods"
[13] "package:utils"
                             "package:datasets"
                                                                              "Autoloads'
[17] "package:base"
```

Manejo de variables

• Exportar variables:

```
export(f, g)
```

Esto asegura que las variables \mathbf{f} y \mathbf{g} sean accesibles desde fuera del paquete.

• Importar todas las variables de otro paquete:

```
import(pkgExt)
```

• Importar variables **concretas** de otro paquete:

```
importFrom(pkgExt, var1, var2)
```

Manejo de clases y métodos

• Para registrar un **método** para una **clase** determinada:

```
S3method(print, myClass)
```

Esto permite definir cómo se imprimen objetos de la clase myClass

Para los paquetes que utilizan clases y métodos \$4, es necesario agregar una dependencia explícita en el archivo DESCRIPTION:

```
import("methods")
```

• Para registrar clases **S4**:

```
exportClasses(class1, class2)
```

Para registrar métodos S4:

```
exportMethods(method1, method2)
```

• Para importar métodos y clases **S4** de otro paquete:

```
importClassesFrom(package, ...)
importMethodsFrom(package, ...)
```

4.8.4. Documentación

La documentación en R sigue un formato específico llamado \mathtt{Rd} (R documentation), que está inspirado en LaTex. Cada función, método o clase del paquete debe tener una página de documentación asociada, que generalmente se encuentra en el subdirectorio $\mathtt{man/}$. Estas páginas incluyen información sobre el uso de la función, argumentos, detalles de la implementación y ejemplos de uso.

```
\name{load}
\alias{load}
\title{Reload Saved Datasets}
\description{
 Reload the datasets written to a file with the function
  \code{save}.
\usage{
 load(file, envir = parent.frame())
\arguments{
\item{file}{a connection or a character string giving the
   name of the file to load.}
\item{envir}{the environment where the data should be
   loaded.}
\seealso{
  \code{\link{save}}.
\examples{
 ## save all data
 save(list = ls(), file= "all.RData")
 ## restore the saved values to the current environment
 load("all.RData")
  ## restore the saved values to the workspace
 load("all.RData", .GlobalEnv)
\keyword{file}
```

El formato tiene varios componentes:

- name: el nombre de la función.
- alias: mombres alternativos o alias de la función.
- title: título breve que describe la función.
- **description**: una descripción de lo que hace la función.
- usage: la sintaxis de la función de lo que hace la función.
- arguments: explicación de los argumentos que recibe la función.
- seealso: enlaces a funciones relacionadas.
- examples: ejemplos de cómo utilizar la función.

Esta estructura de documentación permite a los usuarios comprender rápidamente cómo utilizar las funciones del paquete y verificar su funcionalidad con ejemplos prácticos.

Ejemplo práctico de aplicación

Una vez explicado cómo funciona el paquete, se puede realizar una demostración práctica tomando como ejemplo los módulos fotovoltaicos que tiene en su azotea la Escuela Técnica Superior de Ingeniería y Diseño Industrial (en adelante la ETSIDI).

Se tomará de base un estudio realizado por profesores de la escuela [Adr+17], en el cual comparan la producción energética de seis tipos de tecnologías fotovoltaicas.

En este ejemplo se realizará el mismo análisis tomando tres herramientas distintas: solaR, para poder tomar como referencia el paquete del que sale, apreciando las mejoras del programa. PVSyst, ya que es uno de los softwares más usados en el ámbito de la fotovoltaica y puede servir como punto de referencia. Y, por último, solaR2.

5.1. solaR

Se empieza inicilizando el paquete:

```
library(solaR)
```

```
Cargando paquete requerido: zoo

Adjuntando el paquete: 'zoo'

The following objects are masked from 'package:base':

as.Date, as.Date.numeric

Cargando paquete requerido: lattice
Cargando paquete requerido: latticeExtra
Time Zone set to UTC.
```


En el estudio anterior, se recopilaron datos intradiarios de irradiación intradiaria. Sin embargo, estos datos fueron tomados en un plano inclinado, por lo que ni solaR, ni solaR2 son capaces de interpretarlos correctamente. En su lugar, para este ejemplo se van a tomar datos horarios de la plataforma PVGIS [PVG24] de los años 2013, 2014 y 2015 en la localización de la ETSIDI.

```
etsidi_1315 <- readBDi(file = 'TFG/data/PVGIS_1315.csv',

lat = 40.4, time.col = 'Dates',

format = '%Y-%m-%d %H: %M: %S')

xyplot(etsidi_1315)</pre>
```



Una vez se tienen estos datos, se puede calcular la producción que van a tener los diferentes sistemas fotovoltaicos.

Para ello, se necesitan los parámetros de los diferentes sistemas. En la tabla 5.1, se pueden ver los distintos parámetros de los módulos fotovoltaicos.

Se almacena esta información en listas con la información de cada módulo.

```
## mc-Si
   module1 <- list(Vocn = 37.1,</pre>
2
                     Iscn = 8.76,
3
                     Vmn = 29.9,
4
                     Imn = 8.37,
5
                     Ncs = 60,
6
                     Ncp = 1,
7
                     CoefVT = 0.00338,
8
                     TONC = 43.7)
9
```

Tabla 5.1: Parámetros técnicos de diferentes tipos de células solar	Tabla 5	.1:	<i>Parámetros</i>	$t\'ecnicos$	de	diferentes	tipos	de	$c\'elulas$	solare
---------------------------------------------------------------------	---------	-----	-------------------	--------------	----	------------	-------	----	-------------	--------

Parámetros Técnicos	mc-Si	pc-Si
Potencia se salida (Wp)	250	220
Voltaje en P_{max} (Vmp)	29.9	29.0
Corriente en P_{max} (Imp)	8.37	7.59
Voltaje en circuito abierto (Voc)	37.1	36.5
Corriente en cortocircuito (Isc)	8.76	8.15
Eficiencia del módulo (%)	15.5	14.4
$lpha_{Isc}~(\%/{ m K})$	0.0043	0.06
$eta_{Voc}~(\%/\mathrm{K})$	-0.338	-0.37
$\gamma_{Pmpp} \; (\%/\mathrm{K})$	-0.469	-0.45
Temperatura NOC (°C)	43.7	46

```
## pc-Si
10
   module2 <- list(Vocn = 36.5,</pre>
11
                       Iscn = 8.15,
12
                       Vmn = 29,
13
                       Imn = 7.59,
14
                       Ncs = 60,
15
16
                       Ncp = 1,
                       CoefVT = 0.0037,
17
                       TONC = 46)
18
```

Una vez se tiene la información de cada tipo de módulo, en la tabla 5.2 se pueden ver la información de la agrupación de cada sistema.

De la misma manera, se almacenará esta información en listas.

```
## mc-Si
generator1 <- list(Nms = 5, Nmp = 1)
## pc-Si
generator2 <- list(Nms = 5, Nmp = 1)</pre>
```

Una vez se tienen todos los parámetros del sistema fotovoltaico, se requieren los parámetros del inversor que tienen estos sistemas. Para facilitar el estudio, en el artículo explican que se usa el mismo inversor para todos los sistemas. Los parámetros de este se pueden ver en la tabla 5.3.

Tabla 5.2: Sistemas fotovoltaicos.

Sistema	Tecnología	Año de Fabricación	Módulos en Serie	Módulos en Paralelo	Potencia del Sistema STC	Tama $ ilde{n}$ o (m^2)
					(Wp_{STC})	, ,
1	mc-Si	2012	5	1	1250	8
2	pc-Si	2009	5	1	1100	8.2

Tabla 5.3: Carácteristicas del inversor.

Inversor	SMA Sunny Boy-1200
Potencia máxima DC	1320 W
Corriente máxima DC	12.6 A
Tensión máxima DC	400 V
Rango de tensión fotovoltaica (mpp)	100-320 V
Potencia máxima DC	$1320~\mathrm{W}$
Potencia nominal de salida	1200 W
Maxima potencia aparente	1200 VA
Corriente máxima AC	6.1 A
Eficiencia	92.1%

Se almacena esta información en otra lista:

Una vez recopilada toda la información (la información que falta se deja sin añadir para que el propio paquete añada sus valores por defecto), se puede calcular la producción que tuvieron los sistemas:


```
prod1 <- prodGCPV(lat = 40.4, modeTrk = 'fixed', modeRad = 'bdI',</pre>
1
                      dataRad = etsidi_1315,
2
                      beta = 30, alfa = -19,
3
                      module = module1, generator = generator1,
4
                      inverter = inverter)
5
   prod2 <- prodGCPV(lat = 40.4, modeTrk = 'fixed', modeRad = 'bdI',</pre>
6
                      dataRad = etsidi 1315,
7
                      beta = 30, alfa = -19,
8
                      module = module2, generator = generator2,
9
10
                      inverter = inverter)
   compare(prod1, prod2)
11
```

```
show(as.zooY(prod1))
```

```
Eac Edc Yf
2013 1681.077 1757.235 1343.449
2014 1698.613 1775.426 1357.463
2015 1749.536 1828.569 1398.158
```

```
show(as.zooY(prod2))
```

```
Eac Edc Yf
2013 1451.873 1517.779 1319.225
2014 1464.483 1530.833 1330.683
2015 1506.544 1574.704 1368.901
```



5.2. PVsyst

Con la herramienta PVsyst, se ha generado un año promedio de datos de irradiación en la localización y con estos datos se han obtenido dos informes (uno por cada sistema).

Por comodidad, en este documento se van a extraer solo unas tablas con los resultados principales. Sin embargo, los informes completos están disponibles en el github del documento.

En las tablas 5.4 y 5.5 se tienen los resultados de la simulación de los sistemas.

Tabla 5.4: Energía media mensual estimada por PVSyst en KWh del sistema 1.

Ene	Feb	Mar	Abr	May	Jun	Jul	Ago	Sep	Oct	Nov	Dic	Total
3,7	4,0	5,6	5,3	6,7	6,7	7,9	7,2	6,4	4,8	3,5	3,6	1941,1

Tabla 5.5: Energía media mensual estimada por PVSyst en KWh del sistema 2.

Ene	Feb	Mar	Abr	May	Jun	Jul	Ago	Sep	Oct	Nov	Dic	Total
4,3	4,6	6,4	6,1	7,3	7,3	8,3	7,7	6,9	5,4	4,1	4,4	2213,7


5.3. solaR2

Con los datos obtenidos en la sección 5.1, hacemos la misma operación pero con el paquete solaR2.

```
library(solaR2)
```


```
Cargando paquete requerido: data.table data.table 1.15.4 using 6 threads (see ?getDTthreads). Latest news: r-datatable.com
Cargando paquete requerido: lattice
Cargando paquete requerido: latticeExtra
Time Zone set to UTC.
```

Para ello importamos de la misma manera los datos de radiación.



Con estos datos se procede al cálculo de la producción (los datos de los componentes del sistema son los mismos que los realizados en la sección 5.1).

```
prod1 <- prodGCPV(lat = 40.4, modeTrk = 'fixed', modeRad = 'bdI',</pre>
1
                      dataRad = etsidi_1315,
2
                      beta = 30, alpha = -19,
3
                      module = module1, generator = generator1,
4
                      inverter = inverter)
5
   prod2 <- prodGCPV(lat = 40.4, modeTrk = 'fixed', modeRad = 'bdI',</pre>
6
7
                      dataRad = etsidi_1315,
                      beta = 30, alpha = -19,
8
                      module = module2, generator = generator2,
9
                      inverter = inverter)
10
   compare(prod1, prod2)
```



```
show(as.data.tableY(prod1))
```

```
Dates Eac Edc Yf
<int> <num> <num> <num>
1: 2013 1681.077 1757.235 1343.449
2: 2014 1698.613 1775.426 1357.463
3: 2015 1749.536 1828.569 1398.158
```

```
show(as.data.tableY(prod2))
```

```
Dates Eac Edc Yf
<int> <num> <num> <num> <num>
1: 2013 1451.873 1517.779 1319.225
2: 2014 1464.483 1530.833 1330.683
3: 2015 1506.544 1574.704 1368.901
```

5.4. Comparación y conclusiones

Como se puede observar en las secciones anteriores, tanto el paquete solaR como el paquete solaR2 ofrecen los mismos resultados, ya que toman las mismas referencias y estudios para realizar los cáculos. Sin embargo, el paquete solaR2, aparte de la corrección de algunos erores, presenta unas claras ventajas frente a su antecesor. Estas son:

- Modularidad: el paquete solaR2 presenta muchas funciones que son capaces de realizar pequeñas operaciones, al contrario que solaR, que no permite esto.
- Eficiencia: al estar basado en data.table, el paquete gana eficiencia en operaciones complejas. Para mostrar esto vamos a utilizar el paquete microbenchmark.

```
## Con el paquete solaR
   library(microbenchmark)
   ## se recortan los datos a un solo año
3
   etsidi 13 <- etsidi 1315[as.Date('2013-01-01'), as.Date('2013-12-31')]
4
   prodGCPVcustom <- function(){</pre>
     prod1 <- prodGCPV(lat = 40.4, modeTrk = 'fixed', modeRad = 'bdI',</pre>
                        dataRad = etsidi 13, beta = 30, alfa =-19,
7
                        module = module1, generator = generator1,
8
                        inverter = inverter)
9
10
  microbenchmark(prodGCPVcustom(), times = 20)
11
```

```
## Con el paquete solaR2
  library(microbenchmark)
2
  etsidi_13 <- etsidi_1315[as.Date('2013-01-01'), as.Date('2013-12-31')]
3
  prodGCPVcustom <- function(){</pre>
4
    prod1 <- prodGCPV(lat = 40.4, modeTrk = 'fixed', modeRad = 'bdI',</pre>
                        dataRad = etsidi 13, beta = 30, alpha =-19,
6
7
                        module = module1, generator = generator1,
                        inverter = inverter)
8
9
  microbenchmark(prodGCPVcustom(), times = 20)
```

```
Unit: milliseconds
expr min lq mean median uq max neval
prodGCPVcustom() 522.1656 528.3605 535.2899 531.2649 537.8075 572.8096 20
```

Manual de referencia de solaR2

En este apéndice se incluye el manual de referencia del paquete solaR2. Este manual se genera en base a los archivos de documentación (.Rd) propios de un paquete de R, y en el cual se recoge la información de todas las funciones, objetos y set de datos que contiene el paquete.

Se distribuye siguiendo la siguiente nomenclatura:

- Constructores: se trata de funciones que devuelven un objeto de una clase propia del paquete. Como identificador, se añade la letra A antes del nombre.
- Clases: la definición de las clases de los objetos definidos por este paquete. Como identificador, se añade la letra B antes del nombre.
- Utilidades: funciones que sirven de apoyo a los cálculos de las funciones constructoras. Como identificador, se añade la letra C antes del nombre.
- **Métodos**: métodos para los objetos definidos en el paquete. Como identificador, se añade la letra **D** antes del nombre.

Type Package

Package 'solaR2'

September 8, 2024

Title Radiation and Photovoltaic Systems
Version 0.10
Encoding UTF-8
Description Calculation methods of solar radiation and performance of photovoltaic systems from daily and intradaily irradiation data sources.
<pre>URL https://solarization.github.io/solaR2/</pre>
BugReports https://github.com/solarization/solaR2/issues
License GPL-3
LazyData yes
Depends R (>= 4.0.0), data.table, lattice, latticeExtra
Imports RColorBrewer, graphics, grDevices, stats, methods, utils
Suggests zoo, sp, raster, rasterVis, tdr, meteoForecast, httr2, jsonlite, testthat (>= 3.0.0)
Config/testthat/edition 3
NeedsCompilation no
Author Oscar Perpiñán-Lamigueiro [aut] (https://orcid.org/0000-0002-4134-7196), Francisco Delgado-López [aut, cre]
Maintainer Francisco Delgado-López <f.delgadol@alumnos.upm.es></f.delgadol@alumnos.upm.es>
Contents
solaR2-package A1_calcSol A2_calcG0 A3_calcGef A4_prodGCPV 1 A5_prodPVPS 1 A6_calcShd 1 A7_optimShd 1 A8_Meteo2Meteo 2 A8_readBD 2 A8_readG0dm 2
1

2		Contents
	A8_readSIAR	26
	B1_Meteo-class	
	B2_Sol-class	
	B3_G0-class	29
	B4_Gef-class	30
	B5_ProdGCPV-class	32
	B6_ProdPVPS-class	33
	B7_Shade-class	34
	C_corrFdKt	36
	C_fBTd	38
	C_fBTi	39
	C_fCompD	40
	C_fCompI	41
	C_fInclin	43
	C_fProd	45
	C_fPump	47
	C_fSolD	48
	C_fSolI	50
	C_fSombra	52
	C_fTemp	54
	C_fTheta	55
	C_HQCurve	57
	C_local2Solar	58
	C_NmgPVPS	59
	C_sample2Diff	61
	C_solarAngles	62
	C_utils-angle	64
	C_utils-time	64
	D as data tableD-methods	65

solaR2-package 3

solaR2-package	Solar Radiation and Photovoltaic Systems with R version 2

Description

The solaR2 package allows for reproducible research both for photovoltaics (PV) systems performance and solar radiation. It includes a set of classes, methods and functions to calculate the sun geometry and the solar radiation incident on a photovoltaic generator and to simulate the performance of several applications of the photovoltaic energy. This package performs the whole calculation procedure from both daily and intradaily global horizontal irradiation to the final productivity of grid-connected PV systems and water pumping PV systems.

Details

solaRd is designed using a set of S4 classes whose core is a group of slots with multivariate time series. The classes share a variety of methods to access the information and several visualization methods. In addition, the package provides a tool for the visual statistical analysis of the performance of a large PV plant composed of several systems.

Although solaRd is primarily designed for time series associated to a location defined by its latitude/longitude values and the temperature and irradiation conditions, it can be easily combined with spatial packages for space-time analysis.

Please note that this package needs to set the timezone to UTC. Every 'data.table' object created by the package will have an index with this time zone as a synonym of mean solar time.

You can check it after loading solaR2 with:

```
Sys.getenv('TZ')
```

If you need to change it, use:

Sys.setenv(TZ = 'YourTimeZone')

Index of functions and classes:

G0-class	Class "G0": irradiation and irradiance on the
	horizontal plane.
Gef-class	Class "Gef": irradiation and irradiance on the
	generator plane.
HQCurve	H-Q curves of a centrifugal pump
Meteo-class	Class "Meteo"
NmgPVPS	Nomogram of a photovoltaic pumping system
ProdGCPV-class	Class "ProdGCPV": performance of a grid
	connected PV system.
ProdPVPS-class	Class "ProdPVPS": performance of a PV pumping
	system.
Shade-class	Class "Shade": shadows in a PV system.
Sol-class	Class "Sol": Apparent movement of the Sun from
	the Earth
aguiar	Markov Transition Matrices for the Aguiar etal.
	procedure
as.data.tableD	Methods for Function as.data.frameD
as.data.tableI	Methods for Function as.data.frameI
as.data.tableM	Methods for Function as.data.frameM
as.data.tableY	Methods for Function as.data.frameY

4 solaR2-package

calcG0 Irradiation and irradiance on the horizontal

plane.

calcGef Irradiation and irradiance on the generator

plane.

calcShd Shadows on PV systems.

calcSol Apparent movement of the Sun from the Earth

compare G0, Gef and ProdGCPV objects

compareLosses Losses of a GCPV system

corrFdKt Correlations between the fraction of diffuse

irradiation and the clearness index.

d2r Conversion between angle units.
diff2Hours Small utilities for difftime objects.

fBTd Daily time base

fCompD Components of daily global solar irradiation on

a horizontal surface

fCompI Calculation of solar irradiance on a horizontal

surface

fInclin Solar irradiance on an inclined surface

fProd Performance of a PV system fPump Performance of a centrifugal pump

fSolD Daily apparent movement of the Sun from the

Earth

fSolI Instantaneous apparent movement of the Sun from

the Earth

fSombra Shadows on PV systems

fTemp Intradaily evolution of ambient temperature fTheta Angle of incidence of solar irradiation on a

inclined surface

getData Methods for function getData getG0 Methods for function getG0 getLat Methods for Function getLat

helios Daily irradiation and ambient temperature from

the Helios-IES database Utilities for time indexes. Methods for Function indexD Methods for Function indexI

levelplot-methods Methods for function levelplot.

local2Solar Local time, mean solar time and UTC time zone.

mergesolaR Merge solaR objects

hour

indexD

indexI

optimShd Shadows calculation for a set of distances

between elements of a PV grid connected plant.

prodEx Productivity of a set of PV systems of a PV

plant.

prodGCPV Performance of a grid connected PV system.

prodPVPS Performance of a PV pumping system pumpCoef Coefficients of centrifugal pumps.

readBD Daily or intradaily values of global horizontal

irradiation and ambient temperature from a

local file or a data.frame.

readG0dm Monthly mean values of global horizontal

irradiation.

readSIAR Meteorological data exported from the SIAR network

A1_calcSol 5

shadeplot Methods for Function shadeplot

solaR.theme solaR theme

window Methods for extracting a time window

writeSolar Exporter of solaR results

xyplot-methods Methods for function xyplot in Package 'solaR'

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

A1_calcSol Apparent movement of the Sun from the Earth

Description

Compute the apparent movement of the Sun from the Earth with the functions fSolD and fSolI.

Usage

Arguments

lat	Latitude (degrees) of the point of the Earth where calculations are needed. It is positive for locations above the Equator.
BTd	Daily time base, a POSIXct object which may be the result of fBTd. It is not considered if BTi is provided.
sample	Increment of the intradaily sequence. It is a character string, containing one of "sec", "min", "hour". This can optionally be preceded by a (positive or negative) integer and a space, or followed by "s". It is used by seq.POSIXt. It is not considered if BTi is provided.
BTi	Intradaily time base, a POSIXct object to be used by fSolI. It may be the result of fBTi.
EoT	logical, if TRUE the Equation of Time is used. Default is TRUE.
keep.night	logical, if TRUE (default) the night is included in the time series.

'spencer', 'michalsky' and 'strous'. See references for details.

character, method for the sun geometry calculations to be chosen from 'cooper',

Value

method

A Sol-class object.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

6 A2_calcG0

References

- Cooper, P.I., Solar Energy, 12, 3 (1969). "The Absorption of Solar Radiation in Solar Stills"
- Spencer, Search 2 (5), 172, https://www.mail-archive.com/sundial@uni-koeln.de/msg01050. html
- Strous: https://www.aa.guae.nl/en/reken/zonpositie.html
- Michalsky, J., 1988: The Astronomical Almanac's algorithm for approximate solar position (1950-2050), Solar Energy 40, 227-235
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

Examples

```
BTd = fBTd(mode = 'serie')
lat = 37.2
sol = calcSol(lat, BTd[100])
print(as.data.tableD(sol))
library(lattice)
xyplot(as.data.tableI(sol))
solStrous = calcSol(lat, BTd[100], method = 'strous')
print(as.data.tableD(solStrous))
solSpencer = calcSol(lat, BTd[100], method = 'spencer')
print(as.data.tableD(solSpencer))
solCooper = calcSol(lat, BTd[100], method = 'cooper')
print(as.data.tableD(solCooper))
```

A2_calcG0

Irradiation and irradiance on the horizontal plane.

Description

This function obtains the global, diffuse and direct irradiation and irradiance on the horizontal plane from the values of *daily* and *intradaily* global irradiation on the horizontal plane. It makes use of the functions calcSol, fCompD, fCompI, fBTd and readBDd (or equivalent).

Besides, if information about maximum and minimum temperatures values are available it obtains a series of temperature values with fTemp.

Usage

A2_calcG0 7

Arguments

lat

numeric, latitude (degrees) of the point of the Earth where calculations are needed. It is positive for locations above the Equator.

modeRad

A character string, describes the kind of source data of the global irradiation and ambient temperature.

It can be modeRad = 'prom' for monthly mean calculations. With this option, a set of 12 values inside dataRad must be provided, as defined in readG0dm.

modeRad = 'aguiar' uses a set of 12 monthly average values (provided with dataRad) and produces a synthetic daily irradiation time series following the procedure by Aguiar etal. (see reference below).

If modeRad = 'bd' the information of *daily* irradiation is read from a file, a data.table defined by dataRad, a zoo or a Meteo object. (See readBDd, dt2Meteo and zoo2Meteo for details).

If modeRad = 'bdI' the information of *intradaily* irradiation is read from a file, a data.table defined by dataRad, a zoo or a Meteo object. (See readBDi, dt2Meteo and zoo2Meteo for details).

dataRad

- If modeRad = 'prom' or modeRad = 'aguiar', a numeric with 12 values or a named list whose components will be processed with readG0dm.
- If modeRad = 'bd' a character (name of the file to be read with readBDd), a data.table (to be processed with dt2Meteo), a zoo (to be processed with zoo2Meteo), a Meteo object, or a list as defined by readBDd, dt2Meteo or zoo2Meteo. The resulting object will include a column named Ta, with information about ambient temperature.
- If modeRad = 'bdI' a character (name of the file to be read with readBDi), a data.table (to be processed with dt2Meteo), a zoo (to be processed with zoo2Meteo), a Meteo object, or a list as defined by readBDi, dt2Meteo or zoo2Meteo. The resulting object will include a column named Ta, with information about ambient temperature.

sample

character, containing one of "sec", "min", "hour". This can optionally be preceded by a (positive or negative) integer and a space, or followed by "s" (used by seq.POSIXt). It is not used when modeRad = "bdI".

keep.night

logical. When it is TRUE (default) the time series includes the night.

sunGeometry

character, method for the sun geometry calculations. See calcSol, fSolD and fSolI.

corr

A character, the correlation between the fraction of diffuse irradiation and the clearness index to be used.

With this version several options are available, as described in corrFdKt. For example, the FdKtPage is selected with corr = 'Page' while the FdKtCPR with corr = 'CPR'.

If corr = 'user' the use of a correlation defined by a function f is possible.

If corr = 'none' the object defined by dataRad should include information about global, diffuse and direct daily irradiation with columns named G0d, D0d and B0d, respectively (or G0, D0 and B0 if modeRad = 'bdI'). If corr is missing, then it is internally set to CPR when modeRad = 'bd', to Page when modeRad = 'prom' and to BRL when modeRad = 'bdI'.

f

A function defining a correlation between the fraction of diffuse irradiation and the clearness index. It is only necessary when corr = 'user'

... Additional arguments for fCompD or fCompI

8 A2_calcG0

Value

A G0 object.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09
- Aguiar, Collares-Pereira and Conde, "Simple procedure for generating sequences of daily radiation values using a library of Markov transition matrices", Solar Energy, Volume 40, Issue 3, 1988, Pages 269–279

See Also

calcSol, fCompD, fCompI, readG0dm, readBDd, readBDi, dt2Meteo, corrFdKt.

Examples

```
GOdm = c(2.766, 3.491, 4.494, 5.912, 6.989, 7.742, 7.919, 7.027, 5.369, 3.562, 2.814, 2.179)*1000;
Ta = c(10, 14.1, 15.6, 17.2, 19.3, 21.2, 28.4, 29.9, 24.3, 18.2, 17.2,
  15.2)
g0 \leftarrow calcGO(lat = 37.2, modeRad = 'prom', dataRad = list(GOdm = GOdm, Ta = Ta))
print(g0)
xyplot(g0)
## Aguiar et al.
g0 <- calcGO(lat = 37.2, modeRad = 'aguiar', dataRad = GOdm)</pre>
print(g0)
xyplot(g0)
##Now the G0I component of g0 is used as
##the bdI argument to calcG0 in order to
##test the intradaily correlations of fd-kt
BDi = as.data.tableI(g0)
BDi$Ta = 25 ##Information about temperature must be contained in BDi
g02 <- calcG0(lat = 37.2,
            modeRad = 'bdI',
            dataRad = list(lat = 37.2, file = BDi),
            corr = 'none')
print(g02)
g03 <- calcG0(lat = 37.2,
            modeRad = 'bdI',
            dataRad = list(lat = 37.2, file = BDi),
            corr = 'BRL')
print(g03)
```

A3_calcGef 9

```
xyplot(Fd \sim Kt, data = g03, pch = 19, alpha = 0.3)
```

A3_calcGef

Irradiation and irradiance on the generator plane.

Description

This function obtains the global, diffuse and direct irradiation and irradiance on the generator plane from the values of *daily* or *intradaily* global irradiation on the horizontal plane. It makes use of the functions calcG0, fTheta, fInclin. Besides, it can calculate the shadows effect with the calcShd function.

Usage

```
calcGef(lat,
    modeTrk = 'fixed',
    modeRad = 'prom',
    dataRad,
    sample = 'hour',
    keep.night = TRUE,
    sunGeometry = 'michalsky',
    corr, f,
    betaLim = 90, beta = abs(lat)-10, alpha = 0,
    iS = 2, alb = 0.2, horizBright = TRUE, HCPV = FALSE,
    modeShd = '',
    struct = list(),
    distances = data.table(),
    ...)
```

Arguments

numeric, latitude (degrees) of the point of the Earth where calculations are

needed. It is positive for locations above the Equator.

modeTrk character, to be chosen from 'fixed', 'two' or 'horiz'. When modeTrk = 'fixed' the surface is fixed (inclination and azimuth angles are constant).

The performance of a two-axis tracker is calculated with modeTrk = 'two', and modeTrk = 'horiz' is the option for an horizontal N-S tracker. Its default value

is modeTrk = 'fixed'

modeRad, dataRad

Information about the source data of the global irradiation. See calc60 for details.

sample, keep.night

See calcSol for details.

sunGeometry character, method for the sun geometry calculations. See calcSol, fSolD and

fSolI.

corr, f See calcG0 for details.

beta numeric, inclination angle of the surface (degrees). It is only needed when

modeTrk = 'fixed'.

10 A3_calcGef

betaLim	numeric, maximum value of the inclination angle for a tracking surface. Its default value is $90 \ (no \ limitation))$
alpha	numeric, azimuth angle of the surface (degrees). It is measured from the south (alpha = \emptyset), and it is negative to the east and positive to the west. It is only needed when modeTrk = 'fixed'. Its default value is alpha = \emptyset
iS	integer, degree of dirtiness. Its value must be included in the set $(1,2,3,4)$. iS = 1 corresponds to a clean surface while iS = 4 is the selection for a dirty surface. Its default value is 2.
alb modeShd, struct,	numeric, albedo reflection coefficient. Its default value is 0.2 distances See calcShd for details.
horizBright	logical, if TRUE, the horizon brightness correction proposed by Reind et al. is used.
HCPV	logical, if TRUE the diffuse and albedo components of the <i>effective</i> irradiance are set to zero. HCPV is the acronym of High Concentration PV system.
• • •	Additional arguments for calcSol and calcG0

Value

A Gef object.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Hay, J. E. and McKay, D. C.: Estimating Solar Irradiance on Inclined Surfaces: A Review and Assessment of Methodologies. Int. J. Solar Energy, (3):pp. 203, 1985.
- Martin, N. and Ruiz, J.M.: Calculation of the PV modules angular losses under field conditions by means of an analytical model. Solar Energy Materials & Solar Cells, 70:25–38, 2001.
- D. T. Reindl and W. A. Beckman and J. A. Duffie: Evaluation of hourly tilted surface radiation models, Solar Energy, 45:9-17, 1990.
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

```
calcG0, fTheta, fInclin, calcShd.
```

Examples

```
##Fixed surface, default values of inclination and azimuth.
gef <- calcGef(lat = lat, modeRad = 'prom', dataRad = list(G0dm = G0dm, Ta = Ta))</pre>
print(gef)
xyplot(gef)
##Two-axis surface, no limitation angle.
gef2 <- calcGef(lat = lat, modeRad = 'prom',</pre>
                dataRad = list(G0dm = G0dm, Ta = Ta),
                modeTrk = 'two')
print(gef2)
xyplot(gef2)
struct = list(W = 23.11, L = 9.8, Nrow = 2, Ncol = 8)
distances = data.table(Lew = 40, Lns = 30, H = 0)
gefShd <- calcGef(lat = lat, modeRad = 'prom',</pre>
                  dataRad = list(G0dm = G0dm, Ta = Ta),
                  modeTrk = 'two',
                  modeShd = c('area', 'prom'),
                   struct = struct, distances = distances)
print(gefShd)
```

A4_prodGCPV

Performance of a grid connected PV system.

Description

Compute every step from solar angles to effective irradiance to calculate the performance of a grid connected PV system.

Usage

```
prodGCPV(lat,
         modeTrk = 'fixed',
         modeRad = 'prom',
         dataRad,
         sample = 'hour',
         keep.night = TRUE,
         sunGeometry = 'michalsky',
         corr, f,
         betaLim = 90, beta = abs(lat)-10, alpha = 0,
         iS = 2, alb = 0.2, horizBright = TRUE, HCPV = FALSE,
         module = list(),
         generator = list(),
         inverter = list(),
         effSys = list(),
         modeShd = '',
         struct = list(),
         distances = data.table(),
         ...)
```

Arguments

lat numeric, latitude (degrees) of the point of the Earth where calculations are

needed. It is positive for locations above the Equator.

modeTrk A character string, describing the tracking method of the generator. See calcGef

for details.

modeRad, dataRad

Information about the source data of the global irradiation. See calc60 for details.

sample, keep.night

See calcSol for details.

sunGeometry character, method for the sun geometry calculations. See calcSol, fSolD and

fSolI.

corr, f See calcG0 for details.

betaLim, beta, alpha, iS, alb, horizBright, HCPV

See calcGef for details.

module list of numeric values with information about the PV module,

Vocn open-circuit voltage of the module at Standard Test Conditions (default value 57.6 volts.)

Iscn short circuit current of the module at Standard Test Conditions (default value 4.7 amperes.)

Vmn maximum power point voltage of the module at Standard Test Conditions (default value 46.08 amperes.)

Imn Maximum power current of the module at Standard Test Conditions (default value 4.35 amperes.)

Ncs number of cells in series inside the module (default value 96)

Ncp number of cells in parallel inside the module (default value 1)

CoefVT coefficient of decrement of voltage of each cell with the temperature (default value 0.0023 volts per celsius degree)

TONC nominal operational cell temperature, celsius degree (default value 47).

generator list of numeric values with information about the generator,

Nms number of modules in series (default value 12)
Nmp number of modules in parallel (default value 11)

inverter list of numeric values with information about the DC/AC inverter,

Ki vector of three values, coefficients of the efficiency curve of the inverter (default c(0.01, 0.025, 0.05)), or a matrix of nine values (3x3) if there is dependence with the voltage (see references).

Pinv nominal inverter power (W) (default value 25000 watts.)

Vmin, Vmax minimum and maximum voltages of the MPP range of the inverter (default values 420 and 750 volts)

Gumb minimum irradiance for the inverter to start (W/m²) (default value $20 \,$ W/m²)

effSys list of numeric values with information about the system losses,

ModQual average tolerance of the set of modules (%), default value is 3 ModDisp module parameter disperssion losses (%), default value is 2 OhmDC Joule losses due to the DC wiring (%), default value is 1.5 OhmAC Joule losses due to the AC wiring (%), default value is 1.5

```
MPP average error of the MPP algorithm of the inverter (%), default value is 1
TrafoMT losses due to the MT transformer (%), default value is 1
Disp losses due to stops of the system (%), default value is 0.5
modeShd, struct, distances
See calcShd for details.

Additional arguments for calcG0 or calcGef
```

Details

The calculation of the irradiance on the horizontal plane is carried out with the function calcG0. The transformation to the inclined surface makes use of the fTheta and fInclin functions inside the calcGef function. The shadows are computed with calcShd while the performance of the PV system is simulated with fProd.

Value

A ProdGCPV object.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

fProd, calcGef, calcShd, calcG0, compare, compareLosses, mergesolaR

Examples

```
prodHoriz <- prodGCPV(lat = lat,dataRad = prom,</pre>
                       modeTrk = 'horiz',
                       keep.night = FALSE)
##Comparison of yearly productivities
compare(prodFixed, prod2x, prodHoriz)
compareLosses(prodFixed, prod2x, prodHoriz)
##Comparison of power time series
ComparePac <- data.table(Dates = indexI(prod2x),</pre>
                          two = as.data.tableI(prod2x)$Pac,
                          horiz = as.data.tableI(prodHoriz)$Pac,
                          fixed = as.data.tableI(prodFixed)$Pac)
AngSol <- as.data.tableI(as(prodFixed, 'Sol'))</pre>
ComparePac <- merge(AngSol, ComparePac, by = 'Dates')</pre>
ComparePac[, Month := as.factor(month(Dates))]
xyplot(two + horiz + fixed ~ AzS|Month, data = ComparePac,
       type = '1',
       auto.key = list(space = 'right',
                      lines = TRUE,
                      points = FALSE),
       ylab = 'Pac')
###Shadows
#Two-axis trackers
struct2x <- list(W = 23.11, L = 9.8, Nrow = 2, Ncol = 8)
dist2x \leftarrow data.table(Lew = 40, Lns = 30, H = 0)
prod2xShd <- prodGCPV(lat = lat, dataRad = prom,</pre>
                       modeTrk = 'two',
                       modeShd = 'area',
                       struct = struct2x,
                       distances = dist2x)
print(prod2xShd)
#Horizontal N-S tracker
structHoriz <- list(L = 4.83);</pre>
distHoriz <- data.table(Lew = structHoriz$L*4);</pre>
#Without Backtracking
prodHorizShd <- prodGCPV(lat = lat, dataRad = prom,</pre>
                          sample = '10 min',
                          modeTrk = 'horiz',
                          modeShd = 'area', betaLim = 60,
                          distances = distHoriz,
                          struct = structHoriz)
print(prodHorizShd)
xyplot(r2d(Beta)~r2d(w),
       data = prodHorizShd,
       type = '1',
```

A5_prodPVPS 15

```
main = 'Inclination angle of a horizontal axis tracker',
       xlab = expression(omega (degrees)),
       ylab = expression(beta (degrees)))
#With Backtracking
prodHorizBT <- prodGCPV(lat = lat, dataRad = prom,</pre>
                        sample = '10 min',
                        modeTrk = 'horiz',
                        modeShd = 'bt', betaLim = 60,
                        distances = distHoriz,
                        struct = structHoriz)
print(prodHorizBT)
xyplot(r2d(Beta)~r2d(w),
       data = prodHorizBT,
       type = '1',
       main = 'Inclination angle of a horizontal axis tracker\n with backtracking',
       xlab = expression(omega (degrees)),
       ylab = expression(beta (degrees)))
compare(prodFixed, prod2x, prodHoriz, prod2xShd,
        prodHorizShd, prodHorizBT)
compareLosses(prodFixed, prod2x, prodHoriz, prod2xShd,
              prodHorizShd, prodHorizBT)
compareYf2 <- mergesolaR(prodFixed, prod2x, prodHoriz, prod2xShd,</pre>
                         prodHorizShd, prodHorizBT)
xyplot(prodFixed + prod2x +prodHoriz + prod2xShd + prodHorizShd + prodHorizBT ~ Dates,
       data = compareYf2, type = 'l', ylab = 'kWh/kWp',
       main = 'Daily productivity',
       auto.key = list(space = 'right'))
```

A5_prodPVPS

Performance of a PV pumping system

Description

Compute every step from solar angles to effective irradiance to calculate the performance of a PV pumping system.

Usage

16 A5_prodPVPS

```
betaLim = 90, beta = abs(lat)-10, alpha = 0,
iS = 2, alb = 0.2, horizBright = TRUE, HCPV = FALSE,
pump , H,
Pg, converter= list(),
effSys = list(),
...)
```

Arguments

lat numeric, latitude (degrees) of the point of the Earth where calculations are

needed. It is positive for locations above the Equator.

modeTrk A character string, describing the tracking method of the generator. See calcGef

for details.

modeRad, dataRad

Information about the source data of the global irradiation. See calcG0 for

details.

sample, keep.night

See calcSol for details.

sunGeometry character, method for the sun geometry calculations. See calcSol, fSolD and

fSolI.

corr, f See calcG0 for details.

betaLim, beta, alpha, iS, alb, horizBright, HCPV

See calcGef for details.

pump A list extracted from pumpCoef

H Total manometric head (m)

Pg Nominal power of the PV generator (Wp)

converter list containing the nominal power of the frequency converter, Pnom, and Ki,

vector of three values, coefficients of the efficiency curve.

effSys list of numeric values with information about the system losses,

ModQual average tolerance of the set of modules (%), default value is 3 ModDisp module parameter disperssion losses (%), default value is 2 OhmDC Joule losses due to the DC wiring (%), default value is 1.5 OhmAC Joule losses due to the AC wiring (%), default value is 1.5

... Additional arguments for calcSol, calcG0 and calcGef.

Details

The calculation of the irradiance on the generator is carried out with the function calcGef. The performance of the PV system is simulated with fPump.

Value

A ProdPVPS object.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

A6_calcShd 17

References

- Abella, M. A., Lorenzo, E. y Chenlo, F.: PV water pumping systems based on standard frequency converters. Progress in Photovoltaics: Research and Applications, 11(3):179–191, 2003, ISSN 1099-159X.
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

NmgPVPS, fPump, pumpCoef

A6 calcShd

Shadows on PV systems.

Description

Compute the irradiance and irradiation including shadows for two-axis and horizontal N-S axis trackers and fixed surfaces. It makes use of the function fSombra for the shadows factor calculation. It is used by the function calcGef.

Usage

```
calcShd(radEf,
    modeShd = '',
    struct = list(),
    distances = data.table())
```

Arguments

radEf

A Gef object. It may be the result of the calcGef function.

modeShd

character, defines the type of shadow calculation. In this version of the package the effect of the shadow is calculated as a proportional reduction of the circumsolar diffuse and direct irradiances. This type of approach is selected with modeShd = 'area'. In future versions other approaches which relate the geometric shadow and the electrical connections of the PV generator will be available. If radEf@modeTrk = 'horiz' it is possible to calculate the effect of backtracking with modeShd = 'bt'. If modeShd = c('area', 'bt') the backtracking method will be carried out and therefore no shadows will appear. Finally, for two-axis trackers it is possible to select modeShd = 'prom' in order to calculate the effect of shadows on an average tracker (see fSombra6). The result will include three variables (Gef0, Def0 and Bef0) with the irradiance/irradiation without shadows as a reference.

struct

list.

When radEf@modeTrk = 'fixed' or modeTrk = 'horiz' only a component named L, which is the height (meters) of the tracker, is needed.

For two-axis trackers (radEf@modeTrk = 'two'), an additional component named W, the width of the tracker, is required. Moreover, only when radEf@modeTrk = 'two' two components named Nrow and Ncol are included under this list. These components define, respectively, the number of rows and columns of the whole set of two-axis trackers in the PV plant.

distances

data.frame.

When radEf@modeTrk = 'fixed' it includes a component named D for the distance between fixed surfaces. An additional component named H can be included with the relative height between surfaces.

When radEf@modeTrk = 'horiz' it only includes a component named Lew, being the distance between horizontal NS trackers along the East-West direction.

When radEf@modeTrk = 'two' it includes a component named Lns being the distance between trackers along the North-South direction, a component named Lew, being the distance between trackers along the East-West direction and a (optional) component named H with the relative height between surfaces.

The distances, in meters, are defined between axis of the trackers.

Value

A Gef object including three additional variables (Gef0, Def0 and Bef0) in the slots Gef1, GefD, Gefdm and Gefy with the irradiance/irradiation without shadows as a reference.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

calcG0, fTheta, fInclin, calcShd.

A7_optimShd

Shadows calculation for a set of distances between elements of a PV grid connected plant.

Description

The optimum distance between trackers or static structures of a PV grid connected plant depends on two main factors: the ground requirement ratio (defined as the ratio of the total ground area to the generator PV array area), and the productivity of the system including shadow losses. Therefore, the optimum separation may be the one which achieves the highest productivity with the lowest ground requirement ratio.

However, this definition is not complete since the terrain characteristics and the costs of wiring or civil works could alter the decision. This function is a help for choosing this distance: it computes the productivity for a set of combinations of distances between the elements of the plant.

Usage

```
optimShd(lat,
         modeTrk = 'fixed',
         modeRad = 'prom',
         dataRad,
         sample = 'hour'
         keep.night = TRUE
         sunGeometry = 'michalsky',
         betaLim = 90, beta = abs(lat)-10, alpha = 0,
         iS = 2, alb = 0.2, HCPV = FALSE,
         module = list(),
         generator = list(),
         inverter = list(),
         effSys = list(),
         modeShd = '',
         struct = list(),
         distances = data.table(),
         res = 2,
         prog = TRUE)
```

Arguments

lat numeric, latitude (degrees) of the point of the Earth where calculations are

needed. It is positive for locations above the Equator.

character, to be chosen from 'fixed', 'two' or 'horiz'. When modeTrk modeTrk

= 'fixed' the surface is fixed (inclination and azimuth angles are constant). The performance of a two-axis tracker is calculated with modeTrk = 'two', and modeTrk = 'horiz' is the option for an horizontal N-S tracker. Its default value

is modeTrk = 'fixed'

modeRad, dataRad

Information about the source data of the global irradiation. See calcG0 for

details. For this function the option modeRad = 'bdI' is not supported.

character, containing one of "sec", "min", "hour". This can optionally be sample

preceded by a (positive or negative) integer and a space, or followed by "s"

(used by seq.POSIXt)

keep.night logical When it is TRUE (default) the time series includes the night.

sunGeometry character, method for the sun geometry calculations. See calcSol, fSolD and

fSolI.

betaLim, beta, alpha, iS, alb, HCPV

See calcGef for details.

module list of numeric values with information about the PV module,

> Vocn open-circuit voltage of the module at Standard Test Conditions (default value 57.6 volts.)

> Iscn short circuit current of the module at Standard Test Conditions (default value 4.7 amperes.)

> Vmn maximum power point voltage of the module at Standard Test Conditions (default value 46.08 amperes.)

> Imn Maximum power current of the module at Standard Test Conditions (default value 4.35 amperes.)

Ncs number of cells in series inside the module (default value 96)

Ncp number of cells in parallel inside the module (default value 1)

CoefVT coefficient of decrement of voltage of each cell with the temperature (default value 0.0023 volts per celsius degree)

TONC nominal operational cell temperature, celsius degree (default value 47).

generator

list of numeric values with information about the generator,

Nms number of modules in series (default value 12)

Nmp number of modules in parallel (default value 11)

inverter

list of numeric values with information about the DC/AC inverter,

Ki vector of three values, coefficients of the efficiency curve of the inverter (default c(0.01, 0.025, 0.05)), or a matrix of nine values (3x3) if there is dependence with the voltage (see references).

Pinv nominal inverter power (W) (default value 25000 watts.)

Vmin, Vmax minimum and maximum voltages of the MPP range of the inverter (default values 420 and 750 volts)

Gumb minimum irradiance for the inverter to start (W/m²) (default value 20 W/m²)

effSys

list of numeric values with information about the system losses,

ModQual average tolerance of the set of modules (%), default value is 3

ModDisp module parameter disperssion losses (%), default value is 2

OhmDC Joule losses due to the DC wiring (%), default value is 1.5

OhmAC Joule losses due to the AC wiring (%), default value is 1.5

MPP average error of the MPP algorithm of the inverter (%), default value is 1

TrafoMT losses due to the MT transformer (%), default value is 1 Disp losses due to stops of the system (%), default value is 0.5

modeShd

character, defines the type of shadow calculation. In this version of the package the effect of the shadow is calculated as a proportional reduction of the circumsolar diffuse and direct irradiances. This type of approach is selected with modeShd = 'area'. In future versions other approaches which relate the geometric shadow and the electrical connections of the PV generator will be available. If modeTrk = 'horiz' it is possible to calculate the effect of backtracking with modeShd = 'bt'. If modeShd = c('area', 'bt') the backtracking method will be carried out and therefore no shadows will appear. Finally, for two-axis trackers it is possible to select modeShd = 'prom' in order to calculate the effect of shadows on an average tracker (see fSombra6). The result will include three variables (Gef0, Def0 and Bef0) with the irradiance/irradiation without shadows as a reference.

struct

list. When modeTrk = 'fixed' or modeTrk = 'horiz' only a component named L, which is the height (meters) of the tracker, is needed. For two-axis trackers (modeTrk = 'two'), an additional component named W, the width of the tracker, is required. Moreover, two components named Nrow and Ncol are included under this list. These components define, respectively, the number of rows and columns of the whole setof trackers in the PV plant.

distances

list, whose three components are vectors of length 2:

Lew (only when modeTrk = 'horiz' or modeTrk = 'two'), minimum and maximum distance (meters) between horizontal NS and two-axis trackers along the East-West direction.

Lns (only when modeTrk = 'two'), minimum and maximum distance (meters) between two-axis trackers along the North-South direction.

D (only when modeTrk = 'fixed'), minimum and maximum distance (meters) between fixed surfaces.

These distances, in meters, are defined between the axis of the trackers.

numeric; optimShd constructs a sequence from the minimum to the maximum

value of distances, with res as the increment, in meters, of the sequence.

prog logical, show a progress bar; default value is TRUE

Details

res

optimShd calculates the energy produced for every combination of distances as defined by distances and res. The result of this function is a Shade-class object. A method of shadeplot for this class is defined (shadeplot-methods), and it shows the graphical relation between the productivity and the distance between trackers or fixed surfaces.

Value

A Shade object.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Perpiñán, O.: Grandes Centrales Fotovoltaicas: producción, seguimiento y ciclo de vida. PhD Thesis, UNED, 2008. https://www.researchgate.net/publication/39419806_Grandes_ Centrales_Fotovoltaicas_Produccion_Seguimiento_y_Ciclo_de_Vida.
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

```
prodGCPV, calcShd
```

Examples

```
library(lattice)
library(latticeExtra)

lat = 37.2;
G0dm = c(2766, 3491, 4494, 5912, 6989, 7742, 7919, 7027, 5369, 3562, 2814, 2179)

Ta = c(10, 14.1, 15.6, 17.2, 19.3, 21.2, 28.4, 29.9, 24.3, 18.2, 17.2, 15.2)
prom = list(G0dm = G0dm, Ta = Ta)

###Two-axis trackers
struct2x = list(W = 23.11, L = 9.8, Nrow = 2, Ncol = 3)
dist2x = list(Lew = c(30, 45),Lns = c(20, 40))

ShdM2x <- optimShd(lat = lat, dataRad = prom, modeTrk = 'two',</pre>
```

22 A8_Meteo2Meteo

```
modeShd = c('area','prom'),
                   distances = dist2x, struct = struct2x,
                   res = 5)
shadeplot(ShdM2x)
pLew = xyplot(Yf\sim GRR, data = ShdM2x, groups = factor(Lew), type = c('l', 'g'),
    main = 'Productivity for each Lew value')
pLew+glayer(panel.text(x[1], y[1], group.value))
pLns = xyplot(Yf~GRR,data = ShdM2x,groups = factor(Lns),type = c('1','g'),
    main = 'Productivity for each Lns value')
pLns+glayer(panel.text(x[1], y[1], group.value))
## 1-axis tracker with Backtracking
structHoriz = list(L = 4.83);
distHoriz = list(Lew = structHoriz$L * c(2,5));
Shd12HorizBT <- optimShd(lat = lat, dataRad = prom,</pre>
        modeTrk = 'horiz',
        betaLim = 60,
        distances = distHoriz, res = 2,
        struct = structHoriz,
        modeShd = 'bt')
shadeplot(Shd12HorizBT)
xyplot(diff(Yf)~GRR[-1],data = Shd12HorizBT,type = c('l','g'))
###Fixed system
structFixed = list(L = 5);
distFixed = list(D = structFixed$L*c(1,3));
Shd12Fixed <- optimShd(lat = lat, dataRad = prom,</pre>
        modeTrk = 'fixed',
        distances = distFixed, res = 2,
        struct = structFixed,
        modeShd = 'area')
shadeplot(Shd12Fixed)
```

A8_Meteo2Meteo

Transformation of intradaily meteorological data into daily and daily into monthly data.

Description

Functions for the class Meteo that transforms an intradaily Meteo object into a daily and a daily into a monthly.

Usage

```
Meteoi2Meteod(G0i)
Meteod2Meteom(G0d)
```

A8_readBD 23

Arguments

G0i A Meteo object with intradaily data
G0d A Meteo object with daily data

Value

A Meteo object

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

See Also

readBDd, readG0dm, readSIAR

Examples

A8_readBD

Daily or intradaily values of global horizontal irradiation and ambient temperature from a local file or a data.frame.

Description

Constructor for the class Meteo with values of *daily* or *intradaily* values of global horizontal irradiation and ambient temperature from a local file or a data.frame.

Usage

```
readBDd(file, lat,
    format = '%d/%m/%Y',
    header = TRUE, fill = TRUE, dec = '.', sep = ';',
    dates.col = 'Dates', ta.col = 'Ta',
    g0.col = 'G0', keep.cols = FALSE, ...)
```

24 A8_readBD

Arguments

file

The name of the file (readBDd and readBDi), data.frame (or data.table) (dt2Meteo) or zoo (zoo2Meteo) which the data are to be read from. It should contain a column G0d with *daily* (readBDd) or G0 with *intradaily* (readBDi) values of global horizontal irradiation (Wh/m²). It should also include a column named Ta with values of ambient temperature. However, if the object is only a vector with irradiation values, it will converted to a data.table with two columns named G0 and Ta (filled with constant values)

If the Meteo object is to be used with calcGO (or fCompI) and the option corr = 'none', the file/data.frame **must** include three columns named GO, BO and DO with values of global, direct and diffuse irradiation on the horizontal plane.

Only for daily data: if the ambient temperature is not available, the file should include two columns named TempMax and TempMin with daily values of maximum and minimum ambient temperature, respectively (see fTemp for details).

header, fill, dec, sep

See fread

format character string with the format of the dates or time index. (Default for daily

time bases:%d/%m/%Y). (Default for intradaily time bases: %d/%m/%Y %H: %M: %S)

lat numeric, latitude (degrees) of the location.

dates.col character string with the name of the column wich contains the dates of the time

series.

times.col character string with the name of the column wich contains the time index of the

series in case is in a different column than the dates.

source character string with information about the source of the values. (Default: the

name of the file).

ta.col, g0.col character, the name of the columns with the information of ambient temperature

and radiation in the provided file

keep.cols If keep.cols=FALSE(default value), the Meteo object does not include the columns

that are not important for the rest of operations

... Arguments for fread

type character, type of the data in dt2Meteo. To choose between 'prom', 'bd' and

'bdI'. If it is not provided, the function dt2Meteo calculate the type.

Value

A Meteo object.

A8_readG0dm 25

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

See Also

fread, readG0dm.

Examples

```
data(helios)
names(helios) = c('Dates', 'G0d', 'TempMax', 'TempMin')
bd = dt2Meteo(helios, lat = 41, source = 'helios-IES', type = 'bd')
getData(bd)
xyplot(bd)
```

A8_readG0dm

Monthly mean values of global horizontal irradiation.

Description

Constructor for the class Meteo with 12 values of monthly means of irradiation.

Usage

```
readG0dm(G0dm, Ta = 25, lat = 0,
   year= as.POSIXlt(Sys.Date())$year+1900,
   promDays = c(17,14,15,15,15,10,18,18,18,19,18,13),
   source = '')
```

Arguments

60dm numeric, 12 values of monthly means of daily global horizontal irradiation (Wh/m²).

Ta numeric, 12 values of monthly means of ambient temperature (degrees Celsius).

lat numeric, latitude (degrees) of the location.

year numeric (Default: current year).

promDays numeric, set of the average days for each month.

source character string with information about the source of the values.

Value

Meteo object

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

26 A8_readSIAR

See Also

readBDd

Examples

```
G0dm = c(2.766,3.491,4.494,5.912,6.989,7.742,7.919,7.027,5.369,3.562,2.814,2.179) * 1000; Ta = c(10, 14.1, 15.6, 17.2, 19.3, 21.2, 28.4, 29.9, 24.3, 18.2, 17.2, 15.2) BD <- readG0dm(G0dm = G0dm, Ta = Ta, lat = 37.2) print(BD) getData(BD) xyplot(BD)
```

A8_readSIAR

Meteorological data from the SIAR network.

Description

Download, interpolate and transform meteorological data fromm the SIAR network.

Usage

Arguments

Lon numeric, longitude (degrees) of the location.

Lat numeric, latitude (degrees) of the location.

inicio character or Date, first day of the records.

final character or Date, last day of the records.

tipo character, tipe of the records. To choose between Mensuales, Semanales, Diarios,

Horarios.

n_est integer, select that number of stations closest to the given point and then perform

an IDW (Inverse Distance Weighting) interpolation with these data.

Value

A Meteo object

Author(s)

Francisco Delgado López, Oscar Perpiñán Lamigueiro.

See Also

readG0dm, readBDd

B1_Meteo-class 27

Examples

B1_Meteo-class

Class "Meteo"

Description

A class for meteorological data.

Objects from the Class

Objects can be created by the family of readBDd functions.

Slots

latm: Latitude (degrees) of the meteorological station or source of the data.

data: A data.table object with the time series of daily irradiation (G0, Wh/m²), the ambient temperature (Ta) or the maximum and minimum ambient temperature (TempMax and TempMin).

source: A character with a short description of the source of the data.

type: A character, prom, bd or bdI depending on the constructor.

Methods

```
getData signature(object = "Meteo"): extracts the data slot as a data.table object.
getG0 signature(object = "Meteo"): extracts the irradiation as vector.
getLat signature(object = "Meteo"): extracts the latitude value.
indexD signature(object = "Meteo"): extracts the index of the data slot.
xyplot signature(x = "formula", data = "Meteo"): plot the content of the object according to the formula argument.
xyplot signature(x = "Meteo", data = "missing"): plot the data slot using the xyplot method for zoo objects.
```

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

See Also

```
readBDd, readBDi, zoo2Meteo, dt2Meteo, readG0dm,
```

28 B2_Sol-class

B2_Sol-class

Class "Sol": Apparent movement of the Sun from the Earth

Description

A class which describe the apparent movement of the Sun from the Earth.

Objects from the Class

Objects can be created by calcSol.

Slots

```
lat: numeric, latitude (degrees) as defined in the call to calcSol.
solD: Object of class "data.table" created by fSolD.
solI: Object of class "data,table" created by fSolI.
method: character, method for the sun geometry calculations.
sample: difftime, increment of the intradaily sequence.
```

Methods

```
as.data.tableD signature(object = "Sol"): conversion to a data.table with daily values.
as.data.tableI signature(object = "Sol"): conversion to a data.table with intradaily values.
getLat signature(object = "Sol"): latitude (degrees) as defined in the call to calcSol.
indexD signature(object = "Sol"): index of the solD slot.
indexI signature(object = "Sol"): index of the solI object.
xyplot signature(x = "formula", data = "Sol"): displays the contents of a Sol object with the xyplot method for formulas.
```

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

G0, Gef.

B3_G0-class 29

B3 G0-class

Class "G0": irradiation and irradiance on the horizontal plane.

Description

This class contains the global, diffuse and direct irradiation and irradiance on the horizontal plane, and ambient temperature.

Objects from the Class

Objects can be created by the function calcG0.

Slots

GOD: Object of class data.table created by fCompD. It includes daily values of:

Fd: numeric, the diffuse fraction

Ktd: numeric, the clearness index

G0d: numeric, the global irradiation on a horizontal surface (Wh/m²)

D0d: numeric, the diffuse irradiation on a horizontal surface (Wh/m²)

B0d: numeric, the direct irradiation on a horizontal surface (Wh/m²)

GOI: Object of class data.table created by fCompI. It includes values of:

kt: numeric, clearness index

G0: numeric, global irradiance on a horizontal surface, (W/m²)

D0: numeric, diffuse irradiance on a horizontal surface, (W/m²)

B0: numeric, direct irradiance on a horizontal surface, (W/m²)

G0dm: Object of class data. table with monthly mean values of daily irradiation.

GOy: Object of class data. table with yearly sums of irradiation.

Ta: Object of class data. table with intradaily ambient temperature values.

Besides, this class contains the slots from the Sol and Meteo classes.

Extends

```
Class "Meteo", directly. Class "Sol", directly.
```

Methods

```
as.data.tableD signature(object = "G0"): conversion to a data.table with daily values.
as.data.tableI signature(object = "G0"): conversion to a data.table with intradaily values.
as.data.tableM signature(object = "G0"): conversion to a data.table with monthly values.
as.data.tableY signature(object = "G0"): conversion to a data.frame with yearly values.
indexD signature(object = "G0"): index of the solD slot.
indexI signature(object = "G0"): latitude of the inherited Sol object.

xyplot signature(x = "G0", data = "missing"): display the time series of daily values of irradiation.

xyplot signature(x = "formula", data = "G0"): displays the contents of a G0 object with the xyplot method for formulas.
```

30 B4_Gef-class

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

Sol, Gef.

B4_Gef-class

Class "Gef": irradiation and irradiance on the generator plane.

Description

This class contains the global, diffuse and direct irradiation and irradiance on the horizontal plane, and ambient temperature.

Objects from the Class

Objects can be created by the function calcGef.

Slots

GefI: Object of class data. table created by fInclin. It contains these components:

Bo: Extra-atmospheric irradiance on the inclined surface (W/m²)

Bn: Direct normal irradiance (W/m²)

G, B, D, Di, Dc, R: Global, direct, diffuse (total, isotropic and anisotropic) and albedo irradiance incident on an inclined surface (W/m²)

Gef, Bef, Def, Dief, Dcef, Ref: Effective global, direct, diffuse (total, isotropic and anisotropic) and albedo irradiance incident on an inclined surface (W/m²)

FTb, FTd, FTr: Factor of angular losses for the direct, diffuse and albedo components

GefD: Object of class data. table with daily values of global, diffuse and direct irradiation.

Gefdm: Object of class data.table with monthly means of daily global, diffuse and direct irradiation.

Gefy: Object of class data. table with yearly sums of global, diffuse and direct irradiation.

Theta: Object of class data.table created by fTheta. It contains these components:

Beta: numeric, inclination angle of the surface (radians). When modeTrk='fixed' it is the value of the argument beta converted from degreesto radians.

Alpha: numeric, azimuth angle of the surface (radians). When modeTrk='fixed' it is the value of the argument alpha converted from degrees to radians.

cosTheta: numeric, cosine of the incidence angle of the solar irradiance on the surface

is: numeric, degree of dirtiness.

alb: numeric, albedo reflection coefficient.

B4_Gef-class 31

```
modeTrk: character, mode of tracking.

modeShd: character, mode of shadows.

angGen: A list with the values of alpha, beta and betaLim.

struct: A list with the dimensions of the structure.

distances: A data frame with the distances between structures.
```

Extends

```
Class "G0", directly. Class "Meteo", by class "G0", distance 2. Class "So1", by class "G0", distance 2.
```

Methods

```
as.data.tableD signature(object = "Gef"): conversion to a data.table with daily values.
as.data.tableI signature(object = "Gef"): conversion to a data.table with intradaily values.
as.data.tableM signature(object = "Gef"): conversion to a data.table with monthly values.
as.data.tableY signature(object = "Gef"): conversion to a data.table with yearly values.
indexD signature(object = "Gef"): index of the solD slot.
indexI signature(object = "Gef"): index of the solI slot.
getLat signature(object = "Gef"): latitude of the inherited Sol object.
xyplot signature(x = "Gef", data = "missing"): display the time series of daily values of irradiation.
xyplot signature(x = "formula", data = "Gef"): displays the contents of a Gef object with the xyplot method for formulas.
```

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

Sol, G0.

32 B5_ProdGCPV-class

B5_ProdGCPV-class

Class "ProdGCPV": performance of a grid connected PV system.

Description

A class containing values of the performance of a grid connected PV system.

Objects from the Class

Objects can be created by prodGCPV.

Slots

prodI: Object of class data.table created by fProd. It includes these components:

Tc: cell temperature, °C.

Voc, Isc, Vmpp, Impp: open circuit voltage, short circuit current, MPP voltage and current, respectively.

Vdc, Idc: voltage and current at the input of the inverter.

Pdc: power at the input of the inverter, W

Pac: power at the output of the inverter, W

EffI: efficiency of the inverter

prodD: A data.table object with daily values of AC (Eac) and DC (Edc) energy (Wh), and productivity (Yf, Wh/Wp) of the system.

prodDm: A data.table object with monthly means of daily values of AC and DC energy (kWh), and productivity of the system.

prody: A data.table object with yearly sums of AC and DC energy (kWh), and productivity of the system.

module: A list with the characteristics of the module.

generator: A list with the characteristics of the PV generator.

inverter: A list with the characteristics of the inverter.

effSys: A list with the efficiency values of the system.

Besides, this class contains the slots from the "Meteo", "Sol", "G0" and "Gef" classes.

Extends

```
Class "Gef", directly. Class "G0", by class "Gef", distance 2. Class "Meteo", by class "Gef", distance 3. Class "So1", by class "Gef", distance 3.
```

Methods

```
as.data.tableD signature(object = "ProdGCPV"): conversion to a data.table with daily values.
as.data.tableI signature(object = "ProdGCPV"): conversion to a data.table with intradaily values.
```

as.data.tableM signature(object = "ProdGCPV"): conversion to a data.table with monthly values.

 $as. data. table Y \ \, \text{signature(object = "ProdGCPV"): conversion to a data. table with yearly values.} \\ index D \ \, \text{signature(object = "ProdGCPV"): index of the solD slot.}$

B6_ProdPVPS-class 33

```
indexI signature(object = "ProdGCPV"): index of the solI object.
getLat signature(object = "ProdGCPV"): latitude of the inherited Sol object.
xyplot signature(x = "ProdGCPV", data = "missing"): display the time series of daily values.
xyplot signature(x = "formula", data = "ProdGCPV"): displays the contents of a ProdGCPV object with the xyplot method for formulas.
```

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

```
Sol, G0, Gef, Shade.
```

B6_ProdPVPS-class

Class "ProdPVPS": performance of a PV pumping system.

Description

Performance of a PV pumping system with a centrifugal pump and a variable frequency converter.

Objects from the Class

Objects can be created by prodPVPS.

Slots

prodI: Object of class data. table with these components:

Q: Flow rate, (m³/h)

Pb, Ph: Pump shaft power and hydraulical power (W), respectively.

etam, etab: Motor and pump efficiency, respectively.

f: Frequency (Hz)

prodD: A data.table object with daily values of AC energy (Wh), flow (m³) and productivity of the system.

 ${\sf prodDm:}\ A\ data.table\ object\ with\ monthly\ means\ of\ daily\ values\ of\ AC\ energy\ (kWh),\ flow\ (m^3)$ and ${\sf productivity}\ of\ the\ system.$

prody: A data.table object with yearly sums of AC energy (kWh), flow (m³) and productivity of the system.

pump A list extracted from pumpCoef

H Total manometric head (m)

Pg Nominal power of the PV generator (Wp)

converter list containing the nominal power of the frequency converter, Pnom, and Ki, vector of three values, coefficients of the efficiency curve.

effSys list of numeric values with information about the system losses

Besides, this class contains the slots from the Gef class.

34 B7_Shade-class

Extends

Class "Gef", directly. Class "G0", by class "Gef", distance 2. Class "Meteo", by class "Gef", distance 3. Class "So1", by class "Gef", distance 3.

Methods

```
as.data.tableD signature(object = "ProdPVPS"): conversion to a data.table with daily values.
as.data.tableI signature(object = "ProdPVPS"): conversion to a data.table with intradaily values.
as.data.tableM signature(object = "ProdPVPS"): conversion to a data.table with monthly values.
as.data.tableY signature(object = "ProdPVPS"): conversion to a data.table with yearly values.
indexD signature(object = "ProdPVPS"): index of the solD slot.
indexI signature(object = "ProdPVPS"): index of the solI object.
getLat signature(object = "ProdPVPS"): latitude of the inherited Sol object.
xyplot signature(x = "ProdPVPS", data = "missing"): display the time series of daily values.
xyplot signature(x = "formula", data = "ProdPVPS"): displays the contents of a ProdPVPS
```

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

object with the xyplot method for formulas.

References

- Abella, M. A., Lorenzo, E. y Chenlo, F.: PV water pumping systems based on standard frequency converters. Progress in Photovoltaics: Research and Applications, 11(3):179–191, 2003, ISSN 1099-159X.
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

prodPVPS, fPump.

B7_Shade-class

Class "Shade": shadows in a PV system.

Description

A class for the optimization of shadows in a PV system.

Objects from the Class

Objects can be created by optimShd.

B7_Shade-class 35

Slots

FS: numeric, shadows factor values for each combination of distances.

GRR: numeric, Ground Requirement Ratio for each combination.

Yf: numeric, final productivity for each combination.

FS.loess: A local fitting of FS with loess.

Yf.loess: A local fitting of Yf with loess.

modeShd: character, mode of shadows.

struct: A list with the dimensions of the structure.

distances: A data frame with the distances between structures.

res numeric, difference (meters) between the different steps of the calculation.

Besides, as a reference, this class includes a ProdGCPV object with the performance of a PV systems without shadows.

Extends

Class "ProdGCPV", directly. Class "Gef", by class "ProdGCPV", distance 2. Class "Go", by class "ProdGCPV", distance 3. Class "Meteo", by class "ProdGCPV", distance 4. Class "Sol", by class "ProdGCPV", distance 4.

Methods

as.data.frame signature(x = "Shade"): conversion to a data.frame including columns for distances (Lew, Lns, and D) and results (FS, GRR and Yf).

shadeplot signature(x = "Shade"): display the results of the iteration with a level plot for the two-axis tracking, or with conventional plot for horizontal tracking and fixed systems.

xyplot signature(x = "formula", data = "Shade"): display the content of the Shade object
 with the xyplot method for formulas.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Perpiñán, O.: Grandes Centrales Fotovoltaicas: producción, seguimiento y ciclo de vida. PhD
 Thesis, UNED, 2008. https://www.researchgate.net/publication/39419806_Grandes_
 Centrales_Fotovoltaicas_Produccion_Seguimiento_y_Ciclo_de_Vida.
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

Gef, ProdGCPV.

36 C_corrFdKt

C_corrFdKt	Correlations between the fraction of diffuse irradiation and the clearness index.	
	ness index.	

Description

A set of correlations between the fraction of diffuse irradiation and the clearness index used by fCompD and fCompI.

Usage

```
## Monthly means of daily values
Ktm(sol, G0dm)
FdKtPage(sol, G0dm)
FdKtLJ(sol, G0dm)

## Daily values
Ktd(sol, G0d)
FdKtCPR(sol, G0d)
FdKtCKDd(sol, G0d)
FdKtCLIMEDd(sol, G0d)

## Intradaily values
Kti(sol, G0i)
FdKtEKDh(sol, G0i)
FdKtCLIMEDh(sol, G0i)
FdKtBRL(sol, G0i)
```

Arguments

sol	A Sol object, it may be the result of the calcSol function.
GØdm	A Meteo object with monthly means of radiation. It may be the result of the readG0dm function.
G0d	A Meteo object with daily values of radiation. It may be the result of the readBDd (or equivalent) function.
G0i	A Meteo object with intraidaily values of radiation. It may be the result of the readBDi (or equivalent) function.

Value

A data.table, with two columns:

Fd A numeric, the diffuse fraction.

Kt A numeric, the clearness index(provided by the Kt functions).

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López; The BRL model was suggested by Kevin Ummel.

 C_{corrFdKt} 37

References

Page, J. K., The calculation of monthly mean solar radiation for horizontal and inclined surfaces from sunshine records for latitudes 40N-40S. En U.N. Conference on New Sources of Energy, vol. 4, págs. 378–390, 1961.

- Collares-Pereira, M. y Rabl, A., The average distribution of solar radiation: correlations between diffuse and hemispherical and between daily and hourly insolation values. Solar Energy, 22:155–164, 1979.
- Erbs, D.G, Klein, S.A. and Duffie, J.A., Estimation of the diffuse radiation fraction for hourly, daily and monthly-average global radiation. Solar Energy, 28:293:302, 1982.
- De Miguel, A. et al., Diffuse solar irradiation model evaluation in the north mediterranean belt area, Solar Energy, 70:143-153, 2001.
- Ridley, B., Boland, J. and Lauret, P., Modelling of diffuse solar fraction with multiple predictors, Renewable Energy, 35:478-482, 2010.

See Also

```
fCompD, fCompI
```

```
lat = 37.2
BTd = fBTd(mode = 'prom')
GOdm = c(2.766, 3.491, 4.494, 5.912, 6.989, 7.742, 7.919, 7.027, 5.369,
    3.562, 2.814, 2.179) *1000;
Ta = c(10, 14.1, 15.6, 17.2, 19.3, 21.2, 28.4, 29.9, 24.3, 18.2, 17.2,
    15.2)
prom = readG0dm(G0dm = G0dm, Ta = Ta, lat = lat)
sol = calcSol(lat = lat, BTd = BTd)
Kt = Ktm(sol = sol, G0dm = prom)
Κt
Page = FdKtPage(sol = sol, G0dm = prom)
LJ = FdKtLJ(sol = sol, G0dm = prom)
Monthly = merge(Page, LJ, by = 'Kt'
                suffixes = c('.Page', '.LJ'))
Monthly
xyplot(Fd.Page+Fd.LJ~Kt, data = Monthly,
       type = c('l', 'g'), auto.key = list(space = 'right'))
Kt = Ktd(sol = sol, G0d = prom)
Κt
CPR = FdKtCPR(sol = sol, G0d = prom)
CLIMEDd = FdKtCLIMEDd(sol = sol, G0d = prom)
Daily = merge(CPR, CLIMEDd, by = 'Kt',
              suffixes = c('.CPR', '.CLIMEDd'))
Daily
xyplot(Fd.CPR + Fd.CLIMEDd ~ Kt, data = Daily,
       type = c('l', 'g'), auto.key = list(space = 'right'))
```

 C_fBTd

C_fBTd	Daily time base	

Description

Construction of a daily time base for solar irradiation calculation

Usage

Arguments

mode	character, controls the type of time base to be created. With mode = 'serie' the result is a daily time series from start to end. With mode = 'prom' only twelve days, one for each month, are included. During these 'average days' the declination angle is equal to the monthly mean of this angle.
year	which year is to be used for the time base when $mode = 'prom'$. Its default value is the current year.
start	first day of the time base for mode = 'serie'. Its default value is the first of January of the current year.
end	last day of the time base for mode = 'serie'. Its default value is the last day of December of the current year.
format	format of start and end.

Details

This function is commonly used inside fSolD.

Value

This function returns a POSIXct object.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- $\bullet \ \ Perpiñán, O, Energía \ Solar \ Fotovoltaica, 2015. \ (\verb|https://oscarperpinan.github.io/esf/)$
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

```
fSolD, as.POSIXct, seq.POSIXt.
```

 $C_{-}fBTi$

Examples

```
#Average days
fBTd(mode = 'prom')

#The day #100 of the year 2008
BTd = fBTd(mode = 'serie', year = 2008)
BTd[100]
```

C_fBTi

Intra-daily time base

Description

Construction of an intra-daily time base for solar irradiation calculation

Usage

```
fBTi(BTd, sample = 'hour')
```

Arguments

BTd vector, it may be a result for fBTd or indexD sample character, identify the sample of the time set. Its default value is 'hour'.

Details

This function is commonly used inside fSolI.

Value

This function returns a POSIXct object.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

```
#Average days
BTd <- fBTd(mode = 'prom')

#Intradaily base time for the first day
BTi <- fBTi(BTd = BTd[1], sample = 'hour')
BTi</pre>
```

40 C_fCompD

C_fCompD	Components of daily global solar irradiation on a horizontal surface

Description

Extract the diffuse and direct components from the daily global irradiation on a horizontal surface by means of regressions between the clearness index and the diffuse fraction parameters.

Usage

```
fCompD(sol, G0d, corr = "CPR",f)
```

Ar

rguments	
sol	A Sol object from calcSol or a data.table object from fSolD. Both of them include a component named Bo0d, which stands for the extra-atmospheric daily irradiation incident on a horizontal surface
GØd	A Meteo object from readG0dm, readBDd, or a data.table object containing daily global irradiation (Wh/m²) on a horizontal surface. See below for corr = 'none'.
corr	A character, the correlation between the fraction of diffuse irradiation and the clearness index to be used.
	With this version several options are available, as described in corrFdKt. For example, the FdKtPage is selected with corr = 'Page' and the FdKtCPR with corr = 'CPR'.
	If corr = 'user' the use of a correlation defined by a function f is possible.
	If corr = 'none' the G0d object should include information about global, dif- fuse and direct daily irradiation with columns named G0d, D0d and B0d, respec- tively.
f	A function defining a correlation between the fraction of diffuse irradiation and the clearness index. It is only necessary when corr = 'user'

Value

A data.table object which includes:

Fd	numeric, the diffuse fraction
Ktd	numeric, the clearness index
G0d	numeric, the global irradiation on a horizontal surface (Wh/m²)
D0d	numeric, the diffuse irradiation on a horizontal surface (Wh/m²)
B0d	numeric, the direct irradiation on a horizontal surface (Wh/m²)

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

 $C_{-}fCompI$ 41

See Also

fCompI

Examples

```
lat = 37.2;
BTd = fBTd(mode = 'serie')
SolD <- fSolD(lat, BTd[100])</pre>
G0d = 5000
fCompD(SolD, G0d, corr = "Page")
fCompD(SolD, G0d, corr = "CPR")
#define a function fKtd with the correlation of CPR
fKTd = function(sol, G0d){
Kt = Ktm(sol, G0d)
Fd = (0.99*(Kt \le 0.17))+ (Kt>0.17)*(1.188 -2.272 * Kt + 9.473 * Kt^2 -
21.856 * Kt<sup>3</sup> + 14.648 * Kt<sup>4</sup>)
return(data.table(Fd, Kt))}
#The same as with corr = "CPR"
fCompD(SolD, G0d, corr = "user", f = fKTd)
lat = -37.2;
SolDs <- fSolD(lat, BTd[283])</pre>
G0d = data.table(Dates = SolDs$Dates, G0d = 5000)
fCompD(SolDs, G0d, corr = "CPR")
lat = 37.2;
Godm = c(2.766, 3.491, 4.494, 5.912, 6.989, 7.742, 7.919, 7.027, 5.369, 3.562, 2.814, 2.179) *1000;
Rad = readG0dm(G0dm, lat = lat)
solD <- fSolD(lat, fBTd(mode = 'prom'))</pre>
fCompD(solD, Rad, corr = 'Page')
```

C_fCompI

Calculation of solar irradiance on a horizontal surface

Description

From the daily global, diffuse and direct irradiation values supplied by fCompD, the profile of the global, diffuse and direct irradiance is calculated with the rd and rg components of fSolI.

Usage

```
fCompI(sol, compD, G0I, corr = 'none', f, filterG0 = TRUE)
```

Arguments

A Sol object as provided by calcSol or a data.table object as provided by fSolI.

compD A data.table object as provided by fCompD. It is not considered if G0I is provided.

 C_fCompI

A Meteo object from readBDi, dt2Meteo or zoo2Meteo, or a data.table object containing *intradaily* global irradiance (W/m²) on a horizontal surface.

See below for corr = 'none'.

corr A character, the correlation between the the fraction of intradaily diffuse irradi-

ation and the clearness index to be used. It is ignored if G0I is not provided. With this version several correlations are available, as described in corrFdKt.

You should choose one of *intradaily* proposals. For example, the FdKtCLIMEDh is calcated with some a LCLIMEDH.

is selected with corr = 'CLIMEDh'.

If corr = 'user' the use of a correlation defined by a function f is possible.

If corr = 'none' the G0I object must include information about global, diffuse and direct intradaily irradiation with columns named G0, D0 and B0, respectively.

f A function defining a correlation between the fraction of diffuse irradiation and

the clearness index. It is only necessary when corr = 'user'

filterG0 A logical. If TRUE (default) this function sets the global irradiation values to NA

when they are higher than the extra-atmospheric irradiation values.

Value

A data. table with these components:

kt	numeric, clearness index.
fd	numeric, diffuse fraction.
GØ	numeric, global irradiance on a horizontal surface, (W/m²)
D0	numeric, diffuse irradiance on a horizontal surface, (W/m²)
В0	numeric, direct irradiance on a horizontal surface, (W/m²)

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Collares-Pereira, M. y Rabl, A., The average distribution of solar radiation: correlations between diffuse and hemispherical and between daily and hourly insolation values. Solar Energy, 22:155–164, 1979.
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

```
fCompD, fSolI, calcSol, corrFdKt.
```

```
lat <- 37.2

BTd <- fBTd(mode = 'serie')
solD <- fSolD(lat, BTd[100])
solI <- fSolI(solD, sample = 'hour')
G0d <- data.table(Dates = solD$Dates, G0d = 5000)</pre>
```

 $C_{\text{-}}$ fInclin 43

```
compD <- fCompD(solD, G0d, corr = "Page")</pre>
fCompI(solI, compD)
sol <- calcSol(lat, fBTd(mode = 'prom'), sample = 'hour', keep.night = FALSE)</pre>
G0dm \leftarrow c(2.766, 3.491, 4.494, 5.912, 6.989, 7.742,
          7.919, 7.027, 5.369, 3.562, 2.814, 2.179)*1000
Ta \leftarrow c(10, 14.1, 15.6, 17.2, 19.3, 21.2, 28.4, 29.9,
        24.3, 18.2, 17.2, 15.2)
BD <- readG0dm(G0dm = G0dm, Ta = Ta, lat = lat)
compD <- fCompD(sol, BD, corr = 'Page')</pre>
compI <- fCompI(sol, compD)</pre>
head(compI)
## Use of 'corr'. The help page of calcG0 includes additional examples
## with intradaily data xyplot(fd ~ kt, data = compI)
climed <- fCompI(sol, G0I = compI, corr = 'CLIMEDh')</pre>
xyplot(Fd ~ Kt, data = climed)
ekdh <- fCompI(sol, G0I = compI, corr = 'EKDh')</pre>
xyplot(Fd ~ Kt, data = ekdh)
brl <- fCompI(sol, G0I = compI, corr = 'BRL')</pre>
xyplot(Fd ~ Kt, data = brl)
```

C_fInclin

Solar irradiance on an inclined surface

Description

The solar irradiance incident on an inclined surface is calculated from the direct and diffuse irradiance on a horizontal surface, and from the evolution of the angles of the Sun and the surface. Moreover, the effect of the angle of incidence and dust on the PV module is included to obtain the effective irradiance.

This function is used by the calcGef function.

Usage

```
fInclin(compI, angGen, iS = 2, alb = 0.2, horizBright = TRUE, HCPV = FALSE)
```

Arguments

compI	A G0 object. It may be the result of calcG0.
angGen	A data.table object, including at least three variables named Beta, Alpha and cosTheta. It may be the result of fTheta.
iS	integer, degree of dirtiness. Its value must be included in the set $(1,2,3,4)$. iS = 1 corresponds to a clean surface while iS = 4 is the choice for a dirty surface. Its default value is 2
alb	numeric, albedo reflection coefficient. Its default value is 0.2

44 C_fInclin

horizBright logical, if TRUE, the horizon brightness correction proposed by Reind et al. is

used.

HCPV logical, if TRUE the diffuse and albedo components of the *effective* irradiance

are set to zero. HCPV is the acronym of High Concentration PV system.

Details

The solar irradiance incident on an inclined surface can be calculated from the direct and diffuse irradiance on a horizontal surface, and from the evolution of the angles of the Sun and the surface. The transformation of the direct radiation is straightforward since only geometric considerations are needed. However, the treatment of the diffuse irradiance is more complex since it involves the modelling of the atmosphere. There are several models for the estimation of diffuse irradiance on an inclined surface. The one which combines simplicity and acceptable results is the proposal of Hay and McKay. This model divides the diffuse component in isotropic and anisotropic whose values depends on a anisotropy index. On the other hand, the effective irradiance, the fraction of the incident irradiance that reaches the cells inside a PV module, is calculated with the losses due to the angle of incidence and dirtiness. This behaviour can be simulated with a model proposed by Martin and Ruiz requiring information about the angles of the surface and the level of dirtiness (1S)

Value

A data.table object with these components:

Bo Extra-atmospheric irradiance on the inclined surface (W/m²)

Bn Direct normal irradiance (W/m²)

G, B, D, Di, Dc, R Global, direct, diffuse (total, isotropic and anisotropic) and albedo irradiance

incident on an inclined surface (W/m²)

Gef, Bef, Def, Dief, Dcef, Ref

Effective global, direct, diffuse (total, isotropic and anisotropic) and albedo ir-

radiance incident on an inclined surface (W/m²)

FTb, FTd, FTr Factor of angular losses for the direct, diffuse and albedo components

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Hay, J. E. and McKay, D. C.: Estimating Solar Irradiance on Inclined Surfaces: A Review and Assessment of Methodologies. Int. J. Solar Energy, (3):pp. 203, 1985.
- Martin, N. and Ruiz, J.M.: Calculation of the PV modules angular losses under field conditions by means of an analytical model. Solar Energy Materials & Solar Cells, 70:25–38, 2001.
- D. T. Reindl and W. A. Beckman and J. A. Duffie: Evaluation of hourly tilted surface radiation models, Solar Energy, 45:9-17, 1990.
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

fTheta, fCompI, calcGef.

 $C_{\underline{f}Prod}$ 45

C_fProd Performance of a PV system

Description

Simulate the behaviour of a grid connected PV system under different conditions of irradiance and temperature. This function is used by the prodGCPV function.

Usage

fProd(inclin, module, generator, inverter, effSys)

Arguments

inclin A Gef object, a data. table object. In case of being data. table it must include

a component named Gef (effective irradiance, $\ensuremath{W/m^2}\xspace)$ and another named Ta

(ambient temperature, °C).

module list of numeric values with information about the PV module,

Vocn open-circuit voltage of the module at Standard Test Conditions (default

value 51.91 volts.)

Iscn short circuit current of the module at Standard Test Conditions (default value 14.07 amperes.)

, value 14.07 amperes.)

Vmn maximum power point voltage of the module at Standard Test Conditions (default value 43.76 volts.)

(deladie value 1517 o volts)

Imn Maximum power current of the module at Standard Test Conditions (default value 13.03 amperes.)

Ncs number of cells in series inside the module (default value 24)

Ncp number of cells in parallel inside the module (default value 6)

CoefVT coefficient of decrement of voltage of each cell with the temperature (default value 0.0049 volts per celsius degree)

TONC nominal operational cell temperature, celsius degree (default value 45).

generator list of numeric values with information about the generator,

Nms number of modules in series (default value 22)

Nmp number of modules in parallel (default value 130)

inverter list of numeric values with information about the DC/AC inverter,

Ki vector of three values, coefficients of the efficiency curve of the inverter (default c(0.002, 0.005, 0.008)), or a matrix of nine values (3x3) if there is

dependence with the voltage (see references).

Pinv nominal inverter power (W) (default value 1.5e6 watts.)

Vmin, Vmax minimum and maximum voltages of the MPP range of the inverter (default values 822 and 1300 volts)

Gumb minimum irradiance for the inverter to start (W/m²) (default value 20 W/m²)

effSys list of numeric values with information about the system losses,

ModQual average tolerance of the set of modules (%), default value is 3

ModDisp module parameter disperssion losses (%), default value is 2

 C_{f} Prod

OhmDC Joule losses due to the DC wiring (%), default value is 1.5
OhmAC Joule losses due to the AC wiring (%), default value is 1.5
MPP average error of the MPP algorithm of the inverter (%), default value is 1
TrafoMT losses due to the MT transformer (%), default value is 1
Disp losses due to stops of the system (%), default value is 0.5

Value

If inclin is data. table or Gef object, the result is a data. table object with these components:

Tc cell temperature, °C.

Voc, Isc, Vmpp, Impp

open circuit voltage, short circuit current, MPP voltage and current, respectively,

in the conditions of irradiance and temperature provided by Inclin

Vdc, Idc voltage and current at the input of the inverter. If no voltage limitation occurs

(according to the values of inverter\$Vmax and inverter\$Vmin), their values are identical to Vmpp and Impp. If the limit values are reached a warning is

produced

Pdc power at the input of the inverter, W
Pac power at the output of the inverter, W

EffI efficiency of the inverter

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Jantsch, M., Schmidt, H. y Schmid, J.: Results on the concerted action on power conditioning and control. 11th European photovoltaic Solar Energy Conference, 1992.
- Baumgartner, F. P., Schmidt, H., Burger, B., Bründlinger, R., Haeberlin, H. and Zehner, M.: Status and Relevance of the DC Voltage Dependency of the Inverter Efficiency. 22nd European Photovoltaic Solar Energy Conference, 2007.
- Alonso Garcia, M. C.: Caracterización y modelado de asociaciones de dispositivos fotovoltaicos. PhD Thesis, CIEMAT, 2005.
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

fInclin, prodGCPV, fTemp.

```
inclin = data.table(Gef = c(200,400,600,800,1000),Ta = 25)
#using default values
fProd(inclin)
#Using a matrix for Ki (voltage dependence)
```

C_fPump 47

```
inv1 <- list(Ki = rbind(c(-0.00019917, 7.513e-06, -5.4183e-09),
c(0.00806, -4.161e-06, 2.859e-08),
c(0.02118, 3.4002e-05, -4.8967e-08)))

fProd(inclin, inverter = inv1)

#Voltage limits of the inverter
inclin = data.table(Gef = 800,Ta = 30)
gen1 = list(Nms = 10, Nmp = 11)

prod = fProd(inclin,generator = gen1)
print(prod)

with(prod, Vdc * Idc / (Vmpp * Impp))</pre>
```

C_fPump

Performance of a centrifugal pump

Description

Compute the performance of the different parts of a centrifugal pump fed by a frequency converter following the affinity laws.

Usage

```
fPump(pump, H)
```

Arguments

pump	list containing the parameters of the pump to be simulated. It may be a row of
	pumpCoef.

H Total manometric head (m).

Value

lim	Range of values of electrical power input
fQ	Function constructed with splinefun relating flow and electrical power
fPb	Function constructed with splinefun relating pump shaft power and electrical power of the motor
fPh	Function constructed with splinefun relating hydraulical power and electrical power of the motor
fFreq	Function constructed with splinefun relating frequency and electrical power of the motor

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

 $C_{f}SolD$

References

- Abella, M. A., Lorenzo, E. y Chenlo, F.: PV water pumping systems based on standard frequency converters. Progress in Photovoltaics: Research and Applications, 11(3):179–191, 2003, ISSN 1099-159X.
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

NmgPVPS, prodPVPS, pumpCoef, splinefun.

Examples

```
library(latticeExtra)
data(pumpCoef)
CoefSP8A44 <- subset(pumpCoef, Qn == 8 & stages == 44)</pre>
fSP8A44 \leftarrow fPump(pump = CoefSP8A44, H = 40)
SP8A44 = with(fSP8A44,{
                 Pac = seq(lim[1], lim[2], by = 100)
                Pb = fPb(Pac)
                 etam = Pb/Pac
                 Ph = fPh(Pac)
                 etab = Ph/Pb
                 f = fFreq(Pac)
                 0 = f0(Pac)
                 result = data.frame(Q,Pac,Pb,Ph,etam,etab,f)})
#Efficiency of the motor, pump and the motor-pump
SP8A44$etamb = with(SP8A44,etab*etam)
lab = c(expression(eta[motor]), expression(eta[pump]), expression(eta[mp]))
p \leftarrow xyplot(etam + etab + etamb \sim Pac,data = SP8A44,type = 'l', ylab = 'Efficiency')
p+glayer(panel.text(x[1], y[1], lab[group.number], pos = 3))
#Mechanical, hydraulic and electrical power
lab = c(expression(P[pump]), expression(P[hyd]))
p \leftarrow xyplot(Pb + Ph \sim Pac, data = SP8A44, type = 'l', ylab = 'Power (W)', xlab = 'AC Power (W)')
p+glayer(panel.text(x[length(x)], y[length(x)], lab[group.number], pos = 3))
#Flow and electrical power
xyplot(Q ~ Pac,data = SP8A44,type = '1')
```

 C_fSolD

Daily apparent movement of the Sun from the Earth

Description

Compute the daily apparent movement of the Sun from the Earth. This movement is mainly described (for the simulation of photovoltaic systems) by the declination angle, the sunrise angle and the daily extra-atmospheric irradiation.

C_fSoID 49

Usage

```
fSolD(lat, BTd, method = 'michalsky')
```

Arguments

lat Latitude (degrees) of the point of the Earth where calculations are needed. It is

positive for locations above the Equator.

BTd Daily temporal base, a POSIXct object which may be the result of fBTd.

method character, method for the sun geometry calculations to be chosen from 'cooper',

'spencer', 'michalsky' and 'strous'. See references for details.

Value

A data. table object with these components:

lat	Latitude (degrees)
decl	Declination angle (radians) for each day of year in dn or BTd
eo	Factor of correction due the eccentricity of orbit of the Earth around the Sun.
ws	Sunrise angle (in radians) for each day of year. Due to the convention which considers that the solar hour angle is negative before midday, this angle is negative.
Bo0d	Extra-atmospheric daily irradiation (watt-hour per squared meter) incident on a horizontal surface
EoT	Equation of Time.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Cooper, P.I., Solar Energy, 12, 3 (1969). "The Absorption of Solar Radiation in Solar Stills"
- Spencer, Search 2 (5), 172, https://www.mail-archive.com/sundial@uni-koeln.de/msg01050.
- Strous: https://www.aa.quae.nl/en/reken/zonpositie.html
- Michalsky, J., 1988: The Astronomical Almanac's algorithm for approximate solar position (1950-2050), Solar Energy 40, 227-235
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

```
BTd <- fBTd(mode = 'serie')
lat <- 37.2
fSolD(lat, BTd[100])
fSolD(lat, BTd[100], method = 'strous')
fSolD(lat, BTd[100], method = 'spencer')
fSolD(lat, BTd[100], method = 'cooper')</pre>
```

50 C_fSolI

```
lat <- -37.2
fSolD(lat, BTd[283])
#Solar angles along the year
SolD <- fSolD(lat, BTd = fBTd())</pre>
library(lattice)
xyplot(SolD)
#Calculation of the daylength for several latitudes
library(latticeExtra)
Lats < c(-60, -40, -20, 0, 20, 40, 60)
NomLats <- ifelse(Lats > 0, paste(Lats, 'N', sep = ''),
                   paste(abs(Lats), 'S', sep = ''))
NomLats[Lats == 0] <- '0'</pre>
BTd <- fBTd(mode = 'serie')
mat <- matrix(nrow = length(BTd), ncol = length(Lats))</pre>
colnames(mat) <- NomLats</pre>
WsZ <- data.table(Dates = BTd, mat)</pre>
for (i in seq_along(Lats)){
    SolDaux <- fSolD(lat = Lats[i], BTd = fBTd(mode = 'serie'));</pre>
    WsZ[,i+1] \leftarrow r2h(2*abs(SolDaux$ws))
p = xyplot(`60S` + `40S` + `20S` + `0` + `20N` + `40N` + `60N` ~ Dates, data = WsZ, type = "1",
           ylab = expression(omega[s] * (h)))
plab = p+glayer(panel.text(x[1], y[1], NomLats[group.number], pos = 2))
print(plab)
```

C_fSolI

Instantaneous apparent movement of the Sun from the Earth

Description

Compute the angles which describe the intradaily apparent movement of the Sun from the Earth.

Usage

```
fSolI(solD, sample = 'hour', BTi, EoT = TRUE, keep.night = TRUE, method = 'michalsky')
```

Arguments

solD	A data.table object with the result of fSolD
sample	Increment of the intradaily sequence. It is a character string, containing one of "sec", "min", "hour". This can optionally be preceded by a (positive or negative) integer and a space, or followed by "s". It is used by seq.POSIXt. It is not considered when BTi is provided.
ВТі	Intradaily time base, a POSIXct object. It could be the index of the G0I argument to calcG0. fSoII will produce results only for those days contained both in soID and in BTi.

C_fSoII 51

EoT logical, if TRUE (default) the Equation of Time is used.

keep.night logical, if TRUE (default) the night is included in the time series.

method character, method for the sun geometry calculations to be chosen from 'cooper',

'spencer', 'michalsky' and 'strous'. See references for details.

Value

A data. table object is returned with these components:

lat numeric, latitude (degrees)

w numeric, solar hour angle (radians)

aman logical, TRUE when Sun is above the horizon cosThzS numeric, cosine of the solar zenith angle AzS numeric, solar acimuth angle (radians)

AlS numeric, solar elevation angle (radians)

Bo0 numeric, extra-atmospheric irradiance (W/m2)

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Cooper, P.I., Solar Energy, 12, 3 (1969). "The Absorption of Solar Radiation in Solar Stills"
- Spencer, Search 2 (5), 172, https://www.mail-archive.com/sundial@uni-koeln.de/msg01050.html
- Strous: https://www.aa.quae.nl/en/reken/zonpositie.html
- Michalsky, J., 1988: The Astronomical Almanac's algorithm for approximate solar position (1950-2050), Solar Energy 40, 227-235
- Collares-Pereira, M. y Rabl, A., The average distribution of solar radiation: correlations between diffuse and hemispherical and between daily and hourly insolation values. Solar Energy, 22:155–164, 1979.
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

fSo₁D

```
###Angles for one day
BTd = fBTd(mode = 'serie')

#North hemisphere
lat = 37.2
solD <- fSolD(lat,BTd[100])
solI <- fSolI(solD, sample = 'hour')
print(solI)</pre>
```

52 C_fSombra

```
#South hemisphere
lat = -37.2;
solDs <- fSolD(lat,BTd[283])</pre>
solIs <- fSolI(solDs, sample = 'hour')</pre>
print(solIs)
###Angles for the 12 average days
lat = 37.2;
solD <- fSolD(lat,BTd = fBTd(mode = 'prom'))</pre>
solI <- fSolI(solD, sample = '10 min', keep.night = FALSE)</pre>
library(lattice)
library(latticeExtra)
###Solar elevation angle vs. azimuth.
\#This\ kind\ of\ graphics\ is\ useful\ for\ shadows\ calculations
mon = month.abb
p <- xyplot(r2d(AlS)~r2d(AzS),</pre>
    groups = month(Dates),
    data = solI, type = '1', col = 'black',
    xlab = expression(psi[s]),ylab = expression(gamma[s]))
plab <- p + glayer({</pre>
  idx <- round(length(x)/2+1)
  panel.text(x[idx], y[idx], mon[group.value], pos = 3, offset = 0.2, cex = 0.8)})
print(plab)
```

C_fSombra

Shadows on PV systems

Description

Compute the shadows factor for two-axis and horizontal N-S axis trackers and fixed surfaces.

Usage

```
fSombra(angGen, distances, struct, modeTrk = 'fixed',prom = TRUE)
fSombra6(angGen,distances,struct,prom = TRUE)
fSombra2X(angGen,distances,struct)
fSombraHoriz(angGen, distances,struct)
fSombraEst(angGen, distances,struct)
```

Arguments

angGen

A data. table object, including at least variables named Beta, Alpha, AzS, AlS and cosTheta.

C_fSombra 53

distances data. frame, with a component named Lew, being the distance (meters) between

horizontal NS and two-axis trackers along the East-West direction, a component named Lns for two-axis trackers or a component named D for static surfaces. An additional component named H can be included with the relative height (meters) between surfaces. When modeTrk = 'two' (or when fSombra6 is used) this data.frame may have five rows. Each of these rows defines the distances of a

tracker in a set of six ones.

struct list. When modeTrk = 'fixed' or modeTrk = 'horiz' only a component named

L, which is the height (meters) of the tracker, is needed. For two-axis trackers (modeTrk = 'two'), an additional component named W, the width of the tracker, is required. Moreover, two components named Nrow and Ncol are included under this list. These components define, respectively, the number of rows and

columns of the whole set of trackers in the PV plant.

modeTrk character, to be chosen from 'fixed', 'two' or 'horiz'. When modeTrk

= 'fixed' the surface is fixed (inclination and azimuth angles are constant). The performance of a two-axis tracker is calculated with modeTrk = 'two', and modeTrk = 'horiz' is the option for an horizontal N-S tracker. Its default value

is modeTrk = 'fixed'

prom logical, only needed for two-axis tracker mode. If TRUE the shadows are aver-

aged between the set of trackers defined by struct\$Nrow and struct\$Ncol

Details

fSombra is only a wrapper for fSombra6 (two-axis trackers), fSombraEst (fixed systems) and fSombraHoriz (horizontal N-S axis trackers). Depending on the value of modeTrk the corresponding function is selected. fSombra6 calculates the shadows factor in a set of six two-axis trackers. If distances has only one row, this function constructs a symmetric grid around a tracker located at (0,0,0). These five trackers are located at (-Lew, Lns, H), (0, Lns, H), (Lew, Lns, H), (-Lew, 0, H) and (Lns, 0, H). It is possible to define a irregular grid around (0,0,0) including five rows in distances. When prom = TRUE the shadows factor for each of the six trackers is calculated. Then, according to the distribution of trackers in the plant defined by struct\$Nrow and struct\$Ncol, a weighted average of the shadows factors is the result. It is important to note that the distances are defined between axis for trackers and between similar points of the structure for fixed surfaces.

Value

data.table including angGen and a variable named FS, which is the shadows factor. This factor is the ratio between the area of the generator affected by shadows and the total area. Therefore its value is 1 when the PV generator is completely shadowed.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Perpiñán, O.: Grandes Centrales Fotovoltaicas: producción, seguimiento y ciclo de vida. PhD
 Thesis, UNED, 2008. https://www.researchgate.net/publication/39419806_Grandes_
 Centrales_Fotovoltaicas_Produccion_Seguimiento_y_Ciclo_de_Vida.
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

54 C_fTemp

See Also

calcShd, optimShd, fTheta, calcSol

Examples

```
lat = 37.2;
sol <- calcSol(lat, fBTd(mode = 'prom'), sample = '10 min', keep.night = FALSE)</pre>
angGen <- fTheta(sol, beta = 35);</pre>
Angles <- merge(as.data.tableI(sol), angGen)</pre>
###Two-axis tracker
#Symmetric grid
distances = data.table(Lew = 40,Lns = 30,H = 0)
struct = list(W = 23.11, L = 9.8, Nrow = 2, Ncol = 8)
ShdFactor <- fSombra6(Angles, distances, struct, prom = FALSE)</pre>
Angles$FS = ShdFactor
xyplot(FS ~ w, groups = month(Dates), data = Angles,
    type = '1',
    auto.key = list(space = 'right',
                     lines = TRUE,
                     points = FALSE))
#Symmetric grid defined with a five rows data.frame
distances = data.table(Lew = c(-40,0,40,-40,40),
                        Lns = c(30,30,30,0,0),
                        H = 0
ShdFactor2 <- fSombra6(Angles, distances, struct,prom = FALSE)</pre>
#of course, with the same result
identical(ShdFactor, ShdFactor2)
```

C_fTemp

Intradaily evolution of ambient temperature

Description

From the maximum and minimum daily values of ambient temperature, its evolution its calculated through a combination of cosine functions (ESRA method)

Usage

```
fTemp(sol, BD)
```

Arguments

sol A Sol object. It may be the result of the calcSol function.

BD A Meteo object, as provided by the readBDd function. It must include information about TempMax and TempMin.

C_fTheta 55

Details

The ESRA method estimates the dependence of the temperature on the time of the day (given as the local solar time) from only two inputs: minimum and maximum daily temperatures. It assumes that the temperature daily profile can be described using three piecewise cosine functions, dividing the day into three periods: from midnight to sunrise, from sunrise to the time of peak temperature (3 hours after midday), and to midnight.

Value

A data. table object with the profile of the ambient temperature.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Huld, T., Suri, M., Dunlop, E. D., and Micale F., Estimating average daytime and daily temperature profiles within Europe, Environmental Modelling & Software 21 (2006) 1650-1661.
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

calcSol, readBDd.

C_fTheta

Angle of incidence of solar irradiation on a inclined surface

Description

The orientation, azimuth and incidence angle are calculated from the results of fSolI or calcSoland from the information supplied by the arguments beta and alpha when the surface is fixed (modeTrk = 'fixed') or the movement equations when a tracking surface is chosen (modeTrk = 'horiz' or modeTrk = 'two'). Besides, the modified movement of a horizontal NS tracker due to the backtracking strategy is calculated if BT = TRUE with information about the tracker and the distance between the trackers included in the system.

This function is used by the calcGef function.

Usage

```
fTheta(sol, beta, alpha = 0, modeTrk = "fixed", betaLim = 90,
BT = FALSE, struct, dist)
```

 C_{f} Theta

Arguments

sol Sol object as provided by calcSol.

beta numeric, inclination angle of the surface (degrees). It is only needed when

modeTrk = 'fixed'.

alpha numeric, azimuth angle of the surface (degrees). It is measured from the south

(alpha = 0), and it is negative to the east and positive to the west. It is only needed when modeTrk = 'fixed'. Its default value is alpha = 0 (surface facing

to the south).

modeTrk character, to be chosen from 'fixed', 'two' or 'horiz'. When modeTrk

= 'fixed' the surface is fixed (inclination and azimuth angles are constant). The performance of a two-axis tracker is calculated with modeTrk = 'two', and modeTrk = 'horiz' is the option for an horizontal N-S tracker. Its default value

is modeTrk = 'fixed'

betaLim numeric, maximum value of the inclination angle for a tracking surface. Its

default value is 90 (no limitation))

BT logical, TRUE when the bactracking technique is to be used with a horizontal

NS tracker, as described by Panico et al. (see References). The default value is FALSE. In future versions of this package this technique will be available for

two-axis trackers.

struct Only needed when BT = TRUE. A list, with a component named L, which is the

height (meters) of the tracker. In future versions the backtracking technique will be used in conjuction with two-axis trackers, and a additional component named

W will be needed.

dist Only needed when BT = TRUE. A data.frame, with a component named Lew,

being the distance between the horizontal NS trackers along the East-West direction. In future versions an additional component named Lns will be needed

for two-axis trackers with backtracking.

Value

A data. table object with these components:

Beta numeric, inclination angle of the surface (radians). When modeTrk = 'fixed' it

is the value of the argument beta converted from degrees to radians.

Alpha numeric, azimuth angle of the surface (radians). When modeTrk = 'fixed' it is

the value of the argument alpha converted from degrees to radians.

cosTheta numeric, cosine of the incidence angle of the solar irradiance on the surface

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Panico, D., Garvison, P., Wenger, H. J., Shugar, D., Backtracking: a novel strategy for tracking PV systems, Photovoltaic Specialists Conference, 668-673, 1991
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

C_HQCurve 57

See Also

fInclin, fSombra, calcGef.

C_HQCurve

H-Q curves of a centrifugal pump

Description

Compute and display the H-Q curves of a centrifugal pump fed working at several frequencies, and the iso-efficiency curve as a reference.

Usage

HQCurve(pump)

Arguments

pump

list containing the parameters of the pump to be simulated. It may be a row of pumpCoef.

Value

result

A data.frame with the result of the simulation. It contains several columns with values of manometric height (H), frequency (fe and fb), mechanical power (Pb), AC electrical power (Pm), DC electrical power (Pdc) and efficiency of the pump (etab) and motor (etam).

plot

The plot with several curves labelled with the correspondent frequencies, and the isoefficiency curve (named "ISO").

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Abella, M. A., Lorenzo, E. y Chenlo, F.: PV water pumping systems based on standard frequency converters. Progress in Photovoltaics: Research and Applications, 11(3):179–191, 2003, ISSN 1099-159X.
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

NmgPVPS, prodPVPS, pumpCoef.

58 C_local2Solar

Examples

```
library(lattice)
library(latticeExtra)

data(pumpCoef)

CoefSP8A44 <- subset(pumpCoef, Qn == 8&stages == 44)
CurvaSP8A44 <- HQCurve(pump = CoefSP8A44)</pre>
```

C_local2Solar

Local time, mean solar time and UTC time zone.

Description

The function local2Solar converts the time zone of a POSIXct object to the mean solar time and set its time zone to UTC as a synonym of mean solar time. It includes two corrections: the difference of longitudes between the location and the time zone, and the daylight saving time.

The function lonHH calculates the longitude (radians) of a time zone.

Usage

```
local2Solar(x, lon = NULL)
lonHH(tz)
```

Arguments

X	a POSIXct object
lon	A numeric value of the longitude (degrees) of the location. If $lon = NULL$ (default), this value is assumed to be equal to the longitude of the time zone of x, so only the daylight saving time correction (if needed) is included.
tz	A character, a time zone as documented in https://en.wikipedia.org/wiki/List_of_tz_database_time_zones.

Details

Since the result of local2Solar is the mean solar time, the Equation of Time correction is not calculated with this function. The eot function includes this correction if desired.

Value

The function local2Solar produces a POSIXct object with its time zone set to UTC.

The function lonHH gives a numeric value.

Note

It is important to note that the solaR2 package sets the system time zone to UTC with Sys.setenv(TZ = 'UTC').

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

 $C_N mgPVPS$ 59

References

- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

Examples

```
t.local <- as.POSIXct("2006-01-08 10:07:52", tz = 'Europe/Madrid')

##The local time zone and the location have the same longitude (15 degrees)
local2Solar(t.local)

##But Madrid is at lon = -3
local2Solar(t.local, lon = -3)

##Daylight saving time
t.local.dst <- as.POSIXct("2006-07-08 10:07:52", tz = 'Europe/Madrid')

local2Solar(t.local.dst)
local2Solar(t.local.dst, lon = -3)</pre>
```

C_NmgPVPS

Nomogram of a photovoltaic pumping system

Description

This function simulate the performance of a water pump fed by a frequency converter with several PV generators of different size during a day. The result is plotted as a nomogram which relates the nominal power of the PV generator, the total water flow and the total manometric head.

Usage

```
NmgPVPS(pump, Pg, H, Gd, Ta = 30,
    lambda = 0.0045, TONC = 47, eta = 0.95,
    Gmax = 1200, t0 = 6, Nm = 6,
    title = '', theme = custom.theme.2())
```

Arguments

pump	A list extracted from pumpCoef
Pg	Sequence of values of the nominal power of the PV generator (Wp))
Н	Sequence of values of the total manometric head (m)
Gd	Global irradiation incident on the generator (Wh/m²)
Та	Ambient temperature (°C).
lambda	Power losses factor due to temperature
TONC	Nominal operational cell temperature (°C).
eta	Average efficiency of the frequency converter
Gmax	Maximum value of irradiance (parameter of the IEC 61725)
t0	Hours from midday to sunset (parameter of the IEC 61725)

 $C_NmgPVPS$

Nm	Number of samples per hour
title	Main title of the plot.
theme	Theme of the lattice plot.

Details

This function computes the irradiance profile according to the IEC 61725 "Analytical Expression for Daily Solar Profiles", which is a common reference in the official documents regarding PV pumping systems. At this version only pumps from the manufacturer Grundfos are included in pumpCoef.

Value

Ι	List with the results of irradiance, power and flow of the system.
D	list with the results of total irradiation, electrical energy and flow for every nominal power of the generator.
param	list with the arguments used in the call to the function.

plot trellis object containing the nomogram.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Abella, M. A., Lorenzo, E. y Chenlo, F.: PV water pumping systems based on standard frequency converters. Progress in Photovoltaics: Research and Applications, 11(3):179–191, 2003, ISSN 1099-159X.
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

fPump, prodPVPS, pumpCoef

C_sample2Diff 61

C_sample2Diff

Small utilities for difftime objects.

Description

diff2Hours converts a difftime object into its numeric value with units = 'hours'.

char2diff converts a character description into a difftime object, following the code of seq.POSIXt.

sample2Hours calculates the sampling time in hours described by a character or a difftime.

P2E (power to energy) sums a series of power values (for example, irradiance) to obtain energy aggregation (for example, irradiation) using sample2Hours for the units conversion.

Usage

```
diff2Hours(by)
char2diff(by)
sample2Hours(by)
P2E(x, by)
```

Arguments

by $A \, \text{character} \, \text{for} \, \text{char2diff}, \, \text{sample2Hours} \, \text{and P2E}, \, \text{or} \, \text{a} \, \text{difftime} \, \text{for} \, \text{diff2Hours},$

sample2Hours and P2E.

x A numeric vector.

Value

A numeric value or a difftime object.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

See Also

Sol

```
char2diff('min')
char2diff('2 s')
sample2Hours('s')
sample2Hours('30 m')
by1 <- char2diff('10 min')
sample2Hours(by1)</pre>
```

62 C_solarAngles

C_solarAngles

Solar angles

Description

A set of functions that compute the apparent movement of the Sun from the Earth.

Usage

```
## Declination
declination(d, method = 'michalsky')
## Eccentricity
eccentricity(d, method = 'michalsky')
## Equation of time
eot(d)
## Solar time
sunrise(d, lat, method = 'michalsky',
        decl = declination(d, method = method))
## Extraterrestrial irradiation
bo0d(d, lat, method = 'michalsky',
     decl = declination(d, method = method),
     eo = eccentricity(d, method = method),
     ws = sunrise(d, lat, method = method))
## Sun hour angle
sunHour(d, BTi, sample = 'hour', EoT = TRUE,
        method = 'michalsky',
        eqtime = eot(d)
## Cosine of the zenith angle
zenith(d, lat, BTi, sample = 'hour', method = 'michalsky',
       decl = declination(d, method = method),
       w = sunHour(d, BTi, sample, method = method))
## Azimuth angle
azimuth(d, lat, BTi, sample = 'hour', method = 'michalsky',
        decl = declination(d, method = method),
        w = sunHour(d, BTi, sample, method = method),
        cosThzS = zenith(d, lat, BTi, sample,
                         method = method,
                         decl = decl,
                         w = w)
```

Arguments

d Date, a daily time base, it may be the result of fBTd

C_solarAngles	63

method	character, method for the sun geometry calculations, to be chosen from 'cooper', 'spencer', 'michalsky' and 'strous'. See references for details.	
lat	numeric, latitude (degrees) of the point of the Earth where calculations are needed. It is positive for locations above the Equator.	
sample	Character, increment of the intradaily sequence.	
BTi	POSIXct, intradily time base, it may the result of fBTi.	
EoT	logical, if ${\tt EoT=TRUE}$ (default value), the function sunHour use the Equation of	
	time	
decl, eo, ws, eqtime, w, cosThzS		
	Arguments that compute the variables they reference (default value). It can be replaced with previously calculated values to avoid calculating the same variable	

Author(s)

Francisco Delgado López, Oscar Perpiñán Lamigueiro.

twice.

References

- Cooper, P.I., Solar Energy, 12, 3 (1969). "The Absorption of Solar Radiation in Solar Stills"
- Spencer, Search 2 (5), 172, https://www.mail-archive.com/sundial@uni-koeln.de/msg01050. html
- Strous: https://www.aa.quae.nl/en/reken/zonpositie.html
- Michalsky, J., 1988: The Astronomical Almanac's algorithm for approximate solar position (1950-2050), Solar Energy 40, 227-235
- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

```
fSolD, fSolI, calcSol
```

C_utils-time

C_utils-angle

Conversion between angle units.

Description

Several small functions to convert angle units.

Usage

d2r(x)

r2d(x)

h2r(x)

h2d(x)

r2h(x)

d2h(x)

r2sec(x)

Arguments

Х

A numeric value.

Value

A numeric value:

d2r: Degrees to radians.

r2d: Radians to degrees.

h2r: Hours to radians.

r2h: Radians to hours.

h2d: Hours to degrees.

d2h: Degrees to hours.

r2sec: Radians to seconds.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

C_utils-time

Utilities for time indexes.

Description

Several small functions to extract information from POSIXct indexes.

D_as.data.tableD-methods

Usage

```
hms(x)
doy(x)
dom(x)
dst(x)
truncDay(x)
```

Arguments

x A POSIXct vector.

Value

doy and dom provide the (numeric) day of year and day of month, respectively.

hms gives the numeric value

```
hour(x)+minute(x)/60+second(x)/3600
```

dst is +1 if the Daylight Savings Time flag is in force, zero if not, -1 if unknown (DateTimeClasses). truncDay truncates the POSIXct object towards the day.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

See Also

as.POSIXct

```
D_as.data.tableD-methods
```

 $Methods\ for\ Function\ as. data. table D$

Description

Convert a Sol, G0, Gef, ProdGCPV or ProdPVPS object into a data.table object with daily values.

Usage

```
## S4 method for signature 'Sol'
as.data.tableD(object, complete=FALSE, day=FALSE)
```

Arguments

object A Sol object (or extended.)

complete A logical.
day A logical.

65

Methods

- signature(object = "Sol") Conversion to a data.table object with the content of the solD slot. If day=TRUE (default is FALSE), the result includes three columns named month, day (day of the year) and year.
- signature(object = "G0") If complete=FALSE (default) the result includes only the columns of G0d, D0d and B0d from the G0D slot. If complete=TRUE it returns the contents of the slots solD and G0D.
- signature(object = "Gef") If complete=FALSE (default) the result includes only the columns of
 Gefd, Defd and Befd from the GefD slot. If complete=TRUE it returns the contents of the slots
 solD, G0D and GefD
- signature(object = "ProdGCPV") If complete=FALSE (default) the result includes only the columns of Eac, Edc and Yf from the prodD slot. If complete=TRUE it returns the contents of the slots solD, G0D, GefD and prodD.
- signature(object = "ProdPVPS") If complete=FALSE (default) the result includes only the columns of Eac, Qd and Yf from the prodD slot. If complete=TRUE it returns the contents of the slots solD, G0D, GefD and prodD.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

Examples

```
lat = 37.2
BTd = fBTd(mode = 'prom')
sol = calcSol(lat, BTd)
solD = as.data.tableD(sol)
solD

solD2 = as.data.tableD(sol, day = TRUE)
solD2

G@dm <- c(2766, 3491, 4494, 5912, 6989, 7742, 7919, 7027, 5369, 3562, 2814, 2179)

Ta <- c(10, 14.1, 15.6, 17.2, 19.3, 21.2, 28.4, 29.9, 24.3, 18.2, 17.2, 15.2)
prom <- list(G@dm = G@dm, Ta = Ta)
prodfixed = prodGCPV(lat, dataRad = prom)
prodD = as.data.tableD(prodfixed, complete = TRUE, day = TRUE)
prodD</pre>
```

D_as.data.tableI-methods

Methods for Function as.data.tableI

Description

Convert a Sol, G0, Gef, ProdGCPV or ProdPVPS object into a data.table object with daily values.

D_as.data.tableI-methods

Usage

```
## S4 method for signature 'Sol'
as.data.tableI(object, complete=FALSE, day=FALSE)
```

Arguments

object A Sol object (or extended.)
complete A logical.
day A logical.

Methods

- signature(object = "Sol") If complete=FALSE and day=FALSE (default) the result includes only the content of the solI slot. If complete=TRUE the contents of the solD slots are included.
- signature(object = "G0") If complete=FALSE and day=FALSE (default) the result includes only the columns of G0, D0 and B0 of the G0I slot. If complete=TRUE it returns the contents of the slots G0I and solI. If day=TRUE the daily values (slots G0D and solD) are also included.)
- signature(object = "Gef") If complete=FALSE and day=FALSE (default) the result includes only the columns of Gef, Def and Bef of the GefI slot. If complete=TRUE it returns the contents of the slots GefI, G0I and solI. If day=TRUE the daily values (slots GefD, G0D and solD) are also included.)
- signature(object = "ProdGCPV") If complete=FALSE and day=FALSE (default) the result includes only the columns of Pac and Pdc of the prodI slot. If complete=TRUE it returns the contents of the slots prodI, GefI, G0I and solI. If day=TRUE the daily values (slots prodD, GefD, G0D and solD) are also included.)
- signature(object = "ProdPVPS") If complete=FALSE and day=FALSE (default) the result includes only the columns of Pac and Q of the prodI slot. If complete=TRUE it returns the contents of the slots prodI, GefI, G0I and solI. If day=TRUE the daily values (slots prodD, GefD, G0D and solD) are also included.)

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

Examples

67

```
D_as.data.tableM-methods
```

Methods for Function as.data.tableM

Description

Convert a G0, Gef, ProdGCPV or ProdPVPS object into a as.data.table object with monthly average of daily values.

Usage

```
## S4 method for signature 'G0'
as.data.tableM(object, complete=FALSE, day=FALSE)
```

Arguments

object A G0 object (or extended.)

complete A logical day A logical

Methods

signature(object = "G0") The result is the G0dm slot. If day=TRUE (default is FALSE), the result includes two columns names month and year.

signature(object = "Gef") If complete=FALSE (default) the result is the slot Gefdm. If complete=TRUE
 it returns the slot G0dm.

signature(object = "ProdGCPV") If complete=FALSE (default) the result is the prodDm slot. If complete=TRUE the result includes the slots G0dm and Gefdm.

signature(object = "ProdPVPS") If complete=FALSE (default) the result is the prodDm slot. If complete=TRUE the result includes the slots G0dm and Gefdm.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

D_as.data.tableY-methods

69

```
D_as.data.tableY-methods
```

Methods for Function as.data.tableY

Description

Convert a G0, Gef, ProdGCPV or ProdPVPS object into a data. table object with yearly values.

Usage

```
## S4 method for signature 'G0'
as.data.tableY(object, complete=FALSE, day=FALSE)
```

Arguments

object A G0 object (or extended.)

complete A logical.
day A logical.

Methods

signature(object = "G0") The result is the G0y slot. If day = TRUE (default is FALSE), the result
includes a column named year.

signature(object = "Gef") If complete=FALSE (default) the result is the slot Gefy. If complete=TRUE
 it returns the slot G0y.

signature(object = "ProdGCPV") If complete=FALSE (default) the result is the prody slot. If complete=TRUE the result includes the slots G0y and Gefy.

signature(object = "ProdPVPS") If complete=FALSE (default) the result is the prody slot. If complete=TRUE the result includes the slots GOy and Gefy.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

70 D_compare-methods

D_compare-methods

Compare G0, Gef and ProdGCPV objects

Description

Compare and plot the yearly values of several objects.

Usage

```
## S4 method for signature 'G0'
compare(...)
```

Arguments

. . . A list of objects to be compared.

Methods

The class of the first element of . . . is used to determine the suitable method. The result is plotted with dotplot:

```
signature(... = "G0") yearly values of G0d, B0d and D0d.
signature(... = "Gef") yearly values of Gefd, Befd and Defd.
signature(... = "ProdGCPV") yearly values of Yf, Gefd and G0d.
```

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

See Also

dotplot

```
lat = 37.2;
G0dm = c(2766, 3491, 4494, 5912, 6989, 7742, 7919, 7027, 5369, 3562, 2814,
2179)
Ta = c(10, 14.1, 15.6, 17.2, 19.3, 21.2, 28.4, 29.9, 24.3, 18.2, 17.2, 15.2)
prom = list(G0dm = G0dm, Ta = Ta)

###Comparison of different tracker methods
ProdFixed <- prodGCPV(lat = lat, dataRad = prom, keep.night = FALSE)
Prod2x <- prodGCPV(lat = lat, dataRad = prom, modeTrk = 'two', keep.night = FALSE)
ProdHoriz <- prodGCPV(lat = lat, dataRad = prom, modeTrk = 'horiz', keep.night = FALSE)

compare(ProdFixed, Prod2x, ProdHoriz)

##The first element rules the method
GefFixed = as(ProdFixed, 'Gef')
compare(GefFixed, Prod2x, ProdHoriz)</pre>
```

D_getData-methods 71

D_getData-methods Met

Methods for function getData

Description

Meteorological source data of a Meteo (or extended) object.

Methods

signature(object = "Meteo") returns the meteorological source data of the slot data of the object.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

D_getG0-methods

Methods for function getG0

Description

Global irradiation source data of a Meteo (or extended) object.

Methods

signature(object = "Meteo") returns the global irradiation values stored in a Meteo object.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

 $D_getLat-methods$

Methods for Function getLat

Description

Latitude angle of solaR objects.

Usage

```
getLat(object, units='rad')
```

Arguments

object A Sol or Meteo object (or extended.)

units A character, 'rad' or 'deg'.

72 D_indexI-methods

Methods

This function returns the latitude angle in radians (units='rad', default) or degrees (units='deg').

signature(object = "Meteo") Value of the latData slot, which is defined by the argument lat of the readG0dm and readBDd functions, or by the lat component of the dataRad object passed to calcG0 (or equivalent). It is the latitude of the meteorological station (or equivalent) which provided the irradiation source data. It may be different from the value used for the calculation procedure.

signature(object = "Sol") Value of the lat slot, which is defined by the argument lat of the calcSol function. It is the value used through the calculation procedure.

```
signature(object = "G0") same as for the Sol class.
```

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

D_indexD-methods

Methods for Function indexD

Description

Daily time index of solaR objects.

Methods

```
signature(object = "Meteo") returns the index of the data slot (a data.table object.)
signature(object = "Sol") returns the index of the solD slot (a data.table object.)
signature(object = "GO") same as for object='Sol'
```

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

D_indexI-methods

Methods for Function indexI

Description

Intra-daily time index of solaR objects.

Methods

```
signature(object = "Sol") returns the index of the slot solI (a data.table object).
```

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

D_levelplot-methods 73

Description

Methods for function levelplot and zoo and solaR objects.

Methods

```
signature(x = "formula", data = "Meteo"): The Meteo object is converted into a data.table
    object, and the previous method is used.
signature(x = "formula", data = "Sol"): idem
signature(x = "formula", data = "G0"): idem
```

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

D_Losses-methods

Losses of a GCPV system

Description

The function losses calculates the yearly losses from a Gef or a ProdGCPV object. The function compareLosses compares the losses from several ProdGCPV objects and plots the result with dotplot.

Usage

```
compareLosses(...)
losses(object)
```

Arguments

```
... A list of ProdGCPV objects to be compared.

object An object of Gef or ProdGCPV class..
```

Methods

```
signature(... = "Gef") shadows and angle of incidence (AoI) losses.
signature(... = "ProdGCPV") shadows, AoI, generator (mainly temperature), DC and AC system (as detailed in effSys of fProd) and inverter losses.
```

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

References

- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

See Also

```
fInclin, fProd
```

Examples

```
lat = 37.2;
G0dm = c(2766, 3491, 4494, 5912, 6989, 7742, 7919, 7027, 5369, 3562, 2814,
2179)
Ta = c(10, 14.1, 15.6, 17.2, 19.3, 21.2, 28.4, 29.9, 24.3, 18.2, 17.2, 15.2)
prom = list(G0dm = G0dm, Ta = Ta)

###Comparison of different tracker methods
ProdFixed <- prodGCPV(lat = lat, dataRad = prom, keep.night = FALSE)
Prod2x <- prodGCPV(lat = lat, dataRad = prom, modeTrk = 'two', keep.night = FALSE)
ProdHoriz <- prodGCPV(lat = lat, dataRad = prom, modeTrk = 'horiz', keep.night = FALSE)
losses(ProdFixed)
losses(as(ProdFixed, 'Gef'))
compareLosses(ProdFixed, Prod2x, ProdHoriz)</pre>
```

Description

Merge the daily time series of solaR objects

Usage

```
## S4 method for signature 'G0'
mergesolaR(...)
```

Arguments

.. A list of objects to be merged.

Methods

The class of the first element of ... is used to determine the suitable method. Only the most important daily variable is merged, depending on the class of the objects:

```
signature(... = "Meteo") G0
signature(... = "G0") G0d
signature(... = "Gef") Gefd
signature(... = "ProdGCPV") Yf
signature(... = "ProdPVPS") Yf
```

D_shadeplot-methods 75

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

Examples

```
lat = 37.2;
G0dm = c(2766, 3491, 4494, 5912, 6989, 7742, 7919, 7027, 5369, 3562, 2814,
2179)
Ta = c(10, 14.1, 15.6, 17.2, 19.3, 21.2, 28.4, 29.9, 24.3, 18.2, 17.2, 15.2)
prom = list(G0dm = G0dm, Ta = Ta)

###Different tracker methods
ProdFixed <- prodGCPV(lat = lat,dataRad = prom, keep.night = FALSE)
Prod2x <- prodGCPV(lat = lat, dataRad = prom, modeTrk = 'two', keep.night = FALSE)
ProdHoriz <- prodGCPV(lat = lat,dataRad = prom, modeTrk = 'horiz', keep.night = FALSE)
prod <- mergesolaR(ProdFixed, Prod2x, ProdHoriz)
head(prod)</pre>
```

D_shadeplot-methods

Methods for Function shadeplot

Description

Visualization of the content of a Shade object.

Methods

signature(x = "Shade") display the results of the iteration with a level plot for the two-axis tracking, or with conventional plot for horizontal tracking and fixed systems.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

D_window-methods

Methods for extracting a time window

Description

Method for extracting the subset of a solaR object whose daily time index (indexD) is comprised between the times i and j.

76 D_writeSolar-methods

Usage

```
## S4 method for signature 'Meteo'
x[i, j, ..., drop = TRUE]
## S4 method for signature 'Sol'
x[i, j, ..., drop = TRUE]
## S4 method for signature 'G0'
x[i, j, ..., drop = TRUE]
## S4 method for signature 'Gef'
x[i, j, ..., drop = TRUE]
## S4 method for signature 'ProdGCPV'
x[i, j, ..., drop = TRUE]
## S4 method for signature 'ProdPVPS'
x[i, j, ..., drop = TRUE]
```

Arguments

```
x A Meteo, Sol, etc. object.

i an index/time value (Date or POSIXct classes) defining the start of the time window.

j an index/time value (Date or POSIXct classes) defining the end of the time window.

..., drop Additional arguments for window. zoo
```

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

See Also

indexD

Examples

```
lat = 37.2
sol = calcSol(lat, BTd = fBTd(mode = 'serie'))
range(indexD(sol))

start <- as.Date(indexD(sol)[1])
end <- start + 30

solWindow <- sol[start, end]
range(indexD(solWindow))</pre>
```

Description

Exports the results of the solaR functions as text files using write.table

D_writeSolar-methods 77

Usage

```
## S4 method for signature 'Sol'
writeSolar(object, file, complete = FALSE,
    day = FALSE, timeScales = c('i', 'd', 'm', 'y'), sep = ',', ...)
```

Arguments

object A Sol object (or extended.)

file A character with the name of the file.

complete A logical. Should all the variables be exported?

day A logical. Should be daily values included in the intradaily file?

timeScales A character. Use 'i' to export intradaily values, 'd' for daily values, 'm' for

monthly values and 'y' for yearly values. A different file will be created for

each choice.

sep The field separator character.

... Additional arguments for write.table

Methods

signature(object = "Sol") This function exports the slots with results using write.table. If complete = FALSE and day = FALSE (default) the result includes only the content of the solI slot. It day = TRUE the contents of the solD slot are included.

signature(object = "G0") If complete = FALSE and day = FALSE (default) the result includes only the columns of G0, D0 and B0 of the G0I slot. If complete = TRUE it returns the contents of the slots G0I and solI. If day = TRUE the daily values (slots G0D and solD) are also included.

signature(object = "Gef") If complete = FALSE and day = FALSE (default) the result includes only the columns of Gef, Def and Bef of the GefI slot. If complete = TRUE it returns the contents of the slots GefI, G0I and solI. If day = TRUE the daily values (slots GefD, G0D and solD) are also included.

signature(object = "ProdGCPV") If complete = FALSE and day = FALSE (default) the result includes only the columns of Pac and Pdc of the prodI slot. If complete = TRUE it returns the contents of the slots prodI, GefI, G0I and solI. If day = TRUE the daily values (slots prodD, GefD, G0D and solD) are also included.

signature(object = "ProdPVPS") If complete = FALSE and day = FALSE (default) the result includes only the columns of Pac and Q of the prodI slot. If complete = TRUE it returns the contents of the slots prodI, GefI, G0I and solI. If day = TRUE the daily values (slots prodD, GefD, G0D and solD) are also included.

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

See Also

```
write.table, fread, as.data.tableI, as.data.tableD, as.data.tableM, as.data.tableY
```

78 D_xyplot-methods

Examples

```
lat <- 37.2;
Godm \leftarrow c(2766, 3491, 4494, 5912, 6989, 7742, 7919, 7027, 5369, 3562, 2814, 2179)
Ta <- c(10, 14.1, 15.6, 17.2, 19.3, 21.2, 28.4, 29.9, 24.3, 18.2, 17.2, 15.2)
prom <- list(G0dm = G0dm, Ta = Ta)</pre>
prodFixed <- prodGCPV(lat = lat, dataRad = prom, modeRad = 'aguiar', keep.night = FALSE)</pre>
old <- setwd(tempdir())</pre>
writeSolar(prodFixed, 'prodFixed.csv')
dir()
zI <- fread("prodFixed.csv",</pre>
             header = TRUE, sep = ",")
zΙ
zD <- fread("prodFixed.D.csv",</pre>
             header = TRUE, sep = ",")
zD
zM <- fread("prodFixed.M.csv",</pre>
             header = TRUE, sep = ",")
σM
zY <- fread("prodFixed.Y.csv",</pre>
             header = TRUE, sep = ",")
zΥ
setwd(old)
```

D_xyplot-methods

Methods for function xyplot in Package 'solaR'

Description

Methods for function xyplot in Package 'solaR'

Methods

signature(x = "data.table", data = "missing"): This method creates an XY plot for objects of class data.table without specifying a data argument. It must contain a column named Dates with the time information.

signature(x = "formula", data = "Meteo"): The Meteo object is converted into a data.table
 object with getData(x) and displayed with the method for data.table.

signature(x = "formula", data = "Sol"): The Sol object is converted into a data.table object with as.data.tableI(x, complete = TRUE, day = TRUE) and displayed with the method for data.table.

```
signature(x = "formula", data = "G0"): Idem.
```

E_aguiar 79

```
signature(x = "Meteo", data = "missing"): The Meteo object is converted into a data.table
  object with getData(data). This data.table is the x argument for a call to xyplot, using
  the S4 method for signature(x = "data.table", data = "missing").
```

signature(x = "G0", data = "missing"): The G0 object is converted into a data.table object
with indexD(data). This data.table is the x argument for a call to xyplot, using the S4
method for signature(x = 'data.table', data = 'missing').

```
signature(x = "ProdGCPV", data = "missing"): Idem, but the variables are not superposed.
signature(x = "ProdPVPS", data = "missing"): Idem.
signature(x = "formula", data = "Shade"): Idem.
```

Author(s)

Oscar Perpiñán Lamigueiro, Francisco Delgado López.

E_aguiar

Markov Transition Matrices for the Aguiar etal. procedure

Description

Markov Transition Matrices and auxiliary data for generating sequences of daily radiation values.

Usage

data(MTM)

Format

MTM is a data. frame with the collection of Markov Transition Matrices defined in the paper "Simple procedure for generating sequences of daily radiation values using a library of Markov transition matrices", Aguiar et al., Solar Energy, 1998. Ktlim (matrix) and Ktmtm (vector) are auxiliary data to choose the correspondent matrix of the collection.

Author(s)

Oscar Perpiñán Lamiguiero, Francisco Delgado López.

E_helios	Daily irradiation and ambient temperature from the Helios-IES
	database

Description

A year of irradiation, maximum and minimum ambient temperature from the HELIOS-IES database.

Usage

data(helios)

80 E_pumpCoef

Format

A data frame with 355 observations on the following 4 variables:

yyyy.mm.dd a factor: year, month and day.

G.0. a numeric vector, daily global horizontal irradiation.

TambMax a numeric vector, maximum ambient temperature.

TambMin a numeric vector, minimum ambient temperature.

Source

http://helios.ies-def.upm.es/consulta.aspx

E_prodEx

Productivity of a set of PV systems of a PV plant.

Description

A data.table object with the time evolution of the final productivity of a set of 22 systems of a large PV plant.

Usage

data(prodEx)

References

O. Perpiñán, Statistical analysis of the performance and simulation of a two-axis tracking PV system, Solar Energy, 83:11(2074–2085), 2009.https://oa.upm.es/1843/1/PERPINAN_ART2009_01.pdf

E_pumpCoef

Coefficients of centrifugal pumps.

Description

Coefficients of centrifugal pumps

Usage

data(pumpCoef)

 E_SIAR 81

Format

A data. table with 13 columns:

On rated flux

stages number of stages

Qmax maximum flux

Pmn rated motor power

a, b, c Coefficients of the equation $H = a \cdot f^2 + b \cdot f \cdot Q + c \cdot Q^2$.

g, h, i Coefficients of the efficiency curve of the motor (50 Hz): $\eta_m = g \cdot (\% P_{mn})^2 + h \cdot (\% Pmn) + i$

j, k, l Coefficients of the efficiency curve of the pump (50 Hz): $\eta_b = j \cdot Q^2 + k \cdot Q + l$.

Details

With this version only pumps from the manufacturer Grundfos are included.

Source

https://product-selection.grundfos.com/

References

- Perpiñán, O, Energía Solar Fotovoltaica, 2015. (https://oscarperpinan.github.io/esf/)
- Perpiñán, O. (2012), "solaR: Solar Radiation and Photovoltaic Systems with R", Journal of Statistical Software, 50(9), 1-32, doi:10.18637/jss.v050.i09

E_SIAR

Data on the stations that make up the SIAR network

Description

Information about the location and operational status of the stations that make up the SIAR network

Usage

data(SIAR)

Format

est_SIAR is a data.table with 625 estations containing the following information:

Estacion character, name of the station.

Codigo character, code of the station.

Longitud numeric, longitude of the station in degrees (negative is for locations in the west).

Latitud numeric, latitud of the station in degrees.

Altitud integer, altitude of the station in meters.

Fecha_Instalacion Date, day the station was installed, and therefore, the start of its records.

Fecha_Baja Date, day the station was decommissioned, and therefore, the end of its records (if its value is NA, it means it is still operational).

82 E_solaR.theme

Source

https://servicio.mapa.gob.es/websiar/

 $E_solaR.theme$

solaR theme

Description

A customized theme for lattice. It is based on the custom. theme. 2 function of the lattice Extra package with the next values:

- pch = 19
- cex = 0.7
- region = rev(brewer.pal(9, 'YlOrRd'))
- strip.background\$col = 'lightgray'
- strip.shingle\$col = 'transparent'

Index

* classes	D_xyplot-methods, 78
B1_Meteo-class, 27	* utilities
B2_Sol-class, 28	C_corrFdKt, 36
B3_G0-class, 29	C_fBTd, 38
B4_Gef-class, 30	C_fBTi, 39
B5_ProdGCPV-class, 32	$C_fCompD, 40$
B6_ProdPVPS-class, 33	C_fCompI, 41
B7_Shade-class, 34	C_fInclin, 43
* constructors	C_fProd, 45
A1_calcSol, 5	C_fPump, 47
A2_calcG0, 6	C_fSolD, 48
A3_calcGef, 9	C_fSolI, 50
A4_prodGCPV, 11	C_fSombra, 52
A5_prodPVPS, 15	C_fTemp, 54
A6_calcShd, 17	C_fTheta, 55
A7_optimShd, 18	C_HQCurve, 57
A8_readBD, 23	C_local2Solar, 58
A8_readG0dm, 25	C_NmgPVPS, 59
A8_readSIAR, 26	C_sample2Diff, 61
* datasets	C_solarAngles, 62
E_aguiar, 79	C_utils-angle, 64
E_helios, 79	C_utils-time, 64
E_prodEx, 80	[,G0,ANY,ANY-method(D_window-methods),
E_pumpCoef, 80	75 [Ca-mathod (D. window-mathods) 75
E_SIAR, 81	[,G0-method(D_window-methods),75 [,Gef,ANY,ANY-method
E_solaR.theme, 82	(D_window-methods), 75
* methods	[,Gef-method (D_window-methods), 75
D_as.data.tableD-methods,65	[,Meteo,ANY,ANY-method
D_as.data.tableI-methods,66	(D_window-methods), 75
D_as.data.tableM-methods, 68	[,Meteo-method (D_window-methods), 75
D_as.data.tableY-methods,69	[,ProdGCPV,ANY,ANY-method
$ extsf{D}_{ extsf{compare-methods}}, 70$	(D_window-methods), 75
$D_{getData-methods}, 71$	[,ProdGCPV-method(D_window-methods), 75
D_getG0-methods, 71	[,ProdPVPS,ANY,ANY-method
$D_{getLat-methods}, 71$	(D_window-methods), 75
D_indexD-methods, 72	[,ProdPVPS-method(D_window-methods), 75
D_indexI-methods, 72	[,Sol,ANY,ANY-method
D_levelplot-methods, 73	(D_window-methods), 75
D_Losses-methods, 73	[,Sol-method(D_window-methods),75
D_mergesolaR-methods, 74	
D_shadeplot-methods, 75	A1_calcSol, 5
D_window-methods, 75	A2_calcG0, 6
D_writeSolar-methods, 76	A3_calcGef,9

14 Joony 11	
A4_prodGCPV, 11	as.data.tableM-methods
A5_prodPVPS, 15	(D_as.data.tableM-methods), 68
A6_calcShd, 17	as.data.tableY,77
A7_optimShd, 18	as.data.tableY
A8_Meteo2Meteo, 22	(D_as.data.tableY-methods), 69
A8_readBD, 23	as.data.tableY,G0-method
A8_readG0dm, 25	(D_as.data.tableY-methods), 69
A8_readSIAR, 26	as.data.tableY,Gef-method
aguiar (E_aguiar), 79	(D_as.data.tableY-methods), 69
as.data.frame,Shade-method	as.data.tableY,ProdGCPV-method
(B7_Shade-class), 34	(D_as.data.tableY-methods), 69
as.data.tableD,77	as.data.tableY,ProdPVPS-method
as.data.tableD	(D_as.data.tableY-methods), 69
(D_as.data.tableD-methods), 65	as.data.tableY-methods
as.data.tableD,G0-method	(D_as.data.tableY-methods), 69
(D_as.data.tableD-methods), 65	as.POSIXct, 38
as.data.tableD,Gef-method	azimuth(C_solarAngles),62
(D_as.data.tableD-methods), 65	P1 Motos-ologo 27
as.data.tableD,ProdGCPV-method	B1_Meteo-class, 27 B2_Sol-class, 28
(D_as.data.tableD-methods), 65	
as.data.tableD,ProdPVPS-method	B3_G0-class, 29
(D_as.data.tableD-methods), 65	B4_Gef-class, 30
as.data.tableD,Sol-method	B5_ProdGCPV-class, 32
(D_as.data.tableD-methods), 65	B6_ProdPVPS-class, 33
as.data.tableD-methods	B7_Shade-class, 34
(D_as.data.tableD-methods), 65	bo0d (C_solarAngles), 62
as.data.tableI, 77	C_corrFdKt, 36
as.data.tableI	C_fBTd, 38
(D_as.data.tableI-methods), 66	C_fBTi, 39
as.data.tableI,G0-method	C_fCompD, 40
(D_as.data.tableI-methods), 66	C_fCompI, 41
as.data.tableI,Gef-method	C_fInclin, 43
(D_as.data.tableI-methods),66	C_fProd, 45
as.data.tableI,ProdGCPV-method	C_fPump, 47
(D_as.data.tableI-methods),66	C_fSolD, 48
as.data.tableI,ProdPVPS-method	C_fSolI, 50
(D_as.data.tableI-methods), 66	C_fSombra, 52
as.data.tableI,Sol-method	C_fTemp, 54
(D_as.data.tableI-methods), 66	C_fTheta, 55
as.data.tableI-methods	C_HQCurve, 57
(D_as.data.tableI-methods), 66	C_local2Solar, 58
as.data.tableM, 77	C_NmgPVPS, 59
as.data.tableM	C_sample2Diff, 61
(D_as.data.tableM-methods), 68	C_solarAngles, 62
as.data.tableM,G0-method	
(D_as.data.tableM-methods), 68	C_utils_angle, 64
as.data.tableM,Gef-method	C_utils-time, 64
	calcG0, 9, 10, 12, 13, 16, 18, 19, 24, 29, 43, 50
(D_as.data.tableM-methods), 68	calcG0 (A2_calcG0), 6
as.data.tableM,ProdGCPV-method	calcGef, 12, 13, 16, 17, 19, 30, 43, 44, 55, 57
(D_as.data.tableM-methods), 68	calcGef (A3_calcGef), 9
as.data.tableM,ProdPVPS-method	calcShd, 9, 10, 13, 18, 21, 54
(D_as.data.tableM-methods), 68	calcShd (A6_calcShd), 17

calcSol, 6–10, 12, 16, 19, 28, 36, 40–42, 54–56, 63	E_prodEx, 80 E_pumpCoef, 80
calcSol (A1_calcSol), 5	E_SIAR, 81
<pre>char2diff(C_sample2Diff), 61</pre>	E_solaR.theme, 82
compare, 13	eccentricity (C_solarAngles), 62
compare (D_compare-methods), 70	eot, <i>58</i>
<pre>compare,G0-method(D_compare-methods),</pre>	eot (C_solarAngles), 62
70	est_SIAR (E_SIAR), 81
<pre>compare, Gef-method (D_compare-methods),</pre>	
70	fBTd, 5, 6, 49, 62
compare, ProdGCPV-method	fBTd (C_fBTd), 38
(D_compare-methods), 70	fBTi, 5, 63
compare-methods (D_compare-methods), 70	fBTi (C_fBTi), 39
compareLosses, 13	fCompD, 6-8, 29, 36, 37, 42
compareLosses (D_Losses-methods), 73	fCompD (C_fCompD), 40
compareLosses, ProdGCPV-method	fCompI, 6-8, 29, 36, 37, 41, 44
(D_Losses-methods), 73	fCompI (C_fCompI), 41
compareLosses-methods	FdKtBRL (C_corrFdKt), 36
(D_Losses-methods), 73	FdKtCLIMEDd (C_corrFdKt), 36
corrFdKt, 7, 8, 40, 42	FdKtCLIMEDh, 42
corrFdKt (C_corrFdKt), 36	FdKtCLIMEDh (C_corrFdKt), 36
	FdKtCPR, 7, 40
d2h (C_utils-angle), 64	FdKtCPR (C_corrFdKt), 36
d2r (C_utils-angle), 64	FdKtEKDd (C_corrFdKt), 36
D_as.data.tableD-methods,65	FdKtEKDh (C_corrFdKt), 36
D_as.data.tableI-methods,66	FdKtLJ (C_corrFdKt), 36
D_as.data.tableM-methods, 68	FdKtPage, 7, 40
D_as.data.tableY-methods, 69	FdKtPage (C_corrFdKt), 36
D_compare-methods, 70	fInclin, 9, 10, 13, 18, 30, 46, 57, 74
D_getData-methods, 71	fInclin (C_fInclin), 43
D_getG0-methods, 71	fProd, 13, 32, 73, 74
D_getLat-methods, 71	fProd (C_fProd), 45
D_indexD-methods, 72	fPump, 16, 17, 34, 60
D_indexI-methods, 72	fPump (C_fPump), 47
D_levelplot-methods, 73	fread, 24, 25, 77
D_Losses-methods, 73	fSolD, 5, 7, 9, 12, 16, 19, 28, 38, 40, 51, 63
D_mergesolaR-methods, 74	fSolD (C_fSolD), 48
D_shadeplot-methods, 75	fSoII, 5, 7, 9, 12, 16, 19, 28, 41, 42, 63
D_window-methods, 75	fSolI (C_fSolI), 50
D_writeSolar-methods, 76	fSombra, 17, 53, 57
D_xyplot-methods, 78	fSombra (C_fSombra), 52
DateTimeClasses, 65	fSombra2X (C_fSombra), 52
declination (C_solarAngles), 62	fSombra6, 17, 20, 53
diff2Hours (C_sample2Diff), 61	fSombra6 (C_fSombra), 52
dom(C_utils-time), 64	fSombraEst, <i>53</i>
dotplot, 70, 73	fSombraEst (C_fSombra), 52
doy (C_utils-time), 64	fSombraHoriz, 53
dst (C_utils-time), 64	
dt2Meteo, 7, 8, 27, 42	fSombraHoriz (C_fSombra), 52
dt2Meteo (A8_readBD), 23	fTemp, 6, 24, 46 fTemp (C. fTemp), 54
Flaguiar 70	fTemp (C_fTemp), 54 fThota 0 10 13 18 30 43 44 54
E_aguiar, 79	fTheta, 9, 10, 13, 18, 30, 43, 44, 54
E_helios, 79	fTheta (C_fTheta), 55

G0, 28, 31–35	losses (D_Losses-methods), 73
G0-class (B3_G0-class), 29	losses, Gef-method (D_Losses-methods), 73
Gef, 17, 28, 30, 32–35, 45	losses, ProdGCPV-method
Gef-class (B4_Gef-class), 30	(D_Losses-methods), 73
getData (D_getData-methods), 71	losses-methods (D_Losses-methods), 73
getData, Meteo-method	
(D_getData-methods), 71	mergesolaR, 13
getData-methods (D_getData-methods), 71	mergesolaR (D_mergesolaR-methods), 74
getG0 (D_getG0-methods), 71	mergesolaR,G0-method
getG0, Meteo-method (D_getG0-methods), 71	(D_mergesolaR-methods), 74
getG0-methods (D_getG0-methods), 71	mergesolaR, Gef-method
getLat (D_getLat-methods), 71	(D_mergesolaR-methods), 74
getLat,G0-method(D_getLat-methods),71	mergesolaR, Meteo-method
getLat, Meteo-method (D_getLat-methods),	(D_mergesolaR-methods), 74
71	mergesolaR, ProdGCPV-method
<pre>getLat, Sol-method (D_getLat-methods), 71</pre>	(D_mergesolaR-methods), 74
getLat-methods (D_getLat-methods), 71	mergesolaR, ProdPVPS-method
8	(D_mergesolaR-methods), 74
h2d (C_utils-angle), 64	mergesolaR-methods
h2r (C_utils-angle), 64	(D_mergesolaR-methods), 74
helios (E_helios), 79	Meteo, 29, 31, 32, 34–36, 54
hms (C_utils-time), 64	Meteo-class (B1_Meteo-class), 27
HQCurve (C_HQCurve), 57	Meteod2Meteom (A8_Meteo2Meteo), 22
- , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , - , , , , , , , , , , , - , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , , -	Meteoi2Meteod (A8_Meteo2Meteo), 22
indexD, 75, 76	MTM (E_aguiar), 79
<pre>indexD (D_indexD-methods), 72</pre>	, – 5
<pre>indexD,G0-method(D_indexD-methods),72</pre>	NmgPVPS, 17, 48, 57
<pre>indexD,Meteo-method (D_indexD-methods),</pre>	NmgPVPS (C_NmgPVPS), 59
<pre>indexD, Sol-method (D_indexD-methods), 72</pre>	optimShd, 34, 54
<pre>indexD-methods (D_indexD-methods), 72</pre>	optimShd (A7_optimShd), 18
<pre>indexI (D_indexI-methods), 72</pre>	
<pre>indexI, Sol-method (D_indexI-methods), 72</pre>	P2E (C_sample2Diff), 61
<pre>indexI-methods (D_indexI-methods), 72</pre>	prodEx (E_prodEx), 80
	ProdGCPV, 35
Ktd (C_corrFdKt), 36	prodGCPV, 21, 32, 45, 46
Kti (C_corrFdKt), 36	prodGCPV (A4_prodGCPV), 11
Ktlim (E_aguiar), 79	ProdGCPV-class (B5_ProdGCPV-class), 32
Ktm(C_corrFdKt), 36	ProdPVPS, 16
Ktmtm(E_aguiar), 79	prodPVPS, 33, 34, 48, 57, 60
	prodPVPS (A5_prodPVPS), 15
levelplot, formula, G0-method	ProdPVPS-class (B6_ProdPVPS-class), 33
(D_levelplot-methods), 73	pumpCoef, 16, 17, 33, 47, 48, 57, 59, 60
levelplot, formula, Meteo-method	<pre>pumpCoef (E_pumpCoef), 80</pre>
(D_levelplot-methods), 73	
<pre>levelplot,formula,Sol-method</pre>	r2d(C_utils-angle),64
(D_levelplot-methods), 73	r2h(C_utils-angle),64
levelplot, formula, zoo-method	r2sec (C_utils-angle), 64
(D_levelplot-methods), 73	readBDd, 6-8, 23, 26, 27, 36, 40, 54, 55, 72
levelplot-methods	readBDd (A8_readBD), 23
(D_levelplot-methods), 73	readBDi, 7, 8, 27, 36, 42
local2Solar (C_local2Solar), 58	readBDi (A8_readBD), 23
lonHH (C_local2Solar), 58	readG0dm, 7, 8, 23, 25-27, 36, 40, 72

```
readG0dm (A8_readG0dm), 25
                                                 xyplot, Meteo, missing-method
                                                          (D_xyplot-methods), 78
readSIAR, 23
readSIAR (A8_readSIAR), 26
                                                 xyplot,ProdGCPV,missing-method
                                                         (D_xyplot-methods), 78
sample2Hours (C_sample2Diff), 61
                                                 xyplot, ProdPVPS, missing-method
seq.POSIXt, 5, 7, 19, 38, 50, 61
                                                          (D_xyplot-methods), 78
Shade, 21, 33, 75
                                                 xyplot-methods (D_xyplot-methods), 78
Shade-class (B7_Shade-class), 34
                                                 zenith (C_solarAngles), 62
shadeplot (D_shadeplot-methods), 75
                                                 zoo2Meteo, 7, 27, 42
shadeplot, Shade-method
                                                 zoo2Meteo (A8_readBD), 23
        (D_shadeplot-methods), 75
shadeplot-methods
        (D_shadeplot-methods), 75
show, G0-method (B3_G0-class), 29
show, Gef-method (B4_Gef-class), 30
show, Meteo-method (B1_Meteo-class), 27
show, ProdGCPV-method
        (B5_ProdGCPV-class), 32
show, ProdPVPS-method
        (B6_ProdPVPS-class), 33
show, Shade-method (B7_Shade-class), 34
show, Sol-method (B2_Sol-class), 28
Sol, 29-36, 54, 61
Sol-class (B2_Sol-class), 28
solaR.theme (E_solaR.theme), 82
solaR2 (solaR2-package), 3
solaR2-package, 3
sunHour (C_solarAngles), 62
sunrise (C_solarAngles), 62
truncDay (C_utils-time), 64
window (D_window-methods), 75
window-methods (D_window-methods), 75
write.table, 76, 77
writeSolar (D_writeSolar-methods), 76
writeSolar,Sol-method
        (D_writeSolar-methods), 76
writeSolar-methods
        (D_writeSolar-methods), 76
xyplot, data.table, missing-method
        (D_xyplot-methods), 78
xyplot, formula, G0-method
        (D_xyplot-methods), 78
xyplot, formula, Meteo-method
        (D_xyplot-methods), 78
xyplot,formula,Shade-method
        (D_xyplot-methods), 78
xyplot, formula, Sol-method
        (D_xyplot-methods), 78
xyplot,G0,missing-method
        (D_xyplot-methods), 78
```

Bibliografía

- [LJ60] B. Y. H. Liu y R. C. Jordan. "The interrelationship and characteristic distribution of direct, diffuse, and total solar radiation". En: Solar Energy 4 (1960), pags. 1-19.
- [Pag61] J. K. Page. "The calculation of monthly mean solar radiation for horizontal and inclined surfaces from sunshine records for latitudes 40N-40S". En: *U.N. Conference on New Sources of Energy.* Vol. 4. 98. 1961, págs. 378-390.
- [Coo69] P.I. Cooper. "The Absorption of Solar Radiation in Solar Stills". En: Solar Energy 12 (1969).
- [Spe71] J.W. Spencer. "Fourier Series Representation of the Position of the Sun". En: 2 (1971). URL: http://www.mail-archive.com/sundial@uni-koeln.de/msg01050.html.
- [CR79] M. Collares-Pereira y Ari Rabl. "The average distribution of solar radiation: correlations between diffuse and hemispherical and between daily and hourly insolation values". En: Solar Energy 22 (1979), pags. 155-164.
- [Sta85] Richard Stallman. *GNU Emacs*. Un editor de texto extensible, personalizable, autodocumentado y en tiempo real. 1985. URL: https://www.gnu.org/software/emacs/.
- [Mic88] Joseph J. Michalsky. "The Astronomical Almanac's algorithm for approximate solar position (1950-2050)". En: *Solar Energy* 40.3 (1988), págs. 227-235. ISSN: 0038-092X. DOI: DOI: 10.1016/0038-092X(88)90045-X.
- [RBD90] D.T. Reindl, W.A. Beckman y J.A. Duffie. "Evaluation of hourly tilted surface radiation models". En: Solar Energy 45.1 (1990), págs. 9-17. ISSN: 0038-092X. DOI: https://doi.org/10.1016/0038-092X(90)90061-G. URL: https://www.sciencedirect.com/science/article/pii/0038092X9090061G.
- [Pan+91] D. Panico et al. "Backtracking: a novel strategy for tracking PV systems". En: *IEEE Photovoltaic Specialists Conference*. 1991, págs. 668-673.
- [Dom+03] Carsten Dominik et al. *Org Mode*. Un sistema de organización de notas, planificación de proyectos y autoría de documentos con una interfaz de texto plano. 2003. URL: https://orgmode.org.
- [ZG05] Achim Zeileis y Gabor Grothendieck. "zoo: S3 Infrastructure for Regular and Irregular Time Series". En: *Journal of Statistical Software* 14.6 (2005), págs. 1-27. DOI: 10.18637/jss.v014.i06.
- [Sar08] Deepayan Sarkar. Lattice: Multivariate Data Visualization with R. New York: Springer, 2008. ISBN: 978-0-387-75968-5. URL: http://lmdvr.r-forge.r-project.org.
- [Str11] L. Strous. *Position of the Sun.* 2011. URL: http://aa.quae.nl/en/reken/zonpositie.html.

- [Per12] Oscar Perpiñán. "solaR: Solar Radiation and Photovoltaic Systems with R". En: Journal of Statistical Software 50.9 (2012), págs. 1-32. DOI: 10.18637/jss.v050. i09.
- [Adr+17] T. Adrada Guerra et al. "Comparative Energy Performance Analysis of Six Primary Photovoltaic Technologies in Madrid (Spain)". En: *Energies* 10.6 (2017), pág. 772. DOI: 10.3390/en10060772. URL: https://doi.org/10.3390/en10060772.
- [JG20] Michael Schmutz Jan Remund Stefan Müller y Pascal Graf. Meteonorm Version 8. Versión 8.0. Meteotest. Berna, Suiza, 2020. URL: https://meteonorm.com.
- [Uni20] European Union. NextGenerationEU. 2020. URL: https://next-generation-eu.europa.eu/index_es.
- [BOE22a] BOE. Real Decreto-ley 10/2022, de 13 de mayo, por el que se establece con carácter temporal un mecanismo de ajuste de costes de producción para la reducción del precio de la electricidad en el mercado mayorista. 2022. URL: https://www.boe.es/buscar/act.php?id=BOE-A-2022-7843.
- [BOE22b] BOE. Real Decreto-ley 6/2022, de 29 de marzo, por el que se adoptan medidas urgentes en el marco del Plan Nacional de respuesta a las consecuencias económicas y sociales de la guerra en Ucrania. 2022. URL: https://www.boe.es/buscar/doc.php?id=BOE-A-2022-4972.
- [dem22] Ministerio para transción ecológica y el reto demográfico. Plan + Seguridad Energética. 2022. URL: https://www.miteco.gob.es/es/ministerio/planes-estrategias/seguridad-energetica.html#planSE.
- [Eur22] Consejo Europeo. REPowerEU. 2022. URL: https://www.consilium.europa.eu/es/policies/eu-recovery-plan/repowereu/.
- [Hac22] Ministerio de Hacienda. Mecanismo de Recuperación y Resiliencia. 2022. URL: https://www.hacienda.gob.es/es-ES/CDI/Paginas/FondosEuropeos/Fondos-relacionados-COVID/MRR.aspx.
- [Mer+23] Olaf Mersmann et al. microbenchmark: Accurate Timing Functions. Proporciona infraestructura para medir y comparar con precisión el tiempo de ejecución de las expresiones de R. 2023. URL: https://github.com/joshuaulrich/microbenchmark.
- [Min23] pesca y alimentación Ministerio de agricultura. Sistema de Información Agroclimática para el Regadío. 2023. URL: https://servicio.mapa.gob.es/websiar/.
- [Per23] O. Perpiñán. Energía Solar Fotovoltaica. 2023. URL: https://oscarperpinan.github.io/esf/.
- [R C23] R Core Team. R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing. Vienna, Austria, 2023. URL: https://www.R-project.org/.
- [UNE23] UNEF. "Fomentando la biodiversidad y el crecimiento sostenible". En: *Informe* anual UNEF (2023). URL: https://www.unef.es/es/recursos-informes?idMultimediaCategoria=18.
- [Wan+23] Chris Wanstrath et al. GitHub. 2023. URL: https://github.com/.
- [SAM24] System Advisor Model (SAM). SAM: System Advisor Model. https://sam.nrel.gov/. 2024.
- [Bar+24] Tyson Barrett et al. data.table: Extension of 'data.frame'. R package version 1.15.99, https://Rdatatable.gitlab.io/data.table, https://github.com/Rdatatable/data.table. 2024. URL: https://r-datatable.com.

- [Nat24] National Renewable Energy Laboratory. Best Research-Cell Efficiency Chart. https://www.nrel.gov/pv/cell-efficiency.html. 2024.
- [Pro24] ESS Project. Emacs Speaks Statistics (ESS). Un paquete adicional para GNU Emacs diseñado para apoyar la edición de scripts y la interacción con varios programas de análisis estadístico. 2024. URL: https://ess.r-project.org/.
- [PVG24] PVGIS. PVGIS: Photovoltaic Geographical Information System. https://ec.europa.eu/jrc/en/pvgis. 2024.
- [PVS24] PVSyst. PVSyst: Software for Photovoltaic Systems. https://www.pvsyst.com/. 2024.
- [R C24] R Core Team. The Comprehensive R Archive Network (CRAN). https://cran.r-project.org/. R package repository. R Foundation for Statistical Computing, Vienna, Austria. 2024.
- [Sis24] Sisifo. Sisifo: Solar Energy Simulation Software. https://www.sisifo.org/. 2024.
- [Wic+24] H. Wickham et al. profvis: Interactive Visualizations for Profiling R Code. R package version 0.3.8.9000. 2024. URL: https://github.com/rstudio/profvis.