Desarrollo de una herramienta software para la simulación de sistemas fotovoltaicos con R

Trabajo de Fin de Grado

Francisco Delgado López

Universidad Politécnica de Madrid

- 1 Introducción
- Soluciones actuales
- Marco teórico
- 4 Desarrollo del código
- **5** Ejemplo práctico de aplicación
- **6** Aportaciones
- Conclusiones

Objetivo principal

Desarrollo de un paquete en R

library(solaR2)

Objetivos secundarios

GNU Emacs

ESS

► Org mode

Paquetes de R

- ▶ solaR
- **Z**00
- ▶ data.table
- microbenchmark
- profvis
- ► lattice

IATEX

- Documento
- Presentación



- Introducción
- 2 Soluciones actuales
- Marco teórico
- 4 Desarrollo del código
- **5** Ejemplo práctico de aplicación
- **6** Aportaciones
- Conclusiones

Soluciones actuales









solaR

Funcionamiento


- Geometría solar
- Datos meteorológicos
- Radiación en el plano horizontal
- Radiación en el plano del generador
- Simulación de SFCR
- Simulación de SFB
- Optimización de distancias
- Métodos de visualización

Carencias

- Modularidad
- ► Eficiencia y rendimiento
- Manipulación de datos


- Introducción
- Soluciones actuales
- 3 Marco teórico
- ① Desarrollo del código
- **5** Ejemplo práctico de aplicación
- **6** Aportaciones
- Conclusiones

Procedimiento de cálculo




- Introducción
- Soluciones actuales
- Marco teórico
- 4 Desarrollo del código
- **5** Ejemplo práctico de aplicación
- **6** Aportaciones
- Conclusiones


Algoritmo de cálculo




calcSol




Meteo




calcG0




calcGef



${\tt prodGCPV}$




prodPVPS



- Introducción
- Soluciones actuales
- 3 Marco teórico
- ① Desarrollo del código
- **5** Ejemplo práctico de aplicación
- **6** Aportaciones
- Conclusiones

Información meteorológica



Producción de diferentes sistemas

```
prod1 <- prodGCPV(lat = 40.4, modeTrk = 'fixed', modeRad = 'bdI',</pre>
                dataRad = etsidi_1315, beta = 30, alpha = -19,
                module = module1, generator = generator1,
                inverter = inverter)
show(as.data.tableY(prod1))
 Dates
 <int>
        <num>
              <num>
                     <num>
1 2013 1681 077 1757 235 1343 449
  2014 1698 613 1775 426 1357 463
  2015 1749.536 1828.569 1398.158
prod2 <- prodGCPV(lat = 40.4, modeTrk = 'fixed', modeRad = 'bdI',</pre>
                dataRad = etsidi_1315, beta = 30, alpha = -19,
                module = module2, generator = generator2,
                inverter = inverter)
show(as.data.tableY(prod2))
 Dates
         Eac
               Edc
```


1: 2013 1451.873 1517.779 1319.225 2: 2014 1464.483 1530.833 1330.683 3: 2015 1506.544 1574.704 1368.901

<n11m>

< n11m>


<int>

Comparación de producciones



- Introducción
- Soluciones actuales
- Marco teórico
- 4 Desarrollo del código
- **5** Ejemplo práctico de aplicación
- **6** Aportaciones
- Conclusiones

Blame



Blame

```
utils::globalVariables('lat')
2 weeks ago
              Global variables
                                               ıΠ
                                                         2
              improved calcG0
                                              (
                                                         3
                                                               fCompD <- function(sol, GOd, corr = 'CPR', f)
2 months ago
8 years ago
                 Improve test of daily indexes in ...
                                                         4
                                                         5
                                                                    if(!(corr %in% c('CPR', 'Page', 'LJ', 'EKDd', 'CLIMEDd', 'user', 'none'))){
                                               ıΠ
5 months ago
              Update fCompD.R.
                                                                        warning('Wrong descriptor of correlation Ed-Ktd, Set CPR.')
                                                                        corr <- 'CPR'
8 years ago
              Improve test of daily indexes in ...
                                                         8
                                                         9
                                                                    if(class(sol)[1] != 'Sol'){
                                               ıΠ
2 months ago
              Update fCompD.R
                                                        10
                                                                        sol <- sol[, calcSol(lat = unique(lat), BTi = Dates)]</pre>
8 years ago
                 Improve test of daily indexes in ...
                                                        11
              Update fCompD.R
                                              ((
                                                        12
                                                                    if(class(GOd)[1] != 'Meteo'){
2 months ago
                                                                        dt <- copy(data.table(G0d))</pre>
                                                        13
last month
                  updated dt2meteo
                                               цП
                                                                        if(!('Dates' %in% names(dt))){
                                                        14
                                                                            dt[, Dates := indexD(sol)]
                                                        15
                                                        16
                                                                            setcolorder(dt, 'Dates')
                                                        17
                                                                            setkev(dt. 'Dates')
                                                        18
                                                        19
                                                                        if('lat' %in% names(dt)){
                                                        20
                                                                            latg <- unique(dt$lat)
                                                                            dt[, lat := NULL]
                                                        21
                                                        22
                                                                        }else{latg <- getLat(sol)}</pre>
```

Insights

Contributors Beta Give feedback Period: Last 6 months 🔻 Contributions: Commits -Contributions per week to master, excluding merge commits Commits over time From 10 mar 2024 to 8 sept 2024 75 25 Apr 1 May 1 Jun 1 Jul 1 Aug 1 Sep 1 fdelgadol #1 ... oscarperpinan #2 ... 4 commits 22 ++ 95 --355 commits 34.171 ++ 11.671 --

Sep 1

May 1

ful 1

Sep 1

May 1

Jul 1

- Introducción
- Soluciones actuales
- Marco teórico
- 4 Desarrollo del código
- **5** Ejemplo práctico de aplicación
- **6** Aportaciones
- Conclusiones


- Introducción
- Soluciones actuales
- Marco teórico
- ① Desarrollo del código
- **5** Ejemplo práctico de aplicación
- 6 Aportaciones
- Conclusiones
 Desarrollo a futuro
 Estado del paquete

Desarrollo a futuro

- Interfaz de usuario
- ► Mejora de funciones
- ► Toma de datos
- Uso de paquete especializados en datos espaciales
 - terra

- Introducción
- 2 Soluciones actuales
- Marco teórico
- ① Desarrollo del código
- **5** Ejemplo práctico de aplicación
- 6 Aportaciones
- Conclusiones
 Desarrollo a futuro
 Estado del paquete

GitHub



CRAN

solaR2: Radiation and Photovoltaic Systems

Provides tools for calculating solar geometry, solar radiation on horizontal and inclined planes, and simulating the performance of various photovoltaic (PV) systems. Supports daily and intradaily irradiation data, enabling detailed analysis of grid-connected and water-pumping PV systems, including shading effects and solar angle calculations.

Version: 0.10

Depends: $R (\ge 4.0.0)$, <u>data.table</u>, <u>lattice</u>, <u>latticeExtra</u>

Imports: RColorBrewer, graphics, grDevices, stats, methods, utils

Suggests: zoo, sp, raster, rasterVis, tdr, meteoForecast, httr2, jsonlite, testthat ($\geq 3.0.0$)

Published: 2024-09-16

DOI: 10.32614/CRAN.package.solaR2

Author: Oscar Perpiñán-Lamigueiro (b [aut], Francisco Delgado-López [aut, cre]

Maintainer: Francisco Delgado-López <f.delgadol at alumnos.upm.es>

BugReports: https://github.com/solarization/solaR2/issues

License: GPL-3

URL: https://solarization.github.io/solaR2/

NeedsCompilation: no

Citation: solaR2 citation info
Materials: README
CRAN checks: solaR2 results

Documentation:

Reference manual: solaR2.pdf

Downloads:

Package source: solaR2 0.10.tar.gz

Windows binaries: r-devel: solaR2 0.10.zip, r-release: not available, r-oldrel: not available

macOS binaries: r-release (arm64); solaR2 0.10.tgz, r-oldrel (arm64); solaR2 0.10.tgz, r-release (x86 64); not available, r-oldrel (x86 64); not available

Linking:

Please use the canonical form https://CRAN.R-project.org/package=solaR2 to link to this page.

Página web

solaR2: Solar Radiation and Photovoltaic Systems with R 2

The isialize package allows for reproducible research both for photovoltacs (PV) systems performance and solar radiation. It includes a set of classes, methods, and functions to calculate the sun geometry and the solar radiation incident on a photovoltaic generator, as well as to simulate the performance of various photovoltaic energy applications. This package performs the entire calculation procedure from both daily and intradialy global horizontal irradiation to the final productivity of grid-connected PV systems and water purposing PV systems.

It is designed using a set of 54 classes that handle multivariate time series efficiently and are optimized for high-performance data manipulation. The classes share a variety of methods to access the information and several visualization methods. Additionally, the package provides tools for the visual statistical analysis of the performance of large PV plants composed of multiple systems.

Although solak2 is primarily designed for time series associated with a location defined by its latitude/longitude values and temperature and irradiation conditions, it can be easily combined with spatial packages for space-time analysis.

Software

The stable version of solaR2 is hosted at CRAN. The development version is available at GitHub.

Citation

If you use solaR2, please cite it in any publication reporting results obtained with this software:

```
Delgado López, Francisco y Perpiñán Lamigueiro, Oscar (2024).
solaRZ: Radiation and Photovoltaic Systems with R version 2.
R package version 0.10.
Disponible em: https://solarization.github.io/solaRZ/
```

A BibTeX entry for LaTeX users is

Gracias por su atención