

Template Title

John Doe

Some University

February 15, 2017

Introduction

A new World

Future

Introduction

Introduction

Some text

- ▶ Point 1
 - ▶ Sub-Point
 - ▶ Sub-Point
 - ▶ Sub-Point
 - ▶ Sub-Point
 - ▶ Sub-Point
- ▶ Poiny 2

Introduction

Image Example - Full



Figure: AlexNet results. Source: <https://www.tensorflow.org> (17.09.16)

A new World

A new World

Custom bullet points

IN Images

OUT Data




Figure: 3D recognition.

Source: <http://www.pcl.org/>
(17.09.16)

A new World

Math, math, math and L^AT_EX

$$\sum_{k=1}^n k = \frac{n}{2}(n+1) \quad (1)$$

A new World

Math, math, math and L^AT_EX and references

$$\sum_{k=1}^n k = \frac{n}{2}(n+1) \quad (2)$$

- ▶ Text (template)
 - proper minus
 - proper minus
 - ▶ Time
 - ▶ Citation [?]

Future

Future

- ▶ Item 1 (Done)
 - ▶ 20 Classes
 - ▶ Inline Math: > 9000 Images ≈ 450 Images per Class
- ▶ Item 2 (In progress)
 - ▶ Example Implementation
 - ▶ Debug \hookrightarrow Code
- ▶ Item 3 (Done)
 - ▶ Text (test)

To Do Item 4

Future

Example Video

References



Martin, W. N., Lienig, J., and Cohoon, J. P. (1997).
Island (migration) models: evolutionary algorithms based on
punctuated equilibria.
Handbook of evolutionary computation, 6(3).

Appendix

Some additional material!