
USER MANUAL

Library Management

Find, borrow and manage books – for readers, librarians and administrators.



Program version 2.10 · As of October 2026 Project Catalytix · developed by helfi.space · free software (GNU AGPL v3)

Contents

1 **Overview** 3

The three roles 3
The layout of the interface 3
Language and help 4

2 **Signing in** 5

With username and password 5
The second factor 5
On a smartphone 6
If you cannot sign in 7

3 **For everyone: finding and borrowing** 8

The overview 8
Searching the catalogue 8
Borrowing a book 9
My loans 10
Profile and emails 11
Setting up two-factor authentication 12
Registering yourself 13

4 **For librarians: collection and lending** 14

Adding a book 14
Quick capture 15
Locations 15
Editing and deleting books 16
The circulation desk 16
All loans and overdue notices 18
Group librarians 18

5 **For administrators** 19

Users 19
Solving sign-in problems 20
Groups 21
Active Directory 21
Email 22
Branding 23
Settings 24
Two-factor and internal network 25
Retention and data protection 26
Backup 26

6 **Operations for IT** 28

Installation and update 28
Restoring 28
Emergency commands 29

7 **Frequently asked questions** 30

CHAPTER 1

Overview

The library management system runs in your browser – on a PC, a laptop or a smartphone. There is nothing to install. This manual explains all functions, sorted by what you are allowed to do in the program.

The three roles

Every account has exactly one role. It determines which menu items you see.

Reader

Search for books, borrow and renew them yourself, and keep track of your own loans.

Chapters 2 and 3

Librarian

Add and maintain books, lend and take back books at the circulation desk, follow up on overdue loans.

Chapters 2 to 4

Administrator

Everything – plus users, groups, sign-in via Active Directory, email, security and backup.

All chapters

Groups link books and people, for example *IT apprenticeships* or *Office management*. A book either belongs to one group or is **general**. Anyone can borrow general books; group books can only be borrowed by members of that group.

The layout of the interface

On the left is the **sidebar** with all areas, at the top the **search bar** for the catalogue. At the very bottom of the sidebar you will find your name, the switch for light and dark mode, and **Sign out**. Numbers in red circles point to something that needs attention – such as overdue loans or new registrations.




Fig. 1 – The overview as seen by a librarian: sidebar on the left, key figures and overdue loans at a glance.

> **TIP**
> Below the sidebar menu are the links to the legal notice and privacy policy, along with the program version. Clicking the version shows the licence and source code information.

Language and help

The program is available in **German and English**. Switch at the top right with DE / EN – even on the sign-in page. Once you are signed in, your choice is saved in your profile and then applies on every device and to all emails sent to you. If you don't choose, you get your browser's language; if neither matches, the default language set by the administrator under *Settings → General* applies.

Open the **help** via Help in the sidebar or the **?** at the top right. The question mark jumps straight to the section for the page you are on. The help only shows what belongs to your role and follows your library's settings – if it says “Loan period 28 days”, that really is your loan period. Use the search box to find the right topic quickly; this manual is available there as a PDF download.




Fig. 2 – The help as seen by a librarian: the topics for her role on the left, the section on the circulation desk on the right.

CHAPTER 2

Signing in

The library can be reached on the internal network and over the internet. Depending on where you connect from and which role you have, a second factor is also requested.

With username and password

1. Open the library's address in your browser (the library will give you the exact address).
2. Enter your **username** and **password**. If you have an account on the institute's network, these are the same credentials you use to sign in to your PC.
3. Tick **Stay signed in** if you like – then you won't have to sign in again on this device for 14 days. Please don't tick it on other people's or shared devices.
4. Click **Sign in**.




Fig. 3 – The sign-in page.

The second factor

If you have set up an authenticator app or a security key (see section 3.6), a second step follows after the password:

- **Authenticator app:** open the app on your phone and type in the current 6-digit code.
- **Security key (e.g. YubiKey):** click **Confirm with security key**, insert the key and touch it when it flashes.
- **No access?** With **Use a recovery code** you sign in with one of your emergency codes.




Fig. 4 – Second sign-in step with a code from the authenticator app.

GOOD TO KNOW

Depending on the settings, the second factor may only be requested for access **from outside** (internet), but not on the internal network. If you sign in on site without a second factor and then take your laptop home, you have to sign in again there – this time with your second factor.

On a smartphone

On a phone the page adapts automatically. Open the sidebar with the menu icon ☰ at the top left; your profile, light/dark mode and sign-out are in the round icon with your initials at the top right.




Fig. 4 – Sign-in, overview and open menu on a smartphone.

If you cannot sign in

MESSAGE / SITUATION	WHAT TO DO
“Incorrect username or password.”	Check your spelling (Caps Lock?). For security reasons, the page does not say whether the account exists or whether it is locked.
“Too many failed attempts”	After 8 failed attempts, sign-in is locked for 5 minutes. Wait – or an administrator can lift the lock straight away.
Forgotten password	For institute network accounts, IT resets the password. For local accounts, an administrator sets a new password. If you still know your password, you can change it yourself under *My profile*. There is deliberately no “forgot password” function.
Lost the phone with the authenticator app	Sign in with a recovery code or ask an administrator to reset your two-factor authentication.
“The authenticator app for this account needs to be set up again”	Sign in with a recovery code or security key and set up the app again under *Security*; delete the old entry in the app.

CHAPTER 3

For everyone: finding and borrowing

This chapter applies to all roles. Readers only see the areas described here.

The overview

After signing in you land on the **Overview**. It shows your current loans with their due dates and the books most recently added. The colour of the due-date label tells you the status: **green** = still time, **yellow** = due soon, **red** = overdue.




Fig. 5 – A reader's overview.

Searching the catalogue

Under **Catalogue** you will find all the books you are allowed to see. The search box at the top searches title, subtitle, author, publisher, tags, category, shelf mark, location and ISBN – you can also type or scan an ISBN directly.

- **Filters:** by group, location and status (*available* / *on loan*).
- **Sorting:** title, author, recently added or year published.
- **View:** switch between tiles with book covers and a compact list. Your browser remembers the choice.




Fig. 6 – The catalogue in tile view with filters.

> **NOTE**
> Whether you see all books or only those of your groups plus the general ones is decided by the library. Either way, you can only borrow books of your groups and general books.

Borrowing a book

1. Open the book by clicking its cover or title. The book page shows all details, its location on the shelf and how many copies are available.
2. Click **Borrow for myself**. The loan period is shown just above it (default: 28 days).
3. Take the book from the shelf at the location shown. If email is set up, you will receive a confirmation.




Fig. 7 – Book page with details, location and the button for borrowing.

IF THE BUTTON IS MISSING

- All copies are currently on loan.
- The book belongs to a group you are not a member of.
- You have already borrowed the book or reached the maximum number of loans.
- Self-checkout is turned off – then the library lends books at the circulation desk.

My loans

Under **My loans** you see everything you currently have, with the loan date and due date. The tabs at the top show only overdue loans or your past history.

- **Renew** extends the due date by 14 days – at most twice per loan (default values that the library can change). It counts from the later of the two dates: today or the current due date.
- **Return** only appears if the library allows self-return. Otherwise, bring the book to the circulation desk.




Fig. 8 – Your own loans with due date, Renew and Return.

Profile and emails

Under **My profile** you find your loan history and account details. This is also where you turn **email notifications** on or off: confirmations, a reminder shortly before the due date, and overdue notices. Local accounts enter their email address here themselves and can set a new password (at least 10 characters) under **Change password**; for network accounts, email and password come from the institute's directory.

> **LOST YOUR PHONE?**
> Under *Profile → Security → Signed-in devices*, **Sign out on all other devices** signs you out everywhere else. This also happens automatically when you change your password.




Fig. 9 – The profile with loan history, account details and email settings.

> **PRIVACY**
> Completed loans are deleted automatically after a fixed period (default: 12 months after the return). The note below your history states the current period.

Setting up two-factor authentication

A second factor protects your account even if someone knows your password. It may be mandatory for librarians and administrators – in that case the program takes you here automatically after signing in. You will find this area under **Security** in the sidebar.

Authenticator app (recommended for everyone)

1. Install an authenticator app on your phone, e.g. Microsoft Authenticator, Google Authenticator, Aegis or 2FAS.
2. Under *Security*, click **Set up app**.
3. Scan the QR code with the app. If that doesn't work, type in the key shown.
4. Enter the 6-digit code from the app and click **Confirm**.
5. **Important:** write down or print the **10 recovery codes** shown and keep them in a safe place. Each code works exactly once.




Fig. 10 – Setting up the authenticator app with a QR code.

Security key (YubiKey, passkey)

Give the key a name (e.g. “blue YubiKey”), click **Add** and touch the key when it flashes. Ideally, register a **spare key** straight away. Security keys only work via the library's encrypted address (https) – and only at the address where they were registered.

> **RUNNING OUT OF CODES**
> If your recovery codes are running low, generate new ones under *Security*. The old ones then stop working.

Registering yourself

If the library allows it, the sign-in page shows a **Register now** link. New accounts are always reader accounts. Depending on the settings, you have to confirm your email address via a link (valid for 48 hours) and/or wait for the library to approve your account – you will then receive an email. The password must be at least 10 characters long.

CHAPTER 4

For librarians: collection and lending

Librarians look after the collection and lend books. The additional menu items are in the sidebar under *Management*.

Adding a book

1. Click **Add book** (or **+ Book** at the top).
2. Enter the **ISBN** – by keyboard, with a **USB or Bluetooth barcode scanner** (just click into the field and scan) or with the **camera** via the **Camera** button.
3. Click **Fetch data**. Title, author, publisher, year, number of pages and cover are retrieved automatically from the German National Library (DNB), Open Library and Google Books. Please check them briefly.
4. On the right under **Holdings**, choose the **group** (or *General* for everyone), the number of **copies**, the **shelf mark** and the **location**.
5. **Save** – or **Save & next** to add the next book straight away.




Fig. 11 – Add book: enter the ISBN, fetch data, choose group and location.

TIPS

- If the ISBN is already in the collection, the program points this out – it's better to increase the number of copies there.
- The camera only works via the encrypted address (https). A USB barcode scanner always works and is the fastest option at the desk.
- You can upload your own cover photo in the *Cover* section.

Quick capture

For many books at once – for example when setting up the library or when a delivery arrives. On the right you set the **group** and **location** for all the following books. Then you scan one ISBN after another:

- **New title:** the program shows the data it found, and Enter adds it. With **Add new titles automatically (without asking)** it works without any prompt at all.
- **Already there:** a click on **+1 copy** increases the number.
- **Nothing found:** **Add manually** opens the normal form with the ISBN.

The log on the right lists everything done in the session, with links to the books.




Fig. 12 – Quick capture: scan, Enter, next book.

Locations

Under **Locations** you define your shelves, rooms and cabinets once – several at a time, one per line. As soon as there is at least one location, it is **picked from a list** instead of being typed when adding books, in quick capture and when editing. So there are no more typos.

- **Rename:** change the name in its field and save with ✓ – all books at that location are updated too.
- **Deleting** is only possible once no book is left there.
- **In the holdings, but not defined:** this lists locations typed freely in earlier entries. Add them as a location or replace them with a defined one. For a different spelling (“shelf a2”) or a typo (“Shlef A1”), the matching location is already preselected – one click on **Apply** is enough.
- The number next to each location leads straight to the books there.




Fig. 13 – Adding and managing locations.

Editing and deleting books

On the book page you will find **Edit** and **Delete**. A book that is currently on loan cannot be deleted. The number of copies cannot drop below the number on loan. At the bottom of the book page is the **history** of all loans of this book; older loans without individual details are only counted.

With **CSV** at the top of the catalogue you can download the whole collection as a spreadsheet (opens in Excel).

The circulation desk

The **Circulation desk** is made for the counter: the input field stays active, so you simply scan one item after another.

Loan

1. **Select the user:** enter a username or name (suggestions appear as you type) and click **Select**. On the right you see what the person already has on loan.
2. **Scan the book:** enter or scan the ISBN, shelf mark or title and click **Lend**. Enter the internal book number with a leading `#` (e.g. `#12`) – plain digits are treated as a shelf mark.
3. With **Lend immediately if there is exactly one match**, every scanned book is lent without another click – ideal with a barcode scanner.




Fig. 14 – Circulation desk: person selected, scan the book.

The program automatically checks whether the person may borrow the book (group, maximum number of loans, account active) and whether a copy is available, and tells you the reason if not.

Return

In the **Return** tab, all you need to do is scan the returned book. If exactly one copy is on loan, the option **Return immediately if there is exactly one match** checks it in straight away; otherwise you choose the matching loan from the list.




Fig. 15 – Returning a book at the desk.

All loans and overdue notices

Under **All loans** you see all current loans in your area, with tabs for *Overdue* and *History*. The red number in the sidebar counts the overdue loans.

- **Renew** – librarians may also renew beyond the maximum number of renewals.
- **Envelope** – sends a reminder by email right away.
- **Return** – checks the book back in.




Fig. 16 – All loans with overdue entries (red).

The program also sends reminders before the due date and overdue notices automatically once a day if email is set up (see section 5.5).

Group librarians

If a librarian is assigned to one or more groups, they only look after the books of **those groups** and the general books, and only see their loans. A librarian **without** a group is responsible for the whole collection. All librarians may add locations; renaming that would affect books of other groups is reserved for administrators and librarians without a group.

CHAPTER 5

For administrators

Administrators set up the library and take care of accounts, security and operations. All areas are in the sidebar under *Administration*.

Users

The user list shows all local accounts and all network accounts that have signed in at least once – with role, source (*local* or *AD*), groups, current loans and last sign-in. Labels point out special cases: *awaiting approval*, *locked*, *Sign-in lock*, *2FA*. You can filter by these using the selection box.




Fig. 17 – User list with a registration awaiting approval.

- **Local user** creates an account without network sign-in – for guests, say, or as an emergency admin.
- **Approve** / **Reject** appear for self-registrations awaiting approval.
- **Edit** opens the account: name, email, **role**, **groups**, new password (local accounts only), notifications and **Account active**. A deactivated account cannot sign in or borrow anything.




Fig. 18 – Editing an account.

> **NOTE**
> For network accounts, role, name, email and (if set up) groups are taken from Active Directory at every sign-in. So it's better to make changes to them in AD.

Solving sign-in problems – without the command line

At the bottom of the account is the **Sign-in and security** section:

- **Reset** next to two-factor authentication removes the authenticator app and security keys. The person then signs in with just their password again; if a second factor is mandatory, they are guided through setting it up again.
- **Lift lock** unlocks an account immediately after too many failed attempts (otherwise this happens by itself after 5 minutes).




Fig. 19 – The “Sign-in and security” section in the user account.

ALL ADMINS LOCKED OUT?

If “no two-factor prompt” is set for the internal network, an admin can get in from the internal network without a second factor. Otherwise IT can help with a command on the server (section 6.3). Safest of all: have **two** administrators and keep the recovery codes in a safe place.

Groups

Under **Groups** you create groups, e.g. one per apprenticeship programme. Each group has its own collection; members only borrow books of their groups and general books. You add members in the group – or you link the group to an **AD group**, and members are then added and removed automatically at every sign-in.




Fig. 20 – Groups with members and titles.

Active Directory

With the institute's Active Directory (Windows Server or Samba), everyone signs in with their usual credentials. Setup is usually done by IT:

1. **Connection:** enter the server (e.g. `ldaps://dc1.institute.local`), security, base DN and a service account with read permissions.
2. **Certificate:** with LDAPS/StartTLS, **Fetch certificate from DC** retrieves the certificate automatically; check the fingerprint and click **Trust & save**.
3. **Roles:** under *Who can do what?*, enter the names of the AD groups for administrators, librarians and readers. **Load groups** lists the AD groups for you to click. Nested groups count too; anyone who is in none of the groups is rejected.
4. **Test:** **Test sign-in** shows all groups of an account and the role it would get – without saving first.




Fig. 21 – Connection to Active Directory.




Fig. 22 – Roles via AD groups.

> **NOTE**
> Local accounts always take precedence. That's why the local administrator account still works when Active Directory cannot be reached.

Email

Under **Email** you enter the mail server (SMTP) and choose which messages are sent. **Send test email** checks the settings.

MESSAGE	WHEN
Confirmation on loan	immediately on loan, with title and due date
Confirmation on return	immediately on return (off by default)
Reminder before due date	a few days before the due date (default: 2), once per loan
Overdue notice	from the first overdue day, repeated every 7 days, at most 3 times (adjustable)
Daily overview for librarians	daily, only if there are overdue loans in their groups (off by default)
Backup failed	to all administrators

Reminders and overdue notices go out once a day from the time you set; several books of one person end up in **one** email. The **Library address** is important so that links in the emails work. At the bottom of the page is the **Delivery log** – it is cleared automatically after the retention period.




Fig. 23 – Email settings.

Branding

Under **Branding** you adapt the library to your organisation – with a live preview:

- **Logo** (PNG with a transparent background, or SVG) – appears in the sidebar, on the sign-in page, in emails and as the browser icon.
- **Background image** of the sign-in page, with adjustable darkening.
- **Colours** for buttons, accents and sidebar – text colours are chosen automatically so that everything stays readable.
- **Texts** on the sign-in page. You set the **library name** under *Settings*.




Fig. 24 – Branding with a preview of the sign-in page.

> **NOTE**
> The logo and background image are publicly accessible because they are already needed on the sign-in page – so don't use anything confidential.

Settings




Fig. 25 – General settings and loan rules.

SECTION	WHAT YOU SET
General	Library name; whether readers see the whole catalogue or only their groups and general books.
Legal	Addresses of the **legal notice** and **privacy policy** (e.g. on the institute's website). They appear on the sign-in page, in the sidebar and in every email. Usually mandatory if the library is accessible on the internet.
Loan	Loan period (default 28 days), renewal (14 days, at most twice), maximum number of simultaneous loans (0 = unlimited), self-checkout, self-renewal, self-return.
Self-registration	off (default) / with approval by administrators / account active immediately; email confirmation, allowed email domains, group for new readers.
Retention	Deletion period for completed loans and the email log (see 5.9).
Two-factor authentication	Mandatory from outside, rule on the internal network (see 5.8).
ISBN data sources	Which catalogues are queried, and in which order.




Fig. 26 – Self-registration.

Two-factor and internal network

The two-factor rules can be set separately for access from the internet and from the internal network:

- **Mandatory for access from outside:** nobody, administrators, librarians and administrators, or everyone.
- **On the internal network:** *same as from outside* (default), *not mandatory* (users who have 2FA are still asked) or *no two-factor prompt*.
- **Internal network:** your networks, one entry per line, e.g. `192.168.2.0/24`. Empty means 10.x and 192.168.x; Docker networks (172.16–31.x) only count if you enter them. Better to restrict it to your actual LAN.
- **Own internet connection:** static IP or DynDNS name. Needed when internal computers open the library's public address and the router passes them on with its own public IP. DynDNS names are re-resolved every 5 minutes.




Fig. 27 – Two-factor rules and internal network.

SET UP CORRECTLY?

At the bottom of the section it says whether **your current connection** counts as internal or external. Open the page once from a phone over mobile data (Wi-Fi off): it must say **“external”** there. From a computer on site it should say **“internal”**.

GUEST WI-FI

If your own internet connection is entered, devices on the guest Wi-Fi also count as internal, because they go online via the same public address. Guests would then only need a password. A cleaner solution is an internal DNS entry that points the library address to the server on the LAN when on site.

SECURITY

A session started on site **without** a second factor is not valid from outside. “Stay signed in” has no effect in this case.

Retention and data protection

Under the General Data Protection Regulation (GDPR), personal data may only be stored for as long as necessary. That's why the program automatically deletes:

- **completed loans** the set time after the return (3, 6, **12**, 24 or 36 months). Only the number of loans per book is kept.
- **entries in the email log** after the same period – except those relating to current loans, because that is how the program knows how many overdue notices have already been sent.
- **unconfirmed self-registrations** after 7 days.

Current and overdue loans are never deleted. The clean-up runs once a day; Clean up now starts it immediately.




Fig. 28 – Retention period.

FOR YOUR PRIVACY POLICY

The following is stored: name, username, email address, group membership, loans with dates, the email log and – with two-factor authentication – the registered keys. The retention period and how long backups are kept (with 10 daily backups, up to 10 days longer) should also be included. The program does not load any content from third-party servers: fonts, covers and barcode detection come from your own server, there is no tracking and only technically necessary cookies are used.

Backup

The database is **backed up automatically every day** (by default from 2 a.m.), while the program is running, and every backup is checked for damage. The **10 most recent backups** are kept; the number can be set from 1 to 100, and older ones are deleted automatically.

- **Back up now** creates a backup immediately – useful before major changes or an update.
- Every backup can be downloaded or deleted.
- If a backup fails, a **!** appears next to the menu item and all administrators receive an email.




Fig. 29 – Backup with settings, status and existing backups.

IMPORTANT

The backups are stored on the same server. They protect against operating errors and failed updates, but not against a disk failure. Have the backup folder copied to another place regularly, e.g. to a NAS.

CHAPTER 6

Operations for IT

A short guide to setting up the server. All details are in the README.md file in the program package.

Installation and update

The program runs as a Docker container and listens on port **9300**. All data is stored in the `./data` folder next to `docker-compose.yml`.

```
./update.sh --pull            # get the ready-made image from GitHub and start it (recommended)
./update.sh catalytix-X.Y.Z.zip   # or classic: install a package and build locally
```

For a new installation with `--pull`, `update.sh` in an empty program folder is enough (download: `https://raw.githubusercontent.com/soleil0815/catalytix/main/update.sh`) – the script creates `docker-compose.yml` and `.env` itself. Your own values (port, time zone …) go into `.env`.

- **First visit:** open `http://SERVER:9300` and create the local administrator account. The page asks for the **setup code** – `update.sh` shows it after installation; you can also fetch it with `docker compose exec catalytix docker-entrypoint.sh flask --app wsgi setup-code`.
- **HTTPS:** for use over the internet, the camera and security keys, put the program behind a reverse proxy with a certificate (e.g. Nginx Proxy Manager, Caddy). The proxy must send `X-Forwarded-For` – the ones mentioned do this by default. Do **not** open port 9300 on the router.
- **Update:** `./update.sh catalytix-X.Y.Z.zip` installs the new package, creates a backup first, builds the image, restarts and waits until the program is running healthily. `./data`, `.env` and `docker-compose.override.yml` are left untouched, and the database is migrated automatically at startup. If the build fails, the old version keeps running. Afterwards it cleans up: older images and zip packages (the previous one is kept for the way back) and old work folders. Options: `--no-backup`, `--no-cache`, `--prune` (only the current state remains), `--no-cleanup` (no cleanup), `-y` (no prompts).
- **Reproducible:** the Python version, base image and all packages are pinned to exact versions – every rebuild produces the same program.

Restoring

To restore a backup, the library is stopped briefly. The current state is first backed up automatically as “before restore”, so a mistake can be undone:

```
docker compose stop catalytix
docker compose run --rm catalytix flask --app wsgi list-backups
docker compose run --rm catalytix flask --app wsgi restore-backup catalytix-2026-10-19_020012.db
docker compose start catalytix
```

To move completely to another server, take the whole `./data` folder with you – besides the database, it also contains covers, the logo, certificates and the key used to encrypt the two-factor data and the stored AD and mail passwords. The database and `secret_key` always belong together: if the key doesn't match the database, the program refuses to start and says so in the log.

Emergency commands

Run all commands in the container, prefixed with `docker compose exec catalytix docker-entrypoint.sh` – this runs them with the app's permissions instead of as root:

COMMAND	EFFECT
`flask --app wsgi reset-password admin`	set a new password for a local account
`flask --app wsgi reset-2fa admin`	reset an account's second factor
`flask --app wsgi create-admin notfall`	create an additional local administrator account
`flask --app wsgi backup`	back up the database immediately
`flask --app wsgi send-reminders`	send reminders and overdue notices immediately
`flask --app wsgi apply-retention`	apply the retention period immediately

VERSION AND LICENCE

The *About this program* page (click the version number in the sidebar) shows the version, licence, the developer (helfi.space) and the link to the source code. The program is free software under the GNU AGPL v3.

CHAPTER 7

Frequently asked questions

Short answers to the questions that come up most often in everyday use.

QUESTION	ANSWER
Why can't I borrow a book?	All copies are on loan, it belongs to another group, you already have it or have reached the maximum – or self-checkout is turned off. The book page states the reason; if in doubt, ask at the circulation desk.
How often can I renew?	By default twice, by 14 days each time. After that, the library can renew once more.
I'm not receiving any emails.	Under *My profile*, check that an email address is stored and notifications are turned on. Also look in your spam folder.
The camera won't start.	The camera only works via the https address and needs your permission in the browser. At the desk, a USB barcode scanner is more reliable.
My YubiKey is not accepted.	Security keys only work for the address where they were registered. Via a different address (e.g. the IP), sign in with the authenticator app or a recovery code.
On site I'm still asked for the second factor.	Under *Settings → Two-factor authentication* the page shows which address the server sees. If it shows your public IP, enter your own internet connection or create an internal DNS entry (see 5.8).
A location is misspelled.	Rename it under *Locations* – all books there are updated too. Old typos are listed under “In the holdings, but not defined” and can be replaced with one click.
A book is in the collection twice.	Increase the number of copies on the original and delete the duplicate entry (only possible if it is not on loan).
Something was deleted by mistake.	Restore a backup from the previous day (section 6.2). Please note: everything that has happened since then will be lost.
Who can see my loans?	You, the librarians of your groups and the administrators. Completed loans are deleted after the retention period.