



SOLEON

Whitepaper

Token-2022, Genesis Claim, position-based staking, DEX-first
markets and programmed immutability

SEON

Version v1.0 – Pre-launch documentation

July 2026

This document describes the intended design of Soleon before launch. It is not financial advice, a promise of returns, or a guarantee of market adoption. Final mint addresses, program IDs, wallets, the Manifest market and community pools will be published only when they exist and can be verified on-chain.

Contents

1	Executive Summary	3
1.1	Main Components	3
1.2	Launch Phases	3
1.3	What Soleon Can And Cannot Promise	4
2	Soleon Philosophy	4
2.1	Problems Soleon Tries To Avoid	5
2.2	Design Principles	5
2.3	Programmatic Post-Launch Decentralization	6
2.4	Interface, Protocol, And Documentation	6
2.5	Relationship With The Market	6
3	Initial Distribution	7
3.1	Initial Distribution	7
3.2	Genesis Claim	8
3.3	Solana Reputation Eligibility	8
3.4	Eligibility Signature	8
3.5	Claim Cost	9
3.6	What This Model Avoids	9
4	SEON Tokenomics	9
4.1	Total Supply	9
4.2	Supply Allocation	10
4.3	Genesis Claim	10
4.4	Reward Fund	10
4.5	Token-2022 And Transfer Fee	11
4.6	Developer Allocation	11
4.7	No Presale Funds	11
5	Staking System	11
5.1	Single Lock And Grace Period	11
5.2	Annual Reward Budget	12
5.3	How Rewards Are Shared Within The Year	12
5.4	Reward Consolidation	12
5.5	Claim, Renew, And Unstake	13
5.6	Public Cleanup Of Obsolete Positions	13
5.7	Staking Risk	14
6	Transfer Fee And Maintenance	14
6.1	Fee Schedule	14
6.2	Collected Fee Distribution	14
6.3	Why The Executor Receives 1 SEON	15
6.4	Fee And Staking	15
6.5	Scanning Infrastructure	16
7	Markets, Liquidity, And DEX-First Approach	16
7.1	SEON/USDC Order Book On Manifest	16
7.2	Why There Is No Creator-Funded Initial CPMM/CLMM Pool	16
7.3	Community CPMM/CLMM Pools	17
7.4	Website Verification	17

7.5	Liquidity Guide	18
8	Transparency, Security, And Public Review	18
8.1	Fund Transparency	18
8.2	Code Status	18
8.3	Public Review Without A Separate Reserve	19
8.4	Authorities	20
8.5	Interface And Protocol	20
9	Risks	20
10	Planned Roadmap	22
10.1	Pre-Launch Phase: July 2026	22
10.2	Initial Launch: August 1, 2026	22
10.3	Initial Distribution And Public Review	23
10.4	Staking Opening	23
10.5	Markets And Liquidity	23
10.6	Final State	23
10.7	Criteria For Phase Progression	24
11	Conclusion	24

1 Executive Summary

Soleon is a Solana token protocol built around four core ideas: open initial distribution, staking as the main utility, DEX-first markets, and a final transition toward immutable rules. SEON is designed as a fixed-supply Token-2022 mint with a programmed transfer fee, public fee distribution, and staking positions locked for defined periods.

The goal of Soleon is not to promise enrichment or set price expectations. No contract can guarantee demand, future liquidity, or real adoption. What can be designed is a structure where rules are understandable before participation, verifiable after participation, and difficult to alter discretionarily once the launch phase is complete.

The token utility is direct: lock SEON to participate proportionally in an annual reward budget that comes from an on-chain reward fund. Rewards are not created by arbitrary future issuance. They exist from the beginning in the reward fund and are released under contract rules. The transfer fee, once active, has two additional roles: partially refill that fund and burn part of distributed fees.

Soleon also includes a separate initial distribution program, `commitment_claim`, to distribute SEON without a presale, private round, external pretoken, or third-party temporary campaign. The initial distribution is not designed to sell early access. It is designed to let wallets with real Solana history receive a fixed amount under public rules, a daily limit, and cryptographic authorization verified by the contract.

1.1 Main Components

- **SEON:** the final protocol token, Token-2022, with a fixed supply of 444,444,444 SEON.
- **Reward vault:** 440,000,000 SEON reserved for the protocol staking system.
- **Initial distribution:** 4,444,444 SEON, split between 4,400,000 SEON for Genesis Claim and 44,444 SEON for the initial developer allocation.
- **Commitment claim:** Genesis Claim program with a single 2,000 SEON claim per eligible wallet, a maximum of 2,200 complete claims, a daily limit of 100 successful claims, and a 0.005 SOL protocol fee.
- **Eligibility:** off-chain Solana reputation check and Soleon eligibility signature required on-chain together with the wallet signature.
- **Staking:** SEON's core utility; independent positions, mandatory 7-day lock, 3-day grace period, and rewards proportional to deposited principal.
- **Transfer fee:** Token-2022 mechanism starting at 0% and gradually activating after staking opens.
- **DEX-first market:** intended initial SEON/USDC order book on Manifest and verified community CLMM/CPMM pools when they exist.
- **Transparency:** publication of mints, program IDs, wallets, protocol accounts, balances, and technical status without simulated data.

1.2 Launch Phases

The launch is divided into an initial publication and distribution phase, a later staking opening, and a final stage of markets, permissionless maintenance, and progressive immutability. This separation avoids mixing distribution, staking, markets, and authority closure into a single event that is difficult to verify.

1. Publication of the website, documentation, tokenomics, and intended rules.

2. August 1, 2026: SEON mint creation, `commitment_claim` opening, publication of main accounts, and publication of the `commitment_claim` and staking code.
3. August 2026: initial distribution through Genesis Claim while the vault has funds, reputation rules are met, and the daily limit has not been reached.
4. Staking opens when Genesis Claim finishes or on September 1, 2026, whichever comes later.
5. First permissionless transfer-fee update when staking is open and the contract conditions allow it.
6. Publication of the SEON/USDC Manifest market once its address exists and can be verified.
7. Listing of community CLMM/CPMM pools only when they exist, have been reviewed, and can be linked on-chain.
8. Progressive authority revocation and transition toward an immutable protocol state when safe.

This separation matters. The token and initial distribution can exist before final staking. Staking must wait until Genesis Claim has ended or the minimum date has arrived, whichever comes later. Markets should be shown as available only when real addresses exist. The website must not fill gaps with placeholder data.

1.3 What Soleon Can And Cannot Promise

Soleon can promise published rules, clear documentation, visible funds, no private presale, verifiable initial distribution, public code, a maintainable interface, and a planned transition toward immutability. It can also publish risks explicitly so users understand that participation is not equivalent to guaranteed returns.

Soleon cannot promise price, adoption, volume, sufficient liquidity, centralized exchange listings, or economic profit. The market decides whether this model deserves adoption. The protocol's role is to offer a clear structure; valuation belongs to the market.

2 Soleon Philosophy

Many crypto projects are born with a difficult tension. On one hand, they need an initial phase of building, communication, funding, and coordination. On the other hand, if that phase leaves too much authority in the hands of one person or team, users end up relying on private promises: that liquidity will not be removed, that rules will not be changed, that no extra tokens will be minted, that funds will not be used opaquely, or that the official interface will not hide relevant information.

In addition, part of the crypto market has normalized low-quality or outright fraudulent launches. Some projects announce large products, games, infrastructure, ecosystems, or future utilities to attract buyers during a presale, raise significant amounts, and then fail to deliver, ship something far below what was advertised, or simply disappear. The problem is not only that the project fails; the problem is that users bought a story they could not verify.

Another common pattern is selling a very large part of the supply during a presale, sometimes around 20% of total supply, and then launching with very small initial liquidity compared with the amount sold. In practice, this can create a fragile market: many tokens sold, little real depth, and sell pressure that can collapse price within hours. For retail users, the difference between “millions in tokens were sold” and “there is enough liquidity to absorb market activity” is not always obvious until it is too late.

Soleon starts from a simple idea: the more important a rule is for the user, the less it should depend on personal trust. Trust does not disappear completely during the initial phase, but it should be progressively reduced. First the rules are documented, then tested, then publicly reviewed, and finally the authorities that would allow discretionary changes are removed.

Soleon's philosophy is not to sell a guaranteed growth narrative. Soleon does not try to present itself as a price promise. It presents itself as a transparent incentive system: if a user chooses to lock SEON, they should understand where rewards come from, how they are calculated, what risks they take, what happens with fees, and which parts of the system are mutable or immutable.

2.1 Problems Soleon Tries To Avoid

The design responds to several common problems in crypto launches:

- **Unfair presales:** traditional presales can create an unfair advantage for early investors who buy at significantly lower prices, leaving later participants at a disadvantage.
- **Unsustainable tokenomics:** many tokens use emission models that benefit the short term but create unsustainable long-term sell pressure.
- **Rug pulls and abandonment:** the ease of creating tokens has increased fraudulent projects that disappear after raising funds.
- **Unverifiable narratives:** promises of large future products, games, infrastructure, or ecosystems that cannot be checked before participation.
- **Untraceable funds:** team, liquidity, or development wallets mixed, sold, or moved without clear rules.
- **Indefinite authority:** contracts with permanent upgrade, mint, freeze, or critical configuration power.
- **Removable liquidity:** pools controlled by a single entity that can withdraw liquidity and harm later users.
- **Rewards without visible reserve:** systems showing APR or APY without explaining where the tokens actually come from.
- **Interfaces confused with the protocol:** websites that present themselves as the source of authority when they should only be a convenience layer.

The central point is not to claim that every project with a team, presale, or managed liquidity is wrong. The point is that Soleon chooses a more verifiable route, even if slower and more demanding: no private presale, published phases, no simulated data, code opened for review, initial distribution separated from staking, and no community CPMM/CLMM pools presented as if they were creator-funded initial liquidity.

2.2 Design Principles

- **Transparency:** funds, wallets, mints, program IDs, Manifest market, community pools, and technical status should be public when they exist.
- **Open distribution:** the initial launch is based on Genesis Claim with Solana reputation, not on a private round.
- **Public review:** the staking contract and website should be reviewable before staking opens.
- **Final immutability:** once the launch phase is complete, critical authorities should be revoked.
- **Permissionless maintenance:** necessary actions should be executable by anyone, not only by the creator wallet.
- **DEX-first:** the market should be able to exist on-chain without depending on a centralized exchange.
- **No price promises:** the protocol can define rules, but it cannot guarantee adoption, future liquidity, or market value.

2.3 Programmatic Post-Launch Decentralization

Soleon’s final objective is to minimize human authority over critical rules. The initial phase may require coordination, but the desired post-launch state is:

- no mint authority;
- no freeze authority;
- no transfer-fee configuration authority;
- immutable program;
- fee distribution fixed by code: 20% burn, 1 SEON to the executor, and the remainder to the reward fund;
- no administrative path to move user funds.

Authorities should not be removed recklessly. If revoked too early, they can prevent fixing a critical issue. If maintained indefinitely, they contradict the project’s philosophy. The right path is to publish rules, review them, fix issues, test again, and close authorities when the system is ready.

2.4 Interface, Protocol, And Documentation

Decentralization does not mean that no human work exists. A website may need maintenance, a domain must be renewed, documentation must be updated when mints or pools are published, and DEX links may change. Denying that reality would be dishonest.

The important difference is between maintaining an interface and controlling the protocol. Soleon’s official interface may make usage easier, explain risks, show global data, link markets, and prepare transactions. However, the interface must not be a source of authority. If a user knows the Program ID, IDL, mint, main accounts, and contract instructions, they should be able to interact with the protocol outside the official website.

2.5 Relationship With The Market

Soleon does not try to replace the market. The market may accept or reject the project. It may provide liquidity or ignore it. It may value staking, transparency, public review, and immutability, or it may prefer other models. This uncertainty is not a defect the contract can remove; it is a natural part of any open asset.

This position is deliberate. A protocol can design rules, but it should not promise outcomes it does not control. Price is not decided by the contract; it is decided by the interaction between supply, demand, liquidity, trust, perceived utility, public narrative, and broader market conditions. Soleon can attempt to make its rules clean, verifiable, and difficult to manipulate, but it cannot force the market to value them.

This also means Soleon should not hide behind false neutrality. The project does have a thesis: that a token with open Genesis Claim, staking as central utility, visible rewards, public code, DEX-first markets, and programmed immutability can be healthier than a launch based on private presales, unverifiable promises, and weak liquidity. But that thesis must be tested by the market, not presented as certainty.

Soleon communication should therefore avoid messages such as “safe returns”, “price target”, or “guaranteed upside”. It should also avoid implying that claiming early, buying early, or staking guarantees an inevitable economic advantage. The correct message is more sober: Soleon offers a public staking system, verifiable rules, transparent initial distribution, on-chain markets, and an architecture designed to reduce the need to trust specific people.

If the market adopts Soleon, that adoption should come from a combination of utility, clarity, consistency, and verifiable trust. If the market does not adopt it, the protocol should not reinterpret

that lack of adoption as the user's fault. The market is the mechanism that decides whether the proposal has sufficient value. Soleon can prepare a coherent structure; it cannot demand recognition.

This relationship with the market also affects liquidity strategy. Raising a large amount is not enough if initial liquidity is small, removable, or confusing; but Soleon also does not start from a presale that funds a large day-one CPMM/CLMM pool. That is why the approach is DEX-first: a SEON/USDC order book on Manifest once a verifiable market address exists, and community CPMM/CLMM pools listed only when they can be reviewed on-chain.

In this model, liquidity should not be presented as decoration. If depth is low, the website should show it. If a community pool is not verified, it should say so. If liquidity can be removed by one wallet, the user should know. Protection does not come from promising that the market will be liquid; it comes from publishing real data so each participant understands where they are trading and what risks they take.

3 Initial Distribution

Soleon does not use a presale, private round, external pretoken, or third-party temporary campaign. The initial distribution is done directly with SEON through a dedicated program called `commitment_claim` and public accounts verifiable on Solana.

The goal is for first access to the token not to depend on a private purchase or on a narrative of "getting in before others". The initial distribution exists so a limited number of eligible wallets can receive SEON under published rules, test the website, understand the protocol, and participate in the initial phase before staking opens.

This phase should not be interpreted as an unlimited reward or as a way to create guaranteed economic value. It is a bootstrapping phase: it distributes a small part of supply, allows more wallets to interact with the real token, and makes the project mechanics visible before the staking contract enters production.

3.1 Initial Distribution

SEON total supply is fixed:

444,444,444 SEON

Of that total, 4,400,000 SEON are assigned to the Genesis Claim vault and 44,444 SEON are transferred directly to the public initial developer wallet.

Destination	Amount	Function
<code>commitment_claim vault</code>	4,400,000 SEON	Fund exactly 2,200 Genesis Claims of 2,000 SEON each.
Initial developer allocation	44,444 SEON	Personal and transparent allocation for design, development, documentation, website, and initial coordination.

The developer allocation should be published with a visible wallet and explorer link. It does not grant authority over user funds or the right to change protocol rules. It represents approximately 0.01% of total supply and 1% of the initial distribution.

There is no separate public review vault inside this distribution. The code may still be published and publicly reviewed, but the final model avoids maintaining an additional review vault or a promised payout program for reports. This simplifies accounting: the initial distribution is split only between the Genesis Claim vault and the public initial developer allocation.

3.2 Genesis Claim

Each eligible wallet can execute one claim of 2,000 SEON. There is no weekly sequence, no multipliers, no eight stages, and no later claims from the same wallet.

Amount per eligible wallet	2,000 SEON
Maximum complete claims	2,200
Total Genesis Claim vault	4,400,000 SEON
Daily limit	100 successful claims per UTC day

When the `commitment_claim` vault reaches zero, the initial distribution ends. The contract does not need to create more supply or move tokens from another reserve. If all 2,200 claims complete, the full 4,400,000 SEON vault has been distributed.

The claim does not lock the received SEON. Users may hold, move, sell, use them in DEX markets, or stake them once the staking contract is open. That freedom does not change the fact that the wallet has used its single Genesis Claim.

3.3 Solana Reputation Eligibility

To reduce Sybil attacks without requiring personal identity or depending on a proof-of-humanity provider, Soleon uses a reputation check based on the wallet's public Solana history. Eligibility is calculated off-chain by Soleon infrastructure and authorized on-chain through a cryptographic signature.

The v1 reputation rules are:

- the wallet must be at least 90 days old from its first valid transaction;
- it must have at least 20 valid transactions;
- it must show activity in at least 3 distinct calendar months;
- it must show activity on at least 5 distinct UTC days;
- it must have recent activity within the last 30 days.

A valid transaction must have confirmed `blockTime`, be deduplicated by signature, be successful, and be signed by the evaluated wallet. Vote-only, memo-only, or compute-budget-only transactions do not count as useful activity for these rules.

These rules do not completely remove Sybil risk. One person may control several old wallets. Their purpose is to raise the cost and reduce the chance that a single person can create hundreds or thousands of new wallets right before launch to capture the whole distribution.

3.4 Eligibility Signature

The contract does not parse the full RPC history of a wallet by itself, because that is not practical on-chain. The secure flow is:

1. the user connects a wallet on the official website;
2. the eligibility server reads public Solana history and applies the reputation rules;
3. if the wallet is eligible, Soleon signs an authorization bound to that wallet;
4. the user signs the claim transaction with the wallet;
5. the contract requires both signatures: the wallet signature and Soleon's eligibility signature;
6. if either signature is missing, the claim fails;

7. if the claim is valid, the contract delivers 2,000 SEON and marks that wallet as used.

This means that calling the contract directly without a valid authorization does not bypass the rules. The website makes the flow easier, but final protection is in the contract: without the expected eligibility signature, the instruction cannot complete the claim.

3.5 Claim Cost

Each successful Genesis Claim charges a 0.005 SOL protocol fee to a public maintenance wallet. This fee is independent of SEON: it does not change supply, does not grant protocol authority, and does not allow moving user funds.

The Solana network may also charge its normal transaction fees and, if the user needs to create associated accounts, there may be account rent costs. The interface should therefore show the estimated cost before signing, separating the 0.005 SOL protocol fee from variable network costs.

The protocol fee is intended to help cover deployment, domain, RPC, monitoring, interface maintenance, and minimal infrastructure. The receiving wallet should be published so anyone can verify income from Genesis Claim activity.

3.6 What This Model Avoids

This model avoids selling initial access. It also avoids separating users into private buyers and public buyers. Nobody receives SEON through a private presale at preferential terms. Initial participation depends on published rules, public wallet reputation, a daily limit, and a SOL fee that discourages very low-cost mass automation.

The difference from a traditional presale is important. In a presale, the project often raises capital before the public user has the same information or the same conditions. This can create a structure where a few participants enter with preferential pricing and the open market later absorbs sell pressure. Soleon does not remove market risk, but it avoids starting with that private advantage embedded in distribution.

The model also avoids depending on a separate temporary token. When multiple tokens or external phases exist, users can become confused about which asset is final, what rights it has, how both assets relate, and what happens if the preliminary phase does not achieve enough liquidity. Soleon simplifies that part: the distributed token is SEON, the same asset later used for staking.

Finally, this model forces the website to be honest about launch status. If the mint does not exist, it should be shown as unavailable. If the claim vault is not initialized, claim should not activate. If the eligibility service is unavailable, the website should say so. Initial distribution is not only a token allocation; it is an early test of the project's philosophy: visible rules, real data, and less dependence on private promises.

4 SEON Tokenomics

4.1 Total Supply

SEON total supply is fixed:

444,444,444 SEON

No extra tokens are planned to compensate initial fees because the transfer fee starts at 0%. There is also no later discretionary issuance to cover future needs. From the beginning, users should be able to verify how many SEON exist and where the main accounts are allocated.

A fixed supply does not remove economic risk. It does not guarantee price, useful scarcity, liquidity, or demand. It simply removes one specific source of uncertainty: the possibility that an authority creates more tokens outside the published rules.

4.2 Supply Allocation

Destination	Amount	Function
Staking reward fund	440,000,000 SEON	Pay staking rewards under contract rules.
Genesis Claim vault	4,400,000 SEON	Fund 2,200 complete claims of 2,000 SEON.
Initial developer allocation	44,444 SEON	Direct public allocation, separate from the claim vault.

The initial distribution is closed and split as follows:

Destination	Amount	Approximate share of total supply
Genesis Claim vault	4,400,000 SEON	0.99%
Initial developer allocation	44,444 SEON	0.01%
Total Genesis Claim + developer	4,444,444 SEON	1.00%

Most of the supply, 440,000,000 SEON, remains in the reward fund because staking is the protocol's core utility. The Genesis Claim vault contains 4,400,000 SEON; the developer's 44,444 SEON are a separate direct allocation. There is no separate public review reserve.

4.3 Genesis Claim

The Genesis Claim vault contains 4,400,000 SEON. Each eligible wallet can execute one claim of 2,000 SEON. The exact maximum is therefore 2,200 complete claims.

Parameter	Value
Amount per eligible wallet	2,000 SEON
Maximum complete claims	2,200
Daily limit	100 successful claims per UTC day
Protocol fee	0.005 SOL

The contract requires the wallet to sign the transaction and requires a Soleon eligibility signature bound to that wallet. Eligibility is calculated off-chain through Solana reputation rules and verified on-chain through that signature. A wallet that has already completed Genesis Claim cannot claim again.

When the Genesis Claim vault reaches zero, the initial distribution ends. There are no later claims, multipliers, weekly stages, or automatic transfers from another reserve.

4.4 Reward Fund

The reward fund is the reserve from which staking contract rewards are paid. This is critical: rewards are not an abstract promise or a number shown only by the interface. They must come from an identifiable on-chain account.

Each staking year calculates a maximum budget from the uncommitted reward-fund balance. The first year can distribute up to 1% of that balance; each year increases by 0.5 percentage points up to a maximum of 100%. The percentage applies to what remains available in the reward fund, not to total supply or an invented fixed number.

If part of the annual budget is unused, it stays in the fund. If transfer fees or reward deductions return SEON to the fund, those tokens do not increase the current year's budget; they affect future calculations. This avoids unexpected budget changes inside the same year.

4.5 Token-2022 And Transfer Fee

SEON uses Token-2022 with the TransferFee extension. The fee starts at 0% to allow initial distribution, account creation, and market preparation without internal commission. When staking opens, a permissionless action can update the fee to 0.02%. Afterwards, it can rise by 0.02 percentage points per year up to 0.40%, with a cap of 400 SEON per transfer.

The fee is not a private creator commission. Withheld fees are collected and distributed by code: 20% is burned, 1 SEON goes to the executor if the minimum is met, and the remainder returns to the reward fund.

4.6 Developer Allocation

The initial developer allocation is 44,444 SEON. It represents approximately 0.01% of total supply and 1% of the initial distribution. It should be published with a visible address and explorer link.

Its function is to recognize the initial work of design, contract development, website, documentation, and coordination, without granting control over the protocol or user funds. There is no vesting attached to this allocation inside the initial distribution contract.

4.7 No Presale Funds

Soleon does not raise an initial treasury through a presale, private round, or pretoken. This has a practical consequence: there is no public presale capital intended to create a large creator-funded liquidity pool on day one.

The market strategy is therefore DEX-first: a SEON/USDC order book when a verifiable address exists, and community CLMM/CPMM pools only when they exist, have been reviewed, and can be linked on-chain. The website should not show markets or pools as active until they actually exist.

5 Staking System

Staking is SEON's main utility. Staking means locking SEON in the contract for a minimum period. In return, the position participates proportionally in an annual reward budget that comes from the reward fund.

The system does not promise a universal fixed APR. Reward depends on the annual budget, total participation, how long each position remains open, and reward-consolidation rules. This is more honest than advertising a fixed yield that may not be sustainable if participation changes.

5.1 Single Lock And Grace Period

All positions use the same mandatory lock:

Mandatory lock	7 days
Grace period	3 days

During the 7-day lock, the user can claim rewards when they exist, but cannot withdraw principal or renew. When the lock ends, a 3-day grace period begins. During grace, the owner can claim, renew, or unstake. After grace, direct claim is disabled; the position can only be renewed or closed through unstake.

Rewards continue accruing while the position remains open, including after grace. The difference is operational: after grace, the position becomes obsolete, loses the accumulated consolidation benefit, and anyone can close it permissionlessly to avoid abandoned positions lasting indefinitely.

5.2 Annual Reward Budget

Rewards come from a finite fund. The contract never mints new rewards. At the beginning of each staking year, the protocol calculates a maximum budget from the uncommitted reward-fund balance.

Staking year	Maximum budget over available reward fund
1	1.0%
2	1.5%
3	2.0%
4	2.5%
Each later year	+0.5 percentage points per year, up to 100%

This percentage applies to what remains in the reward fund, not to total supply. The annual budget is a maximum, not a promise that the full amount will be paid. If not all of it is accrued, the remainder stays in the fund.

5.3 How Rewards Are Shared Within The Year

Each position participates according to its principal and the time it remains open. Conceptually, the annual budget is shared between active positions proportionally to:

$$\text{principal} * \text{time open}$$

The contract uses global accumulators to avoid iterating over all positions in every transaction. When a position claims, renews, or unstakes, it is updated against the accumulator and the reward accrued since its last checkpoint is calculated. This pattern makes proportional distribution possible without scanning every user on-chain.

5.4 Reward Consolidation

Reward consolidation defines which portion of rewards is fully earned by the user when they decide to take those rewards out of staking. In Soleon, a new position starts with a 10% unconsolidated portion of rewards. This means that if the user claims or unstakes from a new position, 10% of their rewards return to the reward fund and the remaining 90% is transferred to the user, also subject to the outgoing Token-2022 fee if active.

This deduction does not affect principal. If a user deposits 1,000 SEON, those 1,000 SEON remain principal. Consolidation applies only to generated rewards. It is also not a burn: the unconsolidated portion returns to the reward fund to reinforce the system and may support future budgets.

Each on-time renewal reduces that deduction by 0.5 percentage points:

New position	10.0%
After 1 on-time renewal	9.5%
After 10 on-time renewals	5.0%
After 20 on-time renewals	0.0%

The idea is to reward continuity without imposing long locks. The user is not forced to lock for months or years; the base lock remains weekly. But if they renew on time, they show continuity and their rewards become progressively more consolidated. Claiming rewards does not reset the streak; the current consolidation level remains. If the user misses the grace period and renews late, consolidation returns to 10%.

Simple example: if a position with a 10% deduction has 100 SEON of rewards and the user claims, 10 SEON return to the reward fund and 90 SEON go to the user before applying the Token-2022 transfer fee if it is active. If that same position had renewed on time 20 times, the deduction would be 0%, and the 100 SEON could leave without this consolidation deduction, while still following the applicable transfer rules.

5.5 Claim, Renew, And Unstake

- **Claim:** available when positive rewards exist and the position has not passed the grace period. Claim does not touch principal. It first calculates accrued rewards; then applies the current consolidation deduction only to those rewards; the deducted portion returns to the reward fund; the rest transfers to the user. That outgoing transfer may pay the active Token-2022 fee. Claim also charges 0.0005 SOL to the public maintenance wallet.
- **On-time renewal:** can execute after the 7-day lock and during the 3-day grace period. Instead of sending rewards to the wallet, rewards are added to principal and a new position is created. Because those rewards remain inside staking, the consolidation deduction is not applied. On-time renewal reduces the future deduction by 0.5 points. When the program moves rewards from the reward fund to the staking vault to compound them, it compensates the internal Token-2022 fee: it transfers the required gross amount so the net amount added to principal is the expected one.
- **Late renewal:** can execute after grace. It also compounds principal + rewards into a new position, but the position is considered not renewed on time. Therefore, it applies a full 10% deduction to rewards before compounding and resets consolidation. As with on-time renewal, if there is an internal reward transfer into staking, the program compensates the Token-2022 fee so the registered principal reflects the correct net amount.
- **Unstake:** returns principal to the owner after the lock has ended. If pending rewards exist, the relevant deduction applies only to rewards, never to principal. During grace, only the owner can unstake. After grace, any wallet can execute the close, but funds and recovered rent still go to the position owner. Outgoing principal and reward transfers may pay the active Token-2022 fee.

The fixed 0.0005 SOL maintenance fee exists to support minimal public infrastructure: website, domain, RPC, monitoring, and basic maintenance. It is charged on claim and owner-initiated unstake because those are exit or collection actions. It is not charged on renew because renew keeps funds inside staking, and it is not charged on public cleanup because that action already requires a third party to pay gas to close obsolete positions. This fee is in SOL, not SEON, and gives no control over the protocol.

5.6 Public Cleanup Of Obsolete Positions

After grace, a position may be abandoned. If only the owner could close it, the protocol could accumulate old positions for months or years, complicating global state and leaving pending rewards in positions that no longer follow the normal cycle. To avoid that dependency, there is a permissionless batch cleanup instruction.

Public cleanup can close up to four obsolete positions per transaction. The website may help by scanning candidates off-chain once per day and preparing a list, but that scan is not a source of authority. The contract validates every received position on-chain: the lock must be over, grace must have passed, the position must not already be closed, and all expected rules must hold. If an account does not satisfy the requirements, it should not be closed as valid.

Permissionless closing does not mean the executor keeps the user's funds. Principal, net rewards that correspond to the position, and recovered account rent return to the position owner.

The executor only facilitates the transaction. This distinction is essential: anyone can execute maintenance, but nobody can appropriate another wallet's funds.

Cleanup does not charge the 0.0005 SOL maintenance fee. The executor pays normal Solana gas and, as a limited incentive, may receive 1 SEON net from the uncommitted reward-fund balance at most once per day globally. This incentive does not come from the active annual reward budget and is limited so cleanup remains useful without becoming a large extraction source for bots.

This mechanism keeps the protocol orderly without introducing an administrator. Instead of depending on a creator wallet to close old positions, any user can help clean state when appropriate, under rules verified by the contract.

5.7 Staking Risk

Staking can increase the amount of SEON a user holds, but it does not guarantee economic profit. If market price falls more than earned tokens increase, USD value can decrease. There are also contract, wallet, RPC, network congestion, user-error, and Token-2022 compatibility risks.

The interface should show rules and estimates before signing, but never present a simulation as a guarantee. A reward in SEON does not necessarily equal profit in USD.

6 Transfer Fee And Maintenance

SEON includes a Token-2022 transfer fee. This is a small automatic fee when the token moves between accounts. Its purpose is not to fund a private wallet, but to support the system through two verifiable effects: returning part to the reward fund and burning another part.

The transfer fee should not be confused with a DEX trading fee. A DEX may charge its own swap or order fee. SEON's Token-2022 fee applies to token movement and remains withheld by the TransferFee mechanism until it is collected and distributed.

6.1 Fee Schedule

- Before staking opens: 0%.
- At staking open: 0.02% through a permissionless action.
- Each later year: +0.02 percentage points.
- Maximum: 0.40%.
- Absolute cap: 400 SEON per transfer.

The annual update does not depend on a private administrator. It is designed as a permissionless function that anyone can execute when due.

The first update happens when staking is open. At that moment, the fee moves from 0% to 0.02%. From there, it can be updated annually in 0.02% increments until reaching 0.4%. The absolute maximum per transfer remains 400 SEON to prevent a very large transfer from paying a disproportionate commission in tokens.

Permissionless update means it does not require an administrator wallet. Any user can execute the function when the schedule allows it. If nobody executes it, the fee does not automatically increase by itself; the network needs a transaction. The website can show a countdown and button to make this public action easier.

6.2 Collected Fee Distribution

Token-2022 fees can remain withheld in token accounts. A public maintenance action collects and distributes those fees.

The process has two parts. First, Token-2022 accounts with withheld fees are located and harvested to the mint when appropriate. Then, the Soleon program distributes the mint fees under fixed rules. This operation exists because fees do not magically move to the reward fund: they must be collected and distributed through transactions.

Destination	Rule
Permanent burn	20% of distributed fees.
Executor	Fixed 1 SEON if the minimum is met.
Reward fund	Everything else.

Distribution requires at least 200 SEON accumulated, uses a 1-hour global cooldown, and a 24-hour per-wallet cooldown. The effective split is: 20% burn, fixed 1 SEON for the executor if the minimum is met, and the remainder to the reward fund. The 200 SEON minimum exists because 0.5% of 200 SEON equals 1 SEON. Instead of paying a variable percentage to the executor, Soleon fixes the incentive at 1 SEON to limit value capture by bots or specialized actors.

6.3 Why The Executor Receives 1 SEON

Fee distribution requires an on-chain transaction. The fixed 1 SEON incentive rewards whoever executes the action without allowing the caller to capture large percentages of the system.

If SEON price rises significantly, the incentive does not scale as a percentage; it remains 1 SEON.

Without an incentive, nobody may want to pay gas or automate the action. With an incentive that is too high, the function becomes attractive for bots competing to capture rent. The fixed incentive attempts to sit between those two extremes. It is not intended to enrich the executor, but to compensate a public maintenance action.

The 1-hour global cooldown prevents the function from executing excessively often. The 24-hour per-wallet cooldown prevents one wallet from capturing every execution through the normal interface. An advanced actor could use several wallets, but the fixed incentive limits economic damage and the accumulated minimum prevents calls that are too small.

6.4 Fee And Staking

In stake and renewal, the program is designed to compensate the fee when applicable, so the registered principal is exact. In claim and unstake, exit fees are paid by the user.

This rule is adopted so the user does not see their registered position reduced by a technical commission when entering or renewing. If the contract expects a position to have a certain principal, it must register that principal. When the user claims rewards or withdraws tokens, the outgoing transfer may be subject to the active fee at that moment.

The interface should show an estimate before signing. For stake and renewal actions, it should show expected principal and fee compensation if applicable. For claim and unstake, it should show that the outgoing transfer may suffer fee. This transparency is necessary to prevent the user from interpreting a difference caused by the Token-2022 mechanism as an error.

In addition to the Token-2022 fee, some instructions charge a fixed SOL fee. The Genesis Claim fee is separate from staking maintenance fees:

- `commitment_claim.claim`: 0.005 SOL protocol fee;
- `staking.claim_rewards`: 0.0005 SOL;
- `staking.unstake_expired`: 0.0005 SOL when executed by the owner;
- renewal and public cleanup: no maintenance fee.

The receiving wallet for these fees should be public. Its purpose is to cover website, domain, RPC, monitoring, and basic infrastructure. It grants no authority to change rules, move user SEON, or modify the contract.

6.5 Scanning Infrastructure

For maintenance convenience, the website may keep an index of accounts with withheld fees. That index can update periodically using suitable RPCs. On public RPCs, some Token-2022 account queries may be limited or not indexed, so the website should clearly show whether the index is available, when it was last updated, and how many source accounts have been detected.

If the index is not available, the website must not show a false “ready” state. It should state that scanning infrastructure is pending or unavailable. The contract can still exist correctly even if the interface does not yet have the full indexer.

7 Markets, Liquidity, And DEX-First Approach

Soleon is designed as a DEX-first project. This means the protocol does not depend on a centralized exchange listing to exist. A CEX can offer convenience, volume, and a familiar experience, but it also introduces custody, listing permissions, internal rules, possible withdrawal suspensions, opaque fees, and dependence on a private company.

The DEX-first approach fits Soleon’s philosophy better: the token, staking, fee distribution, and markets should be able to exist on-chain. The official website can make access easier, explain risks, and link markets, but it should not become a custodian or central market operator. Users should be able to verify addresses, accounts, and movements without relying only on an interface.

DEX-first does not mean liquidity appears automatically. A market needs buyers, sellers, orders, pools, or liquidity providers. It means Soleon does not base its operation on asking a CEX for permission, paying a listing, or custodying user funds. Liquidity, if it arrives, should be observable on the network itself.

7.1 SEON/USDC Order Book On Manifest

The intended initial market is a SEON/USDC order book on Manifest once a market address is published. An order book lets buyers and sellers place limit orders. Soleon does not set the price; price forms when a buy order and a sell order cross.

This model is closer to how many CEX markets work, but without centralized custody. On a CEX, the user deposits funds into the platform and trades inside an internal database. In an on-chain order book, orders and relevant movements execute through contracts, and the user keeps control of their wallet within the rules of the protocol used.

An order book avoids requiring Soleon to create a large day-one CPMM/CLMM pool funded by the creator. But it does not remove the need for liquidity. If nobody places buy orders, selling will be difficult. If nobody places sell orders, buying will be difficult. If orders are small or far apart, spread will be high. The website should therefore explain that a published market does not automatically mean a deep market.

The website must not show Manifest as available until the market address exists. Once it exists, the website should show pair, address, links, status, best orders if readable, spread, warnings, and access to the available interface or trading flow. It should also state clearly that an order does not guarantee counterparty, immediate execution, or future price.

7.2 Why There Is No Creator-Funded Initial CPMM/CLMM Pool

Soleon does not run a presale or raise an initial USDC treasury. Therefore, it does not promise a large creator-funded pool. Creating a tiny pool just to say liquidity exists could be worse than

waiting: it would signal false depth, could create extreme slippage, and could make new users confuse availability with safety.

A healthy CPMM/CLMM pool requires sufficient depth. If a pool has very few assets, a small buy or sell can move price heavily. That creates a poor experience and can damage the project's reputation even if the contract works correctly. Soleon therefore prefers not to present symbolic liquidity as if it were a real solution.

The decision is more sober: start with a verifiable order-book market and allow the community to create CPMM/CLMM pools if real demand exists. If the market values the project, liquidity can appear organically. If it does not appear, the protocol should show that honestly. There is no advantage in pretending a deep market exists when it does not.

7.3 Community CPMM/CLMM Pools

A CPMM/CLMM pool is a reserve of two assets, for example SEON/USDC or SEON/SOL. Traders buy or sell against that reserve and pay trading fees. Liquidity providers may receive those fees according to the DEX rules, but they take risks: impermanent loss, volatility, slippage, DEX risk, paired-asset risk, and possible concentration of control over the LP position.

Community pools may be created on DEXs such as Raydium, Orca, or Meteora. Soleon does not decide by contract which pool must exist. The website can guide the community on how to create or add liquidity, explain risks, and list reviewed pools. That guidance should be neutral and practical: it must not promise that providing liquidity is profitable or that a community pool will be permanent.

The website should only show as verified and official community pools those CPMM/CLMM pools that have been reviewed and pass minimum security criteria. Those criteria should include: sufficient depth and liquidity, correct SEON mint, clear pair, verifiable on-chain links, initial locked liquidity when the DEX supports it and/or liquidity contributed by several independent users. If a pool depends on a single wallet, has very low liquidity, removable LP without context, or incomplete information, it should not be presented as an official community pool.

For healthier liquidity, it is preferable that it does not depend on one person. A community can coordinate to create a pool with multiple contributors, enough depth, and clear rules. It may also prefer locked liquidity when the DEX supports it, or at least pools where control over the LP position is transparent.

Fragmentation also matters. If many small pools exist, liquidity can split and execution can become worse for everyone. One deeper pool may be more useful than several weak pools. The website should help compare, not push users toward any pool merely because it exists. When verified official community pools exist, users are recommended to buy or sell only through those pools or through the verified market published by Soleon. This recommendation does not remove market risk, slippage, or loss, but it reduces the risk of using fake, insufficiently liquid, or unreviewed pools.

7.4 Website Verification

When pools exist, the website should classify them carefully:

- **Verified / official community:** address reviewed, correct SEON mint, clear pair, on-chain links published, sufficient depth, and minimum security criteria met.
- **Unofficial community:** created by third parties; potentially useful, but not yet passing all criteria to appear as verified or official community.
- **High risk:** low liquidity, concentrated control, removable LP, missing initial lock when relevant, or insufficient information.
- **Unverified:** address not reviewed, mint not confirmed, or incomplete data.

Verifying a pool does not guarantee price, liquidity permanence, or safety. It means the website checked basic data and helps users avoid fake pools with the wrong mint. Verification is informational help, not an economic guarantee.

When possible, the website should show the DEX used, pair, pool address, estimated liquidity, pool fee, volume if available, LP control, whether liquidity is locked or not, and explorer links. If any of these data points is unavailable, it should say so instead of inventing it.

7.5 Liquidity Guide

The liquidity guide should explain how to create pools, how to add liquidity, and what risks are involved. It should also state clearly that providing liquidity is not safe income. An LP can earn fees and still end up worse than simply holding the tokens if price moves adversely.

The guide should explain basic concepts: what slippage is, what impermanent loss is, what a removable LP position means, how a standard pool differs from concentrated liquidity, and why pool size affects execution. Not every user needs to manage liquidity, but anyone who does should understand that it is an advanced action.

The website should encourage clarity: correct addresses, Solscan links, pool type, DEX used, pool fee, current liquidity, whether the LP position is locked, and who controls liquidity. The best protection against fake pools is not hiding them, but showing verifiable information and honest warnings.

The final objective is not for Soleon to control liquidity, but for users to distinguish between a real market, weak market, reviewed community pool, unverified pool, and high risk. That distinction is more coherent with a decentralized philosophy than presenting any pool as official or safe.

8 Transparency, Security, And Public Review

8.1 Fund Transparency

Soleon should publish wallets and verifiable balances when they exist. The website must not show fake figures or simulated wallets. Expected accounts include:

- SEON mint;
- `commitment_claim` program and Genesis Claim vault;
- staking reward fund;
- initial developer allocation wallet;
- maintenance wallet receiving the Genesis Claim protocol fee and staking maintenance fees;
- Manifest market and reviewed community CPMM/CLMM pools when they exist.

Transparency is not just publishing many addresses. It means each address has a clear purpose and users can check whether funds behave according to that purpose.

8.2 Code Status

Code status should act as a technical signal, not as a marketing message. Soleon should distinguish between code that has been written, code tested locally, code tested on devnet, deployed code, verified addresses, and code opened for public review. Each stage means something different for users.

The website may be published before the staking contract to explain the model, show launch status, and allow the community to review documentation and interface behavior. The initial distribution contract should be published with its Program ID when Genesis Claim is active. The

staking contract should be published before staking opens, so anyone can read the code, build it, compare the IDL, review instructions, and check that the documented rules match the deployed program.

This review should not be described as certified review if no signed external report exists. It is public review: anyone can read, test, reproduce, and report issues. The distinction matters. Public review improves transparency and can find real bugs, but it does not remove technical risk or make the protocol bug-free.

Technical status should be communicated granularly:

- interface repository published;
- initial distribution contract published;
- staking contract published for review;
- Program ID, IDL, and relevant commits published when available;
- localnet tests completed;
- devnet script tests completed;
- end-to-end web test pending or completed;
- public reports pending, reviewed, or fixed;
- staking deployment pending or active.

The website should not fill gaps with simulated data. If an address, repository, Program ID, market, vault, or test result does not exist yet, it should be shown as unavailable. When it exists, it should link to a verifiable source: GitHub, Solscan, commit, tag, IDL, transaction signature, or on-chain account.

If a significant part of the contract or interface is corrected during public review, the change should remain visible. The important point is not just saying that code is open, but allowing users to know which version they are reviewing and which version was ultimately deployed.

8.3 Public Review Without A Separate Reserve

Soleon does not maintain a separate reserve for review rewards. The final model avoids an additional report-related vault and keeps the initial distribution limited to two destinations: Genesis Claim and initial developer allocation.

Public review is still useful. A useful report must be reproducible. At minimum, it should include:

- reviewed version, commit, page, script, or contract;
- exact steps to reproduce the issue;
- expected result and observed result;
- estimated technical or economic impact;
- relevant accounts, instructions, transactions, or logs when applicable;
- enough evidence for another person to verify it.

Sensitive reports should be sent through the official private channel once available. Non-sensitive reports may be public if they do not expose an active exploit path. Until the channel is published, the website should show that the reporting channel is unavailable instead of inventing a temporary contact.

No reward program should be communicated unless there is a published funding source and explicit conditions. If Soleon later decides to fund an external audit or review contest, it should

publish that as a new decision, with verifiable funding address, criteria, scope, severity levels, and payment process.

The purpose of this section is not to create an informal contest without rules. The purpose is to make clear that code can be publicly reviewed and that issues found before staking should be fixed, documented, and retested before users lock SEON.

8.4 Authorities

During development, temporary control may exist to fix issues. The desired final state is:

- no mint authority;
- no freeze authority;
- no transfer-fee config authority;
- no program upgrade authority;
- no admin withdraw path;
- fee distribution limited to fixed code rules.

Authorities should be removed when the system is ready. Removing authority too early can prevent fixing a serious bug. Keeping it indefinitely creates centralization risk.

8.5 Interface And Protocol

The official website makes usage easier, but it is not the protocol. A website can go down, change domain, or need maintenance. The on-chain contract should continue to exist even if the website is unavailable.

Documentation should publish Program ID, IDL, mints, main accounts, and relevant instructions when they exist. Interface maintenance may renew domains, update text, and fix links, but it must not be able to change protocol rules or block permissionless actions.

9 Risks

Soleon is experimental. Participation involves significant risks. Transparency reduces informational uncertainty, but it does not remove economic, technical, operational, or regulatory risk. Users should not interpret verifiable rules as a guarantee of price, liquidity, adoption, or absolute safety. Anyone using SEON should assume they can lose part or all of what they contribute.

This section separates the main risks in concrete terms. It is not intended to cover every possible scenario or replace personal, legal, tax, or technical assessment.

Market Risk. SEON price may fall severely or reach zero. No protocol rule can guarantee demand, volume, buyers, market depth, or sustained interest. Staking can increase the amount of SEON a user holds, but that does not mean their economic value increases. If price falls faster than rewards accrue, the user may end up with more tokens and less total value measured in SOL, USDC, or fiat currency.

Extreme volatility is also possible. In small markets, a relatively limited buy or sell can move price sharply. The absence of a presale and creator-funded official CPMM/CLMM pool reduces certain conflicts of interest, but it does not create liquidity by itself. The market will only have depth if buyers, sellers, and LPs decide to participate.

Staking Risk. Locking SEON means accepting the time rules of the contract. During the lock, the user cannot withdraw principal until the rules allow it. Rewards may be claimed according to active rules, but they are subject to initial consolidation, possible outgoing Token-2022 fees, and staking maintenance fees when applicable. An on-time renewal can reduce consolidation and add rewards to principal, but it also extends the user's exposure to the token and the contract.

A position that is not managed on time may enter the grace period and later become available for public cleanup under protocol rules. This is not designed as an arbitrary penalty, but as a maintenance mechanism to avoid obsolete positions persisting indefinitely. Even so, users should understand dates, periods, and consequences before locking tokens.

Contract Technical Risk. Smart contracts can contain errors even after localnet, devnet, or script testing. A bug can affect reward calculation, consolidation, renewal, unstake, fee collection, internal transfer-fee compensation, or cleanup of expired positions. In the worst case, a technical error could cause loss of funds, temporary or permanent fund lock, incorrect reward distribution, or the need to delay deployment.

Public review reduces part of the risk, but it does not guarantee absence of bugs. Devnet does not reproduce every mainnet scenario: congestion, real integrations, different wallets, limited RPCs, tooling changes, DEX behavior, and human error may only appear when the system is used openly.

Token-2022 Risk. SEON uses Token-2022 and a dynamic transfer fee. Even if the fee starts at 0%, the standard adds complexity compared with a classic SPL token. Some wallets, explorers, DEXs, bots, analytics tools, or integrations may not support all Token-2022 extensions or may display them confusingly. This can reduce compatibility, volume, or ease of use.

When the transfer fee is active, outgoing transfers may receive less SEON than expected if the interface or wallet does not explain the deduction clearly. In stake and renewal, the contract is designed to compensate the internal fee when appropriate so that registered principal is exact. In claim and unstake, outgoing fees are paid by the user. This difference must be shown clearly so an expected deduction is not mistaken for an error.

Liquidity Risk. Soleon launches without a creator-funded initial CPMM/CLMM pool and without promised liquidity. DEX-first does not mean a deep market exists on day one. A Manifest order-book market may be published and still have few orders, wide spreads, or temporary absence of counterparties. Community pools may exist on Raydium, Orca, or Meteora, but their quality depends on who provides liquidity, how much is provided, whether liquidity is locked or removable, and how concentrated control is.

Before buying, selling, or providing liquidity, users should check the mint, market or pool address, available depth, slippage, volume, LP tokens, liquidity lock if any, and source of the link. A market or pool listed by the website as reviewed means the address was checked and classified; it does not mean trading is safe, profitable, or risk-free.

LP Risk. Providing liquidity is not the same as receiving guaranteed yield. An LP may earn fees and still lose value compared with simply holding the assets outside the pool. Impermanent loss, SEON volatility, paired-asset behavior, slippage, withdrawal by other LPs, and changing volume can affect the final outcome.

Concentration risk also exists. If a pool depends on one wallet or a few wallets, those participants can remove liquidity and leave other users trading with worse depth. This is why Soleon favors community liquidity formed by multiple people, with public information and, when possible, lock mechanisms or verifiable commitment signals.

External Integration Risk. Soleon may rely on wallets, RPCs, explorers, Manifest, DEXs with CPMM/CLMM pools, Jupiter, or other tools. These layers are not controlled by the protocol. RPC downtime, indexing errors, outdated wallets, changes in external interfaces, or incorrectly displayed swap routes can affect user experience even if the Soleon contract has not changed.

The official website should try to show correct links and verifiable data, but advanced users should be able to cross-check Program IDs, mints, accounts, and transactions directly on Solscan or with their own tools.

Website Operational Risk. The website may need maintenance, change domain, or suffer interruptions. The protocol should remain executable through the on-chain contract, but most users will rely on the interface to understand balances, dates, position status, and available actions. An interface error can cause a user to misunderstand an action, sign the wrong transaction, or miss important information on time.

For that reason, the website should avoid simulated data, show unavailable states when real addresses are missing, and clearly separate what is active from what is pending. Even so, a clear interface does not remove usage risk.

Governance And Immutability Risk. The final goal is to close critical authorities: mint authority, freeze authority, transfer-fee config authority, and program upgrade authority. However, before that closure, temporary control may exist to fix issues. That period introduces partial trust. Closing too early can prevent fixing a serious bug; closing too late keeps centralization risk.

The transition to immutability should be published with verifiable addresses, transactions, and status. Users should verify that authorities have actually been revoked instead of relying only on website text.

Regulatory, Tax, And Communication Risk. Regulatory frameworks around tokens, staking, rewards, airdrops, fees, and distribution may change. Soleon does not provide legal, tax, or financial advice. Each user should consider their jurisdiction, obligations, and the consequences of receiving, locking, transferring, or selling SEON.

Communication risk also exists. If the project communicates its goals poorly, it can create incorrect expectations. Soleon should avoid language of guaranteed returns, price targets, enrichment, inevitable adoption, or absolute safety. The correct message is more limited: public rules, verifiable funds, defined incentives, and explicit risks.

Human Risk. Even with correct contracts, users can make mistakes: using a fake mint, entering an unreviewed pool, signing a malicious transaction, sending tokens to the wrong address, losing a seed phrase, misunderstanding the lock period, or ignoring the impact of fees and slippage. No protocol can fully remove these risks.

Documentation and interface design can reduce mistakes, but the final responsibility for reviewing transactions, addresses, and risks before signing remains with the user.

Final Notice. This document is not financial advice. The existence of documentation, open code, public review, visible funds, or on-chain rules does not make SEON a safe asset. Participation in Soleon should only be done with amounts users can afford to lose and after understanding that the economic outcome depends on the market, not on the whitepaper.

10 Planned Roadmap

10.1 Pre-Launch Phase: July 2026

Before launch, the website, documentation, intended rules, tokenomics, risks, and technical status are published. This phase should not be framed as an aggressive sales campaign. Its purpose is for anyone to understand what Soleon is, how SEON will be distributed, how staking will work, and which data is still pending.

The website should show pending information without inventing it. If the mint does not exist, it should say so. If the Manifest market is not created, it should say so. If a wallet is not yet published, it should say so. Documentation should separate what is active, what is prepared, and what is pending.

10.2 Initial Launch: August 1, 2026

August 1, 2026 is the target date to:

- create the SEON Token-2022 mint;
- publish the fixed supply of 444,444,444 SEON;
- fund the reward fund with 440,000,000 SEON;
- fund the Genesis Claim vault with 4,400,000 SEON;
- mint 44,444 SEON to the public initial developer wallet;

- open `commitment_claim`;
- publish the maintenance wallet and main accounts;
- publish the `commitment_claim` and staking code.

From that moment, the initial distribution runs through Genesis Claim. Each eligible wallet can claim once for 2,000 SEON if it satisfies the Solana reputation rules and has a valid eligibility signature. The daily limit is 100 successful claims per UTC day, and the Genesis Claim protocol fee is 0.005 SOL.

10.3 Initial Distribution And Public Review

During the initial distribution, staking is not open yet. The priority is to operate Genesis Claim, review real website behavior, publish technical status, and correct issues before users lock SEON in staking.

There is no separate reserve for public review rewards. The code can be publicly reviewed and useful reports can be received through official channels, but the final model avoids maintaining an additional report-payment vault. If a future external audit or review contest is funded, it should be published as a new decision, with funding source and verifiable conditions.

This phase should produce concrete progress: repositories published, instructions tested, issues reviewed, fixes applied, tests repeated, and documentation updated. If a relevant issue appears, it is fixed before staking opens.

10.4 Staking Opening

Staking opens when Genesis Claim finishes or on September 1, 2026, whichever comes later. This avoids opening staking while the initial distribution is still active, while also setting a reasonable minimum date so token launch and staking are not mixed into the same event.

Staking opening includes:

- deploying or activating the final staking contract;
- opening staking with independent positions, a 7-day lock, and a 3-day grace period;
- activating the first permissionless fee update to 0.02%;
- enabling reward claim, renewal, unstake, public cleanup, and fee distribution;
- publishing Program ID, IDL, and main accounts.

Delaying staking for safety is preferable to opening a critical function with known doubts.

10.5 Markets And Liquidity

The intended initial market is a SEON/USDC order book on Manifest. The website must not show it as available until a real market address exists. Soleon does not promise a creator-funded initial CPMM/CLMM pool because there is no presale funding large day-one liquidity.

The community may create CPMM/CLMM pools on Raydium, Orca, Meteora, or other DEXs. The website will list them when reviewed, with address, DEX, pool type, liquidity, risk, and on-chain links. This verification does not guarantee safety; it helps avoid fake pools and communicate risks.

10.6 Final State

The final objective is a protocol without a mutable administrator, with permanent on-chain rules and permissionless actions. The website may continue to be maintained as an interface, but not as a source of authority.

In the final state, Soleon should depend less on human coordination. Public functions should be executable by any user when due. The transfer fee should follow its schedule. Rewards should come from the visible fund. Critical authorities should be revoked when no longer necessary.

10.7 Criteria For Phase Progression

- **Before August 1:** website reviewed, documentation public, accounts prepared, launch scripts tested, and environment variables ready.
- **During Genesis Claim:** claims working, daily limit correct, Solana reputation applied, reports routed, and fixes applied.
- **Before staking:** Genesis Claim finished or minimum date reached, staking tested, website connected, IDL published, risks updated, and final accounts verified.
- **Before immutability:** authorities reviewed, final tests completed, documentation updated, and permissionless maintenance paths working.

11 Conclusion

Soleon attempts to build a token whose value does not depend on private promises, but on public rules, staking utility, open initial distribution, DEX-first markets, and a clear transition toward immutability.

The proposal is not that a token can remove all risks. The proposal is that a token can be designed to reduce some areas where users normally must trust too much: future issuance, unfair presales, unclear data, rewards without a visible reserve, private fees, indefinite authority, and misleading liquidity presentation.

The project cannot guarantee price or adoption. What it can do is publish rules, show funds, avoid simulated data, publish code for public review, and remove critical authorities when the development phase is complete.

If the market adopts Soleon, it will be because it considers this model of transparency, staking, and on-chain markets worth existing. If it does not, the rules remain verifiable. That is the central philosophy: less dependence on private trust and more on-chain clarity.

Final summary:

- SEON is the final and only protocol token.
- There is no temporary pretoken, external campaign, or private presale.
- Total initial distribution is 4,444,444 SEON: 4,400,000 SEON for Genesis Claim and 44,444 SEON for the initial developer.
- The staking reward fund receives 440,000,000 SEON.
- Staking uses a 7-day lock, 3-day grace period, and annual budget from the reward fund.
- The Token-2022 fee is distributed by code: 20% burn, 1 SEON to the executor, and the remainder to the reward fund.
- The intended initial market is a SEON/USDC order book on Manifest.
- CPMM/CLMM pools will be community-created, reviewed, and listed when they exist.
- The protocol seeks to end without a mutable administrator.

The final decision always belongs to the market and each user. Soleon can build a structure, but it cannot impose trust. Trust, if it exists, should come from verifiable rules and consistent behavior over time.