
SonyAutoAstro

Release 1.1

Frank Soldano

May 25, 2023

CONTENTS:

1	Requirement	3
2	Before use	5
2.1	Gphoto	5
2.2	Astrometry API key	5
3	Application	7
3.1	AutoAstro and AutoAstro_nexstar	7
3.2	TransfertTime	9
3.3	FitsWrite	9
4	Future improvement	11

Sony Auto astro is a powerful software for controlling and using Sony camera in astronomy and, in option, controlling a Celestron nexstar telescope. It is developed for linux with python 3.

This software has been tested with sony a5000 and sony a6600. An internet connection is required for using astrometry and simbad query.

With this software, you can control a Sony camera, make astrometry of your images, calculate the deviation between your image and the position of the desired object.

You can also control a nexstar SE telescope (alt/az configuration). This part is optional.

REQUIREMENT

- gphoto
- astrometry.net api key
- python 3
- rawpy ; keyring ; astroquery ; astropy ; numpy ; matplotlib

BEFORE USE

Because Sony Auto Astro uses other software, it is necessary to install these tools.

2.1 Gphoto

Gphoto is a powerfull linux softawre designed to control camera. This software is essential for SonyAutoAstro.

Install with :

```
sudo apt-get update
sudo apt-get install libusb-1.0-0-dev libtool libgphoto2-6 gphoto2
```

Now, on your camera, change the usb mode into remote computer.

You can check if gphoto2 works with :

```
gphoto2 --list-ports
gphoto2 --auto-detect
gphoto2 --summary
```

2.2 Astrometry API key

You need to have an api key for nova.astrometry.net. This is essential for SonyAutoAstro. To obtain this api key, create an account on <https://nova.astrometry.net/>. Your api key is available in your profil page.

On a python consol, run the folowing comand :

```
import keyring
keyring.set_password('astroquery:astrometry_net', None, 'apikeyhere')
```

Change None to another name to assign a user name to this key and use these user names in AA.cfg, in user in the Astrometry category.

See here for more details : https://astroquery.readthedocs.io/en/latest/astrometry_net/astrometry_net.html#using-keyring-to-store-api-key

APPLICATION

- AutoAstro.py : Main software. Make series of picture and saves in the current directory, check astrometry position.
- AutoAstro_nexstar.py : Same as AutoAstropy but also control nexstar telescope.
- TrandfertTime.py : characterise the time until gphoto save image in your folder.
- fits_write.py read and save r, g, b layer of a specific image.

3.1 AutoAstro and AutoAstro_nexstar

The software guides you to establish the connection with the camera. Then, it proposes to make some tests to check the exposure parameters (adjustment to be made on the camera) and the position of the telescope (with astrometry). and the position of the telescope (with astrometry). Finally, the software makes a series of images, with a periodic verification of the position of the telescope. If AutoAstro_nexstar, the software also recenters the telescope when checking the position to always have the right position.

A log file is available to keep track of the operation of the software during the night of acquisition.

3.1.1 Check before run

Before run the software, check the Before use part.

An internet connection is required for using astrometry and simbad query. Check also you are in the right folder for write your picture and you have free space on your disk. The AA.cfg file must be in this folder and must be completed.

Your camera must be in raw mode and in usb pc remote control mode.

If AutoAstro_nexstar, your telescope must be aligned.

3.1.2 AA.cfg config file

This configuration file is useful to improve the productivity and automation of your installation. If you don't know the value used, leave the default values so that the software will ask you for them. This configuration file must be located in the folder where you run AutoAstro.py!

The config file is define as follow :

gphoto :

- port = the usb port used by the camera

astrometry :

- user = the user name define with keyring for astrometry tools (see Astrometry API key part for more information)
- check_every_x_imgs = how often the software should check the position by astrometry. 0 means no verification

sky_object :

- name = name of the objects you observe. This field must not contain space character
- nbrpict = the number of photos you want to take
- get_coord = (y/n) get the coordinate of your target by a simbad quering. If yes, the name field must be a valid object name

nexstar (optional part) :

- port = the usb port used by the telescope
- max_test = the number max of centering test. If centering not corect after this number of test, the programm return an error, the telescope go to 0,0 alt/az position and the programm exit
- utc = your offset from the utc time
- daylight = 1 to enable Daylight Savings and 0 for Standard Time

3.1.3 Initialisation

At the beginning, the software checks some information.

- Check if your config file is OK
- Verification of an internet connection (required by astrometry and for a simbad request)
- Connection to astrometry using your api key
- gphoto2 initialisation. At this moment the software tel you which port using for control your camera if the information is not in AA.cfg
- Get the coordinate of your object (obteined by a simbad query)
- (optional) nexstar initialisation. At this moment the software tel you which port using for control your telescope if the information is not in AA.cfg. Also activate the serial port, adjust the date and time of your telescope and print some control information.

3.1.4 Test

The first part of the software is the test part. The software captures an image, downloads it and asks you if you want to do an astrometry or a re-capture. The files are saved under the name test{ }.arw

If you want to change the shooting parameters, you must make the settings directly on the camera.

If you make an astrometry, the result is available on <https://nova.astrometry.net/dashboard/submissions> . The software also displays the ra,dec coordinates of your image and the ngc object in your fov (found by a simbad query). If nexstar, you can also synchronize your telescope with these coordinates.

When everything is in order, you can exit the test loop and move on to the main loop.

3.1.5 Main

This part is the main loop. The software take the number of photo you want. Is define in AA.cfg, the software also make a periodic astrometry of your image and refocuses your telescope if AutoAstro_nexstar and if necessary.

You have to define the number of images and their name if it is not the case in AA.cfg.

3.2 TransfertTime

This little script captures 15 images and estimates how long it will take your computer to transfer the capture. For a good approximation, take your camera at the fastest possible speed. All tested images are deleted at the end.

3.3 FitsWrite

This program reads an image and saves each rgb layer in a single fits file.

FUTURE IMPROVEMENT

- Using without internet connection
- Adding graphic interface
- Check collimation
- Check focus