

# API Document

## Document Revision History

---

Version	Date	Author	Description of change
1.0	06/09/2018	Radhika Solgama	APIDocument

## Table of Contents

---

<b>TABLE OF CONTENTS .....</b>	<b>2</b>
<b>1. ADD LEAD API WITH 2 PARAMETER .....</b>	<b>3</b>
<b>2. ADD LEAD API WITH 3 PARAMETER .....</b>	<b>5</b>
<b>3. DD LEAD API .....</b>	<b>7</b>

## 1. Add Lead API with 2 Parameter

This API adds single lead and multiple lead to the table with several fields and options

- Below are the parameters with their description to pass to Add lead API:

Parameter	Description
source *	Description of what originated the API call (minimum 2 character)
action *	add_multi_lead
multi_leads*	multiple leads in JSON format Of array of multiple lead.check below sample

- Below are the parameters with their description to pass to multi\_leads Array Parameters:

Parameter	Description
phone_number*	Must be all numbers, 6-16 digits
list_id*	Must be all numbers, 3-12 digits, defaults to 999 if not set
language	User can pass language

- Below is Sample URL For Single lead:

[https://swadhaar.rightside.co.in/rightside/rightside-api/main.php?action=add\\_multi\\_lead&source=12&multi\\_leads=\[{"phone\\_number":"9516589658","language":"Hindi","list\\_id":"1111"}\]](https://swadhaar.rightside.co.in/rightside/rightside-api/main.php?action=add_multi_lead&source=12&multi_leads=[{)

- Below is Sample URL For Multiple lead:

[https://swadhaar.rightside.co.in/rightside/rightside-api/main.php?action=add\\_multi\\_lead&source=12&multi\\_leads=\[{"phone\\_number":"9516589658","language":"Hindi","list\\_id":"1111"},{"phone\\_number":"9516589658","language":"Hindi","list\\_id":"1111"}\]](https://swadhaar.rightside.co.in/rightside/rightside-api/main.php?action=add_multi_lead&source=12&multi_leads=[{)

- Below are the SUCCESS Responses:

```
{
  "lead 1": {
    "success": "true",
    "message": "add_multi_lead RECORD(S)CREATED",
    "data": {
      "Phone Number": "9516589658",
      "List ID": "1001",
      "Lead ID": 1926,
      "Status": "NEW"
    }
  }
}
```

- **Below are the ERROR Responses:**

1. If action is blank then,  
`{"status":"false","message":"PLEASE ENTER ACTION VALUE"}`
2. If action is wrong then,  
`{"status":"false","message":"ENTER ACTION IS WRONG"}`
3. If source is blank,  
`{"status":"false","message":"add_multi_lead SOURCE IS REQUIRED"}`
4. If source is less than 2 character ,  
`{"status":"false","message":"add_multi_lead PLEASE ENTER TWO DIGIT SOURCE VALUE","data":{"source":"t"}}`
5. If multi\_lead is blank,  
`{"success":"false","message":"add_multi_lead MULTI_LEAD IS REQUIRED FIELDS"}`
6. If multi\_lead JSON syntax is wrong,  
`{"success":"false","message":"add_multi_lead PLEASE CHECK YOUR JSON SYNTAX"}`
7. If Phone number is blank ,  
`{"lead 1":{"success":"false","message":"add_multi_lead PHONE NUMBER IS REQUIRED"}}`
8. If phone number less than 6 and more than 16 digit,  
`{"lead 1":{"success":"false","message":"add_multi_lead PHONE NUMBER MINIMUM 6 DIGIT AND MAXIMUM 16 DIGIT","data":{"phone_number":"95"}}`
9. If list\_id blank then,  
`{"lead 1":{"success":"false","message":"add_multi_lead LIST ID IS REQUIRED"}}`
10. If list\_id less than 3 and more than 14 character ,  
`{"lead 1":{"success":"false","message":"add_multi_lead LIST ID MINIMUM 3 DIGIT AND MAXIMUM 14 DIGIT","data":{"list_id":"11"}}`
11. If list\_id is not exist,  
`{"lead 1":{"success":"false","message":"add_multi_lead LIST ID 11585 DOES NOT EXISTS","data":{"list_id":"11585"}}`

## 2. Add Lead API with 3 Parameter

This API adds single lead and multiple lead to the table with several fields and options

- Below are the parameters with their description to pass to Add lead API:

Parameter	Description
source *	Description of what originated the API call (minimum 2 character)
action *	add_multi_lead
multi_leads*	multiple leads in JSON format Of array of multiple lead.check below sample

- Below are the parameters with their description to pass to multi\_leads Array Parameters:

Parameter	Description
phone_number*	Must be all numbers, 6-16 digits
list_id*	Must be all numbers, 3-12 digits, defaults to 999 if not set
language	User can pass language
productid	User can pass product id

- Below is Sample URL for single lead:

[https://swadhaar.rightside.co.in/rightside/rightside-api/main.php?action=add\\_multi\\_lead&source=12&multi\\_leads=\[{"phone\\_number":"9516589658","language":"Hindi","productid":"123456","list\\_id":"1111"}\]](https://swadhaar.rightside.co.in/rightside/rightside-api/main.php?action=add_multi_lead&source=12&multi_leads=[{)

- Below is Sample URL for multiple lead:

[https://swadhaar.rightside.co.in/rightside/rightside-api/main.php?action=add\\_multi\\_lead&source=12&multi\\_leads=\[{"phone\\_number":"9516589658","language":"Hindi","productid":"123456","list\\_id":"1111"}, {"phone\\_number":"9516589658","language":"Hindi","productid":"123456","list\\_id":"1111"}\]](https://swadhaar.rightside.co.in/rightside/rightside-api/main.php?action=add_multi_lead&source=12&multi_leads=[{)

- Below are the SUCCESS Responses:

```
{ "lead 1": { "success": "true", "message": "add_multi_lead RECORD(S)
CREATED", "data": { "Phone Number": "9516589658", "List ID": "1001", "Lead
ID": 1926, "Status": "NEW" } } }
```

- **Below are the ERROR Responses:**

1. If action is blank then,  
`{"status":"false","message":"PLEASE ENTER ACTION VALUE"}`
2. If action is wrong then,  
`{"status":"false","message":"ENTER ACTION IS WRONG"}`
3. If source is blank,  
`{"status":"false","message":"add_multi_lead SOURCE IS REQUIRED"}`
4. If source is less than 2 character,  
`{"status":"false","message":"add_multi_lead PLEASE ENTER TWO DIGIT SOURCE VALUE","data":{"source":"t"}}`
5. If multi\_lead is blank,  
`{"success":"false","message":"add_multi_lead MULTI_LEAD IS REQUIRED FIELDS"}`
6. If multi\_lead JSON syntax is wrong,  
`{"success":"false","message":"add_multi_lead PLEASE CHECK YOUR JSON SYNTAX"}`
7. If Phone number is blank ,  
`{"lead 1":{"success":"false","message":"add_multi_lead PHONE NUMBER IS REQUIRED"}}`
8. If phone number less than 6 and more than 16 digit,  
`{"lead 1":{"success":"false","message":"add_multi_lead PHONE NUMBER MINIMUM 6 DIGIT AND MAXIMUM 16 DIGIT ","data":{"phone_number":"95"}}`
9. If list\_id blank then,  
`{"lead 1":{"success":"false","message":"add_multi_lead LIST ID IS REQUIRED"}}`
10. If list\_id less than 3 and more than 14 character ,  
`{"lead 1":{"success":"false","message":"add_multi_lead LIST ID MINIMUM 3 DIGIT AND MAXIMUM 14 DIGIT","data":{"list_id":"11"}}`
11. If list\_id is not exist,  
`{"lead 1":{"success":"false","message":"add_multi_lead LIST ID 11585 DOES NOT EXISTS","data":{"list_id":"11585"}}`

### 3. dd Lead API

This API adds single lead and multiple lead to the table with several fields and options

- Below are the parameters with their description to pass to Add lead API:

Parameter	Description
source *	Description of what originated the API call (minimum 2 character)
action *	add_multi_lead
multi_leads*	multiple leads in JSON format Of array of multiple lead.check below sample

- Below are the parameters with their description to pass to multi\_leads Array Parameters:

Parameter	Description
phone_number*	Must be all numbers, 6-16 digits
list_id*	Must be all numbers, 3-12 digits, defaults to 999 if not set

- Below is Sample URL for single lead:

[https://swadhaar.rightside.co.in/rightside/rightside-api/main.php?action=add\\_multi\\_lead&source=12&multi\\_leads=\[{"phone\\_code":"111","phone\\_number":"1111111111","list\\_id":"5555","user":"rightside","vendor\\_lead\\_code":"test","source\\_id":"tets","title":"rightside","first\\_name":"rightside","middle\\_initial":"WEB","last\\_name":"WEB","address1":"ahemdabad","address2":"ahemdabad","address3":"ahemdabad","city":"nehrunagar","state":"ahemdabad","province":"1524","postal\\_code":"385125","country\\_code":"101","alt\\_phone":"852","email":"ahemdabad@gmail.com","security\\_phrase":"xyz","comments":"ahemdabad gujrat","owner":"12","postal\\_code":"385125"}\]](https://swadhaar.rightside.co.in/rightside/rightside-api/main.php?action=add_multi_lead&source=12&multi_leads=[{)

- Below is Sample URL for multiple lead:

[https://swadhaar.rightside.co.in/rightside/rightside-api/main.php?action=add\\_multi\\_lead&source=12&multi\\_leads=\[{"phone\\_code":"111","phone\\_number":"1111111111","list\\_id":"5555","user":"rightside","vendor\\_lead\\_code":"test","source\\_id":"tets","title":"rightside","first\\_name":"rightside","middle\\_initial":"WEB","last\\_name":"WEB","address1":"ahemdabad","address2":"ahemdabad","address3":"ahemdabad","city":"nehrunagar","state":"ahemdabad","province":"1524","postal\\_code":"385125","country\\_code":"101","alt\\_phone":"852","email":"ahemdabad@gmail.com","security\\_phrase":"xyz","comments":"ahemdabad gujrat","owner":"12","postal\\_code":"385125"}\]](https://swadhaar.rightside.co.in/rightside/rightside-api/main.php?action=add_multi_lead&source=12&multi_leads=[{)

[tial": "WEB", "last\\_name": "WEB", "address1": "ahemdabad", "address2": "ahemdabad", "address3": "ahemdabad", "city": "nehrunagar", "state": "ahemdabad", "province": "1524", "postal\\_code": "385125", "country\\_code": "101", "alt\\_phone": "852", "email": "ahemdabad@gmail.com", "security\\_phrase": "xyz", "comments": "ahemdabad gujrat", "owner": "12", "postal\\_code": "385125"}, {"phone\\_code": "111", "phone\\_number": "1111111111", "list\\_id": "5555", "user": "rightside", "vendor\\_lead\\_code": "test", "source\\_id": "tets", "title": "mr", "first\\_name": "rightside", "middle\\_initial": "WEB", "last\\_name": "WEB", "address1": "ahemdabad", "address2": "ahemdabad", "address3": "ahemdabad", "city": "nehrunagar", "state": "ahemdabad", "province": "1524", "postal\\_code": "385125", "country\\_code": "101", "alt\\_phone": "852", "email": "ahemdabad@gmail.com", "security\\_phrase": "xyz", "comments": "ahemdabad gujrat", "owner": "12", "postal\\_code": "385125"}\]](#)

- **Below are the SUCCESS Responses:**

```
{ "lead 1": { "success": "true", "message": "add_multi_lead RECORD(S)
              CREATED", "data": { "Phone Number": "9516589658", "List ID": "1001", "Lead
              ID": 1926, "Status": "NEW" } } }
```

- **Below are the ERROR Responses:**

1. If action is blank then,  
{"status": "false", "message": "PLEASE ENTER ACTION VALUE"}
2. If action is wrong then,  
{"status": "false", "message": "ENTER ACTION IS WRONG"}
3. If source is blank,  
{"status": "false", "message": "add\_multi\_lead SOURCE IS REQUIRED"}
4. If source is less than 2 character,  
{"status": "false", "message": "add\_multi\_lead PLEASE ENTER TWO DIGIT SOURCE  
VALUE", "data": { "source": "t" } }
5. If multi\_lead is blank,  
{"success": "false", "message": "add\_multi\_lead MULTI\_LEAD IS REQUIRED FIELDS"}
6. If multi\_lead JSON syntax is wrong,  
{"success": "false", "message": "add\_multi\_lead PLEASE CHECK YOUR JSON SYNTAX"}
7. If Phone number is blank ,  
{"lead 1": { "success": "false", "message": "add\_multi\_lead PHONE NUMBER IS  
REQUIRED" } }
8. If phone number less than 6 and more than 16 digit,  
{"lead 1": { "success": "false", "message": "add\_multi\_lead PHONE NUMBER MINIMUM  
6 DIGIT AND MAXIMUM 16 DIGIT ", "data": { "phone\_number": "95" } } }



9. If list\_id blank then,  
{"lead 1":{"success":"false","message":"add\_multi\_lead LIST ID IS REQUIRED"}}}
10. If list\_id less than 3 and more than 14 character ,  
{"lead 1":{"success":"false","message":"add\_multi\_lead LIST ID MINIMUM 3 DIGIT  
AND MAXIMUM 14 DIGIT","data":{"list\_id":"11"}}}}
11. If list\_id is not exist,  
{"lead 1":{"success":"false","message":"add\_multi\_lead LIST ID 11585 DOES NOT  
EXISTS","data":{"list\_id":"11585"}}}}