

# Elision API Document



---

## Document Revision History

---

Version	Date	Author	Description of change
1.0	26/06/2018	Palak Panchal	APIDocument
1.1	18/07/2018	Palak Panchal	API Document

---

## Table of Contents

---

.....	1
<b>TABLE OF CONTENTS.....</b>	<b>3</b>
1. ADD LEAD API .....	4
2. ADD MULTI LEAD API .....	7
3. CLICK TO CALL API.....	11

## 1. Add Lead API

Adds a new lead to the dialer with several fields and options.

- Below are the parameters with their description to pass to Add Lead API:

Parameter	Description
source*	Description of what originated the API call (maximum 20 characters)
action *	add_lead
phone_number*	Must be all numbers, 6-16 digits
list_id *	Must be all numbers, 3-12 digits, defaults to 999 if not set
custom_fields *	Must be Y

\* Required parameters.

- Below are additional/optional parameters of API:

Parameter	Description
prospects_id	Must be up to 36 digits
CustomerName	Must be 1-100 characters
MobileNo	Must be 10 digits
EnquirySource	Must be 1-100 characters
EnquiryType	Must be 1-100 characters
CreateEnquiryID	Must be 1-100 characters
WebEnquiryNumber	Must be 1-100 characters
LeadSubSource	Must be 1-100 characters
LeadSource	Must be 1-100 characters
LeadfromURL	Must be 1-200 characters
CustomField1	Must be 1-200 characters
CustomField2	Must be 1-200 characters

- **Below is Sample URL of API:**

[http://103.81.88.109/elision-dialer/elision-api/main.php?source=test&action=add\\_lead&phone\\_number=1234567890&list\\_id=25062018&custom\\_fields=Y&prospects\\_id=123&CustomerName=testuser&MobileNo=1234567890&EnquirySource=test&EnquiryType=tets&CreateEnquiryID=987&WebEnquiryNumber=5654&LeadSubSource=WEB&LeadSource=test&LeadformURL=google.com&CustomField1=&CustomField2=](http://103.81.88.109/elision-dialer/elision-api/main.php?source=test&action=add_lead&phone_number=1234567890&list_id=25062018&custom_fields=Y&prospects_id=123&CustomerName=testuser&MobileNo=1234567890&EnquirySource=test&EnquiryType=tets&CreateEnquiryID=987&WebEnquiryNumber=5654&LeadSubSource=WEB&LeadSource=test&LeadformURL=google.com&CustomField1=&CustomField2=)

- **Below are the SUCCESS Responses:**

```
{ "success": "true", "message": "add_lead LEAD CREATED  
SUCCESSFULLY", "data": { "Phone Number": "1234567890", "List  
ID": "25062018", "Lead ID": "1764", "Status": "NEW", "Prospects Id": "123" } }
```

- **Below are the ERROR Responses:**

1. If source field is blank ,  
{ "success": "false", "message": "add\_lead SOURCE IS REQUIRED" }
2. If api user have not permission to add lead in system ,  
{ "success": "false", "message": "add\_lead USER DOES NOT HAVE  
PERMISSION TO ADD LEADS TO THE SYSTEM" }
3. If phone number field do not have require length,  
{ "success": "false", "message": "add\_lead PHONE NUMBER MUST HAVE  
MINIMUM 6 DIGIT AND MAXIMUM 16 DIGIT" }
4. If phone number field is blank ,  
{ "success": "false", "message": "add\_lead PHONE NUMBER IS REQUIRED" }
5. If phone number have alphabets or any special character ,  
{ "success": "false", "message": "add\_lead PHONE NUMBER IS NOT VALID" }
6. If list id is not there in dialer system ,  
{ "success": "false", "message": "add\_lead LIST ID NOT FOUND IN  
SYSTEM" }
7. If list id is blank ,  
{ "success": "false", "message": "add\_lead LIST ID IS REQUIRED" }
8. If list id do not have require length ,  
{ "success": "false", "message": "add\_lead LIST ID MINIMUM 3 DIGIT AND  
MAXIMUM 14 DIGIT" }
9. If list id do not have custom form ,  
{ "success": "false", "message": "add\_lead CUSTOM\_FIELDS IS REQUIRED  
AND MUST HAVE SET TO Y" }

10. If any field is not there in custom form ,  
{"success":"false","message":"add\_lead CUSTOM FIELDS NOT ADDED, NO  
CUSTOM FIELDS DEFINED FOR THIS LIST"}

## 2. Add Multi Lead API

This API use to add multiple leads into dialer.

- Below are the parameters with their description to pass to Add Multilead API:

Parameter	Description
source*	Description of what originated the API call (maximum 20 characters)
action *	add_lead
custom_fields *	Must be Y
multi_leads*	multiple leads in JSON format Of array of multiple lead.check below sample

\* Required parameters.

- Below is Sample array which contains of list of parameters as we discussed in 'API Parameters' section:

```
[{"phone_number":"1111111111","list_id":"25062018","prospects_id":"321","CustomerName":"testuser","MobileNo":"1111111111","EnquirySource":"test","EnquiryType":"tets","CreateEnquiryID":"987","WebEnquiryNumber":"5654","LeadSubSource":"WEB","LeadSource":"WEB","LeadformURL":"google.com","CustomField1":"mrnnumber","CustomField2":"mrnnumber"}, {"phone_number":"2222222","list_id":"25062018","prospects_id":"321","CustomerName":"testuser2","MobileNo":"2222222","EnquirySource":"test2","EnquiryType":"tets2","CreateEnquiryID":"9872","WebEnquiryNumber":"56542","LeadSubSource":"WEB2","LeadSource":"WEB2","LeadformURL":"google.com","CustomField1":"12","CustomField2":"35"}]
```

- Below are the parameters with their description to pass to multi\_leads Array Parameters:

Parameter	Description
phone_number*	Must be all numbers, 6-16 digits
list_id *	Must be all numbers, 3-12 digits, defaults to 999 if not set
prospects_id	Must be up to 36 digits
CustomerName	Must be 1-100 characters
MobileNo	Must be 10 digits
EnquirySource	Must be 1-100 characters
EnquiryType	Must be 1-100 characters

CreateEnquiryID	Must be 1-100 characters
WebEnquiryNumber	Must be 1-100 characters
LeadSubSource	Must be 1-100 characters
LeadSource	Must be 1-100 characters
LeadfromURL	Must be 1-200 characters
CustomField1	Must be 1-200 characters
CustomField2	Must be 1-200 characters

\* Required parameters.

- Below is Sample URL of API:

[http://103.81.88.109/elision-dialer/elision-api/main.php?action=add\\_multi\\_lead&source=external&custom\\_fields=Y&multi\\_leads=\[{"phone\\_number":"111111111","list\\_id":"25062018","prospects\\_id":"321","CustomerName":"testuser","MobileNo":"111111111","EnquirySource":"test","EnquiryType":"tets","CreateEnquiryID":"987","WebEnquiryNumber":"5654","LeadSubSource":"WEB","LeadSource":"WEB","LeadformURL":"google.com","CustomField1":"mrnnumber","CustomField2":"mrnnumber"},{"phone\\_number":"222222","list\\_id":"25062018","prospects\\_id":"321","CustomerName":"testuser2","MobileNo":"222222","EnquirySource":"test2","EnquiryType":"tets2","CreateEnquiryID":"9872","WebEnquiryNumber":"56542","LeadSubSource":"WEB2","LeadSource":"WEB2","LeadformURL":"google.com","CustomField1":"12","CustomField2":"35"}\]](http://103.81.88.109/elision-dialer/elision-api/main.php?action=add_multi_lead&source=external&custom_fields=Y&multi_leads=[{)

- Below is the SUCCESS Responses:

```
{
  "lead 1": {
    "success": "true",
    "message": "add_multi_lead RECORD(S) CREATED",
    "data": {
      "Phone Number": "111111111",
      "List ID": "25062018",
      "Lead ID": 1765,
      "Status": "NEW",
      "Prospects Id": "321"
    }
  },
  "lead 2": {
    "success": "true",
    "message": "add_multi_lead RECORD(S) CREATED",
    "data": {
      "Phone Number": "2222222",
      "List ID": "25062018",
      "Lead ID": 1766,
      "Status": "NEW",
      "Prospects Id": "321"
    }
  }
}
```

- Below are the ERROR Responses:

- If action is blank then,  
{ "status": "false", "message": "PLEASE ENTER ACTION VALUE" }
- If action is wrong then,  
{ "status": "false", "message": "ENTERED ACTION IS NOT VALID" }
- If source is less the 2 character ,  
{ "success": "false", "message": "add\_multi\_lead PLEASE ENTER TWO DIGIT SOURCE VALUE" }



4. If source is black ,  
{"success":"false","message":"add\_multi\_lead SOURCE IS REQUIRED"}
5. If you enter another value in custom field,  
{"success":"false","message":"add\_multi\_lead CUSTOM\_FIELDS IS REQUIRED AND MUST HAVE SET TO Y"}
6. If phone number is not between 6 to 16 range,  
{"lead 1":{"success":"false","message":"add\_multi\_lead PHONE NUMBER MINIMUM 6 DIGIT AND MAXIMUM 16 DIGIT"},"lead 2":{"success":"true","message":"add\_multi\_lead RECORD(S) CREATED","data":{"Phone Number":"2222222","List ID":"25062018","Lead ID":1699,"Status":"NEW"}}}
7. If Phone number is blank ,  
{"lead 1":{"success":"false","message":"add\_multi\_lead PHONE NUMBER IS REQUIRED"},"lead 2":{"success":"true","message":"add\_multi\_lead RECORD(S) CREATED","data":{"Phone Number":"2222222","List ID":"25062018","Lead ID":1701,"Status":"NEW"}}}
8. If Phone number have alphabetic value,  
{"lead 1":{"success":"false","message":"add\_multi\_lead PHONE NUMBER IS NOT VALID"},"lead 2":{"success":"true","message":"add\_multi\_lead RECORD(S) CREATED","data":{"Phone Number":"2222222","List ID":"25062018","Lead ID":1713,"Status":"NEW"}}}
9. If list\_id is blank,  
{"lead 1":{"success":"false","message":"add\_multi\_lead LIST ID IS REQUIRED"},"lead 2":{"success":"true","message":"add\_multi\_lead RECORD(S) CREATED","data":{"Phone Number":"2222222","List ID":"25062018","Lead ID":1691,"Status":"NEW"}}}
10. If list\_id is wrong then,  
{"lead 1":{"success":"false","message":"add\_multi\_lead LIST ID liopk DOES NOT EXISTS"},"lead 2":{"success":"true","message":"add\_multi\_lead RECORD(S) CREATED","data":{"Phone Number":"2222222","List ID":"25062018","Lead ID":1692,"Status":"NEW"}}}
11. If list\_id lessthen 3 character ,  
{"lead 1":{"success":"false","message":"add\_multi\_lead LIST ID MINIMUM 3 DIGIT AND MAXIMUM 14 DIGIT"},"lead 2":{"success":"true","message":"add\_multi\_lead RECORD(S) CREATED","data":{"Phone Number":"2222222","List ID":"25062018","Lead ID":1693,"Status":"NEW"}}}
12. If list\_id is created but there is no custom form ,  
{"lead 1":{"success":"false","message":"add\_multi\_lead CUSTOM FIELDS NOT ADDED, NO CUSTOM FIELDS DEFINED FOR THIS LIST"},"lead 2":{"success":"true","message":"add\_multi\_lead RECORD(S) CREATED","data":{"Phone Number":"2222222","List ID":"25062018","Lead ID":1694,"Status":"NEW"}}}

```
2":{"success":"true","message":"add_multi_lead RECORD(S)  
CREATED","data":{"Phone Number":"2222222","List ID":"25062018","Lead  
ID":1707,"Status":"NEW"}}}
```

13. If API has a syntax error ,

```
{"success":"false","message":"add_multi_lead PLEASE CHECK YOUR JSON  
SYNTAX"}
```

14. If Api user do not have permission of Modify lead ,

```
{"success":"false","message":"add_multi_lead USER DOES NOT HAVE  
PERMISSION TO ADD LEADS TO THE SYSTEM"}
```

15. If Api user login fails ,

```
{"success":"false","message":"Login incorrect, please try again"}
```

16. If Multilead parameter is blank ,

```
{"success":"false","message":"add_multi_lead MULTI_LEAD IS REQUIRED  
FIELDS"}
```

## 3. Click to Call API

1. Click to Call API places manual dial phone call on the logged-in agent screen.
  2. For that, you can define whether to search for the lead in the existing database or not and you can define the phone\_code.
  3. Different parameters are used to place a call using this API which are defined in next section 'API Parameters'.
- **Below are the parameters with their description to pass to Click to Call API:**

Parameter	Description
agent_user *	It is a dialer agent whose session that you want to affect. This agent_user will be agent user of dialer system.
source *	Description of what originated the API calls (maximum 20 characters). For e.g., source=clicktocall
value *	This will be your any valid phone number on which call will be dialed.
action *	This is the name of API function as ' <b>manual_dial</b> '.
search *	YES – It performs a search in the campaign-defined leads table list for this phone number and brings up that lead. NO - Do not search, it will create a new lead record for the call
preview *	YES – It will preview the lead in the agent screen without dialing, call will not be placed immediately NO - Do not preview the lead, it will place call immediately
focus *	YES – It will focus to agent screen about dialed number, brings up an alert in the browser window NO - Do not change focus, agent will not get alert in the browser
phone_code	Any valid phone country code (1 for USA/Canada, 44 for UK, etc...).
prospects_id	Must be up to 36 digits

\* Required parameters.

- **Below is Sample URL of API:**

[http://103.81.88.109/elision-dialer/elision-api/main.php?source=click\\_to\\_call&agent\\_user=dialer\\_agent\\_user&action=manual\\_dial&value=1234567890&phone\\_code=&search=YES&preview=NO&focus=YES&prospects\\_id=654dsddfd](http://103.81.88.109/elision-dialer/elision-api/main.php?source=click_to_call&agent_user=dialer_agent_user&action=manual_dial&value=1234567890&phone_code=&search=YES&preview=NO&focus=YES&prospects_id=654dsddfd)

---

- **Below is the SUCCESS Response:**

```
{"success":"true","message":"manual_dial EXTERNAL_DIAL FUNCTION SET","data":{"Phone Number":"1234567890","Prospects Id":"654dsddfd"}}
```

- **Below are the ERROR Response:**

1. If action is blank ,  

```
{"status":"false","message":"PLEASE ENTER ACTION VALUE"}
```
2. If agent user is not logged in ,  

```
{"success":"false","message":"manual_dial AGENT_USER IS NOT LOGGED IN"}
```
3. If agent user is not in pause mode,  

```
{"success":"false","message":"manual_dial AGENT_USER IS NOT PAUSED"}
```
4. If agent user do not have permission to do manual call ,  

```
{"success":"false","message":"manual_dial AGENT_USER IS NOT ALLOWED TO PLACE MANUAL DIAL CALLS"}
```
5. If value field do not have valid phone number ,  

```
{"success":"false","message":"manual_dial VALUE IS NOT VALID"}
```
6. If value field is blank ,  

```
{"success":"false","message":"manual_dial VALUE IS REQUIRED"}
```

## Products

- Call Center Dialer
- IP / PBX
- Voice Broadcasting
- IVR System
- Click2Call
- Live Chat
- SoftSwitch
- Voice logger
- Video Telephony



### Elision TechnoLab LLP

#### India Office :

3B, 4th Floor, Sumeru Center, Nr. Parimal Bridge, Paldi,  
Ahmedabad-380007 Gujarat, India. Tel.: +91 704 164 9394

#### USA Office :

2419 # E Piper Lane, Charlotte,  
NC. 28208-7325, USA, Tel.: +1 305 328 9898

[www.elisiontec.com](http://www.elisiontec.com)