

**Click To Call API**

## Document Revision History

---

Version	Date	Author	Description of change
1.0	14/02/2019	Radhika Solgama	APIDocument

## Table of Contents

---

<b>TABLE OF CONTENTS .....</b>	<b>3</b>
<b>1. CLICK TO CALL API .....</b>	<b>4</b>

## 1. Click to call API

---

**DESCRIPTION:** add\_lead - adds a new lead to the table with several fields and options

### REQUIRED FIELDS:

- phone\_number - must be all numbers, 6-16 digits
- phone\_code - must be all numbers, 1-4 digits, defaults to 1 if not set
- list\_id - must be all numbers, 3-12 digits, defaults to 999 if not set
- source - description of what originated the API call (maximum 20 characters)
- first\_name - name
- email - pass the email address
- Select Property - pass this fields value in address2
- Query/Comment - pass this fields value in address3

### EXAMPLE URLS:

[https://presales.rightside.co.in/rightside/rightside-api/main.php?source=test&action=add\\_lead&phone\\_number=8238829140&phone\\_code=1&list\\_id=1422018&first\\_name=Bob&last\\_name=Wilson&email=radhika.solgama@elisi.ontec.com&address2=address2&address3=address3&add\\_to\\_hopper=Y](https://presales.rightside.co.in/rightside/rightside-api/main.php?source=test&action=add_lead&phone_number=8238829140&phone_code=1&list_id=1422018&first_name=Bob&last_name=Wilson&email=radhika.solgama@elisi.ontec.com&address2=address2&address3=address3&add_to_hopper=Y)

### RESPONSES:

- SUCCESS:

```
{ "status": "true", "message": "add_lead LEAD HAS BEEN  
ADDED", "data": { "phone_number": "7016250738", "list_id": "1422018", "lead_id": 427155  
,"gmt_offset": "-6", "user": "api" } } { "status": "NOTICE", "message": "add_lead ADDED TO  
HOPPER", "data": { "phone_number": "7016250738", "lead_id": 427155, "hopper_id": 4597  
8 } }
```