


OTHER OUTDOOR GENIUSES



wipro advantage



Registered Office: Wipro Enterprises (P) Ltd. 'Wipro House', No. 8, 7th Main, 80 Feet Road, Koramangala, 1st Block, Bangalore 560034, Karnataka, India.
Business Office: Wipro Lighting, 5th Floor, Godrej Eternia - C, Old Pune-Mumbai Highway, Shivajinagar, Pune 411005, India. (T) 020 66098700, (F) 020 66098777

www.wiprolighting.com | Toll free no: 1800 425 1969 | helpdesk.lighting@wipro.com

Follow us on: [in](#) [t](#) [f](#) [i](#) [g](#) [v](#)


Branches: Ahmedabad | Bangalore | Baroda | Bhubaneshwar | Chandigarh | Chennai | Cochin | Coimbatore | Hyderabad | Indore | Jaipur | Kolkata | Lucknow | Mumbai | Nagpur | New Delhi | Pune | Raipur | Vishakhapatnam

Innovation and improvement are a way of life at Wipro. All rights reserved. Reproduction of this data in parts or in whole, without permission, is prohibited. Care has been taken to ensure that the information content within is correct. We reserve the right to modify the product without prior intimation. Imitation of Registered Designs is a punishable offence.



DOT STREETLIGHT


INDIA SHINES BRIGHT



30 YEARS OF WIPRO LIGHTING

Celebrating a journey that is now defining the future of lighting

At Wipro, innovation is in our DNA. Our leading-edge technology and customer-centric approach come together to provide intelligent lighting solutions across segments such as manufacturing, healthcare, outdoor, offices and much more. Recognized globally for thought-leadership and expert solutions, Wipro Lighting is proudly leading the category with excellence for the last 30 years!



MAKING OUTDOORS SAFER AND SMARTER

The world's youngest nation refuses to sleep. India is on the go all day, all night. Wipro Lighting believes it should support the nation's energy and progress with its leading-edge solutions, at all hours. India is upgrading highways, landscapes, arenas and other infrastructure. Wipro's intelligent outdoor lighting complements it by not only being energy and cost efficient but by also being high on aesthetics. It is automated, provides optimal illumination and act as data hubs too. Join us in building the blocks of India. Come, experience the future with us.



Durable
and robust
with IK10
impact
resistance

DOT STREETLIGHT BUILT TO OUTLAST


India's extreme climatic conditions require robust lighting solutions. Introducing Dot Streetlights, that can withstand dust and extreme conditions. No wear-and-tear. **No replacements. Low maintenance.** Lights that you can trust to illuminate the nation, night after night. Dot Streetlights help provide even lighting, visual comfort and a safe driving environment. Are you ready to build a country that shines like no other?

INDIAN STREETS DOTTED WITH PRIDE AND SAFETY



SUPER-EFFICIENT THERMAL MANAGEMENT

- Isolated driver compartment
- No heat transfer and build up
- Reduced hot spots
- Electronic components stay cool



UNIFORM AND OPTIMUM LIGHT OUTPUT

- Non-yellowing polycarbonate lens
- Specialized design to reduce light loss



EASY AND FLEXIBLE INSTALLATION

- Ease of installation on poles
- Easy replacement



LOWER COST OF OWNERSHIP

- Low maintenance
- No wastage of energy
- No frequent replacements
- Long life



HIGH ON DURABILITY

- Robust and reliable
- Weather resistant with IP66
- IK10 impact resistant
- Pressure die-cast aluminium housing
- Corrosion resistant pure polyester powder coating




PRODUCT SPECIFICATIONS

DOT STREETLIGHT LR08

ELECTRICAL DATA

Catalogue Reference No.	Power (W ±10%)	Rated Voltage (VAC)	Input current (Amp)	Weight (Kg ±0.2)	Case Lot (In Nos)
LR08-501-XXX-57-XX	35	240	0.15	1.2	10
LR08-611-XXX-57-XX	45	240	0.19	1.2	10
LR08-651-XXX-57-XX	50	240	0.22	1.2	10
LR08-781-XXX-57-XX	60	240	0.26	1.2	10

DIMENSIONAL DRAWING & DETAILS



All dimensions are in mm. Tolerance ±2mm.
Some of the lens dots will be empty, depending on wattage.

APPLICATION AREAS



URBAN & RESIDENTIAL
STREETS



BRIDGES



CYCLE TRACKS &
PEDESTRIAN PATHS



RAILWAY STATIONS &
METROS



CAR PARKS




SQUARES &
PEDESTRIAN AREAS

ELECTRICAL DATA

Catalogue Reference No.	Power (W ±10%)	Rated Voltage (VAC)	Input Current (Amp)	Weight (Kg ±0.2)	Case Lot (In Nos)
LR08-981-XXX-57-XX	80	240	0.35	2.5	4
LR08-102-XXX-57-XX	90	240	0.39	2.5	4
LR08-112-XXX-57-XX	100	240	0.43	2.5	4
LR08-122-XXX-57-XX	110	240	0.48	2.5	4
LR08-132-XXX-57-XX	120	240	0.52	2.5	4

DIMENSIONAL DRAWING & DETAILS



All dimensions are in mm. Tolerance ±2mm.
Some of the lens dots will be empty, depending on wattage.