# Changelog

## SGPA3
## Automated Process Management System

Some applications mentioned in this report may not be available in the feature pack installed in your SGPA 3.0

+55 (18) 3622-2270

Av. Brasília, 2.121 - Edif. New York Tower
Jardim Nova York - Araçatuba/SP

Thank you for being a SGPA 3.0 user!
Our system was updated in order to fix bugs, improve performance and add new features to bring a better user experience and contribute to a better quality and efficient management.

## Summary

# 1. SGPA

## 1.1 Improvements

### 1.1.1 PBI Reports

Update and standardization of the PBI reports for the Sugar Cane Vertical. From this version new reports will be available and some have been unified. They are:

**New Reports:**
– FUT Adherence

– Cutting, Loading and Transporting Cane

– Average Time

– Online Cane Cutting, Loading and Transporting

– Operational adequacy

– General Diary

**Unified:**
– <u>Operating Variables Report</u> includes the following reports: Operational Hours, Equipment ranking and Management Hours Report

– <u>Online Operational Variables Report</u> includes the Online Dashboard report

Figure 01 – Menu PBI Reports

The reports have an explanatory video and manual available in the initial page, to access click on the desired option.



Figure 02 – New Reports and Layout

💬 Available to the Clients/Environments of the Sugar Cane Vertical;

💬 The manual have English and Spanish tranlations, for the videos select the *YouTube* automatic subtitles

ℹ️ Access on Main Menu > Reports > PBI

### 1.1.2 PBI Reports

Adjustment made in the filters of the PBI reports, from this version on it will be necessary to filter at least one equipment in order to enable the other filters. The following warning message will be shown: "<u>Select at least one equipment to unlock the filters</u>".



Figure 03 – PBI Filters

ℹ️ Access on Main Menu > Reports > PBI

## 2. Monitoring

The Monitoring received some updates and adjustments related to the "layout". This version has all the already existent features from the previous version, but with an interface more modern and intuitive. The main change is related to the integration with the Analytic Map and the update in real time (without the need to wait for the update via the timer).

💬 Initially, for the purpose of homologation and application of eventual corrections, this version was released for some Clients/Environments. After this phase, the other Clients/Evironments will be informed and will receive this update along with a training to present the main changes in relation to the previous version.

Below are the latest improvements and corrections applied to the Clients/Environments that are using the aforementioned version.

## 2.1    Bugs

### 2.1.1    Trail

Adjustment made in order that the speed is shown next to the equipment when the option "Show Speed" is selected.

In case of questions or furthermore clarifications please contact us by e-mail suporte@solinftec.com.br or call +55 18 3622 2270