


Changelog

SGPA3

Automated Process Management System



Changelog Version 2023/182
 Period: 03/27/2023 to 03/31/2023
 Revision 00
 Date: 04/10/2023

Some applications mentioned in this report may not be available in the feature pack in your SGPA 3.0



Thank you for being a SGPA 3.0 user!

We update our system in order to fix bugs, improve performance and add new features to bring a better user experience and contribute to a better quality and efficient management.

Table of Contents


1. SGPA3	4
1.1 Improvements	4
1.1.1 Records – Alarm Level.....	4
1.1.2 Maps – Trampling	4
1.2 Bugs.....	5
1.2.1 Records – Field by Equipment Type.....	5

1. SGPA3

1.1 Improvements

1.1.1 Records - Alarm Level

New Alarm Levels have been implemented, linked to Equipment Type 96 – RFID Reader, to meet the CDA module. The levels “CDA – Critical Alarm”, “CDA – Antenna Alarm”, “CDA – Communication Alert” and “CDA – Charging Alert” were created.















Name	Weight	Chart Color	Options
CDA - ALARME CRÍTICO	0		 
CDA - ALERTA ANTENAS	2		 
CDA - ALERTA COMUNICAÇÃO	3		 
CDA - ALERTA ALIMENTAÇÃO	1		 

Image 01 – CDA Alarm Levels



Go to Main Menu > Records > Alarm > Alarm Level










Available for Vertical Grains Environments that use the “CDA” solution.

1.1.2 Maps – Tramplimg

Improvement made to display the colors of classifications “5 – No precision” and “6 – No line map” on the “Tramplimg” Map as registered on the “Tramplimg Track” screen.

Trampling track ⓘ

Type a search term

Classifier	Classification	Color	Distance
0	Sem Pisoteio		Greater than or equal to 0 and less than 15
1	Pisoteio Baixo		Greater than or equal to 15 and less than 19
2	Pisoteio Médio		Greater than or equal to 19 and less than 23
3	Pisoteio Alto		Greater than or equal to 23 and less than 200
4	Perda de Referência		Greater than or equal to 200
5	Sem precisão		Equals to 998
6	Sem mapa de linhas		Equals to 999

Close

Image 02 – Registration Trampling Track



Image 03 – Trampling Map

Go to Main Menu > Records > Settings > Trampling Track and go to Top Menu > Maps > Line Maps > Trampling

Available for Sugarcane Vertical Environments that use the “Trampling” solution in the Analytical Map.

1.2 Bugs

1.2.1 Records – Field by Equipment Type

Correction applied to the "Screen Label" field (description) in the "Field by Equipment Type" screen to be possible to insert special characters (accentuation, symbols, etc.)



Go to Main Menu > Records > Settings > Field by Equipment Type

In case of doubt or further clarification, please contact us via email suporte@solinftec.com.br or call +55 18 3622 2270