


Changelog

SGPA3 Automated Process Management System



Changelog Version 2026/284

Period: 08/18/2026 to 08/24/2026

Revision 00

Date: 09/01/2026

Some applications mentioned in this report may not be available in the package of functionalities installed in your SGPA 3.0

+55 (18) 3622-2270

Av. Brasília, 2.121 - Edif. New York Tower
Jardim Nova York - Araçatuba/SP



Thank you for being a SGPA 3.0 user!

We update our system frequently to fix bugs, improve performance, and add new features to enable a better user experience and contribute to management with higher quality and efficiency.

Summary

1.	SGPA3.....	4
1.1	Improvements.....	4
1.1.1	PBI Reports – Climate Conditions.....	4
1.1.2	CDA Panel – Roll Diameter.....	4
2.1	Bugs.....	6
2.1.1	Analytical Map – Productivity Monitor.....	6
2.1.2	Records – Types of Equipment.....	6
2.1.3	Records – Alert Configuration.....	7
2.1.4	CDL – Tilt ID Adjustment	7

1. SGPA3

1.1 Improvements

1.1.1 PBI Reports – Climate Conditions

Improvement made to the PBI Weather Conditions Report, to include the option to filter by Equipment Group and update the cascading selection hierarchy. Therefore, when selecting a specific equipment group, the list of available equipment is automatically updated accordingly, facilitating segmentation and analysis of weather data applied to fleets. To validate, access the Weather Conditions report, select an Equipment Group in the filters and confirm that the Equipment filter dynamically reflects only the machines belonging to the chosen group.




Figure 1 – Filters of the Climate Conditions Report



Access in: Side Menu > Reports > PBI > Weather > Climate Conditions

1.1.2 CDA Panel – Roll Diameter

Improvement made to the CDA Panel for inclusion, processing, and display of the module size (roll/bale), accompanied by data reprocessing for the 2026 harvest. With this update, the entire data flow – synchronization, processing functions up to panel queries – was structured to pass on and display the diameter/size information directly in the module details modal.

To validate, go to the CDA Dashboard, filter the desired period, expand the crop records, and click on the details button of a roll to confirm the correct display and completion of the new Diameter field.




Figure 2 – Details – "Diameter" field




Figure 3 – Details – "Diameter" field (zoom)



Access in: Upper Menu > CDA Panel

2.1 Bugs

2.1.1 Analytical Map – Productivity Monitor

Adjustments made in the processing of data from the Productivity Monitor (specifically in the composition of the Analytical Map/Yield Monitor), to correct divergences in the classification and proportion of production recorded via Service Order (SO) in relation to the increments generated by Artificial Intelligence (Alice). With this update, the method of consolidation of the stretches was equalized, ensuring that the volumes manually posted by WO are properly prioritized and reflected in the percentages and summaries of the maps.

To validate, access the Analytical Map, in the Summary tab in the Productivity and Yield maps, of the corresponding unit and check if the percentage distribution of production by WO and the data of the fields/stretchers are updated and correctly reflecting the manual entries made.



Access in: Top Menu > Analytical > Map > Productivity/Performance Monitor > Summary Tab



Note: A residual volume of records may remain classified as "IA/Alice-inferred" if the sample does not fully meet the validation rules for volume distribution, such as Effective status, FZT linkage, and mass value presence.

2.1.2 Records – Types of Equipment

Adjustments made to the Records, on the Field parameterization screen by Equipment Type, to make available the Field option in the condition of the alarm rules of equipment that did not have this view, as in the case of Transshipment. With this update, the parameter of the Display Information column was configured as Both, allowing the Field field to be used in the creation of rules normally.

To validate, access the field configuration screen, search for "Field", edit the type of equipment you want, and confirm that the Display Information field is filled with

the option Both (or the desired value), reflecting the availability of the condition by Field in the equipment rules.

 Access in: Side Menu > Records > Settings > Field by Equipment Type > Edit Field by Equipment Type

2.1.3 Records – Alert Configuration

Adjustments made to the Alert Conditions Creation Screen, where The "Equipment Type" property was hidden because it is redundant with the equipment type that is already selected in the rule itself in the upper right corner. It appears in the condition construction properties because the source is the equipment type field that is used both as a property of the equipment type on this screen and in the equipment information popup in monitoring. To test just follow the creation of a rule and check if the "Equipment Type" property no longer appears.

 Access in: Side Menu > Records > Alerts > Rules – Fence/Aler > Creation of Alert Conditions

2.1.4 CDL – Tilt ID Adjustment

Adjustments made to the Digital Certificate of Orange – CDL to correct the incorrect link of the Tipping ID of the equipment.

 Accessed in: Top Menu > CDL

If you have any questions or other clarifications, please contact us via email suporte@solinftec.com.br or call +55 18 3622 2270.