


Changelog

SGPA3 Automated Process Management System



Changelog Version 2026/282

Period: 06/23/2026 to 07/06/2026

Revision 00

Data: 08/04/2026

Some applications mentioned in this report may not be available in the package of functionalities installed in your SGPA 3.0

+55 (18) 3622-2270

Av. Brasília, 2.121 - Edif. New York Tower
Jardim Nova York - Araçatuba/SP



Thank you for being a SGPA 3.0 user!

We update our system frequently to fix bugs, improve performance, and add new features to enable a better user experience and contribute to management with higher quality and efficiency.

Summary

1.	SGPA3	4
1.1	Improvements	4
1.1.1	PBI Reports – Fertigation Notes.....	4
1.1.2	Maps – Analytics	4
1.1.3	Maps – Export.....	6
1.1.4	Monit+	7
1.1.5	Online Command – Truck Types.....	10
1.1.6	Road Editor – New buttons.....	12
1.1.7	Editor de Estradas – OSM	13
2.1	Bugs.....	14
2.1.1	Reports – PBI Report Scheduler V2	14
2.1.2	Reports – Report Generator	15
2.1.3	Records – Equipment.....	15
2.1.4	PBI Reports – Fertigation Application Report	15
2.1.5	Map – Nutrients	15
2.1.6	Monitoring – CDA	16
2.1.7	Records – Users	16

1. SGPA3

1.1 Improvements

1.1.1 PBI Reports – Fertigation Notes

Improvement made in the PBI Fertigation Report, Analytical tab, through the inclusion of the Time option in the Analysis Level of the Table, for data analysis.




Figure 1 – PBI Fertigation Report



Access in: Side Menu > PBI > Reports > Fertigation Notes > Analytical Tab

1.1.2 Maps – Analytics

Improvement was made through the inclusion in the Analytical Map screen, in the details tab, of a new field "Type of Coupling" in the fertigation line maps. Three types of couplings were included: Coupling Type 1 = Manual Hitching, Coupling Type 2 = Manual Unhitching and Coupling Type 0 = There is no information for the stretch.




Figure 2 – Coupling Type 1 – Manual hitching




Figure 3 – Coupling Type 2 – Manual unhitching




Figure 4 – Coupling type 0 – There is no information for the stretch

Access in: Top Menu > Analytical > Maps > Filter Fertigation Operations > Line Maps > Select the desired line from the map > Side pop-up > "Type of coupling" field

1.1.3 Maps – Export

Improvement made with the inclusion of the new IA Yield column in the export of map data, allowing you to track and analyze reports in CSV format with up-to-date productivity information in a practical way. To test, go to the top menu under Maps, select a date range of up to a week and the desired operation, click on the three dots next to "Select data" and choose "Export". Finally, select the AI Yield checkbox and perform the export to verify that the CSV report brings the new column with the updated AI yield data.




Figure 5 – Field Option IA

S1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Figure 6 – New column in the AI Field Export file

Access in: Upper Menu > Map > Select date range up to 1 week > Select operation > In the three dots next to "Select data" > Click on "Export Data"

1.1.4 Monit+

Improvement made to the Monit+ screen > Equipment Management > Operating Conditions, bringing the possibility of filtering operating conditions in an individualized and customized way for each type of equipment.

The new layout now allows you to view the specific conditions of one type of equipment at a time (such as speed, RPM, voltage, or battery status), and you can switch between equipment types dynamically.

The "Edit Conditions" button opens a new modal that provides a list of options for selection, allowing you to configure up to 5 active conditions per type of equipment. These dynamic rules validate the data in real time and visually indicate (in green or red) whether the equipment is operating within the expected parameters. If a type of equipment does not have active custom conditions, the 5 default conditions will be displayed automatically.




Figure 7 – New modal button "Edit conditions"




Figure 8 – New conditions in the Operations Conditions modal

Operating Conditions

Set the limits and conditions for equipment monitoring.

Equipment Type

Search equipment

- Colhedora
5 equipment
- Transbordo**
3 equipment
- Caminhão Canavieiro
7 equipment
- Caminhão Prancha
1 equipment

Transbordo

CONDITION	COMPARATOR	VALUE
☒ ▼	=	40
☐ ▼	>	
☐ ▼	>	
☐ ▼	>	
☐ ▼	>	

Cancel Save conditions Save and close

Figure 9 – Type of equipment without customized conditions

CERRADINHO BIOENERGIA SA.

● 29% ● 0% ● 71%

● Online: 28 ● Offline: 323

Equipments Operating Conditions

10 minutes

Conditions - Transbordo

speed: 45 Km/h | engine rpm: 550 | fuel level: 40 % | engine rpm: 2000 | motor on: 0

300560 - TRANSBORDO DALTON

✓ speed: 0Km/h | ⊖ engine rpm: | ⊖ fuel level: | ⊖ engine rpm: | ✓ motor on: Off

Figure 10 – Standard Conditions




Figure 11 – Customized conditions




Figure 12 – Custom rule being used as per real-time data.



Accessed in: Upper Menu > Monit+

1.1.5 Online Command – Truck Types

Improvement made to the online command screen with the replacement of the manual filling field by a selection list with the types of truck, bringing more agility and avoiding operational errors. In addition, the automatic update of the equipment registration in the database was implemented when receiving the confirmation of the online command, ensuring that the type of equipment is correctly synchronized in the monitoring in an integrated way and without manual interventions.




Figure 13 – Types of truck




Figure 14 – Command submission screens displaying the types




Figure 15 – Pop-up screen displaying the types

 Access in: Side Menu > Online Command

1.1.6 Road Editor – New buttons

Improvement made with the introduction of the new Checkpoints and Checkpoints management panel in the Road Editor, accessible from the left sidebar of the system. The functionality centralizes the viewing, registration, editing, and deletion of checkpoints directly on the map, allowing you to centralize the visualization when locating a point, consult details through dedicated icons, and perform the complete flow of approval, disapproval, data change, and deletion with a confirmation window in a practical and integrated way.




Figure 16 – Road Editor – Checkpoints




Figure 17 – Road Editor – Checkpoint Management

Access in: Side Menu > Modules > Road Editor > In the left sidebar, click on the Checkpoints option.

1.1.7 Road Editor – OSM

Improved the Road Editor with the implementation of edit restriction rules for OSM public roads, ensuring that roads downloaded from OSM are protected from undue changes (such as dragging vertices, using waypoints, moving through the menu or opening the right-click menu), while client roads and new roads remain fully editable. In addition, the intersection interactions between client and OSM lanes have been adjusted, allowing the junction point to be selectable and the

disconnecting action to affect only the specific node of the client lane without changing the structure of the OSM lane.




Figure 18 – OSM roads when selected turns red.




Figure 18 – Customer roads turn orange/yellow when selected



Access in: Side Menu > Modules > Road Editor

2.1 Bugs

2.1.1 Reports – PBI Report Scheduler V2

Adjustments made on the scheduling screen of the PBI V2 Report Scheduler so that after selecting the units, only the fronts corresponding to the selected unit will be filtered.

 Access in: Side menu > Reports > PBI Report Scheduler V2 > New Scheduling > Select the fields for the test

2.1.2 Reports – Report Generator

Adjustment made in the generation of the "Alarm Hours" report type and the "REGIONAL/UNIT/EQUIPMENT/DATE/OPERATOR/MAXIMUM SPEED/RPM" Report, which had its performance improved. Even when selecting large periods and all equipment, exporting to PDF and XLS now occurs much faster, ensuring a more fluid user experience.

 Access in: Side menu > Reports > Report Generator

2.1.3 Records – Equipment

Adjustments made on the Equipment screen, the display of the last page of the active equipment list has been adjusted to accurately reflect the actual number of records, eliminating inconsistencies in navigation.

 Access in: Side Menu > Records > Equipment > Equipment

2.1.4 PBI Reports – Fertigation Application Report

Adjustment made in the data processing of the "Status" tab of the PBI Report of Fertigation Application, ensuring the correct and accurate display of information on the screen.

 Accessed in: Side Menu > > PBI Report > Fertigation Application > Status Tab

2.1.5 Map – Nutrients

Adjustment made in the way the Nutrient Calculator of the map calculates the dosage of nutrients, thus eliminating the divergence previously presented.



Access in: Top Menu > Nutrient Maps >> Select dates, type of Service Order > Calculate dose

2.1.6 Monitoring – CDA

Made an adjustment to the way the Map handles clicks, eliminating the divergence where the field layer prevented the correct display of roll details and restoring the expected behavior.



Accessed in: Upper Menu > Monitoring > CDA > Select Date > Select Quality > Select Period
> On the map select field > Select blue or red dots

2.1.7 Records – Users

Adjustment made in the User Registration Screen, in the validation of the "Username" field and in the SGPA search, allowing the use of numbers and the slash (/) character to register compound nomenclatures, while ensuring that the name begins with a letter and respects the maximum limit of 50 characters.



Access in: Side menu > Records > Administration > Users > Search or register new user

If you have any questions or other clarifications, please contact us via email suporte@solinftec.com.br or call +55 18 3622 2270.