


Changelog

SGPA3 Automated Process Management System



Changelog version 2026/280

Period: 05/05/2026 to 06/01/2026

Revision 00

Data: 06/23/2026

Some applications mentioned in this report may not be available in the package of functionalities installed in your SGPA 3.0

+55 (18) 3622-2270

Av. Brasília, 2.121 - Edif. New York Tower
Jardim Nova York - Araçatuba/SP



Thank you for being a SGPA 3.0 user!

We update our system frequently to fix bugs, improve performance, and add new features to enable a better user experience and contribute to management with higher quality and efficiency.

Summary

1.	SGPA3.....	4
1.1	Improvements.....	4
1.1.1	Route Deviation – Notifications and Alerts.....	4
1.1.2	Reports – Report Generator.....	5
1.1.3	Analytical Map – Total Hectares.....	6
1.1.4	Maps – Worked area.....	9
1.1.5	Area worked in curves – Analytical Map.....	10
1.1.6	Irrigation Monitor Report – Start and End Time	12
2.1	Bugs.....	13
2.1.1	Report Schedule PBI V2 – Filters	13
2.1.2	Reports – Report Generator.....	14
2.1.3	Registrations – Fertigation.....	14
2.1.4	Monitoring – Analytical Map.....	14
2.1.5	Fence/Alert Rule – Send message command online.....	14

1. SGPA3

1.1 Improvements

1.1.1 Route Deviation – Notifications and Alerts

Improvement made to Route Deviation Notifications and Alerts. In this scenario, when the Driver deviates from the Route stipulated by the Flow, the information is sent by the board that triggers the Alarms in the SGPA. It is possible to view them in the equipment details, and by clicking on the "Alarms" button, the "Alarm" modal shows the history with the information of the last alarms received





Figure 1 – Equipment Details




☒	Group	Equipment ID	Equipment	Alarm	Operation	Operator
☒	OBC-App (Mobile)	11509005	TRATOR PNEU NEW HOLLAND T7.175	SEM CONEXAO COM TELA	Sem Apontamento	Operador
☒	OBC-App (Mobile)	11509005	TRATOR PNEU NEW HOLLAND T7.175	SEM CONEXAO COM TELA	Sem Apontamento	Operador
☒	OBC-App (Mobile)	11509005	TRATOR PNEU NEW HOLLAND T7.175	SEM CONEXAO COM TELA	Sem Apontamento	Operador
☒	OBC-App (Mobile)	11509005	TRATOR PNEU NEW HOLLAND T7.175	SEM CONEXAO COM TELA	Sem Apontamento	Operador
☒	OBC-App (Mobile)	11509005	TRATOR PNEU NEW HOLLAND T7.175	SEM CONEXAO COM TELA	Sem Apontamento	Operador
☒	OBC-App (Mobile)	11509005	TRATOR PNEU NEW HOLLAND T7.175	SEM CONEXAO COM TELA	Sem Apontamento	Operador
☒	OBC-App (Mobile)	11509005	TRATOR PNEU NEW HOLLAND T7.175	SEM CONEXAO COM TELA	Sem Apontamento	Operador
☒	OBC-App (Mobile)	11509005	TRATOR PNEU NEW HOLLAND T7.175	SEM CONEXAO COM TELA	Sem Apontamento	Operador

Figure 2 – Modal Alarms

Access in: Top Menu > Monitoring > Equipment > Equipment > Details > Alarms

1.1.2 Reports – Report Generator

Improvement made to improve the process of Reporting Generation, more specifically the checklist report (Regional/Unit/Equipment/Operator – Checklist) in pdf and xls formats. This optimization aims to speed up the generation of reports, making the user experience of SGPA3 more pleasant.



Report Generation Assistant

Report type

Select Report Type

Report type *

Report *

Next

This site is protected by reCAPTCHA and the Google Privacy Policy and Terms of Service apply.

Figure 3 – Report Generation Wizard




Figure 4 – Parameters tab of the Report Generation Assistant



Accessed in: Side Menu > Report Generator > Report Generation Assistant

1.1.3 Analytical Map – Total Hectares

Improvement made to the Analytical Map panel, to correctly display the value of total hectares when selecting different Fields with the active Worked Area function. Therefore, a new field was added, "Selected Fields", which contains the sum of the hectares of the "worked area" + "unworked area" fields.

< Summary

May 20, 2026 - May 21, 2026

Worked Area

Area

Area	Acres	%
Field(s)	0.00	-
Selected Fields	0.00	-
Operational Area	0.00	-
Worked Area	0.00	0%
No Operation Area	0.00	0%
Overlap Area	0.00	0%
Last updated date	-	-

Histogram

Group by

Figure 5 – Before the correction




Figure 6 – Data selection




Figure 7 – Fields chosen with the Areas worked




Figure 8 – Selection with only 1 Fields.




Figure 9 – Selection with 3 Fields showing the sum of the areas

Access in: Top Menu > Analytical > Map > Select period and operations > Select Worked area > Expand filters and select Fields.

1.1.4 Maps – Worked area

Improvement applied to the information displayed in the details of a field of the Map of the Worked Area, so that when selecting a certain field with the active Worked Area, the Field Information field containing the field code and the name of the farm is present.




Figure 10 – Field Information

Access in: Monitoring > Analytics > Select date and operation > Worked Area > Select field.

1.1.5 Area worked in curves – Analytical Map

Improvement applied to the Geometry of the worked area where there was Treatment for the curves to no longer have the triangular-shaped flaws of the external area, generating a more uniform Geometry. This item also aims to improve the performance/performance of the display of geometries.

The Adjustable Overlap Area was also implemented so that something closer to the reality of the field occurs, with treatment so that there is no overlap when the equipment makes the border. This change also avoids problems of complex and incorrect geometries that ended up blocking processing.




Figure 11 – Before and after model of the improvement in the geometry of the sharp curves




Figure 12 – Overlap Area Before Improvement




Figure 13 – Overlap Area After Improvement



Access in: Maps > Analytical Map > Select date, equipment and operation > Worked Area or Overlap Area

1.1.6 Irrigation Monitor Report – Start and End Time

The "Monitoring" page was implemented in the report, intended for monitoring the periods of Start and End of Irrigation by Project and Sector. When hovering over the periods displayed on the graph, additional information on Irrigation Time (h) and Applied Depth is presented. The same data can also be queried in a table below the graph. The analysis can be refined through the Project-Sector, Project, and Sector filters.




Figure 14 – Irrigation Monitor Report – Monitoring Tab

Access in: Side menu > PBI > Reports > Irrigation Monitor > Monitoring Tab

2.1 Bugs

2.1.1 Report Schedule PBI V2 – Filters

Adjustments made in the PBI V2 Report Scheduler, in the multi-selection filters where a new form of blocking has been made available, so that when it reaches the 5 selected elements, an informative message is displayed in red to inform that the selection limit has been reached.

Access in: Side menu > Reports > Report Schedule PBI V2

2.1.2 Reports – Report Generator

Adjustment made in the Report Generator, this correction aims to normalize the generation of "Speed Occurrence" reports in extensions of the type ".pdf" and ".xls".

 Access in: Side menu > Reports > Report Generator > Select type (Alarm Hours) and report (Speed Occurrences) > Select equipment > Select dates, condition and report extension type

2.1.3 Registrations – Fertigation

Adjustments applied when saving the "New Sprinkler Factor" registration in the Fertigation tab, after the correction the registration is saving correctly.

 Access in: Side Menu > Registrations > Fertigation > Sprinkler Factor

2.1.4 Monitoring – Analytical Map

An adjustment has been made to the filters of the Monitoring Analytical Map, so that when using the filters, the information is loaded correctly for each user.

 Access in: Top Menu > Monitoring > Analytical Map > Filters

2.1.5 Fence/Alert Rule – Send message command online

An adjustment has been made to optimize the sending of messages configured by online command. In order for messages to be correctly sent to the board as a result of configured alerts, the "Text message to the board" option must be used, which corresponds to the flow currently supported by the application. By enabling this button, the timer field that defines the frequency of sending messages and the message that must be sent on board will be shown on the screen.

 Access in: Side menu > Alerts > Rules – Fence/Alert

 Note: The "Send online command to generate on-board alarm" button, available in the alert configuration window, should not be used. This feature is deprecated and will be removed in a future update to prevent further misuse.

If you have any questions or other clarifications, please contact us via email suporte@solinftec.com.br or call +55 18 3622 2270.