
IQ−TREE
CMAPLE
NeuralNJ
continent
Europe
North America
Oceania
Asia
Africa
South America
Outgroup
Other

IQ-TREE vs CMAPLE



IQ-TREE vs NeighborNJ




normalised RF
0.0 − 0.1
0.1 − 0.2
0.2 − 0.3
0.3 − 0.4
0.4 − 0.5
0.5 − 0.6
0.6 − 0.7
0.7 − 0.8
0.8 − 0.9
0.9 − 1.0
normalised RF
NeuralNJ
IQ−TREE
CMAPLE
NeuralNJ
IQ−TREE
CMAPLE


methods by RF distance
IQ−TREE
NeuralNJ
CMAPLE


quartet distance
quartet distance
0.00 − 0.02
0.02 − 0.04
0.04 − 0.06
0.06 − 0.08
0.08 − 0.10
0.10 − 0.12
0.12 − 0.14
0.14 − 0.16
0.16 − 0.18
0.18 − 0.20
0.20 − 1.00
NeuralNJ
IQ−TREE
CMAPLE
NeuralNJ
IQ−TREE
CMAPLE


quartet consistency (3 trees; 61.0% shared by all)
share of sampled quartets
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0
1
2
3
number of trees agreeing on the quartet topology

densitree: topology only (branch lengths ignored)




IQ−TREE
EPI_ISL_402131
EPI_ISL_410543
EPI_ISL_410721
EPI_ISL_410544
EPI_ISL_425362
EPI_ISL_433087
EPI_ISL_422042
EPI_ISL_417868
EPI_ISL_424653
EPI_ISL_433896
0.00
0.05
0.10
0.15
0.20
0.25
substitutions/site from root
CMAPLE
EPI_ISL_402131
EPI_ISL_410543
EPI_ISL_410721
EPI_ISL_410544
EPI_ISL_425362
EPI_ISL_422042
EPI_ISL_433087
EPI_ISL_433896
EPI_ISL_424653
EPI_ISL_417868
0.00
0.05
0.10
0.15
0.20
0.25
substitutions/site from root


IQ−TREE (outgroups removed)
EPI ISL 425362
EPI ISL 433087
EPI ISL 422042
EPI ISL 417868
EPI ISL 424653
EPI ISL 433895
0e+00
1e−04
2e−04
3e−04
4e−04
substitutions/site from root


CMAPLE (outgroups removed)
EPI ISL 425362
EPI ISL 422042
EPI ISL 433087
EPI ISL 433895
EPI ISL 424653
EPI ISL 417868
0e+00
1e−04
2e−04
3e−04
4e−04
substitutions/site from root

IQ−TREE clades: number of the other 2 trees that contain each clade



strict



majority rule