




IQ−TREE
CMAPLE
NeuralNJ
continent
Europe
North America
Oceania
Asia
Africa
South America
Outgroup
Other


IQ-TREE vs CMAPLE





IQ-TREE vs NeighborNJ





normalised RF
normalised RF
0.0 − 0.1
0.1 − 0.2
0.2 − 0.3
0.3 − 0.4
0.4 − 0.5
0.5 − 0.6
0.6 − 0.7
0.7 − 0.8
0.8 − 0.9
0.9 − 1.0
NeuralNJ
IQ−TREE
CMAPLE
NeuralNJ
IQ−TREE
CMAPLE



methods by RF distance
CMAPLE
NeuralNJ
IQ−TREE


quartet distance
quartet distance
0.00 − 0.02
0.02 − 0.04
0.04 − 0.06
0.06 − 0.08
0.08 − 0.10
0.10 − 0.12
0.12 − 0.14
0.14 − 0.16
0.16 − 0.18
0.18 − 0.20
0.20 − 1.00
NeuralNJ
IQ−TREE
CMAPLE
NeuralNJ
IQ−TREE
CMAPLE



quartet consistency (3 trees; 28.1% shared by all)
share of sampled quartets
0.0
0.1
0.2
0.3
0.4
0
1
2
3
number of trees agreeing on the quartet topology

densitree: topology only (branch lengths ignored)





IQ−TREE
CMAPLE
0.00
0.05
0.10
0.15
0.20
0.25
substitutions/site from root
substitutions/site from root


IQ−TREE (outgroups removed)




CMAPLE (outgroups removed)



IQ−TREE clades: number of the other 2 trees that contain each clade



strict



majority rule

