




IQ−TREE
Phyloformer
CMAPLE
EB−astral
EB−ncbi−astral
EB−ncbi
clade
Land plants
Green algae
Cryptophyta
SAR
Amoebozoa
Fungi
Holozoa
Outgroup (CHLRE)
Other


IQ−TREE vs Phyloformer
GONPE
VOLCA
TETOB
CHLSO
AUXPR
COCSC
OSTTA
MICCC
ROSCH
GLYSO
CUCME
GOSRA
HELAN
NELNU
AMBTC
JUGRE
MAIZE
TOBAC
VITVI
RICCO
GUITC
PLABS
VITBC
ECTSI
HYAAE
SAPDV
PLAHL
BRELC
PHYPN
DICDI
CAVFA
POLPP
CALVF
HYPMA
RHIID
MUCC1
SPIPD
XYLHT
CONA1
FUSPO
AMORE
PYROM
ASPSB
ARTOA
CAPO3
MONBE
SALR5
DROFC
STYPI
TRIAD
LIPVE
STRPU
TRITR
RAMVA
AMPQE
BRAPC
CAPTE
BIOGL
LINUN
TETOB
ROSCH
GLYSO
MAIZE
HELAN
JUGRE
GONPE
CHLSO
COCSC
AUXPR
OSTTA
GOSRA
NELNU
GUITC
PLABS
ECTSI
HYAAE
SAPDV
VITBC
CALVF
HYPMA
PLAHL
SPIPD
RHIID
MUCC1
FUSPO
XYLHT
CONA1
AMORE
PYROM
ARTOA
ASPSB
AMBTC
CUCME
RICCO
DICDI
CAVFA
POLPP
VOLCA
MICCC
VITVI
CAPO3
STYPI
TRITR
BRELC
DROFC
TOBAC
PHYPN
LIPVE
MONBE
SALR5
RAMVA
STRPU
TRIAD
AMPQE
BRAPC
CAPTE
BIOGL
LINUN


IQ-TREE vs CMAPLE




IQ−TREE vs EB−astral





IQ-TREE vs EB-ncbi-astral





IQ-TREE vs EB-ncbi






normalised RF
normalised RF
0.0 − 0.1
0.1 − 0.2
0.2 − 0.3
0.3 − 0.4
0.4 − 0.5
0.5 − 0.6
0.6 − 0.7
0.7 − 0.8
0.8 − 0.9
0.9 − 1.0
Phyloformer
IQ−TREE
CMAPLE
EB−astral
EB−ncbi−astral
EB−ncbi
Phyloformer
IQ−TREE
CMAPLE
EB−astral
EB−ncbi−astral
EB−ncbi


methods by RF distance
EB−nchi−astral
EB−nchi
EB−astral
Phyloformer
IQ−TREE
CMAPLE



quartet distance
quartet distance
0.00 − 0.02
0.02 − 0.04
0.04 − 0.06
0.06 − 0.08
0.08 − 0.10
0.10 − 0.12
0.12 − 0.14
0.14 − 0.16
0.16 − 0.18
0.18 − 0.20
0.20 − 1.00
Phyloformer
CMAPLE
IQ−TREE
EB−ncbi
EB−ncbi−astral
EB−astral
Phyloformer
CMAPLE
IQ−TREE
EB−ncbi
EB−ncbi−astral
EB−astral


quartet consistency (6 trees; 53.9% shared by all)
share of quartets
0.0
0.1
0.2
0.3
0.4
0.5
0
1
2
3
4
5
6
number of trees agreeing on the quartet topology



densitree: topology only (branch lengths ignored)
IQ−TREE
Phyloformer
CMAPLE
EB−astral
EB−ncbi−astral
EB−ncbi
CHLRE
VOLCA
GONPE
TETOB
COCSC
CHLSO
AUXPR
OSTTA
MICCC
RICCO
VITVI
JUGRE
TOBAC
MAIZE
ROSCH
GLYSO
CUCME
GOSRA
HELAN
NELNU
AMBTC
GUITC
VITBC
PLABS
ECTSI
HYAAE
SAPDV
PHYPN
PLAHL
BRELC
DICDI
POLPP
CAVFA
SPIPD
RHIID
MUCC1
HYPMA
CALVF
ARTOA
ASPSB
XYLHT
CONA1
PYROM
FUSPO
AMORE
CAPO3
SALR5
MONBE
DROFC
TRIAD
STYPI
STRPU
LIPVE
AMPQE
TRITR
RAMVA
BRAPC
LINUN
CAPTE
BIOGL
1
0.8
0.6
0.4
0.2
0


IQ−TREE
CHLRE
VOLCA
GONPE
TETOB
COCSC
CHLSO
AUXPR
OSTTA
MICCC
RICCO
VITVI
JUGRE
TOBAC
MAIZE
ROSCH
GLYSO
CUCME
GOSRA
HELAN
NELNU
AMBTC
GUITC
VITBC
PLABS
ECTSI
HYAAE
SAPDV
PHYPN
PLAHL
BRELC
DICDI
POLPP
CAVFA
SPIPD
RHIID
MUCC1
HYPMA
CALVF
ARTOA
ASPSB
XYLHT
CONA1
PYROM
FUSPO
AMORE
CAPO3
SALR5
MONBE
DROFC
TRIAD
STYPI
STRPU
LIPVE
AMPQE
TRITR
RAMVA
BRAPC
LINUN
CAPTE
BIOGL
0.0
0.5
1.0
1.5
2.0
2.5
3.0
substitutions/site from root
Phyloformer
CHLRE
TETOB
HELAN
JUGRE
MAIZE
GLYSO
ROSCH
GOSRA
NELNU
AUXPR
OSTTA
GONPE
CHLSO
COCSC
GUITC
PLABS
ECTSI
HYAAE
SAPDV
VITBC
CALVF
HYPMA
MUCC1
RHIID
PLAHL
SPIPD
FUSPO
XYLHT
CONA1
ASPSB
ARTOA
AMORE
PYROM
DICDI
CAVFA
POLPP
AMBTC
CUCME
RICCO
STYPI
TRITR
VOLCA
CAPO3
MICCC
VITVI
BRAPC
CAPTE
BIOGL
LINUN
STRPU
AMPQE
TRIAD
BRELC
DROFC
RAMVA
TOBAC
MONBE
SALR5
LIPVE
PHYPN
0.0
0.5
1.0
1.5
2.0
2.5
3.0
substitutions/site from root
CMAPLE
CHLRE
VOLCA
GONPE
TETOB
COCSC
CHLSO
AUXPR
MICCC
OSTTA
MAIZE
TOBAC
VITVI
JUGRE
AMBTC
NELNU
GOSRA
HELAN
ROSCH
CUCME
GLYSO
RICCO
GUITC
DICDI
CAVFA
POLPP
PLABS
VITBC
ECTSI
HYAAE
SAPDV
BRELC
PLAHL
PHYPN
SPIPD
CALVF
HYPMA
MUCC1
RHIID
ARTOA
ASPSB
XYLHT
CONA1
PYROM
FUSPO
AMORE
CAPO3
SALR5
MONBE
AMPQE
RAMVA
TRITR
BRAPC
LINUN
BIOGL
CAPTE
STRPU
DROFC
LIPVE
TRIAD
STYPI
0.0
0.5
1.0
1.5
2.0
2.5
3.0
substitutions/site from root

IQ−TREE clades: number of the other 5 trees that contain each clade



strict



majority rule

