




IQ−TREE
Phyloformer
OB−astral
OB−ncbi−astral
OB−ncbi
clade
Flavobacteriia
Cytophagia
Sphingobacteriia
Chitinophagia
Saprospiria
Cyanobacteria
Acidobacteria
Outgroup (MYROD)
Other


IQ−TREE vs Phylolformer
FLABF
AEQSU
CROAH
PSYTT
NONDD
DOKS4
LEEBM
FORAG
LACS5
MURRD
ROBBH
CELLC
MARSH
ZOBGA
OWEHD
FLUTR
PEDHD
PSESL
SPHS2
SOLCM
CYCMS
BELBD
ECHVK
MARTH
BERLS
CYTH3
EMTOG
LEAB4
DYAFD
RUNSL
HALH1
CHIPD
NIAKG
PALPW
SOLUE
GRAMM
GRATM
TERRK
TERSS
GLOVI
CYAP4
ACAM1
SYNS7
LEPBY
CHAP6
HALP7
STAC7
CYAAP
RIPO1
CROS5
MICAN
LYNSP
ARTPN
CHRTP
NODSP
NOSP7
ANACC
ANAVA
CHLFR
AEQSU
CROAH
FLABF
PSYTT
NONDD
DOKS4
LEEBM
FORAG
MURRD
LACS5
CELLC
ROBBH
MARSH
ZOBGA
OWEHD
PEDHD
PSESL
SPHS2
SOLCM
CYCMS
BELBD
ECHVK
MARTH
BERLS
CYTH3
EMTOG
LEAB4
DYAFD
RUNSL
HALH1
CHIPD
NIAKG
FLUTR
PALPW
SOLUE
GRAMM
GRATM
TERRK
TERSS
GLOVI
SYNS7
CHAP6
CYAP4
RIPO1
HALP7
STAC7
CYAAP
LEPBY
MICAN
ACAM1
CROS5
LYNSP
ARTPN
CHRTP
NODSP
ANACC
CHLFR
ANAVA
NOSP7


IQ-TREE vs OB-astral





IQ-TREE vs OB-ncbi-astral





IQ-TREE vs OB-ncbi






normalised RF
normalised RF
0.0 − 0.1
0.1 − 0.2
0.2 − 0.3
0.3 − 0.4
0.4 − 0.5
0.5 − 0.6
0.6 − 0.7
0.7 − 0.8
0.8 − 0.9
0.9 − 1.0
OB−ncbi
Phyloformer
IQ−TREE
OB−ncbi−astral
OB−astral
OB−ncbi
Phyloformer
IQ−TREE
OB−ncbi−astral
OB−astral


methods by RF distance
OB−astral
IQ−TREE
Phyloformer
OB−ncbi−astral
OB−ncbi



quartet distance
quartet distance
0.00 − 0.02
0.02 − 0.04
0.04 − 0.06
0.06 − 0.08
0.08 − 0.10
0.10 − 0.12
0.12 − 0.14
0.14 − 0.16
0.16 − 0.18
0.18 − 0.20
0.20 − 1.00
Phyloformer
IQ−TREE
OB−ncbi
OB−ncbi−astral
OB−astral
Phyloformer
IQ−TREE
OB−ncbi
OB−ncbi−astral
OB−astral


quartet consistency (5 trees; 73.8% shared by all)
share of quartets
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0
1
2
3
4
5
number of trees agreeing on the quartet topology



densitree: topology only (branch lengths ignored)
IQ−TREE
Phyloformer
OB−astral
OB−ncbi−astral
OB−ncbi
MYROD
FLABF
ROBBH
MURRD
CELLC
ZOBGA
MARSH
LACS5
FORAG
LEEBM
DOKS4
PSYTT
NONDD
CROAH
AEQSU
OWEHD
FLUTR
HALH1
NIAKG
CHIPD
SOLCM
SPHS2
PSESL
PEDHD
CYTH3
LEAB4
EMTOG
RUNSL
DYAFD
BERLS
MARTH
CYCMS
ECHVK
BELBD
PALPW
SOLUE
TERSS
TERRK
GRATM
GRAMM
GLOVI
CYAP4
ACAM1
SYNS7
LEPBY
CHAP6
CHRTP
CHLFR
NOSP7
NODSP
ANAVA
ANACC
LYNSP
ARTPN
STAC7
HALP7
CYAAP
MICAN
RIPO1
CROS5
1
0.8
0.6
0.4
0.2
0


IQ−TREE
MYROD
FLABF
ROBBH
MURRD
CELLC
ZOBGA
MARSH
LACS5
FORAG
LEEBM
DOKS4
PSYTT
NONDD
CROAH
AEQSU
OWEHD
FLUTR
HALH1
NIAKG
CHIPD
SOLCM
SPHS2
PSESL
PEDHD
CYTH3
LEAB4
EMTOG
RUNSL
DYAFD
BERLS
MARTH
CYCMS
ECHVK
BELBD
PALPW
SOLUE
TERSS
TERRK
GRATM
GRAMM
GLOVI
CYAP4
ACAM1
SYNS7
LEPBY
CHAP6
CHRTP
CHLFR
NOSP7
NODSP
ANAVA
ANACC
LYNSP
ARTPN
STAC7
HALP7
CYAAP
MICAN
RIPO1
CROS5
0.0
0.5
1.0
1.5
2.0
2.5
3.0
substitutions/site from root
Phyloformer
MYROD
AEQSU
CROAH
NONDD
FLABF
PSYTT
DOKS4
LEEBM
FORAG
MURRD
CELLC
LACS5
ZOBGA
MARSH
ROBBH
OWEHD
PEDHD
PSESL
SOLCM
SPHS2
CYCMS
BELBD
ECHVK
BERLS
MARTH
CYTH3
EMTOG
LEAB4
DYAFD
RUNSL
HALH1
CHIPD
NIAKG
FLUTR
PALPW
SOLUE
GRAMM
GRATM
TERRK
TERSS
GLOVI
CYAAP
HALP7
STAC7
CYAP4
RIPO1
CHAP6
SYNS7
LEPBY
MICAN
NOSP7
ANAVA
CHRTP
NODSP
CHLFR
ANACC
ACAM1
ARTPN
CROS5
LYNSP
0.0
0.5
1.0
1.5
2.0
2.5
3.0
substitutions/site from root

IQ−TREE clades: number of the other 4 trees that contain each clade



strict



majority rule

