The Science of Boundary-Formation: Reality-Coupling, Residual Governance, and the Engineering of Rational Worlds

Installment 1 — Abstract, Reader's Guide, and Sections 1–2

Abstract

Modern civilization does not suffer only from a shortage of knowledge. It suffers from a shortage of disciplined interfaces through which knowledge becomes usable, accountable, revisable, and world-forming.

Law, medicine, physics, AI, accounting, education, politics, engineering, art, and religion all construct boundaries. But they do not construct boundaries in the same way. A legal judgment can create official reality. A medical diagnosis tries to discover biological reality without collapsing too early. A physical thought experiment constructs a minimal world in which old assumptions fail and a deeper invariant can appear. An AI runtime must decide what counts as task, evidence, tool output, memory, risk, refusal, and answer. An educational exercise forms not only knowledge but the future observer who will use knowledge.

This paper proposes **Boundary-Formation Studies** as a research program for comparing these different forms of world-making. Its central object is the **Reality-Coupling Profile**: the way a domain's interface converts raw possibility or raw reality into named objects, valid events, admissible actions, written traces, unresolved residuals, and legitimate revision paths.

The framework is built from five interacting ideas.

First, every usable world requires declaration: a boundary, observable structure, gate, trace rule, residual rule, and revision condition. A viewpoint is not enough; a viewpoint must become a declared world before observation can become auditable.

Second, every domain contains a **Name–Dao–Logic** structure. Name is the way the domain compresses reality into objects, categories, states, roles, or events. Dao is the permitted path of action through those named states. Logic is the protocol that decides which Name–Dao combinations are valid, invalid, or undecidable.

Third, every closure leaves residual. Residual may appear as unrecognized harm in law, unexplained symptoms in medicine, anomaly in physics, hidden cost in accounting, hallucination risk in AI, future debt in climate governance, or ambiguity in art. The maturity of a domain can be judged by how honestly it preserves and governs its residual.

Fourth, every domain has an appropriate level of **AB-fixness**: the degree to which cross-observer


and cross-time agreement must be enforced. Law, formal proof, safety engineering, and audit require high fixness. Discovery, rare-disease diagnosis, creative physics, diplomacy, therapy, and art require controlled looseness. A domain fails when its rigidity is mismatched with its volatility.

Fifth, mature boundary systems must revise without lying about their past. Revision without trace becomes denial. Trace without revision becomes dogma. Residual without governance becomes accumulated collapse debt.

The central thesis is:

(0.1) BoundaryFormation = RealityCoupling + NameDaoLogic + GateTraceResidual + ABFixness + AdmissibleRevision.

This is not a completed theory. It is a research agenda for studying how rational worlds are engineered.



Keywords

Boundary-formation; philosophical interface engineering; reality-coupling profile; residual governance; Name–Dao–Logic; AB-fixness; admissible revision; AI governance; legal reasoning; medical diagnosis; thought experiments; civilizational interface science.

---

0. Reader's Guide: Why This Is a Research Program, Not a Finished Theory

This paper should not be read as a final theory of law, medicine, physics, AI, education,

accounting, politics, or civilization.

It is not a universal checklist.

It is not a claim that all domains are secretly the same.

It is not a metaphorical system that casually maps one discipline onto another.

It is a proposal for a **research program**.

The reason is simple: the same interface grammar behaves differently in different domains.

A legal procedure, a medical diagnosis, a physical thought experiment, an AI tool-use protocol, an accounting recognition rule, a school examination, a religious ritual, and a political election all involve boundary, observability, gate, trace, residual, and revision. But those operations do not mean the same thing in each field.

In law, a gate can create official reality.

In medicine, a gate should route investigation without pretending that the disease has been fully captured.

In physics, a gate may define a minimal experimental world in which an old concept is forced to fail.

In AI, a gate may decide whether a generated claim becomes an answer, a refusal, a tool call, a memory entry, or an unresolved residual.

In education, a gate may determine not only whether the student passes, but what kind of observer the exercise repeatedly trains.

Therefore the first warning is:

(0.2) SameInterfaceGrammar ≠ SameDomainFunction.

The shared grammar is useful only if we study how each domain couples interface to reality.

This paper proposes the term **Reality-Coupling Profile** for that comparison. A domain's Reality-Coupling Profile describes how its boundaries, categories, gates, traces, residuals, and revision rules interact with the kind of reality it handles.

Some domains are **constitutive**. Their interfaces create official reality. Law and accounting are the clearest examples.

Some domains are **epistemic**. Their interfaces try to discover reality. Medicine, investigation, and science belong here.

Some domains are **operational**. Their interfaces stabilize action. Software engineering, AI runtime, cybersecurity, and supply chain management belong here.

Some domains are **invariant-revising**. Their interfaces expose the failure of old assumptions

and generate new invariants. Foundational physics, mathematics, and philosophy belong here.

Some domains are **formative**. Their interfaces create future observers. Education, therapy, religion, culture, and family formation belong here.

Some domains are **expressive**. Their interfaces open perception and preserve ambiguity. Art, literature, film, architecture, and design belong here.

A serious science of boundary-formation must compare these profiles rather than flatten them into one method.

The older language of Philosophical Interface Engineering already gives the core grammar: declare the boundary, define observables, set the gate, write trace, preserve residual, test invariance, and revise without erasing accountability. It defines an interface as the operational surface through which something becomes visible, countable, actionable, memorable, and revisable. The newer Name–Dao–Logic model pushes one level deeper: logic is not treated as a free-floating absolute, but as an engineered protocol attached to how observers name the world and act through those names.

This paper brings those two lines together.

Its guiding question is:

(0.3) How do different domains engineer rational worlds from raw reality, raw possibility, or raw conflict?

The answer will not be one universal table.

It will be an atlas.

---

1. The Core Problem: Worlds Do Not Become Usable by Themselves

Raw reality is not automatically usable.

A patient's body does not arrive already divided into cardiology, neurology, rheumatology, endocrinology, psychiatry, and infectious disease.

A social conflict does not arrive already divided into contract, tort, property, criminal law, administrative law, equity, or human rights.

A scientific anomaly does not arrive already labeled as measurement error, theoretical failure, new particle, new field, statistical fluctuation, or paradigm shift.

An AI user request does not arrive already separated into safe intent, risky intent, missing context, required tool, unsupported claim, memory-worthy correction, or refusal condition.

A school exercise does not arrive already declaring what kind of intelligence it forms.

Reality does not hand us its own interface.

Before a world can be governed, acted upon, taught, litigated, measured, diagnosed, engineered, or revised, it must pass through boundary-formation.

A boundary-formation system asks:

What is inside?

What is outside?

What is observable?

What counts as event?

What counts as evidence?

What action is admissible?

What passes the gate?

What is recorded as trace?

What remains unresolved?

What would force revision?

The basic movement can be written as:

(1.1) RawPossibility + Interface → OperationalWorld.

An operational world is not necessarily a fictional world. It is a world sufficiently declared that action becomes possible.

A legal case becomes operational when harm, standing, evidence, rule, remedy, and appeal path are defined.

A medical case becomes operational when symptoms, risk level, differential diagnosis, tests, referral paths, treatment gates, and follow-up triggers are defined.

A physical problem becomes operational when observables, instruments, assumptions, invariants, and failure conditions are defined.

An AI runtime becomes operational when task boundary, available tools, evidence requirements, refusal rules, memory rules, uncertainty disclosure, and human-review gates are defined.

An institution becomes operational when its dashboard decides what counts as performance, cost, risk, success, failure, backlog, or unacceptable deviation.

This is why boundary-formation is not merely classification. Classification is only one part of the problem.

The deeper process is:

(1.2) Boundary → Observability → Gate → Trace → Residual → Invariance →

Revision.

Each step changes the world differently.

Boundary separates an inside from an outside.

Observability decides what can appear.

Gate decides what can be committed.

Trace carries commitment forward.

Residual preserves what closure did not absorb.

Invariance tests whether the result survives reframing.

Revision changes the declaration without erasing the past.

If any step is missing, the world becomes unstable.

If boundary is missing, the object is unclear.

If observability is missing, evidence cannot be distinguished from noise.

If gate is missing, every appearance may become false commitment.

If trace is missing, the system cannot learn.

If residual is missing, closure becomes dishonest.

If invariance is missing, the result collapses under reframing.

If revision is missing, the system becomes brittle or dogmatic.

This gives the first law of Boundary-Formation Studies:

(1.3) A domain becomes rational only when it can declare, gate, trace, preserve residual, test invariance, and revise.

But rationality does not mean the same thing in every domain.

In law, rationality means due process, public justification, consistent application, appealability, and legitimate closure.

In medicine, rationality means risk-sensitive diagnosis, evidence-weighted uncertainty, treatment responsiveness, and safety-netting against premature closure.

In physics, rationality means conceptual economy, mathematical consistency, empirical adequacy, invariance across frames, and openness to paradigm revision.

In AI, rationality means task-bounded response, evidence discipline, tool reliability, safety constraints, traceable memory, and residual honesty.

In education, rationality means not merely correct answers, but formative exercises that create

capable observers.

So the second law follows:

(1.4) Rationality is domain-coupled.

A proof system cannot use the same AB-fixness as a creative thought experiment.

A final judgment cannot use the same looseness as early-stage legal reform.

An emergency medical protocol cannot use the same ambiguity tolerance as rare-disease exploration.

A nuclear safety system cannot use the same flexibility as brainstorming.

A poem cannot be judged by the same closure demand as an audit opinion.

A mature science of boundary-formation must study the coupling between interface and domain.

This leads to the central object of the paper: the Reality-Coupling Profile.

---

2. From Interface to Reality-Coupling Profile

A boundary is never neutral.

It does not merely divide. It couples a system to reality.

A boundary decides what the system can see, what it can ignore, what it can act upon, what it can record, what it can reopen, and what it will treat as outside its world.

For this reason, the proper unit of study is not “the boundary” alone.

The proper unit is the **Reality-Coupling Profile**.

2.1 Definition

(2.1) RealityCouplingProfile = how a domain’s interface transforms raw reality or raw possibility into recognized objects, valid events, actionable paths, written traces, unresolved residuals, and admissible revision routes.

In simpler words:

A Reality-Coupling Profile tells us how a domain makes a world usable.

It asks:

Does the interface create official reality?

Does it discover pre-existing reality?

Does it route action under uncertainty?

Does it stabilize operations?

Does it form observers?

Does it preserve ambiguity?

Does it expose hidden assumptions?

Does it generate new invariants?

Does it govern residual honestly?

This definition lets us compare domains without pretending that they are identical.

2.2 Constitutive Coupling: When Interface Creates Official Reality

In constitutive domains, the interface does not merely describe reality. It creates an official layer of reality.

Law is the clearest case.

A court does not merely observe social conflict. It decides what counts as admissible evidence, recognized injury, legal responsibility, remedy, judgment, precedent, and appealable error. Legal procedure declares what counts as evidence, standing, injury, responsibility, and closure.

A person becomes legally guilty only through a recognized legal process.

A contract becomes enforceable only under legal rules of formation, capacity, consent, interpretation, and remedy.

A corporation becomes a legal person only because a legal system recognizes such an entity.

A precedent becomes future reality because a court writes a trace that bends later interpretation.

Accounting is similar. Revenue, assets, liabilities, impairment, control, fair value, materiality, and contingent liability are not merely raw economic things. They become reportable financial reality through recognition and measurement gates.

Administration also belongs here. Citizenship, license, degree, certification, registered property, immigration status, tax classification, and professional eligibility are all produced through official gates and ledgers.

The danger in constitutive domains is arbitrary world-making.

If the gate is corrupt, reality is officially falsified.

If the trace is polluted, future decisions inherit error.

If residual is hidden, injustice becomes legal closure.

If revision is unavailable, the official world becomes dogma.

So the key question for constitutive coupling is:

(2.2) Who has authority to gate reality, and how is that authority made auditable?

The primary task of boundary-formation in constitutive domains is not creativity. It is legitimate closure.

2.3 Epistemic Coupling: When Interface Discovers Reality

In epistemic domains, the interface does not create the underlying object. It helps discover it.

Medicine is the clearest case.

A disease is not created by the diagnostic label. A tumor does not begin existing when oncology recognizes it. A metabolic disorder does not become real only when a blood test is ordered. A neurological condition does not become neurological merely because a patient is referred to neurology.

But diagnostic interfaces strongly shape what becomes visible.

A symptom can be treated as cardiac, psychiatric, endocrine, autoimmune, infectious, functional, neurological, or unexplained depending on the frame used.

A specialty boundary may help typical cases but harm difficult cases.

A label may guide treatment, but also close the investigation too early.

So the danger in epistemic domains is not arbitrary official reality. The danger is mistaken reality access.

A bad diagnosis is not bad because it creates the disease. It is bad because it routes perception and action away from the disease.

The primary residual in medicine is the unexplained symptom.

The primary failure mode is premature closure.

The key question is:

(2.3) What does the current frame explain, and what must remain residual until better evidence arrives?

Science, investigation, archaeology, intelligence analysis, and historical research are also epistemic. They depend on evidence, inference, instruments, archives, models, and interpretation. Their gates do not create the past or the physical world, but they decide what can count as known.

The primary task of boundary-formation in epistemic domains is disciplined discovery.

2.4 Operational Coupling: When Interface Stabilizes Action

In operational domains, the interface makes action reliable.

Software engineering, AI runtime, cybersecurity, supply chain, aviation safety, nuclear control, and

industrial operations belong here.

A software specification defines what the system should do.

An API boundary defines what modules can exchange.

A test gate decides whether code can deploy.

An incident report writes trace.

A rollback rule preserves revision.

A risk register records residual.

An AI runtime does something similar. It defines what counts as user intent, tool availability, evidence, refusal condition, memory, answer, uncertainty, and escalation. External commentary on the PIE and Kernelize framework already points out that Declare/Boundary resembles advanced system prompting and context management, Gate resembles verifiers and guardrails, Trace resembles active memory or RAG, Residual resembles uncertainty and hallucination detection, and Invariance resembles robustness under rewording or reframing.

The danger in operational domains is drift.

Requirements drift.

Context drifts.

Tool output drifts.

Memory drifts.

Risk drifts.

If the interface is weak, the system may still produce outputs, but those outputs no longer belong to a governed operational world.

The primary question is:

(2.4) Does this interface keep execution aligned with declared boundary, trace, residual, and revision rules?

The primary task of boundary-formation in operational domains is reliable runtime governance.

2.5 Invariant-Revising Coupling: When Interface Forces Breakthrough

Physics gives the strongest example of invariant-revising coupling.

A physical thought experiment does not merely illustrate a theory. At its best, it declares a minimal world in which an old concept must fail.

A train and lightning thought experiment tests simultaneity.

An elevator thought experiment tests the boundary between gravity and acceleration.

A pursuit of a light beam tests the compatibility of older intuitions with electromagnetic theory.

The interface is not a rhetorical metaphor. It is a disciplined world where observer, measurement, event, signal, and invariant are forced into relation. The earlier PIE case analysis explicitly describes a thought experiment as a declared world with observer, measurement, event, invariant, failure of the old concept, preserved residual, and revision pressure.

In this profile, residual is not mainly error. It is the seed of a deeper frame.

The danger is not only wrong belief. The danger is a successful old interface that hides its own assumptions.

The key question is:

(2.5) What minimal declared world makes the old concept fail under disciplined conditions?

The primary task of boundary-formation in invariant-revising domains is breakthrough.

2.6 Formative Coupling: When Interface Forms Observers

Education, therapy, religion, culture, and family systems are formative domains.

Here the interface does not merely produce an answer, diagnosis, judgment, or result. It shapes the observer who will later interpret the world.

A school exercise declares what counts as effort, intelligence, correctness, speed, originality, obedience, reasoning, and success.

A religious ritual declares sacred time, community membership, repentance, purification, vow, guilt, forgiveness, and belonging.

A therapy session declares safety, narrative frame, trigger, self-story, trauma trace, and admissible revision.

A family system declares what counts as care, duty, love, independence, betrayal, respect, and responsibility.

The danger is observer deformation.

A bad educational interface may produce high scores but thin judgment.

A bad religious interface may produce obedience without spiritual maturity.

A bad therapy interface may produce narrative closure without real integration.

A bad family interface may produce lifelong role capture.

The key question is:

(2.6) What kind of observer does this interface repeatedly train?

The primary task of boundary-formation in formative domains is observer formation.

2.7 Expressive Coupling: When Interface Preserves Ambiguity

Art, literature, film, music, architecture, and design are not weak because they leave residual. Their power often depends on preserving residual.

A novel does not have to close all interpretation.

A painting may work because it keeps perception oscillating.

A poem may generate meaning by refusing premature conceptual closure.

A film may structure attention without fully explaining the moral world it opens.

A diplomatic statement may preserve ambiguity to prevent escalation.

In expressive domains, residual is not always a defect. It can be the medium of experience.

The danger is over-closure.

The key question is:

(2.7) Which residual must remain open for meaning to continue forming?

The primary task of boundary-formation in expressive domains is ambiguity architecture.

2.8 Why the Profile Matters

Without a Reality-Coupling Profile, a method will be misapplied.

If we treat medicine like law, we may imagine that diagnosis creates the disease.

If we treat law like medicine, we may forget that legal gates can create official reality.

If we treat physics like ordinary engineering, we may optimize inside a broken frame instead of revising the frame.

If we treat art like audit, we may destroy its productive ambiguity.

If we treat AI brainstorming like nuclear control, we may overconstrain discovery.

If we treat AI tool use like poetry, we may invite dangerous hallucination.

Therefore:

(2.8) A boundary method is mature only when it adapts to the Reality-Coupling Profile of the domain.

This is the starting point for a science of boundary-formation.

Installment 1 Closing

This installment has established the need for Boundary-Formation Studies as a research program.

The key movement has been:

(2.9) Interface → RealityCouplingProfile → Domain-Specific Boundary Science.

The next installment should develop the internal anatomy of any interface:

Name–Dao–Logic, **Residual Typology**, and **AB-Fixness × Volatility**.

3. Name–Dao–Logic: The Internal Anatomy of an Interface

The previous sections defined the **Reality-Coupling Profile** of a domain: how its interface connects raw reality, raw possibility, or raw conflict to usable world-structures.

We now need a deeper anatomy.

A domain does not simply "draw boundaries." It first names the world, then acts through those names, then judges whether those names and actions are admissible.

This gives the internal triad:

(3.1) Interface = Name + Dao + Logic.

Or more explicitly:

(3.2) DomainInterface = NamingScheme + ActionPath + ValidityFilter.

This is the crucial step from ordinary boundary analysis to a science of boundary-formation.

A legal system is not merely a set of rules. It names persons, property, evidence, injury, liability, standing, intention, causation, remedy, and precedent. It then defines permissible actions: sue, defend, testify, appeal, enforce, settle, punish, compensate. It then filters those Name–Dao combinations through statute, precedent, procedure, burden of proof, admissibility, and due process.

A medical system is not merely a body of biological facts. It names symptoms, syndromes, diseases, risks, red flags, test results, specialties, and treatment pathways. It then defines action paths: observe, test, refer, treat, monitor, discharge, escalate. It then filters those paths through clinical evidence, guidelines, risk thresholds, professional judgment, and safety-netting.

A physical theory is not merely a collection of equations. It names mass, time, field, particle, event, force, frame, measurement, symmetry, and invariant. It then defines action paths: measure, transform, derive, predict, falsify, generalize. It then filters those paths through mathematical consistency, empirical adequacy, invariance, and reproducibility.

An AI runtime is not merely an answer generator. It names user intent, task boundary, claim, source, tool, memory, risk, refusal, uncertainty, and output. It then defines action paths: answer,

ask, retrieve, calculate, use tool, refuse, remember, summarize, escalate. It then filters those paths through system instructions, tool permissions, verification gates, safety rules, and residual disclosure.

The Name–Dao–Logic paper gives the deepest formulation: logic is not treated as a free-floating eternal background, but as an engineered protocol built on top of Name and Dao; Name compresses raw world states into engineered invariants, Dao defines how to walk through named states, and Logic filters which naming schemes and action policies are admissible.

This means that every domain must be analyzed at three levels.

3.1 Name: How a Domain Makes Objects

A Name is not merely a word.

A Name is an engineered invariant.

It tells an observer:

These different appearances will be treated as the same thing.

These differences matter.

These differences do not matter.

This counts.

That does not count.

The formal expression is:

(3.3) $N : W \to X$.

Here:

W = raw world state.

X = named or conceptual state.

N = naming map.

The Name–Dao–Logic model describes Name as an operation that groups raw world states into equivalence classes treated as “the same” for perception, prediction, and action. It also emphasizes that this sameness is engineered: it is not given by physics “for free,” but reflects what the observer preserves and ignores under limited memory, sensing, time, and survival goals.

This insight is decisive.

Many professional disputes are actually naming disputes.

In law:

Is this person an employee, worker, independent contractor, agent, fiduciary, tenant, licensee, victim, suspect, citizen, refugee, or legal stranger?

In medicine:

Is this fatigue psychiatric, endocrine, autoimmune, infectious, malignant, neurological, functional, post-viral, or unexplained?

In physics:

Is time absolute, frame-dependent, emergent, thermodynamic, quantum, relational, or ledgered?

In accounting:

Is this payment revenue, liability, deposit, financing, contribution, deferred income, or contingent event?

In AI:

Is this output an answer, draft, speculation, hallucination, tool result, memory, recommendation, or unsafe instruction?

The first boundary is the name.

A domain cannot act before naming.

But every naming loses something.

(3.4) Name = Compression + Invariance + Loss.

The problem is not that Name is bad. Without Name, no action is possible.

The problem is that bad Name can make good reasoning impossible.

A perfect legal argument over the wrong category fails.

A brilliant treatment plan under the wrong diagnosis harms.

A mathematically elegant theory using the wrong observable misleads.

A rigorous AI answer under the wrong task interpretation is still wrong.

Therefore:

(3.5) If the Name is wrong, the Dao is misrouted and the Logic becomes locally impressive but globally false.

This is why Boundary-Formation Studies must begin before formal reasoning.

It must begin at naming.

3.2 Dao: How a Domain Walks Through Named Worlds

If Name asks:

What do you call this?

Dao asks:

Given that you call it this, what do you do?

The formal expression is:

(3.6) $D : X \to A$.

Here:

X = named state.

A = admissible action.

D = policy or action-path.

The Name–Dao–Logic model defines Dao as a policy over the name-space: once an observer commits to a naming scheme, its behavior is governed by a policy mapping Names to actions. It also states the practical loop: the observer computes $x_t = N(w_t)$, selects $a_t = D(x_t)$, and the world evolves in response.

This gives us a powerful rule:

(3.7) Naming implies trajectory.

To name someone “worker” in employment law is not neutral. It opens a Dao of rights, duties, wage claims, holiday pay, working time rules, and statutory protection.

To name someone “independent contractor” opens another Dao: contractual autonomy, invoice logic, limited employment protection, and risk-shifting.

To name symptoms “anxiety” opens a Dao of reassurance, psychological care, medication, or psychiatric referral.

To name them “possible endocrine disorder” opens a Dao of blood tests, imaging, specialist referral, and risk surveillance.

To name a market state “liquidity crisis” opens a Dao of emergency funding, collateral management, central bank response, or forced deleveraging.

To name an AI user request “high-risk” opens a Dao of refusal, clarification, safe completion, or escalation.

Thus, Name is never merely semantic. It is practical.

(3.8) Name without Dao is inert; Dao without Name is blind.

A mature domain must therefore audit whether its action paths match its naming structure.

Legal systems fail when categories produce unjust paths.

Medical systems fail when diagnosis produces inappropriate routing.

AI systems fail when intent classification produces unsafe answer paths.

Educational systems fail when assessment names ability in ways that train shallow performance.

Organizations fail when KPI names success in ways that route behavior toward gaming.

A boundary does not become real because it is named.

It becomes real when the system walks differently because of it.

3.3 Logic: How a Domain Filters Name–Dao Pairs

Logic is usually imagined as rules of valid inference.

Boundary-Formation Studies takes a more operational view.

Logic is the domain's filter over Name–Dao pairs.

(3.9) $L : (N, D) \mapsto \{\text{valid, invalid, undecidable}\}$.

This does not mean that formal logic is arbitrary. It means that actual working rationality in a domain must judge whether a way of naming the world and acting through that name is admissible.

In law:

Is this classification legally valid?

Is this action authorized?

Is this evidence admissible?

Is this remedy available?

Is this interpretation compatible with statute and precedent?

In medicine:

Is this diagnosis supported by evidence?

Is this test indicated?

Is this discharge safe?

Is this residual symptom sufficiently explained?

Is this guideline applicable to this patient?

In physics:

Is this concept measurable?

Does this equation preserve invariance?

Does this interpretation survive experiment?

Does this theory reduce to known cases?

In AI:

Is this answer grounded?

Is the tool call authorized?

Is the uncertainty disclosed?

Is this memory safe to retain?

Is this refusal justified?

The Name–Dao–Logic paper explicitly describes logic as a filter on possible configurations of naming and action, rather than as "laws in the sky." It also notes that different logics correspond to different filters, including stricter classical patterns and more tolerant fuzzy or paraconsistent patterns.

This yields a third law:

(3.10) DomainLogic = AdmissibilityFilter(Name, Dao).

This is why different domains require different logics.

Formal proof demands extremely high consistency.

Medicine requires probabilistic, risk-weighted, evidence-sensitive reasoning.

Law requires procedural validity, interpretive stability, and legitimate authority.

Art may require coherent ambiguity rather than deductive closure.

Diplomacy often requires strategic under-specification.

AI runtime must combine strict safety gates with flexible task interpretation.

A single logic cannot govern all situations equally well.

The question is not:

Which logic is universally correct?

The more useful question is:

(3.11) Which logic is viable for this domain, under this environment, with this volatility, cost, and residual burden?

3.4 The Domain Profile as Name–Dao–Logic

We can now refine the Reality-Coupling Profile:

(3.12) DomainProfile = CouplingType + NameSet + DaoSet + LogicFilter + ResidualRule + RevisionRule.

This makes cross-domain comparison concrete.

Domain	Name	Dao	Logic
Law	person, evidence, claim, liability, remedy	sue, defend, judge, appeal, enforce	statute, precedent, procedure
Medicine	symptom, disease, red flag, syndrome	test, refer, treat, monitor	evidence, guideline, risk triage
Physics	event, frame, field, particle, invariant	measure, model, derive, test	mathematical consistency, invariance
AI	task, source, claim, memory, risk	answer, retrieve, verify, refuse	system rules, verifier, safety policy
Accounting	asset, liability, revenue, control	recognize, measure, disclose, audit	standards, materiality, evidence
Education	ability, success, error, progress	teach, test, feedback, revise	curriculum, rubric, formation logic
Politics	citizen, harm, security, public interest	legislate, regulate, consult, enforce	legitimacy, representation, rights
Art	symbol, scene, voice, form	frame, compose, perform, disclose	aesthetic coherence, ambiguity tolerance

This table does not complete the research.

It begins it.

Every row is a research program.

---

4. Residuals: The Hidden Matter of Boundary-Formation

Every interface closes.

But no interface closes everything.

Every gate writes some things into trace and leaves something outside.

That outside is not always error. It may be ambiguity, uncertainty, hidden cost, future risk, suppressed pain, anomaly, minority viewpoint, unmeasured variable, or unrealized possibility.

Boundary-Formation Studies calls this remainder **residual**.

(4.1) Residual = what remains unresolved after a boundary system has produced

closure.

A residual is not merely absence.

It is structured remainder.

It is the part of reality that the current interface cannot absorb without distorting itself.

A residual may be small and harmless.

It may be the seed of appeal, diagnosis, discovery, reform, or revolution.

It may also become accumulated debt.

The earlier PIE framework treats residual as central: a system must ask what remains after closure, what survives reframing, and how revision can occur without lying about the past.

This gives a fourth law:

(4.2) The quality of a boundary system is measured by the honesty of its residual governance.

4.1 Residual Is Not Failure

A residual is not automatically a defect.

In early diagnosis, residual keeps the clinician from closing too soon.

In physics, residual anomaly may become the doorway to a deeper invariant.

In art, residual ambiguity may be the condition of meaning.

In diplomacy, residual ambiguity may prevent war.

In therapy, residual grief may require containment before interpretation.

In research, residual contradiction may identify the next question.

The problem is not residual.

The problem is unmanaged residual.

(4.3) Residual is dangerous only when denied, erased, misnamed, or left without a revision path.

A legal system cannot eliminate all injustice, but it can preserve appeal, review, dissent, and reform.

A medical system cannot eliminate all uncertainty, but it can preserve follow-up, red flag review, second opinion, and differential diagnosis.

A scientific system cannot eliminate anomaly, but it can preserve reproducibility, open data, and theory revision.

An AI system cannot know everything, but it can disclose uncertainty, ask clarification, use tools, decline unsupported claims, and avoid false confidence.

A political system cannot satisfy every interest, but it can preserve consultation, representation, impact review, and reform channels.

A mature system does not pretend residual is zero.

It gives residual a place to live.

4.2 Residual Typology

Different domains produce different dominant residuals.

Residual Type	Domains	Description
Unrecognized harm	Law, politics, HR	Harm exists but the gate does not recognize it
Unexplained symptom	Medicine, therapy	The present diagnosis cannot absorb all findings
Anomaly	Physics, science, mathematics	Observation or theorem pressure exceeds old frame
Hidden cost	Accounting, management, climate	Cost is real but not written into official ledger
Ambiguity	Art, diplomacy, relationships	Meaning remains open or strategically under-specified
Frame mismatch	AI, finance, cross-cultural governance	What is true under one protocol fails under another
Future risk	Engineering, climate, cybersecurity	Current closure hides future catastrophe
Trace pollution	AI, law, science, institutions	Record exists but carries bias, error, or stale framing
Boundary leakage	supply chain, ecology, public health	The declared inside/outside fails in practice
Observer deformation	education, religion, media	Interface forms a weaker or distorted observer

This typology is not exhaustive. It is the beginning of a residual atlas.

4.3 Residual Failure Modes

Residual failure has several recurring patterns.

1. Suppression

The system sees the residual but refuses to record it.

Example:

A court recognizes moral harm but says it is legally irrelevant.

A company sees employee burnout but excludes it from productivity dashboards.

An AI system senses uncertainty but gives a confident answer.

Formula:

(4.4) Suppression = ResidualSeen − ResidualRecorded.

2. Misnaming

The system records the residual under the wrong Name.

Example:

A multi-system illness is named “anxiety.”

A liquidity problem is named “temporary volatility.”

A structural injustice is named “individual failure.”

A hallucination is named “minor wording issue.”

Formula:

(4.5) Misnaming = ResidualRecorded under WrongName.

3. Containment Without Revision

The system stores the residual but never lets it affect future behavior.

Example:

An incident report is filed but no safety protocol changes.

A medical uncertainty is noted but no follow-up is arranged.

A failed policy is reviewed but no reform occurs.

Formula:

(4.6) DeadResidual = StoredRemainder without RevisionPath.

4. Residual Explosion

The system accumulates residual until the original boundary collapses.

Example:

A legal category fails under new technology.

A medical diagnosis fails as symptoms multiply.

A political system loses legitimacy after repeated unrecognized harms.

A scientific theory becomes patchwork under anomaly pressure.

Formula:

(4.7) ResidualExplosion = AccumulatedResidual > ClosureCapacity.

5. False Absorption

The system absorbs residual by stretching the old frame beyond usefulness.

Example:

A theory explains every anomaly by ad hoc patches.

A platform calls all harms “user behavior.”

A bureaucracy calls every exception “non-compliant application.”

A family system calls every protest “disrespect.”

Formula:

(4.8) FalseAbsorption = Residual forced into OldFrame.

This is often worse than suppression because it creates the illusion of explanation.

4.4 Residual Governance

Residual governance is the discipline of preserving unresolved matter in a form that can later guide revision.

It requires at least six functions.

Function	Question
Typing	What kind of residual is this?
Ownership	Who must carry or review it?
Trace	Where is it recorded?
Trigger	What would reopen the case?
Bridge	What other frame may absorb it better?
Deadline	When must it be reviewed?

We can write:

(4.9) ResidualGovernance = Type + Owner + Trace + Trigger + Bridge + ReviewCycle.

Domain examples:

In law:

Residual governance appears as appeal grounds, dissenting judgments, preserved objections, statutory reform reports, public inquiries, and new evidence rules.

In medicine:

It appears as safety-netting advice, red flag warnings, scheduled follow-up, second opinions, MDT review, and “diagnosis uncertain” documentation.

In physics:

It appears as anomaly logs, failed predictions, unresolved constants, thought experiments, alternative models, and new measurement proposals.

In AI:

It appears as uncertainty disclosure, source gaps, tool failure logs, refusal reasons, human review flags, and memory correction traces.

In accounting:

It appears as disclosure notes, audit qualifications, contingent liabilities, impairment indicators, and management judgment memos.

In education:

It appears as formative feedback, portfolio evidence, misconception logs, and reflection traces.

A domain matures when residual stops being embarrassment and becomes governed fuel for learning.

4.5 Closure and Residual Honesty

Closure is necessary.

Without closure, action never happens.

A court must decide.

A doctor must treat.

An engineer must deploy or stop.

An AI assistant must respond or refuse.

A teacher must evaluate.

A manager must allocate resources.

But closure without residual honesty becomes violence against the unabsorbed world.

(4.10) BadClosure = Decision − ResidualHonesty.

Good closure is different.

(4.11) GoodClosure = Decision + ResidualTrace + ReopeningCondition.

This formula is simple but powerful.

A good legal judgment states reasons, records evidence, identifies limits, and allows appeal.

A good diagnosis states the working hypothesis, records uncertainty, lists red flags, and explains when to return.

A good scientific theory states assumptions, predicts where it should fail, and preserves anomalies.

A good AI answer distinguishes grounded answer from uncertainty and unsupported speculation.

A good policy decision records trade-offs, affected groups, monitoring indicators, and reform triggers.

Good closure does not pretend to finish reality.

It finishes the current episode while preserving the future's right to reopen it.

---

5. AB-Fixness and Volatility: How Rigid Should a World Be?

Boundary systems differ not only in what they name and how they act.

They differ in how strongly they enforce agreement.

Some domains must be rigid.

Others must stay fluid.

This is the problem of **AB-fixness**.

AB-fixness means the degree to which a system demands that different observers, or the same observer across time, preserve the same Names, Daos, and Logic.

In the Name–Dao–Logic model, AB-fixness measures how strongly a logic insists that observers agree on names and inferences; high AB-fixness means strong global agreement, while low AB-fixness allows ambiguity, context shifts, and localized disagreement.

We can define it simply:

(5.1) ABFixness = required strength of cross-observer and cross-time agreement.

High AB-fixness says:

We must call the same things by the same names.

We must apply the same rules.

We must preserve backward compatibility.

We must resolve contradictions quickly.

We must not tolerate local ambiguity.

Low AB-fixness says:

Different observers may name differently.

Context may matter.

Contradiction may be temporarily tolerated.

Ambiguity may be useful.

Revision may be more important than stability.

Neither is always right.

The correct level depends on volatility.

5.1 Volatility

Volatility is the rate at which the environment changes in ways that make old Names, Daos, or Logic less reliable.

(5.2) Volatility = rate of domain-relevant change that threatens existing interface validity.

In medicine, volatility appears as changing symptoms, uncertain disease course, multi-system presentation, or conflicting evidence.

In law, volatility appears as new technology, new social practices, novel harms, or unstable public legitimacy.

In AI, volatility appears as changing context, tool uncertainty, adversarial prompts, model drift, or shifting user intent.

In physics, volatility appears less as chaotic change in the world and more as conceptual pressure from anomaly, new instruments, and failed invariance.

In finance, volatility is literal market movement but also regime change, liquidity breakdown, correlation shift, and narrative instability.

In education, volatility appears as changing learner needs, AI-assisted work, new media environments, and shifting definitions of competence.

The general rule is:

(5.3) InterfaceStress = ABFixness × Volatility.

This formula is not meant as a finished quantitative law. It is a conceptual diagnostic.

High fixness is good when volatility is low and coordination matters.

High fixness is dangerous when volatility is high and reclassification is needed.

Low fixness is good when exploration matters.

Low fixness is dangerous when safety, proof, rights, or institutional trust require stability.

5.2 Four Regimes of Fixness and Volatility

We can describe four basic regimes.

Regime 1: Low Volatility + High AB-Fixness

This is the regime of stable accumulation.

Examples:

Formal mathematics.

Controlled engineering.

Aviation safety procedure.

Audited financial reporting.

Final legal judgment.

Nuclear shutdown protocol.

Here, high fixness is valuable because the world being handled is sufficiently stable, and coordination failure is costly.

Formula:

(5.4) StableAccumulation = LowVolatility + HighABFixness.

Strength:

Reliability.

Weakness:

May become rigid if environment changes.

Regime 2: High Volatility + High AB-Fixness

This is the regime of brittleness.

Examples:

Rigid legal categories applied to new platform economies.

A specialist diagnosis frame applied too early to multi-system illness.

A bureaucracy applying old rules to new social realities.

An AI system forcing every ambiguous user request into one fixed workflow.

A scientific theory absorbing anomalies through ad hoc patches.

Formula:

(5.5) Brittleness = HighVolatility + ExcessiveABFixness.

Failure mode:

Dogma.

Suppressed residual.

Institutional cruelty.

Diagnostic closure.

Paradigm stagnation.

This is where boundary-formation becomes oppressive.

The interface protects itself against reality.

Regime 3: High Volatility + Adaptive AB-Fixness

This is the regime of exploration and revision.

Examples:

Rare-disease diagnosis.

Scientific breakthrough.

Early-stage legal reform.

Crisis policy-making.

Startup pivot.

AI research mode.

Therapy after a life-disrupting event.

Formula:

(5.6) AdaptiveExploration = HighVolatility + TunedABFixness.

Strength:

Reclassification.

Discovery.

Paradigm revision.

Residual absorption.

Weakness:

Can become chaotic without trace discipline.

This regime requires a subtle skill: loosen the right boundaries while preserving enough trace and safety.

Regime 4: Low Volatility + Low AB-Fixness

This is the regime of unnecessary drift.

Examples:

An organization constantly redesigning stable procedures.

A school changing assessment criteria every term without reason.

An AI agent forgetting stable user preferences.

A legal system with unpredictable interpretation where settled categories would work.

Formula:

(5.7) Drift = LowVolatility + InsufficientABFixness.

Failure mode:

Weak trust.

No institutional memory.

No durable standard.

No cumulative learning.

Too much flexibility becomes entropy.

5.3 Domain-Specific Fixness

Different domains require different fixness.

Domain / Situation	Suitable AB-Fixness	Reason
Formal proof	Very high	Contradiction destroys proof reliability
Final legal judgment	High	Public order requires stable closure
Legal reform	Medium	New harms may require category revision
Emergency medicine	High	Delay or ambiguity can kill

Domain / Situation	Suitable AB-Fixness	Reason
Rare-disease diagnosis	Medium-low	Residual must remain alive
Physics textbook regime	High	Stable theory supports teaching and engineering
Physics breakthrough	Locally low	Old Names must be revisable
AI tool execution	High	Tool misuse creates real-world risk
AI brainstorming	Medium-low	Exploration requires ambiguity tolerance
Accounting audit	High	Ledger trust depends on consistency
Art interpretation	Low-medium	Meaning often requires residual openness
Diplomacy	Medium-low	Strategic ambiguity may prevent escalation
Therapy	Medium-low, with safety boundary high	Self-revision requires openness but not chaos
Cybersecurity incident response	High	Delay and ambiguity increase breach damage
Climate policy	Medium	Scientific uncertainty and long-term risk must both be preserved

This table shows why a universal “be rigorous” slogan is insufficient.

The question is not whether to be rigorous.

The question is:

(5.8) Rigorous under which fixness, for which volatility, under which residual rule?

5.4 Logic Death and Logic Rebirth

A logic can die.

This does not mean that its formal rules become invalid on paper.

It means that its Name–Dao–Logic configuration no longer remains viable in the environment where it is being used.

The Name–Dao–Logic paper makes this point explicitly: different logics can be treated as competing, evolving protocols whose fitness depends on environmental volatility, ontological cost, and enforcement overhead, and logics can be born, evolve, and die as environments change.

We can express this as:

(5.9) LogicDeath occurs when V(L;E) falls below ViabilityThreshold.

Where:

L = logic or admissibility protocol.

E = environment.

V(L;E) = viability of the logic in that environment.

A rigid legal code designed for slow agrarian life may fail in a digital platform economy.

A deterministic planning logic may fail in a stochastic or adversarial environment.

A purely classical, contradiction-intolerant logic may fail in messy social domains where inconsistent evidence must be contained rather than exploded.

A diagnostic taxonomy may fail when emerging diseases or multi-system syndromes do not fit existing categories.

A bureaucratic KPI logic may fail when optimization of visible metrics destroys invisible capacity.

A civilizational mythology may fail when environmental volatility exceeds the interpretive capacity of old symbols.

But logic death is not pure destruction.

It may become logic rebirth.

Old Names are split, merged, or reinterpreted.

Old Daos are replaced or diversified.

Old Logic is embedded in a broader meta-logic.

Old ritual survives as symbolic trace.

Old law becomes doctrine, exception, or analogy.

Old science becomes limiting case.

Old myth becomes literature.

Old institution becomes archive.

(5.10) LogicRebirth = RetainedTrace + RevisedName + NewDao + BroaderLogic.

This is how domains evolve without losing all continuity.

5.5 The Fixness Principle of Boundary-Formation

We can now state one of the central principles of the science of boundary-formation:

(5.11) A boundary system must tune its AB-fixness to the volatility of the reality it governs, while preserving enough trace to revise without erasing accountability.

This principle explains many otherwise separate phenomena.

Law becomes unjust when it is too rigid for new harms.

Medicine becomes unsafe when it is too rigid for unexplained symptoms.

Physics becomes stagnant when it is too rigid for anomaly.

AI becomes dangerous when it is too loose for tool use or too rigid for ambiguous human intent.

Education becomes deforming when it is too rigid about success and too loose about formation.

Art becomes dead when it is over-closed.

Politics becomes unstable when it is either too rigid to reform or too fluid to generate legitimacy.

Accounting becomes fraudulent when it is too flexible about recognition and too rigid about hiding judgment residual.

Cybersecurity fails when it is too loose about identity and too rigid about yesterday's threat model.

Climate governance fails when short-term political fixness ignores long-term volatility.

The art of boundary-formation is therefore not simply making boundaries.

It is knowing when to harden, when to soften, when to preserve, when to reopen, when to declare, and when to wait.

Installment 2 Closing

This installment developed the internal anatomy of a boundary system:

(5.12) Interface = Name + Dao + Logic.

It then argued that every closure leaves residual:

(5.13) GoodClosure = Decision + ResidualTrace + ReopeningCondition.

Finally, it introduced AB-fixness and volatility as a diagnostic pair:

(5.14) BoundaryFailure = FixnessVolatilityMismatch.

The next installment should develop **Trace, Ledger, and Active Memory**, then proceed to **Admissible Revision** and the beginning of the **Cross-Domain Atlas of Boundary-Formation**.

6. Trace, Ledger, and Active Memory

Boundary-formation does not end when a gate closes.

A system becomes historical only when closure is written into trace.

Without trace, every episode begins from zero.

Without trace, correction cannot accumulate.

Without trace, responsibility evaporates.

Without trace, residual cannot be reviewed.

Without trace, a system may output decisions, but it cannot become an observer across time.

This section develops the distinction between **log**, **trace**, and **ledger**.

6.1 Log Is Not Trace

A log is a stored record.

A trace is a stored record that changes future projection.

The difference is decisive.

(6.1) Log = stored record.

(6.2) Trace = stored record that bends future interpretation, action, or admissibility.

A database row is a log.

A precedent is a trace.

A medical note is a log.

A diagnosis that shapes future referral, treatment, insurance, and risk interpretation is a trace.

A student score is a log.

A learning portfolio that changes future teaching and self-understanding is a trace.

An AI conversation history is a log.

A correction that changes future answers is a trace.

A company KPI dashboard is a log.

A KPI that changes budget allocation, promotion, strategy, and organizational attention is a trace.

So the question is not merely:

> Was this recorded?

The deeper question is:

> Does this record govern future projection?

This gives the trace principle:

(6.3) A record becomes trace when it changes what can be seen, inferred, authorized, remembered, or revised later.

6.2 Ledger: Trace Under Governance

A ledger is not merely a pile of traces.

A ledger is an ordered trace system with authority, continuity, and rules of update.

(6.4) Ledger = governed trace system.

A legal system has case records, statutes, judgments, appeal records, and precedents.

An accounting system has journal entries, audit trails, financial statements, disclosures, and management judgments.

A medical system has patient history, lab results, diagnoses, imaging, treatment plans, and follow-up notes.

A scientific field has papers, data, citations, replications, retractions, and unresolved problems.

An AI agent may have memory, tool traces, user corrections, refusal logs, model updates, and evaluator feedback.

A civilization has archives, rituals, laws, myths, records, monuments, curricula, and institutional memory.

Ledger is what makes a world durable.

(6.5) DurableWorld = RepeatedClosure + GovernedLedger.

Without a ledger, there may be events but no history.

Without a governed ledger, there may be memory but no accountability.

Without residual attachment, there may be accountability but no learning.

6.3 Three Kinds of Trace

For Boundary-Formation Studies, at least three kinds of trace must be distinguished.

Trace Type	Function	Example
Evidential trace	Supports what was believed or decided	Court evidence, lab result, audit sample
Operational trace	Changes future action	incident report, medical allergy flag, AI memory
Identity trace	Preserves continuity of observer or institution	personal history, corporate record, religious covenant

These overlap but should not be confused.

A lab result may be evidential trace.

A diagnosis based on that result may become operational trace.

A long history of diagnoses may become identity trace for the patient.

A court judgment is evidential and operational, but precedent also becomes institutional identity trace.

An AI correction may be operational trace if it changes future behavior, but repeated corrections may become identity trace if they stabilize the assistant's user model.

6.4 Trace Failure Modes

Trace can fail.

1. No Trace

The event happens, but no durable record remains.

Formula:

(6.6) NoTrace = Event − DurableRecord.

Examples:

verbal workplace abuse without record;

undocumented medical uncertainty;

undocumented AI refusal rationale;

informal institutional exceptions;

unrecorded safety near-miss.

Failure mode:

The system cannot learn.

---

2. Dead Trace

The record exists but does not affect future action.

Formula:

(6.7) DeadTrace = Record − FutureEffect.

Examples:

incident reports nobody reads;

patient notes ignored at next consultation;

audit findings filed but not implemented;

student feedback not used in teaching;

AI user corrections not remembered.

Failure mode:

The system performs accountability theatre.

---

3. Polluted Trace

The trace carries false, biased, stale, or misleading structure.

Formula:

(6.8) PollutedTrace = FutureEffect driven by BadRecord.

Examples:

incorrect medical label follows a patient for years;

biased criminal record shapes future policing;

bad KPI history misleads management;

AI memory stores a false user preference;

retracted science continues to influence citations.

Failure mode:

The past bends the future wrongly.

---

4. Overbinding Trace

A trace becomes too powerful and prevents revision.

Formula:

(6.9) OverbindingTrace = PastRecord > PresentEvidence.

Examples:

old diagnosis prevents reconsideration;

precedent blocks justice;

childhood identity label traps self-understanding;

educational grades define lifelong ability;

old model assumptions dominate new data.

Failure mode:

Memory becomes prison.

---

5. Trace Erasure

The trace is intentionally or unintentionally removed to avoid accountability.

Formula:

(6.10) TraceErasure = Revision – Accountability.

Examples:

deleted records;

rewritten institutional history;

unlogged AI model changes;

undocumented policy reversals;

denial of past harm in family or political systems.

Failure mode:

Revision becomes lying.

6.5 Active Memory and Observerhood

A system with logs can store information.

A system with traces can learn.

A system with a governed ledger can become stable across time.

A system that can revise its own ledger rules while preserving accountability approaches observerhood.

(6.11) Observerhood = Projection + Trace + Residual + Self-Revision.

This is especially important for AI.

An AI system that merely answers prompts has weak continuity.

An AI system that stores everything without governance becomes polluted.

An AI system that remembers only user preferences but not uncertainty, correction, contradiction, and residual remains shallow.

An AI system that records:

what it answered;

why it answered;

what evidence was used;

what uncertainty remained;

what the user corrected;

what should change next time;

is closer to a trace-governed assistant.

For AGI, the issue is not only memory size.

The issue is memory governance.

(6.12) AI_Maturity = MemoryCapacity + TraceGovernance + ResidualRevision.

The same applies to civilization.

A civilization does not become mature because it has many archives.

It becomes mature when its archives can correct power, educate successors, preserve residual, and guide admissible revision.

6.6 Ledger as Reality Engine

In constitutive domains, ledger does not merely remember reality.

It creates a layer of reality.

A conviction record changes a person's legal future.

A property registry changes ownership reality.

A marriage certificate changes relational and legal status.

A degree record changes professional access.

A financial statement changes investment, tax, credit, and management decisions.

A citizenship record changes political belonging.

In these domains:

(6.13) OfficialReality = Gate + Ledger.

This is why ledger governance is politically and ethically dangerous.

Who controls the ledger controls which events persist.

Who controls trace controls which pasts matter.

Who controls revision controls which errors can be corrected.

Boundary-Formation Studies must therefore study ledgers as reality engines, not as neutral archives.

---

7. Revision: How Boundaries Learn Without Lying About Their Past

Every boundary system must eventually revise.

No naming scheme is perfect.

No diagnostic frame is final.

No legal category covers every future harm.

No theory absorbs every anomaly forever.

No AI runtime survives changing tasks without adjustment.

No institution remains legitimate if it cannot reform.

But revision is dangerous.

A system can revise honestly.

It can also revise by denial.

It can erase trace.

It can reclassify contradiction as confirmation.

It can change rules only to protect itself.

It can abandon continuity.

It can become incoherent.

So Boundary-Formation Studies must distinguish **revision** from **admissible revision**.

7.1 The Revision Problem

A boundary system must answer:

What can change?

What must remain continuous?

What past trace must be preserved?

What residual justifies revision?

Who has authority to revise?

Which revision would destroy the identity of the system?

Which revision is repair?

Which revision is corruption?

The core formula:

(7.1) MatureRevision = Change + TracePreservation + ResidualResponsiveness + IdentityContinuity.

This is not merely philosophical.

It is practical.

A legal appeal changes a judgment while preserving the trial record.

A medical second opinion changes diagnosis while preserving test history.

A scientific paradigm shift changes theory while explaining why the old theory worked in a limit regime.

An AI correction changes future output while preserving why the correction occurred.

A therapy process changes self-understanding without pretending the past did not happen.

A constitution changes through amendment, not arbitrary deletion.

A mature boundary system does not simply replace old closure.

It explains the relation between old closure, residual pressure, and new closure.

7.2 Bad Revision Modes

1. Erasing Revision

The system changes but deletes the record of why.

Formula:

(7.2) ErasingRevision = NewRule − OldTrace.

Example:

An institution changes policy after harm but refuses to admit that previous policy caused damage.

An AI system silently changes behavior after repeated failure but leaves no correction trace.

A person rewrites their life story by denying previous commitments.

Failure:

No accountability.

---

2. Opportunistic Revision

The system changes rules only to protect its current power.

Formula:

(7.3) OpportunisticRevision = RuleChange for Self-Protection rather than

ResidualResponse.

Example:

A platform changes moderation rules only after public pressure, but not in a principled way.

A legal actor reframes doctrine only when politically convenient.

A company changes KPI definitions to hide failure.

Failure:

Revision becomes manipulation.

---

3. Over-Reactive Revision

The system changes too quickly based on weak signal.

Formula:

(7.4) OverReactiveRevision = HighChange / LowEvidence.

Example:

A doctor changes diagnosis after every new minor symptom.

An AI agent changes user model after one ambiguous interaction.

A government changes policy after every media storm.

A company pivots strategy after every metric fluctuation.

Failure:

No stable learning.

---

4. Frozen Non-Revision

Residual accumulates but the system refuses to change.

Formula:

(7.5) FrozenSystem = RisingResidual + NoRevision.

Example:

A legal doctrine fails under new technology but courts refuse to adapt.

A medical specialty frame ignores unexplained cross-system symptoms.

A scientific field dismisses anomalies as noise for too long.

An educational system continues exams that train obsolete abilities.

Failure:

Collapse debt accumulates.

---

5. Degenerative Revision

The system changes by weakening its own standards.

Formula:

(7.6) DegenerativeRevision = Revision that reduces Truth, Accountability, or Viability.

Example:

A scientific field lowers evidence standards to protect a fashionable theory.

An AI system becomes more agreeable by becoming less truthful.

A political system increases flexibility by abandoning rule of law.

Failure:

Adaptation becomes decay.

7.3 Admissible Revision

Admissible revision must satisfy several constraints.

Constraint	Meaning
Trace-preserving	The past record is not erased
Residual-responsive	Revision responds to actual unresolved pressure
Identity-continuous	The system remains recognizably itself
Frame-robust	Revision survives equivalent reframing
Budget-aware	Revision is not too costly to maintain
Non-degenerate	Revision does not destroy the purpose of the system
Reviewable	Others can inspect why revision occurred

We can write:

(7.7) AdmissibleRevision = TracePreserving ∧ ResidualResponsive ∧ IdentityContinuous ∧ FrameRobust ∧ BudgetAware ∧ NonDegenerate ∧ Reviewable.

This may look strict, but each domain already contains versions of it.

Law has appeal standards, procedural rules, precedent management, and legislative amendment.

Medicine has clinical review, guideline updates, second opinions, and follow-up protocols.

Science has replication, peer review, retraction, and theoretical reduction to known cases.

Accounting has restatement rules, audit trails, and disclosure.

AI has model cards, logs, evaluator feedback, safety updates, and version control.

Therapy has safe pacing, narrative continuity, and integration.

Education has formative feedback, curriculum revision, and longitudinal assessment.

Politics has constitutional amendment, public inquiry, consultation, and judicial review.

7.4 Revision Triggers

Not every residual triggers revision immediately.

A mature system distinguishes noise from revision-worthy pressure.

Common revision triggers include:

Trigger	Example
Contradiction	two accepted traces cannot coexist
Prediction failure	theory or model repeatedly fails
Harm signal	legal or policy closure produces injury
Treatment failure	medical path does not improve condition
New evidence	archive, test, witness, data, instrument
Volatility shift	environment no longer matches old logic
Cost explosion	maintaining old boundary becomes too expensive
Legitimacy crisis	stakeholders no longer accept closure
Invariance failure	result collapses under reframing
Residual accumulation	too many exceptions become structural

Formula:

(7.8) RevisionTrigger = ResidualPressure + EvidenceStrength + CostOfNonRevision.

A system that revises too early becomes unstable.

A system that revises too late becomes brittle.

The art of governance is timing.

7.5 Revision Across Domains

Domain	Mature Revision

Domain	Mature Revision
Law	appeal, review, overruling, statutory reform
Medicine	second opinion, revised diagnosis, MDT, guideline update
Physics	theory revision, new invariant, old theory as limiting case
AI	model update, memory correction, policy tuning, human review
Accounting	restatement, disclosure, audit qualification
Education	feedback loop, rubric redesign, portfolio review
Politics	reform, inquiry, amendment, representation change
Therapy	self-narrative revision with trauma trace preserved
Art	reinterpretation, adaptation, new reading
Management	KPI redesign, governance reform, postmortem action

The common pattern is:

(7.9) Revision = Residual made actionable through governed change.

---

8. A Cross-Domain Atlas of Boundary-Formation

We now turn from theory to atlas.

The purpose of an atlas is not to complete the science. It is to provide a structured map for future research.

Each domain should be studied through the same comparative fields:

(8.1) DomainProfile = CouplingType + NameDaoLogic + DominantResidual + ResidualFailureMode + ResidualGovernance + ABFixness + Volatility + RevisionTrigger + BoundaryFormationUse + TypicalOutput.

The following atlas is a starting map.

8.1 Constitutive Domains

These domains create official reality through gate and ledger.

8.1.1 Law

Field	Profile
Reality-coupling type	Constitutive
Name–Dao–Logic	Name: person, claim, evidence, liability, remedy; Dao: sue, defend, judge, appeal, enforce; Logic: statute, precedent, due process

Field	Profile
Dominant residual	unrecognized harm, inadmissible truth, procedural exclusion
Residual failure mode	legal closure without justice
Residual governance	appeal, dissent, review, public inquiry, legislation
AB-fixness	high in judgment; medium during reform
Volatility	medium; high under new technology or social transformation
Revision trigger	novel harm, injustice, precedent failure, legitimacy crisis
Use of boundary-formation	audit who has authority to gate official reality
Typical output	case theory, appeal map, legal boundary analysis

Core formula:

(8.2) LegalReality = ProcedureGate + OfficialTrace.

8.1.2 Accounting and Audit

Field	Profile
Reality-coupling type	Constitutive ledger reality
Name–Dao–Logic	Name: asset, liability, revenue, expense, control, materiality; Dao: recognize, measure, disclose, audit; Logic: accounting standards, audit evidence, professional judgment
Dominant residual	judgment uncertainty, contingent liability, off-ledger risk
Residual failure mode	false financial reality, audit failure, hidden collapse debt
Residual governance	disclosure note, audit trail, materiality memo, restatement
AB-fixness	high
Volatility	medium; high in crisis or new financial instruments
Revision trigger	impairment, fraud signal, new standard, market shock
Use of boundary-formation	audit recognition gates and hidden residual
Typical output	accounting position paper, audit memo, disclosure map

Core formula:

(8.3) FinancialReality = RecognitionGate + MeasurementLedger.

8.1.3 Administration and Eligibility Systems

Field	Profile
Reality-coupling type	Bureaucratic-constitutive
Name–Dao–Logic	Name: eligible, compliant, resident, citizen, approved, rejected; Dao: apply, review, approve, deny, appeal; Logic: policy, checklist, discretion
Dominant residual	category mismatch, hardship outside rules
Residual failure mode	bureaucratic cruelty, unfair denial
Residual governance	exception pathway, appeal, discretion review
AB-fixness	high
Volatility	medium
Revision trigger	complaint, judicial review, systemic exclusion
Use of boundary-formation	reveal how official categories include and exclude lives
Typical output	eligibility map, exception audit, appeal memo

Core formula:

(8.4) BureaucraticReality = EligibilityName + ApprovalGate + Record.

8.2 Epistemic Domains

These domains try to discover reality without confusing the map with the territory.

8.2.1 Medicine

Field	Profile
Reality-coupling type	Epistemic / diagnostic-routing
Name–Dao–Logic	Name: symptom, syndrome, disease, red flag; Dao: test, refer, treat, monitor; Logic: evidence-based medicine, guideline, risk triage
Dominant residual	unexplained symptoms, atypical presentation, multi-system signals
Residual failure mode	premature closure, misdiagnosis, specialty tunnel vision
Residual governance	differential diagnosis, follow-up, safety-netting, MDT, second opinion
AB-fixness	high for emergency protocol; lower for rare disease

Field	Profile
Volatility	high in uncertain illness; lower in typical cases
Revision trigger	red flag, treatment failure, new test, symptom mismatch
Use of boundary-formation	prevent wrong Name from locking wrong Dao
Typical output	residual-aware differential, referral map, safety-net checklist

Core formula:

(8.5) DiagnosticSafety = ProvisionalClosure + ResidualReopeningPath.

8.2.2 Science and Experiment

Field	Profile
Reality-coupling type	Epistemic-operational
Name–Dao–Logic	Name: variable, control, effect, noise, model; Dao: measure, test, repeat, falsify; Logic: method, statistics, reproducibility
Dominant residual	confounder, measurement bias, failed replication
Residual failure mode	false discovery, publication bias, methodological dogma
Residual governance	preregistration, replication, open data, error bars
AB-fixness	medium-high
Volatility	medium
Revision trigger	failed replication, anomaly, new instrument
Use of boundary-formation	declare observables and protect residual anomaly
Typical output	experiment protocol, replication audit, anomaly ledger

Core formula:

(8.6) ScientificKnowledge = ControlledObservation + ReplicableTrace + AnomalyGovernance.

8.2.3 Investigation and Forensics

Field	Profile
Reality-coupling type	Epistemic plus legal-gate
Name–Dao–Logic	Name: suspect, evidence, timeline, motive, cause; Dao: collect, test, charge, exclude; Logic: probability, admissibility, chain of custody

Field	Profile
Dominant residual	alternate hypothesis, contamination, missing timeline
Residual failure mode	wrongful conviction, false narrative closure
Residual governance	chain of custody, defense disclosure, alternate hypothesis audit
AB-fixness	high after charge; medium during inquiry
Volatility	medium-high
Revision trigger	DNA mismatch, alibi, new evidence, timeline contradiction
Use of boundary-formation	prevent narrative from replacing evidence
Typical output	evidence matrix, timeline residual map

Core formula:

(8.7) InvestigativeIntegrity = EvidenceTrace + AlternativeResidual.

8.3 Operational Domains

These domains stabilize runtime action.

8.3.1 AI Runtime and Agents

Field	Profile
Reality-coupling type	Operational + epistemic + formative
Name–Dao–Logic	Name: task, claim, source, tool result, memory, risk; Dao: answer, retrieve, verify, refuse, escalate; Logic: system rules, verifier, safety policy
Dominant residual	hallucination risk, missing evidence, context drift, unsafe ambiguity
Residual failure mode	confident wrong answer, tool misuse, memory pollution
Residual governance	source disclosure, uncertainty trace, verifier gate, human review
AB-fixness	dynamic: high for safety/tool use, lower for ideation
Volatility	high
Revision trigger	contradiction, tool failure, user correction, policy violation
Use of boundary-formation	convert AI from answer engine to governed interface operator
Typical output	runtime kernel, residual-audited answer, agent protocol

Core formula:

(8.8) SafeAI = DeclaredTask + EvidenceGate + TraceMemory + ResidualDisclosure.

8.3.2 Software Engineering

Field	Profile
Reality-coupling type	Operational
Name–Dao–Logic	Name: requirement, module, API, bug, test; Dao: implement, integrate, deploy, rollback; Logic: spec, type system, CI/CD, test suite
Dominant residual	hidden dependency, edge case, scope creep
Residual failure mode	production failure, integration mismatch
Residual governance	issue tracker, test trace, versioning, postmortem
AB-fixness	medium-high
Volatility	medium-high
Revision trigger	failed test, incident, user feedback, API break
Use of boundary-formation	convert vague requirement into executable contract
Typical output	specification, acceptance criteria, test matrix

Core formula:

(8.9) SoftwareReliability = RequirementBoundary + TestGate + VersionTrace.

8.3.3 Cybersecurity

Field	Profile
Reality-coupling type	Adversarial operational
Name–Dao–Logic	Name: asset, identity, threat, vulnerability, breach; Dao: detect, patch, isolate, recover; Logic: zero trust, threat model, risk scoring
Dominant residual	unknown exploit, insider threat, false negative
Residual failure mode	breach, lateral movement, trust collapse
Residual governance	logging, red team, incident response, forensic trace
AB-fixness	high
Volatility	very high

Field	Profile
Revision trigger	anomaly, new CVE, breach attempt, credential compromise
Use of boundary-formation	turn invisible threat into governed gate and trace
Typical output	threat model, incident playbook, residual risk register

Core formula:

(8.10) CyberDefense = IdentityGate + ThreatTrace + RapidRevision.

8.3.4 Safety Engineering

Field	Profile
Reality-coupling type	Operational-safety
Name–Dao–Logic	Name: hazard, margin, failure mode, load, risk; Dao: test, inspect, stop, redesign; Logic: safety case, redundancy, regulation
Dominant residual	low-probability hazard, unknown coupling
Residual failure mode	catastrophe, normalization of deviance
Residual governance	FMEA, near-miss reporting, safety margin, shutdown criteria
AB-fixness	very high
Volatility	medium; high during crisis
Revision trigger	near miss, component failure, stress test failure
Use of boundary-formation	make hidden risk visible before collapse
Typical output	safety case, hazard register, shutdown rule

Core formula:

(8.11) Safety = ConservativeGate + ResidualHazardTrace.

8.4 Installment 3 Closing

This installment developed three core layers of the proposed science.

First:

(8.12) Trace = stored record that bends future projection.

Second:

(8.13) AdmissibleRevision = Change that preserves trace while responding to

residual.

Third:

(8.14) DomainAtlas = comparative study of how fields name, act, gate, trace, preserve residual, tune fixness, and revise.

The atlas has begun with constitutive, epistemic, and operational domains.

The next installment should continue the atlas with:

invariant-revising domains;

formative domains;

expressive domains;

normative and political domains;

economic, financial, organizational, environmental, relational, and cultural domains;

then move into detailed demonstration cases.

8.4 Invariant-Revising Domains

Invariant-revising domains do not merely apply existing categories. They test whether the categories themselves must change.

They are especially important for the future of Boundary-Formation Studies because they show how residual can become a doorway to discovery.

8.4.1 Foundational Physics

Field	Profile
Reality-coupling type	Invariant-revising epistemic
Name–Dao–Logic	Name: time, space, mass, field, particle, event, frame, invariant; Dao: measure, model, transform, derive, test; Logic: mathematical consistency, empirical adequacy, frame invariance
Dominant residual	anomaly, conceptual contradiction, failed invariance
Residual failure mode	ad hoc patchwork, dogmatic preservation of old concepts
Residual governance	thought experiment, new measurement protocol, theoretical reduction, limiting-case analysis
AB-fixness	high in mature theory; locally lowered during breakthrough
Volatility	low in ordinary problem-solving; high during conceptual crisis

Field	Profile
Revision trigger	anomaly accumulation, measurement conflict, invariance failure
Use of boundary-formation	construct minimal declared worlds where hidden assumptions fail
Typical output	thought experiment kernel, new invariant map, revised conceptual frame

Core formula:

(8.15) PhysicalBreakthrough = MinimalWorld + IrreducibleResidual + NewInvariant.

Physics shows one of the highest uses of boundary-formation. A great physical thought experiment is not merely an illustration. It is a controlled interface where old Names become unstable.

"Time," "simultaneity," "event," "observer," "measurement," and "invariant" are not passive labels. They are the hinges of a world.

When those hinges fail, the theory must revise its Name–Dao–Logic.

8.4.2 Mathematics and Formal Systems

Field	Profile
Reality-coupling type	Axiomatic / formal-invariant
Name–Dao–Logic	Name: axiom, object, theorem, proof, model; Dao: derive, construct, generalize, formalize; Logic: inference rules, consistency, proof theory, model theory
Dominant residual	undecidable statement, hidden assumption, unproved conjecture
Residual failure mode	false proof, inconsistent system, overclaim
Residual governance	proof checking, model construction, independence proof, axiom clarification
AB-fixness	extremely high inside a formal system
Volatility	low within fixed axioms; high at foundations
Revision trigger	contradiction, independence result, new axiom need
Use of boundary-formation	convert intuition into formal trace without losing assumption visibility
Typical output	proof outline, axiom map, formal verification path

Core formula:

(8.16) FormalTruth = DeclaredAxioms + ValidInference + ProofTrace.

Mathematics is unusual because its AB-fixness is extremely high after the system is declared.

But even mathematics contains boundary-formation. A proof is not merely an answer. It is a trace that shows which assumptions, objects, and inference moves were admitted.

When undecidability appears, residual does not vanish. It becomes a map of the boundary of the system.

8.4.3 Philosophy and Thought Experiments

Field	Profile
Reality-coupling type	Generative-interface / invariant-revising
Name–Dao–Logic	Name: self, truth, time, justice, meaning, mind; Dao: define, test intuition, construct minimal world, revise concept; Logic: conceptual consistency, counterexample testing, invariance under reframing
Dominant residual	hidden assumption, category confusion, paradox
Residual failure mode	verbal illusion, endless abstraction, pseudo-problem
Residual governance	declared-world testing, conceptual separation, counterexample map
AB-fixness	medium-low during exploration; high during final argument
Volatility	high
Revision trigger	paradox, counterexample, conceptual collapse
Use of boundary-formation	turn large vague questions into operational test-worlds
Typical output	thought experiment compiler, concept boundary map

Core formula:

(8.17) PhilosophicalProgress = VagueQuestion → DeclaredWorld → ResidualClarification.

Philosophy becomes weak when it only names large questions.

It becomes powerful when it engineers interfaces where a question becomes testable, comparable, or revisable.

This is why philosophical interface engineering is not a reduction of philosophy to engineering. It is a recovery of philosophy's world-making function.

8.5 Formative Domains

Formative domains do not only process objects. They form future observers.

Their core question is not merely:

> What is the correct answer?

It is:

> What kind of observer does this interface repeatedly produce?

8.5.1 Education

Field	Profile
Reality-coupling type	Formative
Name–Dao–Logic	Name: ability, success, failure, understanding, effort; Dao: teach, practice, test, revise; Logic: curriculum, assessment, feedback, credentialing
Dominant residual	shallow understanding, hidden misconception, observer thinning
Residual failure mode	exam gaming, answer dependence, creativity loss
Residual governance	formative assessment, portfolio, reflection, long-cycle feedback
AB-fixness	high for certification; medium-low for learning exploration
Volatility	medium; high under AI-assisted learning
Revision trigger	student can answer but cannot transfer, repeated misconception, motivation collapse
Use of boundary-formation	audit what kind of observer the learning interface forms
Typical output	curriculum boundary map, rubric audit, learning trace portfolio

Core formula:

(8.18) Education = KnowledgeTransfer + ObserverFormation.

A school exercise is not neutral.

It declares what counts as intelligence, speed, correctness, effort, originality, obedience, and mastery.

A civilization that builds answer-rich but trace-poor education may produce students who can pass gates but cannot form durable judgment.

Boundary-Formation Studies should therefore treat education as one of its central domains.

8.5.2 Therapy and Self-Narrative

Field	Profile
Reality-coupling type	Formative / relational / self-ledger
Name–Dao–Logic	Name: trauma, trigger, pattern, self-story, boundary; Dao: reflect, reframe, practice, repair; Logic: therapeutic safety, narrative coherence, embodied evidence
Dominant residual	unprocessed affect, rigid identity trace, repeated relational pattern
Residual failure mode	false closure, retraumatization, dependency, identity collapse
Residual governance	safe container, journaling, therapeutic alliance, gradual revision
AB-fixness	safety boundaries high; self-story revision medium-low
Volatility	high
Revision trigger	repeated breakdown, new memory, relational crisis, embodied contradiction
Use of boundary-formation	revise self-declaration without erasing past trace
Typical output	self-ledger map, therapeutic formulation, repair path

Core formula:

(8.19) Healing = TracePreservation + SafeRevision of SelfName.

Therapy is not simply positive reframing.

If it erases trace, it becomes denial.

If it preserves trace without revision, it becomes repetition.

The therapeutic boundary must allow a person to say:

> This happened.
> It shaped me.
> It does not have to define every future projection.

8.5.3 Religion and Ritual

Field	Profile
Reality-coupling type	Formative / ultimate-ledger
Name–Dao–Logic	Name: sin, grace, karma, vow, sacred, community; Dao: confess, worship, repent, practice, renew; Logic: theology, tradition, ritual order

Field	Profile
Dominant residual	guilt, suffering, death, meaning deficit, moral injury
Residual failure mode	dogmatism, ritual hollowing, spiritual abuse
Residual governance	confession, forgiveness, pilgrimage, communal ritual, interpretive tradition
AB-fixness	high for communal identity; lower for mystical interpretation
Volatility	medium-high
Revision trigger	suffering, cultural drift, heresy, loss of meaning
Use of boundary-formation	study how ritual resets identity, time, and communal ledger
Typical output	ritual interface map, sacred ledger analysis

Core formula:

(8.20) Ritual = BoundaryReset + CollectiveTraceRefresh.

A ritual is not merely symbolic decoration.

It declares an episode boundary, changes identity status, synchronizes participants, writes memory, and attaches personal experience to a larger ledger.

Religion shows how boundary-formation can operate across generations.

8.5.4 Family and Upbringing

Field	Profile
Reality-coupling type	Relational-formative
Name–Dao–Logic	Name: love, duty, respect, obedience, independence, betrayal; Dao: care, discipline, negotiate, repair; Logic: family norms, attachment rules, reciprocity
Dominant residual	unspoken expectation, shame, resentment, role capture
Residual failure mode	emotional blackmail, inherited trauma, identity narrowing
Residual governance	explicit boundary talk, repair ritual, shared responsibility ledger
AB-fixness	medium; safety and commitment high
Volatility	high across life transitions
Revision trigger	repeated conflict, developmental transition, betrayal, caregiving crisis

Field	Profile
Use of boundary-formation	make implicit relational contracts visible
Typical output	family boundary map, repair script, responsibility ledger

Core formula:

(8.21) FamilyFormation = RepeatedBoundary + EmotionalTrace + RoleRevision.

Family is one of the earliest boundary-formation systems a person encounters.

It teaches what counts as self, other, duty, love, permission, shame, voice, and repair.

8.6 Expressive and Ambiguity-Preserving Domains

Expressive domains do not always seek closure.

Sometimes their value lies in keeping residual alive.

8.6.1 Art

Field	Profile
Reality-coupling type	Expressive / perceptual
Name–Dao–Logic	Name: symbol, form, scene, figure, gesture; Dao: frame, compose, perform, disclose; Logic: aesthetic coherence, resonance, ambiguity tolerance
Dominant residual	ambiguity, affect, unsaid meaning
Residual failure mode	over-explanation, kitsch, symbolic collapse
Residual governance	interpretive openness, critical dialogue, preservation of ambiguity
AB-fixness	low-medium
Volatility	high
Revision trigger	new audience, new era, reinterpretation, symbolic exhaustion
Use of boundary-formation	design how perception enters a meaningful world
Typical output	artwork reading, symbolic field map, ambiguity architecture

Core formula:

(8.22) Art = FramedExperience + GovernedAmbiguity.

Art is not irrational because it resists closure.

It can be highly disciplined precisely in how it preserves residual.

A painting, poem, or film can be understood as a boundary system that decides what to reveal, what to hide, what to repeat, what to deform, and what to leave unresolved.

8.6.2 Literature and Narrative

Field	Profile
Reality-coupling type	Expressive / narrative-ledger
Name–Dao–Logic	Name: character, plot, voice, conflict, fate; Dao: narrate, reveal, withhold, transform; Logic: narrative coherence, symbolic recurrence, emotional truth
Dominant residual	moral ambiguity, unspoken motive, historical wound
Residual failure mode	flat moralism, incoherence, sentimental closure
Residual governance	layered narration, unreliable narrator, symbolic echo
AB-fixness	low-medium
Volatility	high
Revision trigger	new interpretation, adaptation, historical reframing
Use of boundary-formation	study how scattered events become transmissible meaning
Typical output	narrative ledger map, character boundary analysis

Core formula:

(8.23) Story = EventSelection + CausalCompression + MeaningLedger.

Narrative is a trace technology.

It does not simply list events. It selects events, organizes causality, assigns roles, preserves residual, and points toward possible futures.

This is why families, nations, religions, companies, and individuals all depend on stories.

8.6.3 Design and User Experience

Field	Profile
Reality-coupling type	Perception-action operational
Name–Dao–Logic	Name: user journey, pain point, affordance, feature; Dao: click, choose, complete, abandon; Logic: usability, ethics, conversion, accessibility

Field	Profile
Dominant residual	confused intent, hidden friction, dark pattern harm
Residual failure mode	manipulation, adoption failure, support burden
Residual governance	user research, usability testing, accessibility audit, ethical review
AB-fixness	medium-low
Volatility	high
Revision trigger	drop-off, complaint, misuse, accessibility failure
Use of boundary-formation	design how users collapse intention into action
Typical output	journey map, interface residual audit, prototype test

Core formula:

(8.24) UX = IntentionBoundary + ActionGate + FeedbackTrace.

Good design makes the right action visible.

Bad design misnames user intent and forces users into the wrong Dao.

Dark patterns are boundary corruption.

8.7 Normative and Political Domains

Normative domains decide who counts, whose harm matters, what is legitimate, and which residual can be ignored.

8.7.1 Politics and Public Policy

Field	Profile
Reality-coupling type	Normative / constitutive
Name–Dao–Logic	Name: citizen, public interest, security, harm, benefit; Dao: legislate, tax, regulate, consult, enforce; Logic: legitimacy, representation, rights, policy evidence
Dominant residual	excluded group, externality, long-term cost
Residual failure mode	legitimacy collapse, policy injustice, social fracture
Residual governance	consultation, impact assessment, appeal, public inquiry, reform

Field	Profile
AB-fixness	high in law; medium in policy design
Volatility	high
Revision trigger	protest, crisis, court challenge, policy failure
Use of boundary-formation	ask who is counted inside the public world
Typical output	policy boundary map, legitimacy audit, impact ledger

Core formula:

(8.25) PoliticalLegitimacy = RepresentationBoundary + PublicTrace + ReformPath.

Politics is boundary-formation under conflict.

The central question is not only what policy works.

It is:

Who is included in the reality that policy recognizes?

8.7.2 Ethics

Field	Profile
Reality-coupling type	Normative
Name–Dao–Logic	Name: person, harm, duty, right, good, responsibility; Dao: permit, prohibit, protect, repair; Logic: moral reasoning, rights, consequences, virtue, care
Dominant residual	moral remainder, tragic trade-off, invisible victim
Residual failure mode	moral blindness, rationalized harm, purity without responsibility
Residual governance	moral reflection, public reason, care audit, restorative practice
AB-fixness	medium-high for core prohibitions; lower for contextual care
Volatility	high
Revision trigger	new harm, new agent type, social transformation
Use of boundary-formation	reveal which beings and harms are inside the moral world
Typical output	ethical boundary map, responsibility ledger

Core formula:

(8.26) Ethics = MoralName + ActionConstraint + ResidualResponsibility.

Ethics fails when the moral boundary is too narrow or the residual of action is ignored.

Every ethical system must govern the harm it cannot fully eliminate.

8.7.3 Diplomacy and International Relations

Field	Profile
Reality-coupling type	Relational-normative / strategic
Name–Dao–Logic	Name: state, sovereignty, red line, ally, threat, treaty; Dao: signal, negotiate, sanction, deter, compromise; Logic: international law, power balance, face-saving
Dominant residual	misperception, unspoken red line, humiliation, ambiguity
Residual failure mode	escalation spiral, treaty collapse, war by misunderstanding
Residual governance	backchannels, confidence-building, ambiguity management
AB-fixness	treaty text high; signaling often medium-low
Volatility	high
Revision trigger	breach, crisis, leadership change, military signal
Use of boundary-formation	manage multiple incompatible Name systems without collapse
Typical output	negotiation map, red-line audit, ambiguity strategy

Core formula:

(8.27) Diplomacy = BoundaryNegotiation under Ambiguity.

Diplomacy shows that residual ambiguity is sometimes not a failure.

It may be the condition that allows parties to survive disagreement.

8.8 Economic, Financial, and Organizational Domains

These domains convert uncertain future flows into present decisions.

They are especially vulnerable to hidden residual.

8.8.1 Finance and Investment

Field	Profile
Reality-coupling type	Regime / risk reality

Field	Profile
Name–Dao–Logic	Name: asset, risk factor, liquidity, regime, hedge; Dao: buy, sell, hold, hedge, rebalance; Logic: thesis, valuation, risk model, constraint
Dominant residual	hidden leverage, liquidity gap, model misspecification
Residual failure mode	narrative capture, tail loss, forced liquidation
Residual governance	stress test, scenario analysis, risk limit, stop-loss
AB-fixness	medium; risk control high
Volatility	high
Revision trigger	drawdown, correlation break, liquidity freeze, thesis failure
Use of boundary-formation	prevent horizon switching and residual risk concealment
Typical output	investment memo, risk map, scenario tree

Core formula:

(8.28) InvestmentThesis = NamedRegime + ActionPath + ResidualRisk.

Finance fails when a narrative becomes too strong to register risk residual.

The market punishes misnamed reality.

8.8.2 Economics and Macropolicy

Field	Profile
Reality-coupling type	Model-mediated / policy reality
Name–Dao–Logic	Name: inflation, unemployment, productivity, growth, welfare; Dao: tax, spend, regulate, raise rates, stimulate; Logic: model, data, welfare criterion
Dominant residual	distributional harm, lag, model misspecification
Residual failure mode	policy error, social fracture, stagflation, legitimacy loss
Residual governance	scenario modeling, distribution audit, model pluralism
AB-fixness	medium; policy execution higher
Volatility	high
Revision trigger	forecast miss, crisis, regime shift, social backlash
Use of boundary-formation	prevent one model from swallowing social residual

Field	Profile
Typical output	policy model atlas, trade-off ledger

Core formula:

(8.29) EconomicPolicy = ModelBoundary + SocialResidual + RevisionLag.

Macroeconomic models are not merely technical.

Their Names shape which lives become visible as variables and which become residual.

8.8.3 Management and KPI Systems

Field	Profile
Reality-coupling type	Constitutive-operational
Name–Dao–Logic	Name: performance, success, risk, efficiency, failure; Dao: reward, allocate, promote, optimize; Logic: KPI, governance, dashboard, review
Dominant residual	hidden cost, unmeasured work, burnout, Goodhart residual
Residual failure mode	KPI gaming, organizational false reality, collapse debt
Residual governance	dashboard audit, counter-metric, qualitative review, residual register
AB-fixness	medium-high
Volatility	medium-high
Revision trigger	metric gaming, customer harm, staff burnout, strategic drift
Use of boundary-formation	audit what reality the dashboard creates
Typical output	KPI residual audit, governance redesign

Core formula:

(8.30) DashboardReality = WhatCounts + WhatDisappears.

A KPI is not a mirror.

It is a gate.

When organizations forget this, metrics become reality engines without residual honesty.

8.8.4 HR and Organizational Identity

Field	Profile
Reality-coupling type	Institutional identity

Field	Profile
Name–Dao–Logic	Name: role, talent, misconduct, performance, culture fit; Dao: hire, evaluate, promote, discipline, exit; Logic: policy, fairness, business need
Dominant residual	invisible labor, bias, psychological harm, role ambiguity
Residual failure mode	toxic culture, unfair dismissal, talent loss
Residual governance	grievance path, calibration, 360 feedback, role review
AB-fixness	medium-high
Volatility	medium
Revision trigger	attrition, complaint, performance contradiction, reorganization
Use of boundary-formation	examine how people are named into institutional paths
Typical output	role boundary map, performance audit, grievance analysis

Core formula:

(8.31) OrganizationalPerson = RoleName + EvaluationGate + CareerTrace.

HR is a constitutive system for organizational identity.

It can help people grow, or trap them in bad Names.

8.9 Environmental, Ecological, and Long-Horizon Domains

These domains force boundary-formation to deal with future residual and non-human reality.

8.9.1 Climate Governance

Field	Profile
Reality-coupling type	Long-horizon epistemic-normative
Name–Dao–Logic	Name: emission, risk, adaptation, loss, resilience; Dao: mitigate, price, regulate, adapt, compensate; Logic: climate science, intergenerational ethics, policy feasibility
Dominant residual	future harm, distributional burden, non-human cost
Residual failure mode	delayed catastrophe, greenwashing, sacrifice zones
Residual governance	scenario planning, precautionary principle, loss-and-damage ledger
AB-fixness	medium-high for science; policy medium

Field	Profile
Volatility	high and long-cycle
Revision trigger	extreme event, threshold crossing, new data, social pressure
Use of boundary-formation	bring future residual into present decision gates
Typical output	climate risk ledger, adaptation plan, justice map

Core formula:

(8.32) ClimateGovernance = PresentGate + FutureResidual.

Climate is one of the hardest boundary problems because the residual is often displaced into the future or onto those outside the decision boundary.

8.9.2 Ecology and Life Systems

Field	Profile
Reality-coupling type	Self-organization epistemic
Name–Dao–Logic	Name: species, niche, ecosystem, signal, fitness; Dao: monitor, model, conserve, intervene; Logic: systems biology, evolution, adaptive management
Dominant residual	hidden interaction, lagged feedback, scale mismatch
Residual failure mode	ecosystem collapse, invasive failure, intervention backfire
Residual governance	field monitoring, adaptive management, multi-scale models
AB-fixness	medium
Volatility	high
Revision trigger	population crash, novel pathogen, ecosystem shift
Use of boundary-formation	manage multi-scale residual and intervention uncertainty
Typical output	ecosystem model, intervention audit, monitoring design

Core formula:

(8.33) Ecology = BoundaryLeakage + FeedbackTrace + AdaptiveRevision.

Ecology teaches that boundaries are often porous.

A bad boundary may appear clean in a policy document but fail in the living system.

8.10 Media, Culture, and Collective Attention

These domains shape public visibility.

They are especially vulnerable to attention-gate corruption.

8.10.1 Journalism and Media

Field	Profile
Reality-coupling type	Epistemic-constitutive public reality
Name–Dao–Logic	Name: event, source, scandal, victim, fact; Dao: report, frame, amplify, correct; Logic: verification, newsworthiness, editorial judgment
Dominant residual	missing context, source bias, unreported harm
Residual failure mode	misinformation, moral panic, agenda capture
Residual governance	correction, source transparency, fact-checking, context update
AB-fixness	medium; breaking news lower
Volatility	high
Revision trigger	new evidence, correction, backlash, source failure
Use of boundary-formation	audit how public events are created through attention gates
Typical output	framing audit, source ledger, context residual map

Core formula:

(8.34) PublicEvent = AttentionGate + MediaTrace.

Media does not merely report events.

It helps decide which events become public reality.

8.10.2 Social Platforms

Field	Profile
Reality-coupling type	Algorithmic-public reality
Name–Dao–Logic	Name: content, harm, misinformation, engagement, community; Dao: rank, recommend, moderate, ban, appeal; Logic: platform policy, algorithmic optimization, legal constraint
Dominant residual	context collapse, moderation bias, shadow harm

Field	Profile
Residual failure mode	polarization, censorship accusation, manipulation, trust collapse
Residual governance	appeal path, transparency report, policy audit, external review
AB-fixness	medium-high for harm policy; lower for creative communities
Volatility	very high
Revision trigger	viral harm, public scandal, regulatory pressure, coordinated abuse
Use of boundary-formation	study how algorithms gate public attention
Typical output	moderation protocol, appeal ledger, recommendation audit

Core formula:

(8.35) PlatformReality = RankingGate + ModerationTrace + HiddenResidual.

Social platforms are among the most powerful boundary systems of the modern world.

Their danger is that they often create public reality without public trace accountability.

8.10.3 Culture and Civilization

Field	Profile
Reality-coupling type	Collective ledger / formative
Name–Dao–Logic	Name: identity, tradition, progress, decline, civilization; Dao: educate, ritualize, remember, reform; Logic: historical narrative, legitimacy, value transmission
Dominant residual	suppressed memory, identity fracture, generational discontinuity
Residual failure mode	civilizational amnesia, mythic rigidity, value collapse
Residual governance	archive, ritual renewal, plural memory, education reform
AB-fixness	medium-high for identity; lower during renaissance
Volatility	high over long cycles
Revision trigger	generational break, external shock, moral crisis, technological transformation
Use of boundary-formation	study how collective observers preserve and revise themselves
Typical output	civilization ledger map, cultural residual audit

Core formula:

(8.36) Civilization = SharedNames + CollectiveDaos + HistoricalLedger + RevisionRituals.

Civilization is not merely population, technology, or territory.

It is a multi-generational boundary-formation system.

8.11 Relational and Negotiated Domains

These domains depend on shared boundaries that are never fully objective and never merely subjective.

8.11.1 Intimate Relationships

Field	Profile
Reality-coupling type	Relational reality
Name–Dao–Logic	Name: love, duty, betrayal, care, space, respect; Dao: communicate, support, withdraw, repair; Logic: reciprocity, trust, attachment, shared history
Dominant residual	unspoken expectation, resentment, asymmetry
Residual failure mode	emotional blackmail, repeated conflict, silent withdrawal
Residual governance	explicit boundary talk, repair ritual, shared ledger
AB-fixness	medium-low; commitment high
Volatility	high
Revision trigger	repeated hurt, life transition, betrayal, unmet need
Use of boundary-formation	convert vague emotional conflict into negotiable boundaries
Typical output	relationship contract, repair script, expectation map

Core formula:

(8.37) Relationship = SharedBoundary + EmotionalTrace + RepairDao.

Many relational conflicts are not caused by lack of feeling.

They are caused by incompatible boundary systems.

8.11.2 Mediation and Arbitration

Field	Profile
Reality-coupling type	Relational-constitutive
Name–Dao–Logic	Name: claim, interest, concession, settlement zone; Dao: negotiate, compromise, bind; Logic: consent, enforceability, fairness
Dominant residual	unspoken interest, emotional injury, power imbalance
Residual failure mode	bad settlement, future dispute, coerced agreement
Residual governance	caucus, interest mapping, enforceable settlement, review period
AB-fixness	medium
Volatility	medium-high
Revision trigger	impasse, new offer, trust breakdown, hidden interest
Use of boundary-formation	translate hidden interests into negotiable interface
Typical output	settlement map, agreement draft, residual risk note

Core formula:

(8.38) Settlement = BoundaryTrade + ResidualAcceptance.

A settlement does not resolve all truth.

It creates a governed closure both sides can live with.

8.12 Strategic and Adversarial Domains

These domains operate under hidden information, deception, and hostile adaptation.

8.12.1 Military Strategy

Field	Profile
Reality-coupling type	Adversarial operational
Name–Dao–Logic	Name: threat, target, front, ally, deterrence; Dao: deploy, deceive, escalate, defend; Logic: strategy, intelligence, rules of engagement
Dominant residual	fog of war, misread intention, civilian harm
Residual failure mode	escalation spiral, friendly fire, strategic surprise
Residual governance	red team, war game, after-action review, legal review
AB-fixness	high in command; lower in intelligence interpretation

Field	Profile
Volatility	extremely high
Revision trigger	surprise attack, intelligence failure, battlefield shift
Use of boundary-formation	manage incomplete knowledge under high consequence
Typical output	operational plan, red-team residual, escalation map

Core formula:

(8.39) Strategy = ActionUnderResidual + AdversarialRevision.

War is boundary-formation under lethal uncertainty.

The danger is not only wrong action. It is wrong naming of the field.

8.12.2 Business Strategy and Startups

Field	Profile
Reality-coupling type	Market-generative
Name–Dao–Logic	Name: customer, problem, product, moat, market; Dao: build, sell, iterate, pivot; Logic: product-market fit, unit economics, growth constraint
Dominant residual	false demand, unseen cost, scaling fragility
Residual failure mode	premature scaling, founder narrative capture, pivot failure
Residual governance	lean experiment, cohort trace, unit economics audit
AB-fixness	low-medium early; higher after scale
Volatility	very high
Revision trigger	churn, CAC/LTV failure, market shift, retention failure
Use of boundary-formation	prevent founder story from overpowering market residual
Typical output	business model kernel, pivot criteria, market residual map

Core formula:

(8.40) StartupLearning = HypothesisGate + MarketTrace + PivotRule.

A startup is a boundary experiment.

It proposes Names: customer, problem, value, market.

The market decides whether those Names survive.

8.13 Atlas Summary

The atlas shows that Boundary-Formation Studies cannot be reduced to a single usage.

Domain Class	Primary Use of Boundary-Formation
Constitutive	legitimate closure and official trace
Epistemic	disciplined discovery and anti-premature closure
Operational	reliable runtime governance
Invariant-revising	breakthrough through residual and new invariant
Formative	observer formation and self-revision
Expressive	ambiguity architecture
Normative	inclusion, legitimacy, and responsibility
Economic	risk and hidden cost governance
Environmental	future residual governance
Relational	boundary negotiation and repair
Adversarial	action under hostile residual

This gives the general atlas formula:

(8.41) BoundaryScience = ComparativeStudy(CouplingType, NameDaoLogic, Residual, Fixness, Volatility, Revision).

The next step is no longer abstract.

We must demonstrate the method on detailed cases.

Installment 4 Closing

This installment completed the cross-domain atlas.

It showed that the same grammar behaves differently across domains:

(8.42) Law closes reality.

(8.43) Medicine routes uncertain discovery.

(8.44) Physics revises invariants.

(8.45) AI governs runtime cognition.

(8.46) Education forms observers.

(8.47) Art preserves productive residual.

(8.48) Politics decides who counts.

(8.49) Finance governs future risk under narrative pressure.

(8.50) Civilization preserves and revises collective ledger.

The next installment should develop three detailed demonstration cases:

Law: Uber v Aslam and the struggle over contractual declaration versus statutory reality.

Medicine: rare-disease / multi-system diagnosis as anti-premature-closure boundary governance.

Physics: Einstein-style thought experiment as invariant-generating boundary engineering.

9. Three Demonstration Cases

A research program needs examples.

The previous atlas showed that domains differ in their Reality-Coupling Profiles. But the framework becomes clearer when applied to concrete cases.

This section develops three demonstrations:

Law: Uber v Aslam, where legal reality is produced through statutory gates and official trace.

Medicine: a hypothetical rare-disease / multi-system diagnostic case, where the main danger is premature closure.

Physics: an Einstein-style thought experiment, where a minimal world forces the revision of old invariants.

These three cases are deliberately different.

Law shows **constitutive coupling**.

Medicine shows **epistemic-routing coupling**.

Physics shows **invariant-revising coupling**.

Together, they prove the central claim:

(9.1) One Interface Grammar, Many Reality-Coupling Profiles.

9.1 Case One — Law: Uber v Aslam and the Battle Over Legal Reality

9.1.1 Why this case matters

Uber BV v Aslam is a useful demonstration because it is not merely a dispute about employment status. It is a dispute over who has authority to declare the legal boundary of a platform-mediated working relationship.

The UK Supreme Court case summary states that the central issue was whether the drivers were

"workers" providing personal services to Uber London, and, if they were, what periods counted as their "working time." It also records the competing positions: the drivers claimed protection under the Employment Rights Act 1996, National Minimum Wage Act 1998, and Working Time Regulations 1998, while Uber argued that the drivers were independent third-party contractors rather than workers. (Supreme Court UK)

That already gives us the core boundary struggle:

(9.2) WorkerBoundary vs ContractorBoundary.

But the deeper struggle is:

(9.3) StatutoryReality vs ContractualDeclaration.

Uber's boundary strategy was to frame itself as an app-based intermediary and the drivers as independent contractors.

The drivers' boundary strategy was to frame the relationship as one of practical control, dependence, and worker protection.

The Court's boundary task was to decide which declaration should govern legal reality.

9.1.2 Name–Dao–Logic in Uber v Aslam

Layer	Uber's Proposed World	Drivers' Proposed World	Court's Reframed World
Name	independent contractor, app user, third-party driver	worker, controlled labour provider	statutory worker under protective legislation
Dao	contract freely, accept work voluntarily, bear own business risk	claim minimum wage, paid leave, legal protection	apply statutory purpose to practical working reality
Logic	contractual documentation defines relationship	reality of dependence overrides label	protective statute cannot be defeated by contractual drafting

The legal Name is decisive.

If the driver is named "independent contractor," the Dao routes toward contract autonomy.

If the driver is named "worker," the Dao routes toward statutory protection.

The legal Logic decides which Name–Dao pair is admissible.

The case therefore illustrates:

(9.4) LegalClassification = Name that activates a statutory Dao.

This is why law is constitutive.

The Court is not merely describing social life. It is deciding which description becomes official legal

trace.

9.1.3 Gate and Trace

The Supreme Court case page records that the Employment Tribunal had found the drivers to be "workers" and "working" whenever three conditions were satisfied: the app was switched on, they were within the territory where they were authorized to work, and they were able and willing to accept assignments. These findings were upheld by the Employment Appeal Tribunal and Court of Appeal before the Supreme Court appeal. (Supreme Court UK)

This is an unusually clean example of gate construction.

The working-time gate can be expressed as:

(9.5) WorkingTimeGate = AppOn ∧ AuthorizedTerritory ∧ AbleAndWillingToAcceptAssignments.

This gate transforms ambiguous waiting time into legal working time.

Before the gate:

The driver is merely logged into an app.

After the gate:

The driver is potentially inside the legal working-time ledger.

This is not just analysis. It changes rights, pay, liability, and institutional reality.

(9.6) Gate + LegalLedger → OfficialEntitlement.

9.1.4 Dominant Residual

Uber v Aslam resolves one important boundary, but it leaves residual.

Residual	Why it matters
Worker status is not full employee status	Drivers gain certain rights but not necessarily all employee rights
Platform designs may vary	Future platforms may claim to be more genuinely marketplace-like
Multi-apping complicates working time	If workers genuinely serve multiple platforms simultaneously, time boundaries become harder
Algorithmic control remains under-theorized	Law still uses traditional control vocabulary for digital management
Contract drafting may evolve	Companies may redesign interfaces to escape the worker boundary

The mature legal lesson is not merely:

Uber lost.

The deeper lesson is:

(9.7) A legal judgment closes one boundary while producing future residual.

This is why legal closure must preserve reasons, limits, and revision paths.

9.1.5 What Boundary-Formation Studies Reveals

A normal case summary says:

> Uber drivers were workers.

Boundary-Formation Studies says:

> The Court refused to let a private contractual interface control the boundary of statutory reality. It replaced Uber's marketplace Name with a worker-protection Name, activated a different Dao of rights, wrote that interpretation into legal trace, and left residual questions for future platform cases.

So the legal demonstration gives a general formula:

(9.8) LegalBoundaryFormation = CompetingNames + GateAuthority + OfficialTrace + AppealResidual.

This is the structure of many legal breakthroughs.

9.2 Case Two — Medicine: Rare-Disease Diagnosis and Anti-Premature Closure

9.2.1 Why medicine is different from law

Medicine does not work like law.

A court can create official legal status.

A doctor does not create the disease.

A diagnosis is not the disease itself. It is an epistemic interface that routes attention, testing, treatment, and follow-up.

Therefore:

(9.9) Diagnosis ≠ Disease.

More precisely:

(9.10) Diagnosis = ProvisionalName + ClinicalDao + EvidenceGate + RevisionTrigger.

Medicine’s central danger is not only wrong logic.

It is wrong closure.

The patient is placed inside a Name too early.

That Name activates a Dao.

The Dao narrows future observation.

Residual symptoms are misread as noise.

This is premature closure.

9.2.2 A hypothetical multi-system case

Consider a patient with:

fatigue;

intermittent fever;

joint pain;

rash;

tingling or numbness;

mild kidney abnormality;

weight loss;

fluctuating mood or anxiety.

A rushed interpretation might say:

This is anxiety plus nonspecific symptoms.

That Name activates a Dao:

reassurance;

basic tests;

psychological framing;

possible psychiatric referral;

limited systemic investigation.

But a residual-aware interpretation asks:

Which symptoms does “anxiety” explain?

Which symptoms remain outside that Name?

Which red flags require another frame?

What alternative Names absorb more of the field?

Possible competing Names include:

autoimmune disease;

vasculitis;

systemic lupus;

chronic infection;

malignancy;

endocrine disorder;

neurological disorder;

medication reaction;

post-viral syndrome;

mixed functional and organic condition.

The goal is not for an AI or junior doctor to jump to a rare diagnosis.

The goal is to prevent one convenient Name from locking the wrong Dao.

9.2.3 Medical Name–Dao–Logic

Layer	Premature Closure Mode	Residual-Governed Mode
Name	“anxiety,” “functional,” “nonspecific”	“working diagnosis with unexplained residual”
Dao	reassure, discharge, narrow follow-up	test, monitor, safety-net, refer, revisit
Logic	typical pattern recognition	evidence-weighted differential + red flag governance

The key formula is:

(9.11) DiagnosticSafety = WorkingName + ResidualList + ReopeningCondition.

This is the medical version of good closure.

It does not require endless testing.

It requires honest trace of what is not yet explained.

9.2.4 Dominant Residual

Medicine's dominant residual is the unexplained finding.

Residual	Failure mode
unexplained symptom	dismissed as noise
abnormal but borderline test	ignored without follow-up
cross-system pattern	split across specialties and lost
treatment failure	rationalized instead of re-evaluated
patient narrative mismatch	treated as unreliability rather than signal

The failure mode is:

(9.12) PrematureClosure = DiagnosisName − ResidualGovernance.

A mature diagnostic note should therefore contain:

Current working diagnosis.

Findings explained by it.

Findings not explained by it.

Red flags.

Tests or events that would change the diagnosis.

Follow-up timing.

Referral conditions.

Patient safety-net instructions.

This becomes:

(9.13) GoodDiagnosticTrace = Diagnosis + ExplainedFindings + ResidualFindings + RedFlags + ReopenGate.

9.2.5 What Boundary-Formation Studies Reveals

A normal AI medical answer might produce a long differential diagnosis.

That can be useful.

But it is not the distinctive contribution of Boundary-Formation Studies.

The distinctive contribution is **diagnostic governance**.

The method asks:

Which Name is currently dominating?

Which Dao does that Name activate?

Which residual does it suppress?

Which alternative Name better absorbs the residual?

How high should AB-fixness be at this stage?

What evidence should trigger revision?

For typical emergency protocols, AB-fixness should be high.

For rare-disease exploration, AB-fixness should be lower.

So the medical demonstration gives the formula:

(9.14) MedicalBoundaryFormation = RiskTriage + ProvisionalName + ResidualPreservation + RevisionTrigger.

Medicine teaches that a boundary can be necessary and dangerous at the same time.

9.3 Case Three — Physics: Einstein-Style Thought Experiment as Boundary Engineering

9.3.1 Physics as invariant-revising boundary-formation

Physics is different again.

Law creates official reality.

Medicine routes discovery toward biological reality.

Physics searches for invariant structure beneath appearances.

A great physical thought experiment is a boundary machine.

It declares:

a minimal world;

an observer;

a measurement condition;

a signal;

an event;

a transformation;

a failure condition;

a candidate invariant.

This gives:

(9.15) ThoughtExperiment = MinimalDeclaredWorld + Observer + Measurement + ResidualTest.

The purpose is not storytelling.

The purpose is to force a conceptual boundary to reveal whether it can survive.

9.3.2 The structure of an Einstein-style case

Consider the generic structure of a relativity-style thought experiment.

Old Name:

time is absolute;

simultaneity is universal;

observer motion does not affect temporal ordering in the relevant way.

Declared world:

two observers;

light signals;

measurement events;

relative motion;

synchronized clocks;

fixed rules of observation.

Residual:

the old Name cannot preserve all observed relations while also respecting the behavior of light.

Revision:

simultaneity becomes frame-relative;

invariant structure moves from absolute time to spacetime interval and light-speed structure.

Boundary-Formation Studies reads this as:

(9.16) Breakthrough = OldNameFailure + MinimalWorld + NewInvariant.

This is not merely scientific creativity.

It is disciplined reality-coupling revision.

9.3.3 Physics Name–Dao–Logic

Layer	Old Frame	Revision Frame
Name	absolute time, universal simultaneity	frame-dependent time, invariant light structure
Dao	transform using classical intuition	transform using relativistic structure
Logic	preserve Newtonian common sense	preserve invariance across observers

Physics changes when the old Name no longer supports the right Dao under the right Logic.

The key is not to abandon rigor.

It is to move rigor to a deeper invariant.

(9.17) ScientificRevision = Lower Old Fixness + Preserve Higher Invariance.

This is why physics can require both looseness and strictness.

The old category must loosen.

The new invariant must harden.

9.3.4 Dominant Residual

Physics residual often appears as anomaly or contradiction.

Residual	Failure mode
measurement anomaly	dismissed as error too early
conceptual contradiction	hidden inside notation
incompatible theories	patched without deeper synthesis
unexplained constant	treated as brute fact forever
frame-dependence	mistaken for subjectivity

A mature physical theory does not erase anomaly.

It classifies anomaly.

It asks whether the anomaly belongs to:

bad measurement;

incomplete model;

wrong Name;

missing variable;

deeper symmetry;

new invariant;

regime boundary.

This gives:

(9.18) PhysicalResidualGovernance = AnomalyTrace + FrameTest + InvariantSearch.

9.3.5 What Boundary-Formation Studies Reveals

A normal history of physics may say:

> Einstein revised time and space.

Boundary-Formation Studies says:

> Einstein-style innovation works by constructing a declared minimal world in which old Names cannot preserve observational coherence, then shifting fixness from the old concept to a deeper invariant.

This gives the general formula:

(9.19) InvariantRevisingBoundaryFormation = ControlledWorld + ConceptFailure + ResidualPreservation + InvariantUpgrade.

Physics teaches that the highest use of boundary-formation is not classification.

It is the engineering of situations where a deeper truth becomes unavoidable.

9.4 Comparative Summary of the Three Cases

Feature	Law	Medicine	Physics
Reality-coupling type	Constitutive	Epistemic-routing	Invariant-revising
Main Name problem	Who counts as worker, liable party, evidence, right-holder?	What diagnosis or risk frame should govern the case?	Which concept names the invariant correctly?
Main Dao problem	Which legal path and remedy follows?	Which test, referral, treatment, monitoring path follows?	Which measurement and transformation path follows?
Main Logic problem	Which legal authority validates the Name–Dao pair?	Which evidence and risk logic validates the clinical path?	Which mathematical and empirical logic preserves invariance?
Dominant residual	unrecognized harm / future case variation	unexplained symptom / red flag	anomaly / conceptual contradiction
Bad closure	judgment without justice	diagnosis without residual	theory without anomaly honesty
Good closure	official trace + appeal path	working diagnosis + safety-net	theory + known limits

Feature	Law	Medicine	Physics
AB-fixness	high in judgment	variable by risk and uncertainty	high in mature theory, lower in breakthrough
Revision trigger	injustice, new harm, precedent failure	treatment failure, new symptom, red flag	anomaly, invariance failure
Main output	legal boundary map	residual-aware diagnostic map	thought experiment kernel

The comparison proves the larger thesis:

(9.20) BoundaryFormation must be specialized by RealityCouplingProfile.

A legal AI, medical AI, scientific AI, educational AI, or policy AI cannot use the same boundary logic everywhere.

A mature system must ask:

(9.21) What kind of reality is this interface coupling to?

---

10. AI as an Instrument for Studying Boundary-Formation

AI is not only a domain to which Boundary-Formation Studies can be applied.

AI can also become a research instrument for studying boundary-formation itself.

This is especially important because the science proposed in this paper is comparative. It requires extracting patterns from law, medicine, physics, accounting, education, politics, management, art, and many other fields.

A human researcher can do this slowly.

An AI system can assist by compiling cases into structured interface profiles.

But to do that safely, the AI itself must be boundary-aware.

10.1 From Answer Engine to Interface Analyst

Most current AI usage is answer-oriented.

The user asks.

The model answers.

But Boundary-Formation Studies requires a different mode.

The AI should not only answer:

What is the answer?

It should ask:

What boundary is being declared?

What Names are being used?

What Dao follows from those Names?

What Logic validates the Name–Dao pair?

What gate decides admissibility?

What trace is being written?

What residual remains?

What fixness level is appropriate?

What volatility threatens the current interface?

What would trigger revision?

This changes the AI's role.

(10.1) AnswerAI → InterfaceAI.

Or more fully:

(10.2) AI_Maturity = AnswerGeneration + BoundaryDetection + ResidualGovernance + RevisionSupport.

This is not merely safer AI.

It is more scientific AI.

10.2 AI as Name–Dao–Logic Extractor

Given a legal case, a medical note, a policy memo, an engineering incident, or a philosophical text, AI can extract:

Layer	Extraction Question
Name	What categories does the text use to carve reality?
Dao	What actions follow from those categories?
Logic	What rules decide whether those actions are valid?
Gate	What must happen before commitment?
Trace	What is recorded and carried forward?
Residual	What remains unresolved or suppressed?
Revision	What would reopen or update the frame?

This can produce a reusable research object:

(10.3) Case → NameDaoLogicProfile.

For example:

Uber v Aslam becomes:

Name conflict: worker vs independent contractor;

Dao conflict: statutory protection vs contractual autonomy;

Logic conflict: protective statutory interpretation vs contractual declaration;

Residual: future platform variation and algorithmic control.

A difficult medical case becomes:

Name conflict: functional disorder vs systemic disease;

Dao conflict: reassurance vs further investigation;

Logic conflict: typical-pattern triage vs residual-aware differential;

Residual: unexplained cross-system symptoms.

A thought experiment becomes:

Name conflict: old concept vs new invariant;

Dao conflict: old transformation vs new measurement logic;

Logic conflict: common-sense consistency vs frame-invariant consistency;

Residual: anomaly that cannot be suppressed.

10.3 AI as Residual Auditor

AI is especially useful for residual auditing because it can compare a closure with what it did not absorb.

Given a decision, AI can ask:

What evidence was ignored?

What symptoms remain unexplained?

What affected group was excluded?

What cost is not in the ledger?

What anomaly remains?

What future risk is hidden?

What ambiguity was prematurely closed?

What alternative frame would make the residual visible?

The output is:

(10.4) ResidualAudit = Closure + UnabsorbedMatter + ReopeningTriggers.

This is useful across domains.

In law:

AI can identify appealable residual, excluded harms, procedural gaps, and precedent tension.

In medicine:

AI can identify red flags, unexplained symptoms, missing tests, and follow-up triggers.

In accounting:

AI can identify judgment uncertainty, disclosure gaps, and off-balance residual.

In AI safety:

AI can identify unsupported claims, tool uncertainty, memory risk, and user-risk ambiguity.

In politics:

AI can identify excluded stakeholders, externalities, future cost, and legitimacy gaps.

In education:

AI can identify what the assessment fails to measure and what kind of observer it forms.

Residual auditing may become one of the first practical tools of Boundary-Formation Studies.

10.4 AI as AB-Fixness Mapper

AI can also assist in estimating the required fixness of a domain or task.

The system can ask:

Is this a safety-critical context?

Is this a discovery context?

Is this a final judgment context?

Is this an early hypothesis context?

Is ambiguity useful here or dangerous?

How volatile is the environment?

How costly is wrong closure?

How costly is no closure?

This produces:

(10.5) ABFixnessRecommendation = Function(ContextRisk, Volatility, ResidualCost, CoordinationNeed).

Examples:

Task	Recommended AB-fixness
Formal proof checking	very high
Medical emergency triage	high
Rare disease exploration	medium-low
Legal final judgment	high
Legal reform brainstorming	medium
AI tool execution	high
AI creative ideation	medium-low
Diplomatic wording	medium-low
Artistic interpretation	low-medium

The goal is not to make AI rigid or loose.

The goal is to make AI know when rigidity is appropriate.

10.5 AI as Thought Experiment Compiler

For invariant-revising domains, AI can help generate minimal worlds.

A thought experiment compiler should produce:

Old Name.

Declared minimal world.

Observers.

Measurement rule.

Expected old-frame result.

Contradiction or residual.

Candidate new invariant.

Testable consequence.

Formula:

(10.6) ThoughtExperimentKernel = OldName + MinimalWorld + ObserverRule + Residual + NewInvariant.

This can support:

physics education;

philosophical reasoning;

AI safety scenarios;

legal hypotheticals;

policy simulations;

ethics case design.

But AI must avoid generating decorative metaphors.

A genuine thought experiment must create disciplined pressure on a concept.

10.6 AI as Runtime Kernel Generator

The Kernelize line of work is relevant here because it treats prompt conversion not as prompt beautification but as semantic compilation: parsing broad natural-language material into a compact executable kernel with boundary rules, curvature detection, attractor selection, and residual audit.

Boundary-Formation Studies can use this idea to create domain-specific kernels.

Example legal kernel:

(10.7) LegalKernel = Parties + Boundary + Claims + Gates + EvidenceTrace + Residual + Remedies + AppealPath.

Example medical kernel:

(10.8) MedicalKernel = Presentation + RiskGate + DifferentialNames + Tests + ResidualSymptoms + FollowUpTrigger.

Example AI runtime kernel:

(10.9) AgentKernel = TaskBoundary + ToolGate + EvidenceRule + MemoryTrace + SafetyResidual + HumanReview.

Example physics kernel:

(10.10) PhysicsKernel = ConceptBoundary + MeasurementWorld + Anomaly + InvariantCandidate + LimitCase.

The point is not to reduce professional judgment to a template.

The point is to make professional judgment inspectable, reusable, and resistant to premature closure.

10.7 AI and the Danger of False Boundary Authority

AI can help study boundary-formation.

But AI can also become a dangerous boundary authority.

A model can misname the task.

A model can over-close uncertainty.

A model can invent trace.

A model can erase residual.

A model can set the wrong AB-fixness.

A model can produce confident legal, medical, or financial closure without legitimate authority.

Therefore:

(10.11) Boundary-Aware AI must distinguish analysis from authority.

In law, AI can analyze boundary arguments, but the court creates official legal trace.

In medicine, AI can support differential diagnosis, but clinical responsibility remains human and institutional.

In accounting, AI can flag recognition issues, but professional judgment and audit responsibility remain governed roles.

In policy, AI can map trade-offs, but legitimacy cannot be outsourced to statistical fluency.

AI should become an interface analyst, not an unaccountable gatekeeper.

10.8 Toward AI-Assisted Interface Science

The long-term research direction is an AI-assisted comparative science of interfaces.

Such a system would maintain an atlas of domain profiles.

For every case, it would extract:

Reality-coupling type;

Name–Dao–Logic;

dominant residual;

residual failure mode;

residual governance;

AB-fixness;

volatility;

revision trigger;

typical output.

This gives:

(10.12) InterfaceAtlas = Σ DomainProfiles.

Over time, researchers could compare:

how legal systems handle new technology;

how medical systems manage uncertainty;

how scientific fields absorb anomalies;

how AI systems preserve residual;

how educational systems form observers;

how political systems include or exclude harms;

how accounting systems write economic reality;

how art preserves ambiguity.

This would make Boundary-Formation Studies not merely philosophical but empirical and comparative.

Installment 5 Closing

This installment developed three demonstration cases and then turned toward AI as research instrument.

The main formulas were:

(10.13) LegalBoundaryFormation = CompetingNames + GateAuthority + OfficialTrace + AppealResidual.

(10.14) MedicalBoundaryFormation = RiskTriage + ProvisionalName + ResidualPreservation + RevisionTrigger.

(10.15) InvariantRevisingBoundaryFormation = ControlledWorld + ConceptFailure + ResidualPreservation + InvariantUpgrade.

(10.16) AI_Maturity = AnswerGeneration + BoundaryDetection + ResidualGovernance + RevisionSupport.

The next installment should complete the article with:

Section 11: Research Methods for Boundary-Formation Studies;

Section 12: Toward an Interface Science of Civilization and AGI;

Conclusion;

Appendix A: Domain Profile Template;

Appendix B: Minimal Research Checklist.

11. Research Methods for Boundary-Formation Studies

If Boundary-Formation Studies is to become more than an attractive framework, it needs research methods.

It cannot remain a set of metaphors.

It must become a disciplined way to compare domains, extract structures, audit residuals, map fixness, and study revision.

This section proposes a methodological toolkit.

11.1 Comparative Domain Profiling

The first method is comparative domain profiling.

For any field, institution, case, or practice, researchers should construct a domain profile.

The template is:

(11.1) DomainProfile = CouplingType + NameDaoLogic + Gate + Trace + Residual + ABFixness + Volatility + RevisionRule.

This profile allows us to compare fields without pretending they are the same.

Example:

Domain	Coupling Type	Dominant Boundary Problem
Law	constitutive	who has authority to create official reality?
Medicine	epistemic-routing	how to avoid premature diagnostic closure?
Physics	invariant-revising	which old concept must fail for a deeper invariant to appear?
AI	operational-epistemic	how to prevent fluent output from becoming false closure?
Education	formative	what kind of observer is the interface producing?
Accounting	ledger-constitutive	what becomes reportable economic reality?
Art	expressive	which residual must remain open?

The purpose of domain profiling is not to rank domains.

It is to identify the correct mode of boundary governance.

A law-like method may be harmful in medicine.

A medicine-like method may be insufficient in law.

A physics-like revision method may be too destabilizing for audit.

An art-like ambiguity tolerance may be dangerous in safety engineering.

Therefore:

(11.2) MethodTransfer requires CouplingProfileTranslation.

Before applying a method from one field to another, researchers must ask:

What does Name mean in this field?

What does Dao mean in this field?

What does Logic mean in this field?

What kind of residual is typical?

What level of fixness is required?

What kind of revision is legitimate?

11.2 Name–Dao–Logic Extraction

The second method is Name–Dao–Logic extraction.

Given a case, text, institution, workflow, theory, diagnosis, judgment, or AI protocol, researchers should extract:

Layer	Extraction Question
Name	What categories carve the world?
Dao	What actions follow from those categories?
Logic	What validates or invalidates those Name–Dao paths?
Gate	What must happen before commitment?
Trace	What is written forward?
Residual	What remains unresolved?
Revision	What would reopen or change the frame?

This method is especially useful because many domains hide their Name–Dao–Logic structure.

A legal judgment may appear to be about “facts,” but actually turns on whether a person is named worker, contractor, tenant, fiduciary, victim, or stranger.

A medical decision may appear to be about “symptoms,” but actually turns on whether those symptoms are named benign, psychiatric, systemic, inflammatory, malignant, or unexplained.

An AI output may appear to be about “answering,” but actually turns on whether the user request is named safe, risky, ambiguous, unsupported, tool-requiring, or memory-worthy.

An educational test may appear to be about “knowledge,” but actually turns on what kind of ability the test names and rewards.

The extraction formula is:

(11.3) CaseText → NameDaoLogicMap.

A mature extraction should include not only the dominant Name–Dao–Logic, but also competing alternatives.

For example:

(11.4) LegalDispute = CompetingNameDaoLogicProfiles.

(11.5) DiagnosticUncertainty = CompetingClinicalNameDaoLogicProfiles.

(11.6) ScientificCrisis = CompetingInvariantNameDaoLogicProfiles.

This turns vague dispute into structured comparison.

11.3 Residual Audit

The third method is residual audit.

Every closure should be audited for what it did not absorb.

A residual audit asks:

What facts were excluded?

What symptoms remain unexplained?

What costs were not recorded?

What parties were not counted?

What risks were pushed into the future?

What anomaly was treated as noise?

What ambiguity was over-closed?

What contradiction was tolerated without governance?

What future trigger should reopen the case?

Formula:

(11.7) ResidualAudit = Closure − AbsorbedStructure.

But that formula is too compressed. Operationally:

(11.8) ResidualAudit = Identify(Unexplained, Excluded, Deferred, Suppressed, Misnamed, FutureRisk, FrameMismatch).

Residual audit is different from criticism.

Criticism often says:

> This conclusion is wrong.

Residual audit says:

> This conclusion may be usable, but here is what it leaves unresolved, and here is how that remainder must be governed.

This is extremely important.

In law, a residual audit may produce appeal grounds, reform issues, or future litigation questions.

In medicine, it may produce red flags, follow-up rules, or second-opinion triggers.

In accounting, it may produce disclosure notes and judgment memos.

In AI, it may produce uncertainty statements, tool-use warnings, and human-review flags.

In politics, it may produce consultation duties, impact assessments, and legitimacy questions.

In art, it may identify the productive ambiguity that should not be resolved.

A mature residual audit must distinguish four kinds of residual:

Residual Status	Meaning	Governance
Harmless residual	not material for current action	record lightly
Monitored residual	may matter later	schedule review
Escalating residual	threatens current closure	reopen gate
Generative residual	may produce new theory, claim, diagnosis, or artwork	preserve as research seed

This gives:

(11.9) ResidualMaturity = Classification + GovernancePath.

11.4 AB-Fixness Mapping

The fourth method is AB-fixness mapping.

Researchers should estimate how rigid a domain, institution, or case should be.

The mapping questions are:

How much cross-observer agreement is required?

How much cross-time stability is required?

How dangerous is ambiguity?

How dangerous is premature closure?

How volatile is the environment?

What is the cost of wrong commitment?

What is the cost of no commitment?

Which subsystem requires high fixness?

Which subsystem requires exploration?

Formula:

(11.10) ABFixnessNeed = f(CoordinationNeed, SafetyRisk, Volatility, ResidualCost, RevisionCost).

This helps explain why domains require different reasoning modes.

Aviation control needs high fixness.

Art criticism needs lower fixness.

Emergency medicine needs high fixness.

Rare-disease exploration needs lower fixness.

Court judgment needs high fixness.

Law reform needs lower fixness.

AI tool execution needs high fixness.

AI brainstorming needs lower fixness.

The important point is that AB-fixness should be local, not global.

A mature system can be strict in one layer and flexible in another.

(11.11) MatureSystem = HighFixness where FailureCost is High + LowFixness where DiscoveryValue is High.

Examples:

In medicine: strict sepsis protocol, flexible rare-disease exploration.

In AI: strict tool safety, flexible hypothesis generation.

In law: strict procedural fairness, flexible statutory interpretation in novel cases.

In education: strict academic integrity, flexible learning pathways.

In science: strict data reporting, flexible theory formation.

In diplomacy: strict treaty text, flexible face-saving ambiguity.

This is a major research direction.

11.5 Trace and Ledger Analysis

The fifth method is trace and ledger analysis.

Researchers should ask:

What records are created?

Who controls them?

Are they mere logs or active traces?

How do they affect future interpretation?

Can they be corrected?

Can residual be attached?

Can trace become oppressive?

Can trace be erased?

Does the ledger support revision?

Formula:

(11.12) LedgerAnalysis = TraceAuthority + TraceEffect + CorrectionRule + ResidualAttachment.

This method is essential for:

legal precedent;

medical records;

accounting ledgers;

AI memory;

educational portfolios;

scientific citation networks;

institutional dashboards;

political archives;

family narratives;

religious traditions.

A dangerous system is one where trace has power but no accountability.

(11.13) DangerousLedger = HighTraceEffect + LowCorrectionCapacity.

A mature ledger is different:

(11.14) MatureLedger = TraceEffect + CorrectionPath + ResidualAttachment + Auditability.

This is especially relevant to AI memory systems.

The future of AI will not be determined only by model size or reasoning strength. It will also depend on whether AI systems can maintain governed traces without polluting future interpretation.

11.6 Revision Pathway Analysis

The sixth method is revision pathway analysis.

A researcher should ask:

What can force this system to revise?

Who can initiate revision?

What evidence is required?

How is old trace preserved?

What identity must remain continuous?

What residual becomes actionable?

What prevents opportunistic revision?

What prevents frozen non-revision?

Formula:

(11.15) RevisionPath = Trigger + Authority + Evidence + TracePreservation + NewGate.

Examples:

Domain	Revision Path

Domain	Revision Path
Law	appeal, overruling, legislation
Medicine	second opinion, MDT, updated diagnosis
Science	replication failure, theory revision
AI	user correction, verifier failure, model update
Accounting	restatement, disclosure, audit qualification
Education	feedback, curriculum reform
Politics	public inquiry, reform, constitutional amendment
Therapy	safe narrative revision
Art	reinterpretation and adaptation

The key distinction is between revision and instability.

A mature system must be revisable but not arbitrary.

(11.16) AdmissibleRevision = GovernedChange, not RandomChange.

11.7 AI-Assisted Kernelization

The seventh method is AI-assisted kernelization.

This method turns a complex domain case into a compact analysis kernel.

A kernel should capture:

declared boundary;

key Names;

available Daos;

governing Logic;

gate conditions;

trace rules;

residual;

AB-fixness;

volatility;

revision trigger;

output format.

Formula:

(11.17) SourceMaterial → BoundaryKernel.

Example legal kernel:

(11.18) LegalKernel = Parties + Claims + LegalNames + EvidenceGates + Remedies + Residual + AppealPath.

Example medical kernel:

(11.19) MedicalKernel = Presentation + DifferentialNames + RiskGate + Tests + TreatmentDao + ResidualSymptoms + FollowUpTrigger.

Example physics kernel:

(11.20) PhysicsKernel = OldConcept + MinimalWorld + ObserverRule + Anomaly + NewInvariantCandidate.

Example AI kernel:

(11.21) AgentKernel = TaskBoundary + EvidenceRule + ToolGate + MemoryTrace + SafetyResidual + HumanReview.

Kernelization is not simplification for its own sake.

It is compression into executable structure.

The purpose is to make expert reasoning inspectable, reusable, teachable, and auditable.

11.8 Simulation and Toy Worlds

The eighth method is simulation.

Boundary-Formation Studies should not remain purely qualitative.

Certain parts can be tested in toy environments.

For example:

AB-fixness simulation

Create agents with different rigidity levels.

Place them in environments with different volatility levels.

Measure performance, coordination, adaptation, and failure.

Formula:

(11.22) TestGrid = ABFixness × Volatility × ResidualCost.

Hypothesis:

(11.23) BestPerformance occurs near domain-specific FixnessVolatilityBalance.

Residual closure simulation

Create agents that differ in residual handling:

ignore residual;

record residual but do not act;

govern residual with triggers;

overreact to residual.

Measure long-term performance.

Hypothesis:

(11.24) GovernedResidual > SuppressedResidual and > OverReactiveResidual.

Name revision simulation

Create changing environments where old categories become misleading.

Compare agents that:

only update actions;

update Names and actions;

update Names, actions, and Logic.

Hypothesis:

(11.25) AdaptiveNameDaoLogic > FixedLogic under high volatility.

These simulations can make the theory experimentally useful.

11.9 Case Atlas Construction

The ninth method is the construction of a case atlas.

Each case in the atlas should be coded using a standard template.

(11.26) CaseProfile = Domain + CouplingType + NameDaoLogic + Gate + Trace + Residual + Fixness + Volatility + RevisionTrigger + Outcome.

A first atlas could include:

Uber v Aslam as legal constitutive boundary struggle.

A rare-disease case as medical residual governance.

Einstein thought experiments as invariant-revising boundary design.

Revenue recognition as accounting ledger boundary.

A software incident as operational trace failure.

A school exam as formative observer interface.

A climate policy failure as future residual displacement.

A social media moderation crisis as algorithmic public reality formation.

A therapy case as self-ledger revision.

A scientific retraction as trace correction.

A startup pivot as Name–Dao revision under market feedback.

Over time, the atlas can support comparative research.

Which domains suppress residual most often?

Which domains overreact to residual?

Which domains need higher AB-fixness?

Which domains suffer from excessive fixness?

Which revision mechanisms preserve trace best?

Which AI tools improve residual governance?

The atlas becomes empirical infrastructure for the science.

11.10 Evaluation Criteria

A research program needs criteria.

A boundary-formation analysis should be judged by whether it improves:

Criterion	Meaning
Clarity	Are the boundary, Names, and gates explicit?
Actionability	Does the analysis change what should be done?
Residual honesty	Does it preserve unresolved matter?
Traceability	Can future observers inspect the reasoning?
Revision quality	Does it define when and how to reopen?
Fixness fit	Is rigidity matched to volatility?
Cross-frame robustness	Does the result survive reframing?
Domain appropriateness	Does the method fit the coupling profile?
Governance value	Does it reduce hidden harm, risk, or drift?
Formation value	Does it form better observers?

Formula:

(11.27) GoodBoundaryAnalysis = Clarity + Actionability + ResidualHonesty + Traceability + RevisionQuality + FixnessFit.

This gives future researchers a way to evaluate the method.

---

12. Toward an Interface Science of Civilization and AGI

Boundary-Formation Studies begins with cases.

But its deeper target is civilization.

A civilization is not merely a population, economy, language, territory, or set of technologies.

It is a layered system of boundary-formation.

It names persons, roles, rights, property, truth, value, harm, responsibility, authority, beauty, health, intelligence, and the sacred.

It defines Daos: how to marry, trade, govern, learn, punish, heal, worship, argue, inherit, build, remember, and revise.

It enforces Logics: legal, scientific, religious, bureaucratic, economic, educational, technological, artistic, and ethical.

It writes ledgers: archives, laws, accounts, rituals, myths, school records, medical records, financial statements, scientific literature, digital traces, family stories, and national histories.

It carries residual: injustice, trauma, anomaly, hidden cost, forgotten people, ecological debt, suppressed memory, future risk, and unrealized possibility.

It survives only if it can revise without erasing itself.

This gives:

(12.1) Civilization = NestedBoundarySystems + SharedLedgers + ResidualGovernance + AdmissibleRevision.

12.1 Civilization as a Stack of Interfaces

Civilization is a stack.

At one level, law creates official persons, rights, duties, and remedies.

At another level, accounting creates financial visibility.

At another, medicine creates health pathways.

At another, education forms future observers.

At another, science revises shared truth.

At another, media gates public attention.

At another, religion and ritual create ultimate ledger meaning.

At another, AI increasingly mediates cognition itself.

These layers interact.

A medical diagnosis can become legal evidence.

A legal judgment can change financial reporting.

A financial crisis can reshape politics.

A political decision can rewrite education.

An educational interface can change future science.

An AI recommendation can redirect public attention.

A media frame can affect legal legitimacy.

A religious or cultural identity can shape moral boundaries.

So:

(12.2) CivilizationalReality = Interaction of Multiple Boundary Systems.

A crisis often occurs when these systems fall out of alignment.

Examples:

Law lags behind technological reality.

Medicine recognizes disease but insurance refuses coverage.

Accounting hides ecological cost.

Education rewards skills that AI makes obsolete.

Politics counts current voters but not future generations.

AI writes traces faster than institutions can audit.

Media creates public reality without residual governance.

Science discovers risk but policy cannot absorb it.

These are not merely communication problems.

They are boundary-coupling failures.

12.2 Civilizational Failure as Residual Accumulation

Civilizations often fail not because they lack rules, but because their rules cannot absorb residual.

Unrecognized harm accumulates.

Invisible labor accumulates.

Ecological cost accumulates.

Debt accumulates.

Institutional distrust accumulates.

Youth alienation accumulates.

Scientific anomalies accumulate.

Administrative cruelty accumulates.

Cultural meaning deficits accumulate.

Eventually:

(12.3) CivilizationalCrisis = ResidualAccumulation > RevisionCapacity.

This formula is central.

A civilization does not need perfect closure.

It needs enough revision capacity to govern residual before residual becomes collapse.

The key question becomes:

What residual is our civilization currently unable to name, trace, and revise?

Possible answers include:

AI-driven observer thinning;

ecological debt;

mental health fragmentation;

institutional distrust;

algorithmic public reality;

educational mismatch;

invisible care labor;

platform labor;

financialized future risk;

loneliness and relational breakdown;

loss of shared truth;

bureaucracy without humanity.

Boundary-Formation Studies can become a diagnostic science of civilizational residual.

12.3 AGI as Boundary-Formation System

AGI should not be imagined merely as a more powerful answer machine.

If it becomes powerful enough, it will become a boundary-formation system.

It will name tasks.

It will name users.

It will name risks.

It will name evidence.

It will name acceptable action.

It will gate outputs.

It will write memory.

It will route human attention.

It will shape institutions.

It will preserve or erase residual.

It will help revise or freeze human worlds.

Therefore:

(12.4) AGI = NameDaoLogic Engine with World-Forming Effects.

This is why AGI safety cannot only be about preventing bad outputs.

It must be about governing boundary power.

An AGI that misnames reality can misroute civilization.

An AGI that over-closes residual can create false certainty.

An AGI that remembers without governance can pollute future interpretation.

An AGI that revises without trace can erase accountability.

An AGI that enforces one rigid logic across all domains can become brittle or authoritarian.

An AGI that is too fluid can destroy trust, proof, law, and safety.

So AGI must have:

domain-specific Reality-Coupling Profiles;

Name–Dao–Logic awareness;

dynamic AB-fixness;

residual governance;

trace accountability;

admissible revision;

human-legitimacy gates.

Formula:

(12.5) SafeAGI = DomainAwareNameDaoLogic + DynamicABFixness + TraceGovernance + HumanLegitimacyGate.

12.4 The Future of AI Is Interface Science

AI development currently emphasizes models, benchmarks, tools, agents, datasets, inference speed, memory, and alignment.

These matter.

But another layer is emerging:

What interfaces does AI create between human intention and world action?

For every AI system, we should ask:

What does it name?

What does it make visible?

What does it hide?

What gate does it control?

What trace does it write?

What residual does it disclose?

What residual does it suppress?

What revision path does it allow?

What kind of observer does it train in the user?

What institutional world does it reshape?

This gives:

(12.6) AIInterfaceAudit = NameAudit + GateAudit + TraceAudit + ResidualAudit + RevisionAudit.

Future AGI research should include interface science as a core layer.

Not only:

> Can the model solve the task?

But:

> What world does the model's interface create around the task?

12.5 Boundary-Formation as a Common Language Across Disciplines

The promise of Boundary-Formation Studies is that it gives different disciplines a shared but non-flattening language.

Law can speak to AI through gate, trace, and residual.

Medicine can speak to AI through uncertainty, safety-netting, and diagnostic closure.

Physics can speak to philosophy through thought experiments and invariants.

Accounting can speak to climate policy through ledgered residual.

Education can speak to AI through observer formation.

Art can speak to diplomacy through ambiguity governance.

Cybersecurity can speak to politics through trust boundaries and adversarial residual.

Therapy can speak to civilization studies through self-ledger revision.

This does not mean all disciplines are the same.

It means their differences become comparable.

Formula:

(12.7) InterdisciplinaryUnderstanding = SharedGrammar + PreservedDomainProfile.

A weak interdisciplinary theory erases differences.

A strong one makes differences legible.

Boundary-Formation Studies aims for the second.

Conclusion: From Answer Production to Rational World Engineering

The central claim of this paper is simple:

Worlds do not become rational by themselves.

They become rational when boundaries are declared, observables are defined, gates are governed,

traces are written, residuals are preserved, invariants are tested, and revisions are made admissible.

This process is not identical across domains.

Law constructs official reality through gate and trace.

Medicine discovers biological reality through provisional names and residual-aware routing.

Physics creates minimal worlds in which old concepts fail and deeper invariants appear.

AI governs runtime cognition through task boundaries, tool gates, memory traces, and safety residuals.

Accounting writes economic reality into ledger form.

Education forms future observers.

Politics decides who counts inside the public world.

Art preserves ambiguity as generative residual.

Therapy revises self-ledger without erasing past trace.

Civilization survives by governing residual across generations.

The proposed science can be summarized as:

(C.1) BoundaryFormation = RealityCoupling + NameDaoLogic + GateTraceResidual + ABFixness + AdmissibleRevision.

Its central research object is:

(C.2) RealityCouplingProfile = Domain-specific relation between interface and reality.

Its central internal anatomy is:

(C.3) Interface = Name + Dao + Logic.

Its central danger is:

(C.4) BadClosure = Decision − ResidualHonesty.

Its central maturity condition is:

(C.5) GoodClosure = Decision + ResidualTrace + ReopeningCondition.

Its central failure diagnosis is:

(C.6) BoundaryFailure = FixnessVolatilityMismatch + ResidualMisgovernance.

Its civilizational formula is:

(C.7) Civilization = NestedBoundarySystems + SharedLedgers + ResidualGovernance

+ AdmissibleRevision.

The practical implication is large.

The future of intelligence should not be measured only by answer quality.

It should be measured by world quality.

Does the system create better boundaries?

Does it name reality more carefully?

Does it route action more responsibly?

Does it write trace without polluting the future?

Does it preserve residual without paralysis?

Does it revise without erasing accountability?

Does it tune rigidity to volatility?

Does it form stronger observers?

Does it support rational worlds?

The final claim is therefore:

(C.8) The future of intelligence is not only answer production; it is rational world engineering.

Boundary-Formation Studies is the proposed science of that engineering.

Appendix A — Domain Profile Template

Use this template for future case studies.

```
Domain:
Case / System / Institution:
Reality-Coupling Type:

Name–Dao–Logic:
- Name:
- Dao:
- Logic:

Boundary:
Observables:
Gate:
Trace:
```

```
Ledger:
Dominant Residual:
Residual Failure Mode:
Residual Governance:

AB-Fixness:
Volatility:
Fixness–Volatility Fit:
Revision Trigger:
Admissible Revision Path:

Key Failure Risk:
Key Governance Question:
Typical Output:
```

Compact formula:

(A.1) DomainProfile = CouplingType + NameDaoLogic + Gate + Trace + Residual + Fixness + Revision.

Appendix B — Minimal Research Checklist

For any domain case, ask the following.

B.1 Boundary

What is inside the system?

What is outside?

Who has authority to draw the boundary?

What is excluded by this boundary?

B.2 Name

What categories are used?

What differences are ignored?

What distinctions are preserved?

Which competing Names are possible?

B.3 Dao

What actions follow from each Name?

Who is allowed to act?

What action paths are blocked?

What incentives are created?

B.4 Logic

What validates a Name–Dao pair?

What counts as contradiction?

What counts as evidence?

What counts as enough reason to commit?

B.5 Gate

What must pass before closure?

What is the burden?

Who decides?

What can be appealed?

B.6 Trace

What is recorded?

Does the record affect the future?

Can it be corrected?

Can residual attach to it?

B.7 Residual

What remains unresolved?

Is it harmless, monitored, escalating, or generative?

Who owns it?

What would reopen it?

B.8 AB-Fixness

How rigid should agreement be?

Is the environment volatile?

Is the current fixness too high or too low?

Which subsystem needs different fixness?

B.9 Revision

What triggers revision?

Who can revise?

How is trace preserved?

How is opportunistic revision prevented?

B.10 Output

What should be produced?

A judgment?

Diagnosis?

Safety plan?

Policy memo?

Thought experiment?

Agent protocol?

Residual audit?

Learning design?

Appendix C — Minimal Domain Atlas Table

Domain	Coupling Type	Main Residual	Fixness Need	Main Use of Boundary-Formation
Law	constitutive	unrecognized harm	high	legitimate closure
Medicine	epistemic-routing	unexplained symptom	variable	anti-premature closure
Physics	invariant-revising	anomaly	variable	breakthrough
AI	operational-epistemic	hallucination / drift	dynamic	runtime governance
Accounting	ledger-constitutive	hidden judgment	high	recognition audit
Education	formative	shallow learning	mixed	observer formation

Domain	Coupling Type	Main Residual	Fixness Need	Main Use of Boundary-Formation
Politics	normative-constitutive	excluded group	mixed	legitimacy audit
Art	expressive	ambiguity	low-medium	ambiguity architecture
Cybersecurity	adversarial-operational	unknown exploit	high	threat governance
Climate	long-horizon normative	future harm	medium-high	future residual governance
Therapy	self-ledger formative	unprocessed trace	mixed	safe self-revision
Management	operational-constitutive	hidden cost	medium-high	KPI reality audit
Finance	risk-regime	tail risk	medium	scenario governance
Media	public-reality	missing context	medium	attention-gate audit
Civilization	collective-ledger	accumulated residual	mixed	historical revision capacity

---

Appendix D — Short Glossary

Boundary

The declared inside/outside of a system.

Gate

The rule or process by which something becomes accepted, actionable, official, or committed.

Trace

A record that changes future interpretation, action, or admissibility.

Ledger

A governed system of traces.

Residual

What remains unresolved after closure.

Reality-Coupling Profile

The way a domain’s interface transforms raw reality or possibility into recognized objects, valid

events, action paths, traces, residuals, and revision routes.

Name

The domain's way of carving raw reality into objects, categories, states, or roles.

Dao

The action path or policy activated by a Name.

Logic

The filter that judges which Name–Dao pairs are valid, invalid, or undecidable.

AB-Fixness

The degree to which cross-observer and cross-time agreement is enforced.

Volatility

The rate at which the environment changes in ways that threaten current Names, Daos, or Logic.

Admissible Revision

Governed change that preserves trace, responds to residual, and maintains legitimate continuity.

Appendix E — Final Compression

The whole article can be compressed into one research kernel:

```
Study any domain as a boundary-formation system.

Extract its Reality-Coupling Profile.
Identify its Name–Dao–Logic.
Map its gates and traces.
Audit its dominant residual.
Estimate its required AB-fixness under volatility.
Locate its revision triggers.
Evaluate whether its closures are residual-honest.
Compare across domains without erasing their differences.
Use AI not merely to answer, but to compile cases into boundary kernels and
residual audits.
```

Final formula:

(E.1) RationalWorld = DeclaredBoundary + ValidGate + ActiveTrace + GovernedResidual + TestedInvariance + AdmissibleRevision.

© 2026 Danny Yeung. All rights reserved. 版权所有 不得转载

Disclaimer

This book is the product of a collaboration between the author and OpenAI's GPT-5.5, X's Grok, Google Gemini 3, NotebookLM, Claude's Sonnet 4.6, Haiku 4.5 language model. While every effort has been made to ensure accuracy, clarity, and insight, the content is generated with the assistance of artificial intelligence and may contain factual, interpretive, or mathematical errors. Readers are encouraged to approach the ideas with critical thinking and to consult primary scientific literature where appropriate.

This work is speculative, interdisciplinary, and exploratory in nature. It bridges metaphysics, physics, and organizational theory to propose a novel conceptual framework—not a definitive scientific theory. As such, it invites dialogue, challenge, and refinement.

I am merely a midwife of knowledge.