
Lab Evaluation 2

ID : 1118005

Group : G1



```c
#include <stdio.h>
#include <string.h>

#define MAX_SYMBOL 100

typedef struct Symbol {
   char name[30];
   char type[10];
   char kind[10];
   int scope;
   char value[30];
} Symbol;

int createTable(){
    return 0;
}

int addSymbol(
              Symbol table[],
              int count,
              char *name,
              char *type,
              char *kind,
              int scope,
              char *value
              )
{
                  for(int i = count; i > 0; i--){
                    table[i] = table[i - 1];
              }

              strcpy(table[0].name, name);
              strcpy(table[0].type, type);
              strcpy(table[0].kind, kind);
              table[0].scope = scope;
              strcpy(table[0].value, value);

              return count + 1;
}
```



```c

void displayTable(Symbol table[], int count){
    printf("Name\tType\tKind\tScope\tValue\n");
    printf("-----------------------------------\n");

    for(int i = 0; i < count; i++){
        printf("%s\t%s\t%s\t%d\t%s\n",
           table[i].name,
           table[i].type,
           table[i].kind,
           table[i].scope,
           table[i].value
           );
    }
}

int main(){
    Symbol table[MAX_SYMBOL];
    int count = createTable();

    count = addSymbol(table, count, "x", "int", "var", 0, "10");
    count = addSymbol(table, count, "sum", "float", "func", 0, "");
    count = addSymbol(table, count, "y", "int", "var", 1, "5");

    displayTable(table, count);

    return 0;
}
```




```
"C:\Users\AI LAB PC - 11\Dow

Name    Type    Kind    Scope   Value
-----------------------------------
y       int     var     1       5
sum     float   func    0
x       int     var     0       10

Process returned 0 (0x0)   execution time : 0.024 s
Press any key to continue.
```

Search
11:38 AM
10/11/2026



```c
#include <stdio.h>
#include <string.h>

#define MAX_SYMBOL 100


typedef struct Symbol {
   char name[30];
   char type[10];
   char kind[10];
   int scope;
   char value[30];
} Symbol;

int createTable(){
    return 0;
}

int addSymbol(
              Symbol table[],
              int count,
              char *name,
              char *type,
              char *kind,
              int scope,
              char *value
              )
{
              for(int i = count; i > 0; i--){
                    table[i] = table[i - 1];
              }

              strcpy(table[0].name, name);
              strcpy(table[0].type, type);
              strcpy(table[0].kind, kind);
              table[0].scope = scope;
              strcpy(table[0].value, value);

              return count + 1;
}
```



```c
void displayTable(Symbol table[], int count){
    printf("Name\tType\tKind\tScope\tValue\n");
    printf("-----------------------------------\n");

    for(int i = 0; i < count; i++){
        printf("%s\t%s\t%s\t%d\t%s\n",
           table[i].name,
           table[i].type,
           table[i].kind,
           table[i].scope,
           table[i].value
           );
    }
}

int main(){
    Symbol table[MAX_SYMBOL];
    int count = createTable();
    int n;

    char name[30];
    char type[10];
    char kind[10];
    int scope;
    char value[30];

    printf("Enter no of symbols : ");
    scanf("%d", &n);

    for(int i = 0; i < n; i++){
        printf("\nEnter symbol %d Name: \n  ", i + 1);

        printf("Name: ");
        scanf("%s", name);

        printf("Type: ");
        scanf("%s", type);

        printf("Kind: ");
```

```c
        scanf("%s", kind);

        printf("Scope: ");
        scanf("%d", &scope);

        printf("Value: ");
        scanf("%s", value);

        count = addSymbol(
            table, count, name, type, kind, scope, value
        );
    }

    displayTable(table, count);

    return 0;
}
```

C:\Users\AI LAB PC - 11\Downloads\symbol.c | C/C++ | Windows (CR+LF) | default | Line 15, Col 14, Pos 232 | Insert | Read/Write | default

87°F Sunny | Search | 11:55 AM 10/11/2026

"C:\Users\AI LAB PC - 11\Dow

```
Enter symbol 1 Name:
  Name: x
Type: int
Kind: var
Scope: 0
Value: 10

Enter symbol 2 Name:
  Name: sum
Type: float
Kind: func
Scope: 0
Value: empty

Enter symbol 3 Name:
  Name: y
Type: int
Kind: var
Scope: 1
Value: 5
Name    Type    Kind    Scope   Value
-------------------------------------
y       int     var     1       5
sum     float   func    0       empty
x       int     var     0       10

Process returned 0 (0x0)   execution time : 65.412 s
Press any key to continue.
```

11:58 AM 10/11/2026