

GIX NEXUS — MASTER PRODUCT & DESIGN DIRECTION

0. The north-star statement

GIX Nexus should feel:

Engineered. Precise. Connected. Reliable. Calm. Premium. Ethiopian. Enterprise-grade.

Not:

- flashy startup
- generic SaaS
- cyberpunk
- crypto/Web3
- gaming
- AI gimmick
- government portal
- generic telecom reseller
- advertisement landing page

The design principle is:

Premium through precision, not extravagance.

The company itself emphasizes integrity, safety, excellence, quality workmanship, continuous improvement and customer-focused delivery.


The digital product should visually express those same qualities.

1. THE BUSINESS MODEL

GIX Nexus is fundamentally an:

Ethiopian telecommunications and power engineering contractor serving B2B/B2G and institutional clients.

Its work spans the lifecycle:




This delivery lifecycle is explicitly reflected in the company profile.

Therefore, **delivery capability** is as important as the individual services.

2. BUSINESS DOMAIN MODEL

The final business-domain structure is:

GIX NEXUS



- 06 COMMERCIAL
- 07 GOVERNANCE

01 — Corporate

Company
Leadership
Vision
Mission
Values
Organization
Contact

02 — Solutions

Connectivity

- Fiber Optics
- VSAT / Satellite
- Microwave
- RF

Telecom Infrastructure

- Outdoor Sites
- Indoor Facilities
- Towers & Antennas
- Structured Cabling

Power Infrastructure

- DC Power
- Rectifiers
- UPS
- Battery Systems
- Solar Telecom Power
- Earthing / Lightning Protection

Operations

- Preventive Maintenance
- Corrective Maintenance
- Fault Response
- Testing
- Technical Support

These classifications directly reflect the actual portfolio rather than inventing capabilities.

03 — Delivery

- Site Survey
- Engineering
- Installation
- Testing
- Commissioning
- Handover
- Maintenance
- Fault Response
- Technical Support

04 — Trust & Capability

- HSEQ
- Personnel
- Certifications
- Equipment
- Tools
- Test Instruments
- Safety
- Quality
- Standards

The source specifically identifies HSEQ, electrical safety, working-at-height safety, PPE, environmental protection, technical personnel and Cisco-certified networking expertise.

05 — Evidence & Insights

- Projects
- Case Studies
- News
- Announcements
- Media
- Photography
- Videos
- Documents
- Downloads

06 — Commercial

- RFQ / Project Inquiry

Vendor Registration
Fault Report
Service Request
Document Request
Contact

07 — Governance

Users
Roles
Permissions
Approval
Audit Logs
Content Versions
Document Expiry
System Settings
Activity

3. THE CORE DATA MODEL


The application should be built around entities rather than pages.

Company
Person
Service
Technology
Capability
Project
Client
Industry
Location
Equipment
Certification
Policy
Document
Media
Case Study
News
RFQ
Vendor Application

Fault Ticket


Relationships:

Client



Commercially:

Client



This is the foundation that allows the same information to power the website, admin, procurement system, search, PDFs and future client portal.

4. SERVICE MODEL

A service is not simply a title and paragraph.

Every service should be classifiable by:

Identity

Classification

Technology

Capability

Environment

Industry

Delivery Stage

Media
Documents
Commercial Availability

For example:

VSAT Installation

Technology:
Satellite

Capabilities:
Installation
Alignment
Commissioning
Troubleshooting
Maintenance

Environment:
Outdoor
Remote

Delivery:
Survey → Installation → Commissioning → Maintenance

Commercial:
RFQ enabled

This is the difference between a **content website** and a structured enterprise platform.

5. CONTENT TYPES

Three categories:

Singleton

One authoritative object.

Company Profile
Vision

Mission
HSEQ Policy
Contact Information

Collections

Many records.

Services
Projects
Personnel
Equipment
Certifications
Case Studies
News
Documents
Media

Transactions

User/business activity.

RFQs
Fault Tickets
Vendor Registrations
Service Requests
Contact Requests

6. CONTENT GOVERNANCE

Important corporate material must not jump directly from editing to production.

Draft
↓
Review
↓
Approval
↓
Published

↓
Archived

This should apply particularly to:

- HSEQ
 - certificates
 - policies
 - capability statements
 - corporate documents
 - case studies
 - official announcements.
-

7. DOCUMENT INTELLIGENCE

Every important document gets structured metadata:

Title
Type
Version
Issue Date
Expiry Date
Status
Classification
Visibility
File
Approved By

This enables:

Certificate
✓ Current

Insurance
⚠ Expires in 24 days

HSEQ Policy
✓ Current

Registration

✓ Current

Expired public documents should be automatically unpublished where appropriate.

8. PROCUREMENT VAULT

The procurement area should become a serious enterprise feature.

Company Profile
Capabilities
HSEQ
Certifications
Policies
Registration
Equipment
Past Projects

Access can be controlled and audited:

Request Access
↓
Verification
↓
Approved
↓
Download
↓
Audit Record

This directly supports the vendor-prequalification goal.

9. RFQ / PROJECT INQUIRY

Do **not** use a generic:

Name / email / message.

Use a structured project inquiry:

- 01 Client
- 02 Requirement
- 03 Services
- 04 Scope
- 05 Location
- 06 Timeline
- 07 Attachments
- 08 Contact
- 09 Submission

The system then produces:

RFQ-2026-0042

and internally:

Submitted

↓

Qualification

↓

Technical Review

↓

Commercial Review

↓

Proposal

↓

Negotiation

↓

Won / Lost

10. TECHNICAL ARCHITECTURE

Stack

Next.js

TypeScript

Tailwind CSS
Payload CMS
PostgreSQL
Zod
React Hook Form
S3-compatible storage
Sentry
Transactional Email
Cloudflare

Optional later:

pgvector
Trigger.dev / Inngest
MapLibre / Mapbox
Advanced search
AI-assisted administration

Architectural style

Modular monolith.

Not microservices.

Not Kubernetes.


Not an unnecessarily distributed system.

The platform should be modular internally while remaining operationally simple.

11. APPLICATION STRUCTURE

Conceptually:

```
src/  
|  
|— app/  
|  
|— modules/  
|   |— corporate/
```



The exact code structure can evolve, but **domain ownership must remain clear**.

12. RENDERING STRATEGY

Three categories:

Static

Company

Vision

Mission

Values

HSEQ

ISR / Cached Dynamic

Services
Projects
Case Studies
News
Personnel
Documents

Fully Dynamic

RFQ
Fault Reports
Vendor Registration
Procurement Access
Admin

This gives us:

SEO + speed + freshness + security.

13. THE VISUAL IDENTITY

Now the really important part.

The existing GIX logo already establishes:

- silver/metallic
- blue
- cyan
- green
- orbital movement
- satellite
- power infrastructure
- environmental/energy symbolism

Therefore we **derive from the logo without copying it everywhere.**

The visual vocabulary becomes:

CONNECTIVITY

Signal

Fiber

Nodes

RF

Orbital paths

ENGINEERING

Grids

Measurements

Geometry

Schematics

Precision

POWER

Energy flow

Infrastructure

Resilience

Controlled green

TRUST

Order

Whitespace

Strong typography

Stable surfaces

Clear hierarchy

14. VISUAL PERSONALITY

GIX is:

Technical — not cold

Premium — not flashy

Modern — not trendy

Minimal — not empty

Dense — not cluttered

Ethiopian — not stereotypical

Animated — not distracting

Colorful — not noisy

Confident — not arrogant

Industrial — not ugly

That becomes our visual filter.

15. COLOR SYSTEM

The logo's strongest colors remain the brand reference.

The UI should use them **selectively**.

Brand

GIX Blue
#008CFF

GIX Cyan
#12C8FF

GIX Green
#65D51A

Dark foundation

Midnight
#07111C

Deep Navy
#0B1726

Graphite
#111C27

Elevated
#172331

Light foundation

Canvas
#F7F9FB

Surface
#FFFFFF

Soft Surface
#EEF3F7

Border
#D9E1E8

Text

Dark Primary
#0B1720

Dark Secondary
#465463

Dark Muted
#708090

Light Primary
#F4F8FC

Light Secondary
#B9C6D3

Semantic

Success
#16A34A

Warning
#D99A00

Danger

#D83A3A

Info
#1687D9

These are **system colors**, not necessarily literal logo colors.

The logo artwork itself remains authoritative.

16. GRADIENT SYSTEM

Gradients are allowed.

But every gradient must have a reason.

Connectivity

Blue → Cyan

Telecom + Power

Blue → Green

Metallic / engineering

Light Silver → Cool Gray

Rule

No gradient exists merely because gradients look cool.

Gradients should communicate:

movement, energy, signal, transition or depth.

17. ETHIOPIAN IDENTITY

We do **not** paint the website green/yellow/red.

Instead, Ethiopian identity comes through:

- language
- typography
- geography
- photography
- context
- subtle graphic references
- Ethiopian engineering story
- local infrastructure imagery
- restrained cultural details

The brand should immediately feel:

"This is an Ethiopian engineering company operating at professional international standards."

That's much stronger than decorative flag usage.

18. TYPOGRAPHY

I recommend **Noto Sans + Noto Sans Ethiopic** as the baseline family system.

Noto Sans Ethiopic is specifically designed for Ethiopic-script interfaces and supports Amharic while maintaining a modern sans-serif character. ([Notofonts](#))

That gives us:

English
Noto Sans

Amharic
Noto Sans Ethiopic

The important advantage is visual compatibility rather than trying to force one unrelated font across scripts.

We can later evaluate a more distinctive English display face, but **the default system should remain conservative and highly legible.**

19. EXACT TYPE SCALE

No:

sm
md
lg
xl
2xl

as design decisions.

Those are implementation aliases only.

Our design specification uses actual measurements.

Desktop

Role	Size	Line height	Weight
Display	52px	60px	650
H1	44px	52px	650
H2	36px	44px	650
H3	28px	36px	600
H4	22px	30px	600
Lead	19px	30px	400
Body	16px	26px	400
Body strong	16px	26px	600
Small	14px	21px	400
Caption	12px	18px	500

Mobile

Role	Size	Line height
Display	38px	46px
H1	34px	42px
H2	30px	38px
H3	24px	32px
H4	20px	28px
Lead	18px	28px
Body	16px	25px
Small	14px	21px
Caption	12px	18px

No giant typography everywhere.

Hierarchy, not shouting.

20. INFORMATION DENSITY

This is now a hard requirement.

The website should **not feel like an advertisement page**.

We want:

Enough content

+

Excellent hierarchy

+

Enough whitespace

=

Mature enterprise interface

A user should be able to scan a technical page quickly and then dive deeper.

21. SPACING SYSTEM

Use exact values:

4
8
12
16
20
24
32
40
48
64
80
96
120
160

These are design tokens.

We don't arbitrarily invent:

37px here
53px there
91px there

unless a specific component requires it.

22. GRID

Desktop

12-column grid.

Tablet

8-column grid.

Mobile

4-column grid.

Container

Maximum content width:

1280px

with responsive side padding.

The system should prioritize alignment and consistent vertical rhythm.

23. SHAPE LANGUAGE

Not everything should be:

giant rounded rectangle.

And not everything should be:

sharp engineering box.

We combine:

Technical geometry

+

controlled curvature

because the logo itself combines angular infrastructure with smooth orbital paths.

Recommended base radius

4px

8px

12px

16px

Large 24–32px radii are reserved for specific expressive surfaces, not everything.

24. ICONOGRAPHY

Three levels:

UI icons

A consistent professional outline set.

GIX service icons

Custom SVG.

Technical illustrations

Custom SVG compositions.

SVG is not merely a fallback.

It becomes part of the **GIX visual language**.

25. SVG LANGUAGE

We should create reusable visual primitives:

- Node
- Signal
- Path
- Grid
- Fiber
- Tower
- Satellite
- Antenna
- Power
- Equipment
- Measurement
- Topology

Then compose them into illustrations.

This allows:

Fiber page

→ fiber SVG language

VSAT page

→ satellite/SVG language

Power page

→ electrical/SVG language

without every illustration looking unrelated.

26. PHOTOGRAPHY

Real photography should be strongly preferred over generic stock photography.

Priority:

1. Actual GIX engineers
2. Actual field operations
3. Telecom infrastructure
4. Fiber work
5. Towers
6. Satellite systems
7. Power systems
8. Test equipment
9. Safety equipment
10. Projects

When stock is unavoidable, it should look documentary/engineering—not corporate handshakes.

27. MOTION — THIS IS NOW LOCKED AS A CORE PRINCIPLE

And yes, I completely understand what you mean by Apple-like premium motion.

Not:

scroll
BOOM!
section
BOOM!
card
BOOM!
text
BOOM!



Instead:

The interface should feel as though it is gently revealing itself.

Motion should create **continuity and anticipation**, not surprise.

Motion timing

Micro interaction

140–220ms

Standard interaction

220–380ms

Scroll reveal

600–900ms

Large visual transition

800–1200ms

Hero/ambient movement

1200ms+

Stagger

40–80ms

Never dozens of elements rapidly cascading.

28. MOTION EASING

Default entrance/reveal:

cubic-bezier(0.22, 1, 0.36, 1)

The feeling should be:

slow → deliberate → settle

not:

fast → stop

No aggressive bounce.

No cartoon overshoot.

No jerky transforms.

29. SCROLL BEHAVIOR

Native scrolling remains sacred.

We don't hijack the user's scroll.

No:

scroll 1px → giant cinematic transition → lock page → wait → continue.

Instead:

User scrolls naturally



Content gradually enters



Elements settle



Next section naturally follows

The "suspense" you described should come from **anticipation**, not friction.

30. MOTION RULES

Allowed

- subtle opacity
- small translation
- gentle scale
- masked reveals
- line drawing
- SVG path animation
- restrained parallax
- ambient signal movement
- subtle gradient movement

Avoid

- shaking
- bouncing
- flashing
- rapid scaling
- huge rotations
- excessive parallax
- scroll locking

- perpetual motion everywhere

Only a few elements should move continuously.

31. REDUCED MOTION

If the user requests reduced motion:

Animation

→ minimized

Transform

→ removed where possible

Transitions

→ opacity / instant state change

Accessibility wins over spectacle.

32. LIGHT / DARK / SYSTEM

Yes.

Three choices:

Light

Dark

System

Default:

System

unless a user explicitly chooses otherwise.

Light mode

Should feel like:

premium engineering documentation / corporate headquarters / technical facility.

Dark mode

Should feel like:

network operations / infrastructure / communications environment.

Dark mode is **not** a simple color inversion.

Both themes get intentional surface, contrast and accent decisions.

33. UI COMPONENT PHILOSOPHY

We can use shadcn/ui as primitives.

But:

GIX should never look like shadcn.

The flow is:

Primitive



GIX tokens



GIX component



GIX experience

Core components:

Button

Input

Select

Textarea

Card

Badge

Tabs

Table

Dialog
Drawer
Tooltip
Alert
Breadcrumb
Pagination
Navigation
Timeline
Status
Metric
Document
Media

34. BUTTONS

Avoid excessive button hierarchy.

Primary:

GIX Blue

Secondary:

neutral outline / subtle surface

Tertiary:

text / arrow

Danger:

semantic red

The interface should usually have **one clear primary action**.

35. DATA VISUALIZATION

Metrics should feel like engineering information.

Not:

BIG 100+
WE ARE AMAZING!!!

Instead:

100+
Projects / assignments

with context.

Use colors semantically:

Connectivity → Blue/Cyan
Power → Green
Status → Semantic
Neutral → Graphite

36. LOCALIZATION

Two first-class locales:

English
Amharic

No language is a translated afterthought.

Every content model should support localization where appropriate.

37. NUMBERS

Amharic UI

Default:

Arabic/Western digits 0–9

Example:

24/7
100+
15 projects
2018

Not:

٢٤/٧

unless specifically required for a cultural/editorial context.

This applies to:

- dates
- times
- statistics
- project IDs
- RFQ IDs
- measurements
- prices
- percentages
- pagination
- charts
- versions
- phone numbers.

This is now a **locked product rule**.

38. ETHIOPIAN CALENDAR

This deserves special treatment.

For Amharic presentation, the Ethiopian calendar is the default calendar system.

The Ethiopian calendar contains **12 months of 30 days plus Pagume, which has 5 days in a common year and 6 in a leap year.** ([Time and Date](#))

Months

#	Amharic	Latin transliteration
1	መስከረም	Meskerem
2	ጥቅምት	Tikimt
3	ኅዳር	Hidar
4	ታሕሣሥ	Tahsas
5	ጥር	Tir
6	የካቲት	Yekatit
7	መጋቢት	Megabit
8	ሚያዝያ	Miyazya
9	ግንቦት	Ginbot
10	ሰኔ	Sene
11	ሐምሌ	Hamle
12	ነሐሴ	Nehasa
13	ጳጉሜ	Pagume

The 13-month structure and Gregorian correspondence are documented by the Ethiopian Embassy as well. ([Embassy of Ethiopia](#))

Weekdays

#	Amharic
1	ሰኞ
2	ማክሰኞ
3	ረቡዕ
4	ሐሙስ
5	ዓርብ
6	ቅዳሜ

39. TIME MODEL

This needs one important architectural distinction:

Calendar $\neq$ clock $\neq$ timezone.

The database should store real timestamps, preferably normalized to UTC.

The application localizes them.

Ethiopia timezone

Africa/Addis_Ababa

UTC+03:00

Ethiopia does not use daylight-saving changes. ([Embassy of Ethiopia](#))

Units

Unit	Amharic
Second	ሰከንድ
Minute	ደቂቃ
Hour	ሰዓት
Day	ቀን
Week	ሳምንት
Month	ወር
Year	ዓመት

For **technical enterprise interfaces**, I recommend **24-hour clock notation** because telecom operations, fault tickets, audit logs and engineering records must be unambiguous.

The localized date remains Ethiopian for Amharic.

So:

Amharic:

15 ነሐሴ 2018

14:32:07

English:

August 15, 2026

14:32:07

The exact converted date is generated by the localization layer, never hardcoded.

40. DATE/TIME MUST WORK EVERYWHERE

Not just the calendar.

It applies to:

News

Projects

Case Studies

Certificates

Documents

RFQs

Fault Tickets

Audit Logs

Notifications

Admin

Analytics

Search

PDFs

Generated Capability Statements

This requirement is now platform-wide.

41. SEO

Bilingual SEO:

English metadata
Amharic metadata
hreflang
Localized URLs where appropriate
OpenGraph
Structured data
Canonical URLs
Sitemap
Robots

Structured data should emphasize the real business:

Organization
LocalBusiness where appropriate
Service
Article
Project / CreativeWork where appropriate

42. ACCESSIBILITY

Minimum:

- WCAG-conscious contrast
 - keyboard navigation
 - visible focus
 - semantic HTML
 - accessible forms
 - screen-reader labels
 - reduced motion
 - usable font scaling
 - no color-only status communication
 - accessible tables
 - accessible document downloads
 - Amharic text rendering tested on real devices.
-

43. PERFORMANCE

Public website:

- Server Components first
- Minimal client JS
- Next/Image
- Optimized SVG
- Lazy media
- Streaming where useful
- Caching
- ISR
- CDN

No JavaScript simply because something *could* be interactive.

44. SECURITY

Because this is an enterprise-facing platform:

- RBAC
- Least privilege
- Audit logging
- CSRF protection
- Rate limiting
- Secure uploads
- File validation
- Access-controlled documents
- Session security
- Secret management
- Backup
- Monitoring

Procurement documents and internal information must never accidentally become public.

45. GIS

Later, not core v1.

When introduced:

Public location

Approximate location

Private exact coordinates

Exact infrastructure coordinates should not automatically become public.

46. AI

AI is **future infrastructure**, not a homepage gimmick.

Later:

Structured search

+

PostgreSQL

+

pgvector

+

Domain relationships

Potentially:

"Find projects involving fiber and telecom power completed since 2024."

or:

"Generate a capability statement for fiber + telecom power + maintenance."

That is useful AI.

47. EVENTS / NOTIFICATIONS

Introduce an internal event model:

RFQ Submitted
Fault Reported
Document Expiring
Document Expired
Project Published
Case Study Approved
Vendor Registration Submitted
Admin Action

Then:

Event

- Email
 - Admin notification
 - Audit log
 - Future integrations
-

48. WHAT WE DO NOT BUILD NOW

Explicitly:

- ✗ ERP
- ✗ full CRM
- ✗ mobile app
- ✗ microservices
- ✗ Kubernetes
- ✗ blockchain
- ✗ AI chatbot
- ✗ real-time network operations center
- ✗ complex customer accounts
- ✗ full field-service-management platform

The architecture must **allow them later without requiring us to build them now.**

49. DEVELOPMENT PHASES

Phase 1 — Foundation

Next.js
TypeScript
Tailwind
Payload
PostgreSQL
Auth
RBAC
Media
Design system
Localization

Phase 2 — Public Platform

Corporate
Solutions
Delivery
Trust
Projects
Case Studies
News
Contact

Phase 3 — Commercial

RFQ
Vendor Registration
Fault Reporting
Procurement Vault

Phase 4 — Enterprise

Document lifecycle
Expiry engine
Audit
Advanced search
PDF generation

Analytics
GIS

Phase 5 — Intelligence

pgvector
Semantic search
AI administration
Client portal
Knowledge system

50. THE MOST IMPORTANT DESIGN RULE

I want this written almost at the top of the final specification:

GIX Nexus shall feel engineered, not decorated.

Every visual decision should reinforce at least one of:

Connectivity
Engineering
Infrastructure
Power
Precision
Reliability
Trust

If a visual element doesn't contribute to those qualities, it needs a very good reason to exist.

51. THE MOTION RULE

And this one should sit beside it:

Motion shall guide attention, not demand attention.

Users should feel:

"the interface is unfolding."

Not:

"the website is attacking me."



Smooth, restrained, anticipatory, continuous.

That is the right direction.

52. THE PRODUCT RULE

And finally:

Build the platform around GIX Nexus's business entities, relationships and workflows—not around website pages.

That's the architectural principle that keeps everything coherent.

Where I would officially put us now

Area	Status
Business understanding	● Locked
Company classification	● Locked
Domain architecture	● Locked
Core entities	● Locked
CMS philosophy	● Locked
Technical architecture	● Locked
Rendering strategy	● Locked

Localization philosophy	● Locked
Ethiopian calendar	● Locked
Arabic numerals for Amharic	● Locked
Typography philosophy	● Locked
Type measurements	● Locked v1
Color architecture	● Locked v1
SVG direction	● Locked
Icon philosophy	● Locked
Light/Dark/System	● Locked
Motion philosophy	● Locked
Motion behavior	● Locked
Accessibility	● Locked
Performance	● Locked
Security direction	● Locked
AI	● Future
GIS	● Future
Client portal	● Future
Actual implementation	● Not started

One thing I deliberately did not do

I did **not** pretend that picking three pretty hex colors and two font names means the visual system is finished forever.

The specification above is the **design contract**.

When we eventually create the actual design system, we will still perform a proper visual validation pass against:

- the original GIX logo asset,
- English specimens,
- Amharic specimens,
- light/dark contrast,
- real service cards,
- real technical tables,
- real documents,
- real mobile layouts.

If a particular value fails that test, we change the token—not the principle.

That is how we keep the project disciplined.

And the company itself gives us a very strong foundation to work from: GIX explicitly positions itself around dependable telecom/power engineering, 24/7 technical support, safety, quality, qualified personnel and long-term institutional partnerships. Its stated future objectives also include certifications, technical-capacity growth, HSEQ, technology investment, wider Ethiopian operations and digital-infrastructure development.