IMS FUNDAMENTAL PROJECT

By Solomon Boundy

About Me

❖ I have no formal background in tech or coding

About Me


- I have no formal background in tech or coding
- Started messing around with code in python about a year ago


About Me

- I have no formal background in tech or coding
- Started messing around with code in python about a year ago
- I am now employed by QA, training to be an IT consultant

How did I approach the Specification?

- ❖ I approached the specification, first by preparing an ERD in order to understand which tables were needed and the relationships between each table
- I then prepared a Jira board in order to break down individual tasks to make them more manageable over the course of the week.





For this specific project I had to use a range of different projects,

Such as:

• Jira – to create epics and user stories in order to make the project more manageable with a clear path

For this specific project I had to use a range of different projects,

Such as:

- Jira a web-based project management system, I used this to create epics and user stories in order to make the project more manageable with a clear path
- Git for version control, and to keep things up to date on an accessible repository

For this specific project I had to use a range of different projects,

Such as:

• MySQL Workbench – Used to create and manipulate data in a database

For this specific project I had to use a range of different projects,

Such as:

- MySQL Workbench Used to create and manipulate data in a database
- Eclipse This was the IDE I used to code the java application

For this specific project I had to use a range of different projects,

Such as:

- MySQL Workbench Used to create and manipulate data in a database
- Eclipse This was the IDE I used to code the java application
- Java I used Java to write the majority of the code for the program

- For this specific project I had to use a range of different projects, Such as:
- MySQL Workbench Used to create and manipulate data in a database
- Eclipse This was the IDE I used to code the java application
- Java I used Java to write the majority of the code for the program
- JUnit Used to test the individual units of the different classes
- Mockito Used to make mock ups and test the relationships between the code and database.

How did you approach version control?


- I used git and created a repo in github to store my files.
- ❖ I used the feature branch model and created features from the dev branch in order to keep things consistent.

```
Sol@DESKTOP-EACDADS MINGW64 ~/Desktop/githubrepos
$ git clone https://github.com/solomonboundy1/IMS-Starter.git
Cloning into 'IMS-Starter'...
remote: Enumerating objects: 267, done.
remote: Total 267 (delta 0), reused 0 (delta 0), pack-reused 267
Receiving objects: 100% (267/267), 41.16 KiB | 507.00 KiB/s, done.
Resolving deltas: 100% (56/56), done.
Sol@DESKTOP-EACDADS MINGW64 ~/Desktop/githubrepos
$ cd IMS-Starter/
Sol@DESKTOP-EACDADS MINGW64 ~/Desktop/githubrepos/IMS-Starter (master)
$ git branch dev
Sol@DESKTOP-EACDADS MINGW64 ~/Desktop/githubrepos/IMS-Starter (master)
$ git checkout dev
Switched to branch 'dev'
Sol@DESKTOP-EACDADS MINGW64 ~/Desktop/githubrepos/IMS-Starter (dev)
$ git add .
Sol@DESKTOP-EACDADS MINGW64 ~/Desktop/githubrepos/IMS-Starter (dev)
$ git push
```


```
Sol@DESKTOP-EACDADS MINGW64 ~/Desktop/githubrepos/IMS-Starter (dev)
$ git add .
Sol@DESKTOP-EACDADS MINGW64 ~/Desktop/githubrepos/IMS-Starter (dev)
$ git push
fatal: The current branch dev has no upstream branch.
To push the current branch and set the remote as upstream, use
   git push --set-upstream origin dev
Sol@DESKTOP-EACDADS MINGW64 ~/Desktop/githubrepos/IMS-Starter (dev)
$ git push --set-upstream origin dev
Total O (delta O), reused O (delta O), pack-reused O
emote:
emote: Create a pull request for 'dev' on GitHub by visiting:
            https://github.com/solomonboundy1/IMS-Starter/pull/new/dev
emote:
remote:
To https://github.com/solomonboundy1/IMS-Starter.git
* [new branch] dev -> dev
Branch 'dev' set up to track remote branch 'dev' from 'origin'.
Sol@DESKTOP-EACDADS MINGW64 ~/Desktop/githubrepos/IMS-Starter (dev)
```

What was tested?

- I tested the individual methods of each class that I coded, using JUnit
- I also tested each class using Mockito



Demonstration



Sprint Review

Completed so far

- MySQL tables and database created
- Customer, Items, and Orders classes created
- All DAOs have been created
- All Controllers have been created

Incomplete

- Still some testing left to do on the OrdersDAO and Order Controller
- A method to calculate the total of a customer order

Sprint Retrospective

In retrospect, I did well in creating the tables in MySQL and connecting the classes to the corresponding table.

I could have figured out an easier way to add items to an order, as the way that I did it made it very difficult to manipulate the data from other classes.

Time management is also something that I could improve upon for the next time, as I spent a lot of my time trying to fix the methods in the orderDAO which consequently led to less time for testing in the end.

Conclusion

Although I found this challenge particularly challenging, it really got me familiar with the Java syntax and I learned a lot through getting my hands dirty with the code. It was also particularly challenging given I am brand new to the world of Java and using so many technologies together did not come as second nature. However, I enjoyed this project a lot even if I did not finish it in time!!

Many thanks