



ORACLE

Academy



Java Foundations




9-2 Colors and Shapes

ORACLE
Academy



Guess What, Boys and Girls?!

- Today we're going to learn about colors and shapes!



Yay!!!




Objectives

- This lesson covers the following objectives:
 - Create and use custom colors
 - Create shapes and explain their properties and behaviors
 - Reference the JavaFX API Documentation




What Can I Do with Colors in JavaFX?




- Color shapes



- Create gradients



- Colorize images



JavaFX Contains a Color Class

- Colors can be stored as variables:

```
Color color = Color.BLUE;
```

- Colors can be passed in methods:

```
Scene scene = new Scene(root, 300, 250, Color.BLACK);
```

- This example makes the scene's background black

- But before using any Color ...


- You'll first need to make the following import:

```
import javafx.scene.paint.Color;
```

- Ignore your IDE's other Color import suggestions

Referencing a Color

- There are many colors in JavaFX
- Typing `Color.` in your IDE reveals the entire list of possible colors





Customizing a Color

- If you're unhappy with the colors that JavaFX provides, there are ways to customize your own color
- The Color class contains methods to do this:

```
Color cusotmColor = Color.rgb|
```

• rgb(int i, int i1, int i2) Color

• rgb(int i, int i1, int i2, double d) Color

red

green

blue

opacity

- Customize a color by mixing red, green, and blue components
- Opacity can also be controlled

The Range of Color Components

```
Color customColor = Color.rgb|
```

```
    rgb(int i, int i1, int i2) Color
```

```
    rgb(int i, int i1, int i2, double d) Color
```

red

green

blue

opacity

Component	Range of values
Red	0–255
Green	0–255
Blue	0–255
Opacity	0.0–1.0


Color Example

- In this example, the resulting color contains ...

```
Color color = Color.rgb(255, 255, 20);
```

- As much Red as possible
 - As much Green as possible
 - Only a little Blue
- The resulting color is very close to yellow
 - But how do we know this?
 - For the most part, finding the perfect color is “guess and check,” but there are guiding principles

Rules of Additive Color Mixing



Examples:

Code	Color
<code>Color.rgb(255, 0, 0);</code>	red
<code>Color.rgb(0, 255, 0);</code>	green
<code>Color.rgb(0, 0, 255);</code>	blue
<code>Color.rgb(255, 255, 0);</code>	yellow
<code>Color.rgb(0, 0, 0);</code>	black
<code>Color.rgb(255, 255, 255);</code>	white


Pure red
Pure green
Pure blue
No blue
No color
All color

Exercise 1

- Create a new JavaFX project using `JavaFXMainEx1.java`
 - `JavaFXMainEX1.java` is a copy of `JavaFXMain.java`
 - Change the Root Node to a Group type
 - Remove the button and any other unnecessary code relating to the button
- Experiment with customizing colors
 - Create a few custom colors
 - Admire your custom colors through the scene's background by providing a `Color` argument when the `Scene` is instantiated

This Is a Rectangle

- This is how to instantiate a JavaFX Rectangle:



```
Rectangle rect = new Rectangle(20, 20, 100, 200);
```

x-
position

y-
position

width

height

- You'll first need to make the following import:

```
import javafx.scene.shape.Rectangle;
```

- Ignore your IDE's other Rectangle import suggestions

Important Methods for Rectangles


- We can get a sense of a Rectangle's properties from the constructor and the following methods:
 - setX(double d)
 - setY(double d)
 - setWidth(double d)
 - setHeight(double d)
 - setFill(Paint paint)
 - setStroke(Paint paint)
 - setStrokeWidth(double d)
- These can accept a color as an argument*
- (There are many more Rectangle methods besides these seven)
 - But what exactly will these methods do?

Exercise 2

- Continue editing the JavaFX project that you created in the previous exercise
- Create a Rectangle and add it to the Root Node
- Call each method outlined in the previous slide
- Can you figure out what each method does?


Method Descriptions, Part 1

- `setFill(Paint paint)`
 - Sets the color of the Rectangle
- `setStroke(Paint paint)`
 - Sets the color of the Rectangle's outline
- `setStrokeWidth(double d)`
 - Sets the width of the Rectangle's outline



Method Descriptions, Part 2

- `setX(double d)`
- `setY(double d)`
 - Sets the x or y position of the Rectangle
- `setWidth(double d)`
- `setHeight(double d)`
 - Sets the width or height of the Rectangle



Changing a Node's Position

- We've seen a couple ways to change a node's position ... but which way is preferable?
- `setX(double d)`
- `setY(double d)`
 - These are preferable in most cases
- `setLayoutX(double d)`
- `setLayoutY(double d)`
 - Use these if your Node is locked in a Layout pane, such as a FlowPane
 - Or if `setX()` is unavailable, which is the case with UI elements, such as Buttons


`setX()` definitely won't work in this case




Positioning a Node

- Most Nodes are positioned with respect to their top-left corner
 - And not with respect to their geographic center
- If you call `setX(100)` on a Node ...
 - The x-position of the Node's top-left corner is set to 100

(100, 0)




Coordinate Systems



Mathematical Coordinate System

- The origin is located at the bottom-left corner




JavaFX Coordinate System


- The origin is located at the top-left corner
- The y-axis is backward

Positioning Example

- This Rectangle is positioned at (4,2) by calling:
 - `setX(4) ;`
 - `setY(2) ;`




Many Shapes Are Available in JavaFX




The JavaFX API Documentation

- This contains class information and code examples of JavaFX features
- Go to <https://openjfx.io/javadoc/17/index.html>
- The Graphics module is a helpful starting point
- There is a search feature to allow you to locate specific classes, or you can browse the packages for ideas



Exercise 3

- Explore the JavaFX API Documentation
- Can you figure out how to create a right triangle with a gradient coloring using the JavaFX project that you created in the previous exercise?
- Hint: use the search box to first search for gradient, then search for Polygon



Exploring the API Documentation: Linear Gradient Example



- The Linear Gradient example shows us ...
 - How to create a gradient:

```
//create simple linear gradient
LinearGradient gradient1 = new LinearGradient(0, 0, 1, 0, true,
CycleMethod.NO_CYCLE, new Stop[] {
    new Stop(0, Color.DODGERBLUE),
    new Stop(1, Color.BLACK)
});
```

- How to color a shape with a gradient:

```
//First rectangle
Rectangle rect1 = new Rectangle(0,0,80,80);

//set rectangle fill
rect1.setFill(gradient1);
```

- Remember to make the proper imports

Exploring the API Documentation: Polygon Example




- Type polygon in the API search box - the Polygon example shows us ...
 - How to create a polygon from an array of points:

```
//Simple triangle
Polygon polygon1 = new Polygon(new double[]{
    80.0, 10.0,
    80.0, 80.0,
    10.0, 80.0
});
```

- Combine this with the gradient example, and you'll have your solution
 - But even better, you'll understand how the API Documentation is a valuable resource
 - This could prove very useful when you do the problem set

The Polygon

- The Polygon has similar methods as a Rectangle
 - Nodes share the same methods
- If you experiment with `setLayoutX()`...
 - You'll notice that the Polygon is positioned with respect to where its top-left corner would be



Secrets about Java Puzzle Ball

- We drew lines and polygons for collision detection
 - But these lines are hidden in the latest version
- We also drew two octagons around each bumper
 - An inner octagon handles collision detection
 - An outer octagon detects if the ball is far enough away for the bumper to rotate
- We had to do extra work to position and rotate Nodes the way we wanted



Summary

- In this lesson, you should have learned how to:
 - Create and use custom colors
 - Create shapes and explain their properties and behaviors
 - Reference the JavaFX API Documentation





ORACLE

Academy

