

User Audit Report

Name: Solomon Waikumi Mwaura

Date: Jan 24th 2026

Role: Junior Security Analyst

Command Usage Accuracy

Command Overview:

Here is a list of commands used and details on the usage:

1. **pwd:** I used this to determine the directory I was in.
2. **cat /etc/passwd:** this I used to read data in the folder passwd, located in etc in root.
3. **awk -F: '{printf "%-15s %-5s %-5s %-25s %-20s %s\n", \$1, \$3, \$4, \$5, \$6, \$7}' /etc/passwd > passwd_table.txt :** I used this to extract the contents of the passwd file and create a text document with columns of the data...for easier analysis
4. **ls:** to confirm the creation of passwd_table.txt
5. **cat /etc/group :** used this to see the contents of the groups file
6. **awk -F: '{printf "%-15s %-5s %-5s %-25s %-20s %s\n", \$1, \$3, \$4, \$5, \$6, \$7}' /etc/group > groups.txt :** used this to extract the data to text file, and in columns , for easier analysis.
7. **sudo userdel -r AnotherUser :** used this to remove AnotherUser as he had identical UID/GID with Benny and this could compromise security (**sudo was needed to force these commands**)
8. **sudo gpasswd -a Hercules Sandlot:** to add Hercules user to the Sandlot group
9. **sudo gpasswd -d Squints Sandlot:** to remove squints from the sandlot group
10. **sudo gpasswd -d YeahYeah sudo:** to remove YeahYeah from the sudo group
11. **sudo gpasswd -d Repeat sudo:** to remove Repeat from the sudo group
12. **sudo gpasswd -d Timmy sudo:** to remove Timmy from the sudo group
13. **sudo gpasswd -a Smalls sudo:** to add Smalls to the sudo group

14. **mkdir -p ~/results/users:** to create a parent directory for users
15. **mkdir -p ~/results/groups:** to create a parent directory for groups.
16. **awk -F: '{printf "%-15s %-5s %-5s %-25s %-20s %s\n", \$1, \$3, \$4, \$5, \$6, \$7}' /etc/passwd > ~/results/users/passwd_table.txt** : to extract the data in passwd....and output the result in results/users/passwd_table.txt(the directory created)

Filtering and Analysis

- I used awk to filter the data being extracted so as to get specific columns....seperated by colon.
- What challenges did you face when identifying discrepancies, and how did you overcome them?

One of the challenges is memorizing these commands....but knowing the basic command helps as then I used **man** to understand how to use it.

Piping and Redirects

I used > to redirect the output of one command to a file..

Group Management

- I used gpasswd to remove users from groups.....it was easy and straightforward.
- Then I used userdel to remove unwanted users.

Clear and Insightful Reflection

Challenges and Solutions

The **awk** command and the **cut** command are a bit challenging.....I find I prefer the **column -t** command.....as it is easier and straightforward.

Lessons Learned

- How to check groups and users, how to remove users, add users to groups and comply with set policies.

Future Applications

- To add users to groups in an organization.....remove unwanted users.....extraxt data to files for further analysis.