TRADING FRAMEWORK

SPECIFICATION SHEET

FBOS · Mitigation · SMT · AMD · DOL · Bias · Entry Models

Compiled from structured price action methodology | For educational & reference use only

SECTION 0 — CORE GLOSSARY

Precise definitions of all technical terms used in this framework

TERM	DEFINITION
AMD	Accumulation → Manipulation → Distribution. The three-phase market cycle. Accumulation = orders building (range). Manipulation = the false/fake directional move to trap retail. Distribution = the real directional move.
Accumulation	A range-bound period where neither buyers nor sellers dominate. Orders from both sides are being 'stacked'. Price does not trend — it consolidates.
Manipulation (Inducement)	A strong, momentum-driven, one-sided price move designed to trap retail traders into the wrong direction before the real move. Characterised by consecutive full-body candles. Also called 'inducement' or 'fake move'.
Distribution (Real Move)	The true directional move that follows manipulation. Identifiable by structured pullbacks, incremental lower highs/higher lows, and market structure continuation.
Structure (BOS)	Break of Structure. A confirmed breach of a prior significant swing high or low. Used to identify trend direction. A BOS in the direction of bias = continuation. A BOS against bias = must differentiate from FBoS.
FBoS / FBoss	False Break of Structure. A BOS that is caused exclusively by manipulation. It appears to confirm a trend change but is in fact a trap. Only created during the manipulation phase — never during distribution.
RBoS / ARBoS	Real Break of Structure. A BOS caused by the distribution phase — the genuine leg in the intended direction. Used to confirm bias direction. Only take RBoS as bias confirmation.
Smart Money Trap (SMT)	An order block that was created during the manipulation phase. It may give an initial reaction, but if price has already collected sufficient volume, it will be run through. SMTs are zones where smart-money concept traders anticipate reversals but get trapped.
Order Block (OB)	The last opposing-colour candle before a strong directional push. Represents institutional order placement. Becomes relevant when it has 'induced structure' — i.e., the move from that OB caused a structural break.

TERM	DEFINITION
Inducement OB	An order block from which price moved to cause a break of a prior structural high or low. The only type of OB used for entries in this framework.
DOL / Draw on Liquidity	The target price must reach before reversing. Always in the direction of bias. Types: equal highs/lows, session highs/lows, previous daily/weekly highs/lows, SMT opens, structural swing points.
Internal DOL	A closer liquidity target within the current leg — used when price has already reached the primary DOL or when the range to the external DOL is too large for a direct move.
Liquidity Sweep	Price briefly trading beyond a structural high or low to trigger stop-losses and pending orders resting there, before reversing. This is the core of the FBoS entry trigger.
Higher Time Frame (HTF) SMT	An order block on a higher time frame (4H, daily) that price is reacting from. When price taps an HTF SMT, the lower time frame move from that point is considered HTF manipulation, not distribution.
POI (Point of Interest)	Any zone on the chart that could cause a significant price reaction — includes order blocks, SMTs, and liquidity clusters.
Protected High/Low	A swing point that has already induced price — i.e., caused a structural move FROM that level. Price is unlikely to revisit and break through a protected high/low.
Break & Retest (BNR)	The retail concept: price breaks a level then comes back to retest it. Used in this framework specifically to identify WHERE retail traders will enter so they can be trapped.
Market Structure Shift (MSS)	A change in the trend direction confirmed by RBoS. On lower time frames, MSS is triggered when the manipulation leg is overtaken — used as the break-even trigger.
Power of 3 (P3)	Another name for AMD applied to a full candle's price action — Open, Low (manipulation), High (distribution) for a bullish day, or Open, High (manipulation), Low (distribution) for a bearish day.
OHLC	Open, High, Low, Close — the anatomy of any candle. In this framework: for a bullish daily candle, the sequence should be Open → Low (manipulation) → High (distribution) → Close.

SECTION 1 — AMD MARKET CYCLE

The master framework governing all price movement

1.1 PHASE DEFINITIONS

Phase 1 — ACCUMULATION	Price consolidates in a range. No trending move. Both buy and sell orders are building. Visually: Price oscillates between visible support and resistance. Duration: Can last minutes (1M chart) or days (daily/weekly). Session mapping: Asia session is typically the accumulation phase for the day.
Phase 2 — MANIPULATION	Strong, one-sided, momentum candles moving AGAINST the intended real direction. Characteristics: consecutive full-body candles, fast move, no pullbacks.

	Purpose: Traps retail traders into the wrong direction; collects stop-losses; fills institutional orders. Creates: FBoS, SMTs, inducement highs/lows. Session mapping: London open (07:00–10:00 London time) is typically the manipulation phase.
Phase 3 — DISTRIBUTION	The REAL directional move toward the DOL. Characteristics: structured pullbacks (reaccumulation/reinducement), incremental structure, pullbacks do NOT violate recent swing lows/highs. Session mapping: NY session (or London continuation) is typically distribution.

1.2 WEEKLY AMD MAPPING

Monday	Accumulation for the week. Range-bound, no strong directional commitment.
Tuesday	Manipulation. Strong directional push AGAINST the weekly intended direction. Sets the weekly trap. Must take out a key structural point or mitigate a POI.
Wednesday	Reinducement. Internal structural points of Tuesday's distribution get taken out. Sets up additional trapped traders.
Thursday	Distribution / low or high of the week printed. Price moves toward the weekly DOL.
Friday	Rebalancing. Price cools and partially retraces. Not a primary trading day.
Economic Calendar Rule	Shift the weekly day assignments when high-impact news falls on a specific day. News can act as the daily/weekly manipulation trigger — reassign phases accordingly.

SECTION 2 — BIAS DETERMINATION

How to establish directional bias across time frames

2.1 BIAS RULES

Definition	Bias = the direction you expect price to travel to reach the current DOL. Bias is NOT set by trend lines or candlestick patterns alone.
Bullish Bias Trigger	1. Price has tapped into a valid higher time frame SMT or inducement OB. 2. A RBoS (real break of structure) toward the upside has been printed following manipulation. 3. The DOL is above current price (equal highs, session highs, structural highs).
Bearish Bias Trigger	1. Price has tapped into a valid higher time frame SMT or inducement OB from above. 2. A RBoS toward the downside has been printed following manipulation. 3. The DOL is below current price.
Bias Invalidation	Price breaks through the OB that created the bias (OB becomes SMT).

	DOL is reached — bias must be re-evaluated from scratch. A higher time frame inducement leg is taken out in the opposing direction.
Time Frame Hierarchy	Higher time frame bias always overrides lower time frame signals. Daily bias → sets the trading direction for the day. Weekly bias → sets the context for the daily bias. Use 1H or 4H for structural confirmation; use M5 or M1 for entry execution.
Bias After DOL Hit	Once DOL is reached, STOP trading toward it. Do NOT extend targets speculatively. Re-identify the new DOL with fresh confirmation before taking any position.

2.2 TREND SWITCHING (How Bias Changes)

Step 1 — Existing Trend	A clear sequence of higher highs + higher lows (bullish) or lower highs + lower lows (bearish) is in place.
Step 2 — Accumulation	Price stops trending and consolidates. Volume decreases. No new highs/lows printed.
Step 3 — Manipulation	A strong move OPPOSITE to the previous trend occurs. This creates FBoS — appears to confirm a new trend but is a trap. Retail traders reverse their bias.
Step 4 — RBoS Confirmation	After manipulation, price reverses and prints a REAL break of structure in the ORIGINAL direction (or the new intended direction). THIS is the bias confirmation trigger.
Step 5 — New Bias Active	Bias flips only after RBoS. SMTs from the manipulation phase are now identified. DOL in the new direction is set. Trade continuation models toward new DOL.
Key Rule	You CANNOT confirm a bias change from FBoS alone. Only RBoS after manipulation constitutes a genuine trend switch.

SECTION 3 — SMART MONEY TRAP (SMT)

When order blocks become traps

3.1 DEFINITION & CREATION

What is an SMT?	An order block that was created by the manipulation phase of AMD. Retail and smart-money-concept traders view these as valid reversal zones, making them high-probability trap locations.
How an OB becomes an SMT — Rule 1: DOL Reached	When price reaches the DOL, all OBs that were previously used as continuation entries now convert to SMTs. Logic: If the primary move target is already hit, the directional bias reverses. OBs in the prior direction are no longer valid continuation entries.
How an OB becomes an SMT — Rule 2: BOS Away	When a strong RBoS is printed AWAY from an OB (i.e., price moves away with conviction and does not return), that OB is reclassified as an SMT.

	Logic: Price has demonstrated it does not need that OB for support/resistance. Any return will be a trap.
How an OB becomes an SMT — Rule 3: FBoS Origin	Any OB that was created during a manipulation move is immediately classified as an SMT. It may give a reaction (inducing traders), but it will ultimately be run through unless volume is still required.
SMT vs. Valid OB	Valid OB: Created by RBoS / distribution. Has not been tapped. DOL not yet reached. SMT: Created by FBoS / manipulation. OR DOL has been reached. OR strong BOS printed away from it.
HTF SMT	A SMT visible on 4H or daily chart. When price taps an HTF SMT, the entire lower time frame move from that zone is classified as HTF manipulation — even if lower time frame shows distribution. This justifies continuation trades from LTF OBs within that HTF zone.

▶ SMT REACTION RULE

When price taps an HTF SMT and shows an initial rejection, this does NOT automatically mean distribution starts immediately.

Price will typically: (1) Give initial reaction from SMT → (2) Accumulate / form miniature AMD at the SMT level → (3) Then distribute away from SMT.

Do NOT enter on the first candle touching an SMT. Wait for confirmation per the entry model rules in Section 6.

SECTION 4 — DRAW ON LIQUIDITY (DOL)

Target identification and management

4.1 TYPES OF DOL (in order of priority)

Equal Highs / Equal Lows	Two or more swing points at the same price level. Extremely visible to retail traders → magnets for stop-loss clusters → high probability DOL target.
Session Highs / Lows (Asia, London, NY)	The high or low printed during a specific session. If the session has NOT induced (i.e., no structural break FROM that level), it remains a valid DOL target.
Previous Daily High / Low (PDH / PDL)	Prior day's high or low. Valid DOL unless already swept or if price has induced structure from beyond that level.
Previous Weekly High / Low	Prior week's high or low. Used for HTF bias and macro DOL targeting.
SMT Open Price (Preferred TP Target)	The opening price of an SMT candle. Preferred take-profit target within this framework. Reason: price frequently stalls at SMT opens before deciding direction. Reduces exposure and avoids holding through reversals.
Structural Swing Point	Any clear prior high/low that has obvious stop-loss clusters resting beyond it. Valid when other types do not apply.

4.2 DOL RULES

DOL Must Align With Bias	Only target a DOL that is in the direction of your current bias. Never target a DOL in the counter-bias direction as a primary target.
DOL Invalidation Criteria	An equal high/low is NOT a valid DOL if: price has already induced structure from BEYOND that level (i.e., created a protected high/low). A session high/low is NOT valid if: the session has already induced (RBoS from that session's move in the bias direction). PDH/PDL is NOT valid if: already swept, or the structural context has changed.
After DOL is Hit	Immediately stop trading in the prior bias direction. Re-run top-down analysis. Identify new DOL. Wait for fresh manipulation and RBoS before entering again.
Internal DOL	Used when the primary DOL is far away and price needs to rebalance before continuing. Identify: nearest structural high/low in the bias direction within the current leg. Condition: price must have already shown signs of reaccumulation after a distribution leg. Usage: target internal DOL for first position; only extend to external DOL after internal is taken and structure supports it.

SECTION 5 — FBoS ENTRY MODEL

False Break of Structure — Complete Specification

▶ FBoS DEFINITION

A FBoS is a break of a prior structural high or low that was caused exclusively by the MANIPULATION phase of AMD.

It appears to retail traders as a confirmed break of structure (a new trend), but it is a deliberate trap.

FBoS can ONLY exist if: Accumulation preceded it, AND the breakout move is one-sided momentum candles (no pullbacks), AND price subsequently reverses in the intended direction.

5.1 FBoS EXACT ENTRY CRITERIA (ALL must be met)

Criterion 1 — Prior Accumulation	A visible range/consolidation must have formed BEFORE the FBoS move. Price must have been range-bound (Asia session, or visible sideways structure on the chart).
Criterion 2 — Momentum Breakout	The move creating the FBoS must be strong, one-sided, consecutive full-body candles. No significant pullbacks during the move. Partial candles or gradual moves do NOT qualify as manipulation.
Criterion 3 — Structural Level Taken	The FBoS must have swept through a visible structural high/low — not just wicked through. The candle must close beyond the level (not just wick). The level must have been visible and likely held stop-losses.
Criterion 4 — Bias Alignment	The anticipated real move (distribution) must align with the higher time frame bias. Do NOT enter FBoS setups that are counter to HTF bias.
Criterion 5 — DOL Identified	Before entry, a clear DOL in the bias direction must be identified. The DOL must be at least 2x the stop-loss distance away (minimum 2R target visible).

Criterion 6 — Timing (Optional but Preferred)	London session (07:00–10:00): preferred manipulation window for EU pairs. NY open (13:00–16:00 London time): secondary manipulation window. Avoid FBoS setups that appear at 4PM London close (often continuation, not reversal) unless explicitly confirmed by AMD structure.
Criterion 7 — Entry Trigger	Option A — Aggressive: Enter at the sweep candle's close (requires experience). Stop loss = 1–3 pips beyond the swept structural level. Option B — Conservative: Wait for a bullish/bearish confirmation candle (close in opposing direction) AFTER the sweep. Enter on next candle open. Option C — Mitigation: Wait for price to pull back to the OB formed by the FBoS leg. Enter when price taps the OB (see Section 6 — Mitigation Model for exact rules).

5.2 FBoS EXIT CRITERIA

Take Profit (Primary)	Opening price of the nearest SMT in the bias direction. This is the preferred TP level — do not extend unless volume and structure clearly support continuation.
Take Profit (Secondary)	Next significant DOL: equal highs/lows, session high/low, or previous daily high/low in the bias direction.
Break Even Trigger	Move stop to break even ONLY after: the pullback leg (mitigation of the FBoS candle) has been overtaken by price moving in the trade direction. Rule: Do NOT go break even during the first pullback. Wait for the pullback's high (for shorts) or low (for longs) to be taken out by the next impulse leg. Reason: Premature break even during mitigation pullback results in being stopped out before the real distribution begins.
Partial Exit Rule	If trading multiple positions: close 50% at first DOL (internal), leave 50% running to secondary DOL. Move remainder to break even after partial close.

5.3 FBoS INVALIDATION CONDITIONS

▶ INVALIDATION — TRADE IS VOID IF ANY APPLY

1. Price re-enters accumulation range after the FBoS move (structure has not committed to direction).
2. The manipulation move has pullbacks — it is not one-sided momentum. This indicates distribution, not manipulation.
3. HTF SMT or OB is located within the stop-loss distance in the trade direction (price may be reacting from HTF structure, not distributing).
4. DOL has already been reached on this session/day — do not enter FBoS setups post-DOL.
5. Economic calendar: high-impact news is imminent within 15 minutes of entry — avoid entries immediately before major news events.
6. The swept structural level is a 'protected high/low' (already induced structure previously) — not a valid liquidity target.

5.4 FBoS MARKET CONTEXT REQUIREMENTS

Trend Requirement	FBoS works in BOTH trending and ranging markets. In a trending market, FBoS in the trend direction is higher probability. Counter-trend FBoS requires HTF SMT confluence.
Liquidity Condition	High-probability: Visible equal highs/lows were present before the FBoS (obvious stop-loss clusters). High-probability: Multiple retail trap patterns visible (broken trend lines, support/resistance breaks, BNR zones).
Time Frame for Entry	M1 or M5 for entry execution. M15 or 1H for context. Daily for bias. M5 is the recommended primary chart.
Volume Condition	Manipulation must show high-volume, consecutive candles. If the 'manipulation' move lacks momentum, reclassify it as reaccumulation and wait.
Pair Preference	EURUSD preferred (tighter spread: 3–5 pips). GBPUSD viable (5–10 pip spread increases required R). Apply same logic to indices (NAS100, etc.) with time-based adjustments.

SECTION 6 — MITIGATION ENTRY MODEL

Order Block Mitigation — Complete Specification

▶ MITIGATION DEFINITION

Mitigation is an entry model where price returns to tap into an Order Block (OB) that caused a structural break (inducement OB), after that OB's move has already been validated.

Unlike FBoS (which enters at the sweep), Mitigation enters at the origin zone of the prior impulsive move.

This model provides a higher Risk:Reward entry at the cost of a lower fill probability — price may not always return to mitigate.

6.1 IDENTIFYING A VALID INDUCEMENT ORDER BLOCK

OB Candle Definition	The last opposing-colour candle BEFORE a strong directional push. For a bullish OB: the last bearish (red/down-close) candle before a strong bullish move. For a bearish OB: the last bullish (green/up-close) candle before a strong bearish move.
OB Zone Boundaries	Top: highest point of the OB candle (wick high for bearish OB / body high for aggressive marking). Bottom: lowest point of the OB candle (wick low for bullish OB / body low for aggressive marking). Entry preference: Use the WICK extremes for maximum zone coverage. For tighter entries with experience: use the candle body only.
Inducement Condition (Mandatory)	The OB must have caused a break of a prior structural high or low. Process: OB candle forms → price pushes from OB → prior structural swing high/low is taken → this confirms the OB 'induced' structure. An OB without inducement is NOT a valid mitigation entry — it has no institutional significance.

OB Candle Selection	Use the candle that swept liquidity (wicked beyond a prior level) as the OB, NOT just any opposing candle. The OB candle that swept the most liquidity (largest wick) has the highest probability of being respected on mitigation.

6.2 MITIGATION EXACT ENTRY CRITERIA (ALL must be met)

Criterion 1 — Valid Inducement OB Identified	The OB has already induced structure (caused a structural break). The OB zone has been clearly marked with top and bottom.
Criterion 2 — OB Not Previously Tapped	The OB zone has NOT been visited since it was created. A previously tapped OB loses validity — it becomes an SMT or a weaker zone.
Criterion 3 — DOL Clearly Identified	A DOL beyond the OB (in the trade direction) must be visible. Minimum R:R of 2:1 required from entry to DOL.
Criterion 4 — Bias Alignment	HTF bias must support the mitigation entry direction. Do not take bullish mitigation entries in a bearish HTF environment unless in a confirmed counter-bias pullback setup with explicit HTF SMT confluence.
Criterion 5 — Entry Trigger (Conservative)	Wait for price to TAP into the OB zone (touch the zone boundary). THEN wait for a M5 BOS (break of structure on M5) in the trade direction after the tap. Enter on the next candle open following the M5 BOS. Stop loss: below the OB wick extreme (for bullish OB) or above the OB wick extreme (for bearish OB).
Criterion 6 — Entry Trigger (Aggressive / With Experience Only)	Enter limit order at the OB zone boundary before price arrives. Stop loss: same as above. Use ONLY if: the OB has extreme confluence (HTF SMT + inducement + timing all align).
Criterion 7 — Timing Alignment	OB should be tapped during London (07:00–13:00) or NY (13:00–17:00) sessions. OB tapped during Asia session = lower probability unless pair is Asia-active (JPY, CHF pairs).

6.3 MITIGATION EXIT CRITERIA

Take Profit (Primary)	SMT open price of the nearest SMT in the bias direction. This is the default TP. Conservative and consistent with the framework's risk management philosophy.
Take Profit (Secondary)	Next clear DOL: equal highs/lows, session high/low, previous daily high/low. Only extend to secondary TP if price has shown clear continuation momentum past the primary TP level WITHOUT closing a full opposing candle.
Break Even Trigger	Move to break even ONLY after: price takes out the most recent internal swing high (for longs) or swing low (for shorts) that formed AFTER entry. Rule: The first pullback after entry is often a miniature AMD — do NOT go break even during this pullback. Trigger: When the high of the first post-entry pullback is taken out by price (for longs), go break even.

Stop Loss Placement	Place stop loss BELOW the wick low of the OB candle (for bullish mitigation) or ABOVE the wick high (for bearish mitigation). Do NOT place stop loss at the OB body boundary — the wick will frequently be swept before reversal. If the OB has an extreme wick (10+ pips), consider placing stop 1–2 pips beyond the wick for acceptable R:R.

6.4 MITIGATION INVALIDATION CONDITIONS

▶ INVALIDATION — TRADE IS VOID IF ANY APPLY

1. OB has already been tapped once since it was created — it is now either an SMT or a depleted zone.
2. A BOS in the opposing direction has occurred on M15 or higher since the OB was created — the OB may now be acting as an SMT.
3. Price has already reached the primary DOL this session — do not enter mitigation setups post-DOL.
4. The OB is located WITHIN the accumulation range (not at the edge of the range) — internal OBs are SMTs unless confirmed by HTF structure.
5. The inducement from the OB was not 'sharp' — i.e., a gradual move rather than a momentum impulse. Only momentum-based inducements create valid OBs.
6. HTF context has changed: if a higher-time-frame OB or SMT is located within the stop-loss distance, the trade is invalidated.

6.5 OB TO SMT TRANSITION SUMMARY

Trigger 1 — DOL Hit	OB → SMT as soon as the primary DOL in the direction of the OB's bias has been reached. All OBs that were used for continuation now become traps.
Trigger 2 — Strong BOS Away	OB → SMT when a strong, momentum RBoS is printed AWAY from the OB and price shows no intention of returning within a reasonable time. The OB is abandoned by the market.
Trigger 3 — FBoS Origin	Any OB created during a manipulation leg is classified as SMT from its creation. May give initial reaction (traders pile in), but will ultimately be violated if the real move is strong.
Trigger 4 — Range Too Extended	If price has moved significantly in the opposing direction from the OB (e.g., 100+ pips away on EU), the OB is no longer acting as a relevant mitigation target — it becomes an extreme SMT for a counter-bias reversal setup only.

SECTION 7 — HOD / LOD & DAILY CYCLE

High of Day / Low of Day identification rules

HOD / LOD Definition	The highest or lowest price point reached during the current daily candle. The framework's goal is to identify WHICH session prints the HOD/LOD and trade in the opposing direction thereafter.

SECTION 8 — ALL ENTRY MODELS SUMMARY

Five entry model types — when and how to use each

MODEL	TYPE	LOCATION	USE CASE	PRIMARY RULE
FBoS	External	Bottom/top of range	Reversals + Continuations	Enter at liquidity sweep. Wait for rejection candle confirmation. SL beyond swept level.
Mitigation	External	Bottom/top of range	Reversals + Continuations	Enter at OB that induced structure. Wait for M5 BOS confirmation after OB tap.
SMT Reaction	Internal	Mid-range	Continuations	Enter when SMT gives reaction AND internal structure is induced. BOS from SMT zone required.
Inverse (Inducement Reaction)	Internal	Mid-range	Continuations	Price mitigates OB formed from SMT reaction. More internal — use only with experience.
Inducement Reaction	Internal	Mid-range	Continuations	Price mitigates the original inducement after breaking past it. Most internal. Bias confirmation use primarily.

▶ FRAMEWORK RULE — MODEL PRIORITY

Recommended learning order: FBoS first → Mitigation → SMT Reaction → Others.

Master ONE model before adding the next. All models operate within the AMD cycle and require bias + DOL to be identified first.

Internal models (SMT Reaction, Inverse, Inducement Reaction) provide LOWER R:R and HIGHER fill rate. External models (FBoS, Mitigation) provide HIGHER R:R and LOWER fill rate.

SECTION 9 — STOP LOSS & BREAK EVEN PROTOCOL

Stop Loss Placement Rule	FBoS: 1–3 pips beyond the swept structural level (wick extreme). Mitigation: Beyond the OB candle's wick extreme in the opposing direction. NEVER place SL at the OB body boundary — wicks will sweep it.
Break Even Rule	DO NOT go break even on the first post-entry pullback. GO break even when: the high of the pullback leg (for longs) OR the low of the pullback leg (for shorts) is taken out by the next impulse candle. Rationale: First pullback is often miniature AMD. Going BE too early = stopped out before distribution begins.
Protected Lows/Highs Rule	If the post-entry pullback prints a new swing low (for longs) that is LOWER than the entry-zone swing low, the setup is weakening. Reassess but do NOT immediately exit — wait for a clear BOS violation.
Maximum Loss Rule	If the OB wick extreme is violated (price closes beyond SL), the trade is fully invalidated. Exit immediately. Do not average down or move stop.

SECTION 10 — QUICK REFERENCE CHECKLIST

Pre-Trade Checklist (run in order)

1. Identify HTF bias (daily/weekly). Confirm via RBoS after manipulation. Note DOL.
2. Map the current AMD phase. Is price in accumulation, manipulation, or distribution?
3. Identify session timing. London open? NY open? 4PM close?
4. Confirm DOL is not yet reached. If reached — DO NOT trade in that direction.
5. Mark all inducement OBs on M5 and M15. Classify each as valid OB or SMT.
6. Identify retail traps visible: trend lines broken? BNR zones formed? Equal highs/lows swept?
7. Select entry model (FBoS or Mitigation for beginners).
8. Confirm entry trigger (rejection candle / M5 BOS) is present.
9. Set stop loss at OB wick extreme. Confirm minimum 2R to nearest DOL.
10. Set take profit at SMT open price (primary) or next DOL (secondary).
11. Set break-even rule BEFORE entry: 'I go BE when [specific swing level] is taken.'
12. Check economic calendar — no high-impact news within 15 minutes of entry.

▶ CORE PRINCIPLE

The market is driven by the need to trap the 95% (retail). Every setup in this framework exploits a moment where retail traders are collectively positioned in the wrong direction.

Your edge is: identifying WHERE retail is trapped → entering OPPOSITE to their position → targeting WHERE their stop losses are.

If you cannot clearly articulate which retail traders are trapped and where their stops are — do not take the trade.

This document is a reference spec sheet compiled from structured price action methodology. All concepts are based on historical statistical patterns. No strategy guarantees profitable outcomes. Always manage risk.