

Signed p -adic Residual Encodings of Finite-Domain All-Different Systems

with a Sudoku Case Study

Greg Baker

School of Computing, Australian National University

Canberra, Australia

greg.baker@anu.edu.au

ORCID: 0000-0002-6910-3011

Abstract

We study signed, weighted affine p -adic residual objectives as native encodings of finite-domain constraints. For primes that separate the finite alphabet, sufficiently weighted positive unary rows pin each coefficient to its allowed set, while negative rows reward unequal endpoints or clause satisfaction. A coordinatewise domination theorem places every global minimiser in the finite domain; there the loss is, up to an additive constant, the all-different conflict count or the negative number of satisfied CNF clauses. Standard Sudoku provides an 81-coefficient case study without a one-hot lift. A client-side implementation exposes the generated dataframes, arithmetic, diagnostics, and searches.

Keywords: p -adic regression; signed residual objectives; all-different constraints; list colouring; Sudoku

1 Introduction

In affine p -adic linear regression, an observation pairs a feature vector $u \in \mathbb{Z}^n$ with a target $b \in \mathbb{Z}$, and a coefficient vector x is scored by a weighted sum of residual norms $|u^\top x - b|_p$. It is analogous to Euclidean linear regression, but uses p -adic residual norms in place of squared Euclidean residuals.

Earlier work establishes the geometry and complexity of this problem when every weight is positive [1, 2, 17]. This paper studies the signed variant, in which an observation may carry a negative weight. In ordinary (Euclidean) least squares, negative weights can destroy convexity and boundedness (as discussed in Section 4.2). Over $\mathbb{Z}_p$, by contrast, every affine residual has norm at most one, so a finite signed objective remains bounded and a negative row acts as a bounded reward.

This makes p -adic linear regression surprisingly expressive. Finite-domain all-different systems and CNF formulae compile mechanically into signed objectives: sufficiently weighted positive unary rows pin each coefficient to a finite allowed set, and a coordinatewise domination theorem (Theorem 1) shows that every global minimiser lies in that finite domain. There each remaining residual norm is a zero-or-one indicator, so a negative row rewards an unequal pair $x_i \neq x_j$ or a satisfied clause, and the loss is, up to an additive constant, the conflict count of the all-different system or the negative number of satisfied clauses. The global minimisers are exactly the domain-respecting minimum-conflict assignments, and exactly the satisfying assignments when the instance is satisfiable (Theorem 3, Corollary 4).

This expressivity also gives a short proof that signed p -adic linear regression is NP-hard: the clause compiler reduces 3-SAT to the threshold problem at the fixed prime $p = 5$ (Corollary 5).

Term used here	Classical reading	Reference
finite-domain all-different system	Finite-domain constraint system in which the variables in each designated scope must take pairwise distinct values	Section 1
dataframe; row; synthetic observation	Tabular presentation of signed weighted affine forms; a row (σ, u, b, γ) contributes $\sigma\gamma u^\top x - b _p$. Positive rows are penalties and negative rows are bounded rewards	Definition 1
feature vector u ; target b	Normal vector and right-hand side defining the affine residual $u^\top x - b$	Definition 1
coefficient vector x	Optimisation variable in $\mathbb{Z}_p^n$; in the Sudoku model its coordinates are cell values	Definition 1
compiler; compilation	Constructive encoding or reduction from a constraint system to a signed residual objective	Theorem 1
coordinatewise domination	Exact-penalty threshold: each pinning weight exceeds the total interaction weight incident on its coordinate	Theorem 1
pinning weight	Exact-penalty multiplier λ_i on the unary well of coordinate i	Theorem 1
list-colouring	Proper vertex colouring in which each vertex i draws its colour from its own list D_i	Definition 2
well (unary, Boolean, digit)	Finite-alphabet multiwell penalty $U_i(t) = \sum_{a \in D_i} t - a _p$, minimised exactly on the allowed set D_i	Lemma 2
digit-snapping; snapping	Replacement of an out-of-domain coordinate by an allowed value; under the domination condition this strictly decreases the objective	Lemma 3
primal graph; peer graph	Constraint (Gaifman) graph: variables are adjacent exactly when they share a constraint; the deduplicated Sudoku peer graph is 20-regular, so its maximum degree is $\Delta = 20$	Corollary 4
Max-CSP; minimum conflicts	Maximisation of satisfied constraint weight, equivalently minimisation of conflict weight	Section 5
clue	Given digit in a pre-filled cell, represented by a singleton allowed set $\{g_i\}$	Section 6
unit	Sudoku constraint scope: one row, one column, or one 3×3 box; each induces a K_9 clique in the peer graph	Section 6
one-hot lift	Embedding of a q -valued variable as a 0/1 indicator vector of length q	Section 7
local search; restart	Iterative exploration by local moves on a finite state space; a restart begins from a fresh random initialisation	Section 8
QUBO	Quadratic unconstrained binary optimisation: minimisation of a quadratic form over $\{0, 1\}^n$	Section 9
positive complement expansion	Rewriting of a negative reward row as positive wells at the allowed residual values; equal up to an additive constant on the finite domain	Appendix A
carving	Generation of a puzzle by deleting entries from a solved grid; the random procedure used here does not enforce a unique completion	Appendix C

Table 1: Correspondence between the applied vocabulary used in this paper and standard mathematical or constraint-programming readings.

Earlier NP-hardness results treated an ordinary summed 2-adic objective [2], while Mihara’s forcing theorem proves the positive-weight problem NP-hard for every fixed prime [17].

The paper makes the following contributions.

- A compiler template from finite-domain all-different systems and CNF formulae to signed weighted affine p -adic residual objectives, with a coordinatewise domination theorem locating every global minimiser in the finite domain, on $\mathbb{Z}_p^n$ and on $\mathbb{Q}_p^n$ (Theorem 1, Corollary 2).
- An exact characterisation of the global minimisers for all-different systems in list-colouring form as the domain-respecting minimum-conflict assignments, covering the unsatisfiable Max-CSP regime and the antiferromagnetic Potts reading (Theorem 3, Section 5).
- NP-hardness of the signed threshold problem at the fixed prime $p = 5$, by an elementary

reduction through the clause compiler (Corollary 5).

- Polynomial-size positive-only complement expansions for the negative CNF and pairwise all-different rows, supporting a diagnostic comparison with Mihara’s digitwise equality regression while the signed rows are retained for valuation and loss reporting (Appendix A).
- A Sudoku case study on the native 81-cell digit space using a variety of p -adic linear-regression techniques; a negative result for a powers-of-two encoding; and a client-side browser implementation exposing the generated dataframes, loss arithmetic, and searches (Sections 6–8, Appendices B–D).

This interdisciplinary work is written from the perspective of computer science and applied mathematics. The construction is described throughout in the vocabulary of constraint satisfaction and machine learning: a constraint system is *compiled* into a *dataframe* of observations, positive *wells pin* coefficients to their finite domains, and global minimisers *snap* onto those domains. Table 1 maps this vocabulary to standard language from penalty-function theory, graph theory, and constraint programming.

Section 2 describes the p -adic notation and the signed-observation format. Section 3 provides a worked three-variable list-colouring example and a two-variable CNF example in full, and records a family of integer false labellings with the uniform labelling as its degenerate member and a member whose residual values identify the satisfied literals.

Section 4 states and proves the general template and its corollaries. Theorem 1 is an exact-penalty theorem in the ultrametric setting: the strong triangle inequality puts a bound on the interaction perturbation of any coordinate change, so pinning weights that are above the weight of the incident interactions ensure that every minimiser has its parameters in the desired set of distinct values. The section closes by comparing the signed objective with its Archimedean analogue, for which the corresponding move fails twice over: a sufficiently weighted negative row destroys boundedness, and convex penalties cannot pin a real variable to a finite non-singleton domain.

Section 5 considers unsatisfiable instances. Sections 6 and 7 specialise the construction to Sudoku. Section 8 reports the computations. Section 9 discusses related work. The appendices compare Mihara’s digitwise regression, record the heuristics and their traces, and report the experiments and the failed powers-of-two encoding.

2 Preliminaries

Fix a prime p . For a nonzero integer n , let $v_p(n)$ be the exponent of p in its factorisation and define

$$|n|_p = p^{-v_p(n)}, \quad |0|_p = 0.$$

Setting $v_p(a/b) = v_p(a) - v_p(b)$ extends $|\cdot|_p$ multiplicatively to $\mathbb{Q}$. The field $\mathbb{Q}_p$ of p -adic numbers is the completion of $\mathbb{Q}$ with respect to $|\cdot|_p$, and the ring of p -adic integers is

$$\mathbb{Z}_p = \{t \in \mathbb{Q}_p : |t|_p \leq 1\}.$$

This norm makes numbers close when their difference is divisible by a large power of p . It is non-Archimedean: beyond the ordinary triangle inequality it satisfies the strong triangle inequality

$$|s + t|_p \leq \max(|s|_p, |t|_p),$$

so $d(s, t) := |s - t|_p$ is an ultrametric on $\mathbb{Q}_p$.

Every integer lies in $\mathbb{Z}_p$, so every residual formed below from integer data has norm at most 1.

If $s \neq t$ are integers with $1 \leq s, t \leq q < p$, then $p \nmid s - t$ and hence $|s - t|_p = 1$: on a finite alphabet separated by p , the residual norm is exactly a zero-or-one inequality indicator.

In affine p -adic linear regression, an observation with feature vector $u \in \mathbb{Z}^n$ and target $b \in \mathbb{Z}$ has residual $u^\top x - b$ at the coefficient vector $x \in \mathbb{Z}_p^n$, and the usual positive-weight objective sums terms of the form

$$\gamma |u^\top x - b|_p, \quad \gamma > 0.$$

This is a weighted p -adic linear-regression objective. Earlier results establish geometric and complexity properties of this positive-weight problem [1, 2]; broader recent work develops classification, regression, and representation-learning primitives over the p -adics [15]. We find no prior treatment of the signed affine objective.

Definition 1 (Signed synthetic p -adic residual dataset). *For parameters $x \in \mathbb{Z}_p^n$, a signed weighted affine observation is a quadruple (σ, u, b, γ) , where $\sigma \in \{+1, -1\}$ is the sign, $u \in \mathbb{Z}^n$ is the feature vector, $b \in \mathbb{Z}$ is the target, and $\gamma > 0$ is the weight. It contributes the term*

$$\sigma \gamma |u^\top x - b|_p$$

to the loss; this is the basic term in the signed weighted p -adic objective.

Since $u \in \mathbb{Z}^n$, $b \in \mathbb{Z}$, and $x \in \mathbb{Z}_p^n$, each residual lies in $\mathbb{Z}_p$ and has norm at most 1. Every finite signed objective considered on this domain is therefore bounded. An observation is *positive* when $\sigma = +1$ and *negative* when $\sigma = -1$; positive observations will pin coefficients and negative observations will supply bounded rewards.

Over $\mathbb{R}$ we can't do this for two independent reasons: a sufficiently weighted negative row destroys boundedness, and convex penalties cannot pin a variable to a finite non-singleton set.

3 Worked examples

Signed residual objectives give useful representations of constraint-satisfaction problems: source forms can be transformed mechanically into datasets, and a global minimiser can be transformed mechanically into a satisfying CSP assignment when one exists, or otherwise into a domain-respecting minimum-conflict assignment. This section demonstrates the construction on two small instances before the general theorems of Section 4.




Figure 1: A tiny list-colouring instance. The assignment $x_1 = 1$, $x_2 = 2$, $x_3 = 3$ respects the domains and makes every edge unequal.

3.1 An example

Figure 1 has three variables. Each variable must take a value from its domain, and adjacent variables must be different. The assignment $x = (1, 2, 3)$ is one solution.

Row	x_1	x_2	x_3	Target	Signed weight	Role
P_1	1	0	0	1	+3	domain well
P_2	1	0	0	2	+3	domain well
P_3	0	1	0	2	+3	domain well
P_4	0	1	0	3	+3	domain well
P_5	0	0	1	1	+3	domain well
P_6	0	0	1	3	+3	domain well
E_1	1	-1	0	0	-1	reward $x_1 \neq x_2$
E_2	0	1	-1	0	-1	reward $x_2 \neq x_3$

Table 2: Dataframe view of Figure 2. The three coefficient columns form the feature vector, and each row contributes its signed weight times the 5-adic norm of feature dot coefficient minus target.

Row	Type	Synthetic observation	Role
P_1	positive	$(+1, e_1, 1, 3)$	pin x_1 to D_1
P_2	positive	$(+1, e_1, 2, 3)$	pin x_1 to D_1
P_3	positive	$(+1, e_2, 2, 3)$	pin x_2 to D_2
P_4	positive	$(+1, e_2, 3, 3)$	pin x_2 to D_2
P_5	positive	$(+1, e_3, 1, 3)$	pin x_3 to D_3
P_6	positive	$(+1, e_3, 3, 3)$	pin x_3 to D_3
E_1	negative	$(-1, e_1 - e_2, 0, 1)$	reward $x_1 \neq x_2$
E_2	negative	$(-1, e_2 - e_3, 0, 1)$	reward $x_2 \neq x_3$

Figure 2: Synthetic dataset for the toy list-colouring instance in Figure 1. Here e_1, e_2, e_3 denote the standard basis vectors of $\mathbb{Z}^3$.

For this example take $p = 5$. The only fact about the 5-adic norm needed at first is that $|0|_5 = 0$, and that every nonzero integer residual that occurs has norm 1. A dataframe row consists of a feature vector u , target b , and signed weight w ; at coefficient vector x it contributes

$$w |u^\top x - b|_5$$

to the objective. Positive rows of weight 3 pin each coefficient, while rows of weight -1 reward unequal endpoints.

Table 2 and Figure 2 show the eight observations; Figure 2 uses the compact tuple notation of Definition 1, in which each tuple (σ, u, b, γ) has signed weight $w = \sigma\gamma$.

The zero-intercept model is the hyperplane

$$b = u^\top x = u_1 x_1 + u_2 x_2 + u_3 x_3.$$

The general theorem below (Theorem 1 on page 7) guarantees that at least one global minimum occurs among the finitely many domain-respecting candidates.

On a domain-respecting vector the six positive rows contribute 9, while each unequal edge subtracts one. Thus

$$L_{\text{toy}}(x) = 9 - \mathbf{1}_{x_1 \neq x_2} - \mathbf{1}_{x_2 \neq x_3}.$$

Brute-force evaluation gives Table 3.

The minimum-loss coefficient vectors are the valid assignments of Figure 1; in particular, $x = (1, 2, 3)$ is recovered as a regression optimum.

3.2 p -adic linear regression can express CNF statements as well

Consider the CNF expression in the two Boolean variables z_1 and z_2 :

$$\Phi = (z_1) \wedge (\neg z_1 \vee z_2).$$

Coefficient vector x	$L_{\text{toy}}(x)$	Proper list-colouring?
(1, 2, 1)	7	yes
(1, 2, 3)	7	yes
(1, 3, 1)	7	yes
(1, 3, 3)	8	no
(2, 2, 1)	8	no
(2, 2, 3)	8	no
(2, 3, 1)	7	yes
(2, 3, 3)	8	no

Table 3: All eight hyperplanes determined by the domain-pinning rows.

What values of z_1 and z_2 make Φ true? Encode $x_i = 0$ as $z_i = \text{true}$ and $x_i = 1$ as $z_i = \text{false}$. A clause is false at one affine equality, so a negative row rewards every coefficient vector away from that equality. The first clause is false when $x_1 = 1$, giving the residual $x_1 - 1$. The second is false when $(x_1, x_2) = (0, 1)$, giving $-x_1 + x_2 - 1$. With $p = 5$ and Boolean-pinning weight 3, the complete dataframe is Table 4.

We want to make sure that x_1 and x_2 take values only in $\{0, 1\}$, so we make two deep Boolean wells in the loss landscape for each variable. If the wells are deeper than the rewards from the clause-derived rows, then the optimal values of x_1 and x_2 are suitably constrained.

Row	x_1	x_2	Target	Signed weight	Role
C_1	1	0	1	-1	reward (z_1)
C_2	-1	1	1	-1	reward ($\neg z_1 \vee z_2$)
$U_{1,0}$	1	0	0	+3	Boolean well
$U_{1,1}$	1	0	1	+3	Boolean well
$U_{2,0}$	0	1	0	+3	Boolean well
$U_{2,1}$	0	1	1	+3	Boolean well

Table 4: Signed regression dataframe compiled from the two-clause formula Φ . Constraint rows reward nonzero residuals; well rows force Boolean coefficients.

Choosing one well for x_1 and one for x_2 enumerates the four zero-intercept hyperplanes through the corresponding two basis rows. On Boolean coefficients the wells contribute 6, so the loss is $6 - \text{sat}_\Phi(x)$:

x	(z_1, z_2)	Clauses satisfied	Loss
(0, 0)	(true, true)	2	4
(0, 1)	(true, false)	1	5
(1, 0)	(false, true)	1	5
(1, 1)	(false, false)	1	5

Table 5: Brute-force regression for Φ .

The unique minimum has coefficients $x = (0, 0)$, which decode to the satisfying assignment $z_1 = z_2 = \text{true}$.

3.3 General false labels

The preceding CNF uses 0 for true and 1 for false for both variables. The false values need not coincide. They could be other p -adic integers, and they need not be distinct.

Within $\mathbb{Z}_p$ itself, the signed clause construction works verbatim for any false labels $b_i \equiv 1 \pmod{p}$. Because integer norms are at most 1, the domination arguments of Section 4 are

unaffected. Distinct labels add information: with $b_i = 1 + p2^i$, a subset of k labels sums to $k + p \sum_i 2^i$, so distinct subsets have distinct sums—a cardinality collision would require p to divide a nonzero difference of cardinalities smaller than p —and the residual value then identifies exactly which literals of a clause are satisfied: the count from the residue modulo p , the set from the binary expansion of the quotient. The companion browser’s Boolean-CSP page implements both labellings: switching to $b_i = 1 + p2^i$ leaves every loss unchanged, while its row-evaluation table decodes each clause residual into the satisfied literals it names. The general conditions under which labels and clause coefficients preserve the clause-count loss, an encoding of negation by non-negative coefficients, and a polynomial-valued variant of these labels are developed in the author’s doctoral thesis.

4 A general all-different residual-objective template

The worked examples can now be put on a general footing. We work in the p -adic integers $\mathbb{Z}_p$ of Section 2, where every norm is at most 1. If $p > q$, the difference between any two distinct values in $\{1, \dots, q\}$ has norm 1. For comparison, the discrete metric $d_{\text{disc}}(s, t) := \mathbf{1}_{s \neq t}$ is also an ultrametric; a discrete version of the construction is stated after the main theorem.

Many finite-domain all-different systems can be viewed as list-colouring problems. Each variable x_i has a finite allowed set D_i , and an edge $\{i, j\}$ requires $x_i \neq x_j$. An all-different constraint of arity r contributes the $\binom{r}{2}$ pairwise edges of its primal-graph clique. The observations below are the signed weighted affine observations of Definition 1.

Theorem 1 (Finite-domain signed affine compiler template). *Fix a prime p . Let $D_i \subseteq \mathbb{Z}$ be finite nonempty sets whose elements are pairwise incongruent modulo p , and put*

$$D := \prod_{i=1}^n D_i \subseteq \mathbb{Z}_p^n.$$

For each coordinate i , choose a pinning weight $\lambda_i > 0$. Let $\mathcal{T}$ be a finite family of signed affine observations

$$(\sigma_\ell, u_\ell, b_\ell, \gamma_\ell), \quad \sigma_\ell \in \{\pm 1\}, \quad u_\ell \in \mathbb{Z}^n, \quad b_\ell \in \mathbb{Z}, \quad \gamma_\ell > 0,$$

and define

$$L(x) := \sum_{i=1}^n \lambda_i \sum_{a \in D_i} |x_i - a|_p + \sum_{\ell \in \mathcal{T}} \sigma_\ell \gamma_\ell |u_\ell^\top x - b_\ell|_p.$$

Assume that, for every coordinate i ,

$$\lambda_i > \sum_{\ell: (u_\ell)_i \neq 0} \gamma_\ell,$$

and that, for every $x \in D$ and every $\ell \in \mathcal{T}$, the residual $u_\ell^\top x - b_\ell$ is either 0 or a p -adic unit. Then L attains its global minimum on D , and every global minimiser lies in D . On D , L is a constant plus a finite signed objective whose interaction terms have values 0 and $\sigma_\ell \gamma_\ell$.

Proof. Suppose $x_i \notin D_i$. If x_i is congruent modulo p to an element of D_i , let b be that element; otherwise choose any $b \in D_i$. Let x' be obtained from x by replacing x_i with b .

The i -th unary sum decreases by at least $\lambda_i |x_i - b|_p$. Indeed, if $x_i \equiv b \pmod{p}$, then the only changed unary contribution below 1 is $|x_i - b|_p$. If x_i is congruent to no element of D_i , then $|x_i - a|_p = 1$ for all $a \in D_i$, while the unary sum at b has one zero term and all other terms equal to 1; in this case $|x_i - b|_p = 1$.

For an interaction term with $(u_\ell)_i \neq 0$, write $r'_\ell = u_\ell^\top x' - b_\ell$. Then

$$u_\ell^\top x - b_\ell = r'_\ell + (u_\ell)_i (x_i - b).$$

Since $(u_\ell)_i \in \mathbb{Z}$, $|(u_\ell)_i|_p \leq 1$, and the ultrametric inequality gives

$$||u_\ell^\top x - b|_p - |r'_\ell|_p| \leq |x_i - b|_p.$$

Thus the total interaction increase caused by changing coordinate i is at most

$$\sum_{\ell: (u_\ell)_i \neq 0} \gamma_\ell |x_i - b|_p.$$

By the assumed domination inequality, $L(x') < L(x)$. Repeating this coordinate-snapping step gives a point of D with smaller loss than any starting point outside D . Since D is finite, the global minimum is attained on D , and no global minimiser lies outside D .

On D , every unary sum is constant: exactly one term is zero and the rest are units. The second assumption says each interaction residual is either zero or a unit, so each signed interaction term is either 0 or $\sigma_\ell \gamma_\ell$. This proves the stated finite-domain form of $L|_D$. $\square$

Corollary 2 (Extension to $\mathbb{Q}_p^n$). *Under the assumptions of Theorem 1, view the same formula for L as an objective on $\mathbb{Q}_p^n$. It remains bounded below, attains its global minimum on D , and has no global minimiser outside D .*

Proof. Theorem 1 handles every coordinate in $\mathbb{Z}_p \setminus D_i$. If instead $|x_i|_p > 1$, then $|x_i - a|_p = |x_i|_p$ for every integer $a \in D_i$. Replacing x_i by any $b \in D_i$ decreases its unary sum by

$$\lambda_i (|D_i| |x_i|_p - (|D_i| - 1)) \geq \lambda_i |x_i|_p = \lambda_i |x_i - b|_p.$$

The interaction increase is bounded by $\sum_{\ell: (u_\ell)_i \neq 0} \gamma_\ell |x_i - b|_p$, exactly as in the theorem. The domination inequality therefore makes the replacement strictly improving. Snapping all coordinates first into $\mathbb{Z}_p$ and then into D proves the claim. In particular, every value of L is bounded below by the finite minimum attained on D . $\square$

Definition 2 (Synthetic dataset for list-colouring). *Let $V = \{1, \dots, n\}$, let $G = (V, E)$ be a finite graph, let $D_i \subseteq \{1, \dots, q\}$ be nonempty allowed sets, and fix a prime $p > q$. Define*

$$w_{ii} := 0, \quad w_{ij} := \begin{cases} 1, & \{i, j\} \in E, \\ 0, & \{i, j\} \notin E, \end{cases} \quad (i \neq j),$$

let $\Delta := \max_{i \in V} \sum_{j=1}^n w_{ij}$, and set $\lambda := 1 + \Delta$. Writing $e_1, \dots, e_n$ for the standard basis vectors of $\mathbb{Z}^n$, define

$$\mathcal{S}^+ := \{(+1, e_i, a, \lambda) : i \in V, a \in D_i\},$$

$$\mathcal{S}^- := \{(-1, e_i - e_j, 0, 1) : 1 \leq i < j \leq n, w_{ij} = 1\}.$$

Set $\mathcal{S} := \mathcal{S}^+ \sqcup \mathcal{S}^-$.

The theorem is stated for a simple graph, so $w_{ij} \in \{0, 1\}$. An edge-weighted version is obtained by replacing the unit negative observation on edge $\{i, j\}$ with weight $c_{ij} > 0$ and choosing the pinning weight larger than $\max_i \sum_j c_{ij}$, but the binary case is the one needed here.

Definition 3 (Loss associated with the list-colouring dataset). *For $\mathcal{S}$ as in Definition 2, define*

$$L_{\mathcal{S}}(x) = \lambda \sum_{i=1}^n \sum_{a \in D_i} |x_i - a|_p - \sum_{1 \leq i < j \leq n} w_{ij} |x_i - x_j|_p.$$

This dataset has exactly $\sum_{i=1}^n |D_i|$ positive observations and $|E|$ negative observations, so it is computable in time $O(\sum_i |D_i| + |E|)$. The positive observations pin coordinates to allowed values, and the negative observations reward inequality across edges.

Each positive observation $(+1, e_i, a, \lambda)$ contributes $\lambda|x_i - a|_p$ to the loss, and each negative observation $(-1, e_i - e_j, 0, 1)$ contributes $-|x_i - x_j|_p$ to the loss. Summing them yields the displayed loss. The size bound and runtime are immediate from the explicit definitions.

The compiler template already implies that minimisers snap to the finite alphabet, because the pinning weight is larger than the degree of every vertex. The next proof records the stronger fact needed for all-different systems: after snapping, the objective is exactly a constant plus the edge-conflict count.

4.1 Correctness

Since $p > q$, the residues of $1, \dots, q$ are distinct modulo p . In particular, for any fixed $i \in V$ and any $t \in \mathbb{Z}_p$, there is at most one $a \in D_i$ with $t \equiv a \pmod{p}$.

First we record the simple observation that, on $\{1, \dots, q\}$, the p -adic norm detects inequality exactly.

Lemma 1 (Edge terms become inequality indicators on the domain). *If $x_i, x_j \in \{1, \dots, q\}$ and $p > q$, then*

$$|x_i - x_j|_p = \begin{cases} 0, & x_i = x_j, \\ 1, & x_i \neq x_j. \end{cases}$$

Proof. If $x_i = x_j$ then the difference is zero. If $x_i \neq x_j$, then $1 \leq |x_i - x_j| \leq q - 1 < p$, so $p \nmid (x_i - x_j)$ and therefore $|x_i - x_j|_p = 1$. $\square$

We next prove a digit-snapping lemma: if x minimises L_S , then each coordinate x_i lies in D_i . The explicit unary-well formula makes that argument transparent.

Lemma 2 (Unary wells). *For $i \in V$, define*

$$U_i(t) := \sum_{a \in D_i} |t - a|_p \quad (t \in \mathbb{Z}_p).$$

Then $U_i(t) \geq |D_i| - 1$, with equality if and only if $t \in D_i$.

Proof. If $t \in D_i$, then one summand in $U_i(t)$ is 0, and the remaining $|D_i| - 1$ summands are 1, so $U_i(t) = |D_i| - 1$.

If $t \notin D_i$ but $t \equiv b \pmod{p}$ for some $b \in D_i$, then $0 < |t - b|_p < 1$, while for every $a \in D_i \setminus \{b\}$ we have $t - a \equiv b - a \not\equiv 0 \pmod{p}$, so $|t - a|_p = 1$. Hence

$$U_i(t) = (|D_i| - 1) + |t - b|_p > |D_i| - 1.$$

If t is congruent modulo p to no element of D_i , then $|t - a|_p = 1$ for all $a \in D_i$, so $U_i(t) = |D_i| > |D_i| - 1$. $\square$

Lemma 3 (Digit-snapping lemma). *Let $x \in \mathbb{Z}_p^n$. Suppose there exists $i \in V$ with $x_i \notin D_i$. Choose $b \in D_i$ as follows: if x_i is congruent modulo p to an element of D_i , take that unique element; otherwise choose any $b \in D_i$. Let x' be obtained from x by replacing x_i with b . Then*

$$L_S(x') < L_S(x).$$

Proof. The positive part of the loss changes by

$$\lambda \left(\sum_{a \in D_i} |b - a|_p - \sum_{a \in D_i} |x_i - a|_p \right).$$

There are two cases to consider.

If x_i is congruent modulo p to no element of D_i , then $|x_i - a|_p = 1$ for every $a \in D_i$, so $\sum_{a \in D_i} |x_i - a|_p = |D_i|$. On the other hand, one summand in $\sum_{a \in D_i} |b - a|_p$ is 0 and the remaining $|D_i| - 1$ summands are 1, so $\sum_{a \in D_i} |b - a|_p = |D_i| - 1$. Hence the positive change is $-\lambda$. Since $|x_i - b|_p = 1$ in this case, this is at most $-\lambda|x_i - b|_p$.

If $x_i \equiv b \pmod{p}$ for some $b \in D_i$, then $\sum_{a \in D_i} |b - a|_p = |D_i| - 1$, whereas

$$\sum_{a \in D_i} |x_i - a|_p = (|D_i| - 1) + |x_i - b|_p.$$

Hence the positive change is $-\lambda|x_i - b|_p$.

For each $j \in V$, the corresponding negative component changes by

$$w_{ij}(|x_i - x_j|_p - |b - x_j|_p).$$

By the ultrametric inequality,

$$|x_i - x_j|_p \leq \max(|x_i - b|_p, |b - x_j|_p),$$

so

$$|x_i - x_j|_p - |b - x_j|_p \leq |x_i - b|_p.$$

Summing over all $j \in V$,

$$L_{\mathcal{S}}(x') - L_{\mathcal{S}}(x) \leq \left(-\lambda + \sum_{j=1}^n w_{ij} \right) |x_i - b|_p \leq -|x_i - b|_p < 0.$$

□

On domain-respecting assignments, the loss is an additive constant plus the conflict count.

Theorem 3 (Correctness of the synthetic reduction). *For the dataset $\mathcal{S} = \mathcal{S}^+ \sqcup \mathcal{S}^-$ from Definition 2 and the loss from Definition 3, every global minimiser of $L_{\mathcal{S}}$ lies in $\prod_{i=1}^n D_i$. On $\prod_{i=1}^n D_i$,*

$$L_{\mathcal{S}}(x) = \lambda \sum_{i=1}^n (|D_i| - 1) - |E| + \sum_{1 \leq i < j \leq n} w_{ij} \mathbf{1}_{x_i = x_j}.$$

Consequently, the global minimisers are exactly the domain-respecting assignments that minimise the conflict sum $\sum_{1 \leq i < j \leq n} w_{ij} \mathbf{1}_{x_i = x_j}$, or equivalently maximise the number of unequal edges. In particular, if the list-colouring instance $(G, (D_i)_{i=1}^n)$ is satisfiable, then this minimum conflict sum is 0, and the global minimisers are exactly its proper list-colourings.

Proof. By Lemma 3, any point with some coordinate outside its domain can be improved by snapping that coordinate into the domain. Therefore every global minimiser lies in $\prod_i D_i$. If $x \in \prod_i D_i$, then Lemma 2 gives $U_i(x_i) = |D_i| - 1$ for every i , and Lemma 1 gives

$$|x_i - x_j|_p = \mathbf{1}_{x_i \neq x_j} \quad (1 \leq i < j \leq n).$$

Since $\mathbf{1}_{x_i \neq x_j} = 1 - \mathbf{1}_{x_i = x_j}$ on every edge, substituting these identities into $L_{\mathcal{S}}$ yields the displayed formula. A global minimiser exists: $L_{\mathcal{S}}$ takes only finitely many values on the finite set $\prod_i D_i$,

and by the previous paragraph no point outside $\prod_i D_i$ can be a global minimiser, so the global minimum is attained on $\prod_i D_i$. There the displayed formula is an additive constant plus the conflict sum, so a domain-respecting assignment is a global minimiser if and only if it attains the least possible conflict sum; this is the stated “exactly” characterisation in both directions. In particular, if $(G, (D_i)_{i=1}^n)$ is satisfiable the least conflict sum is 0, and the global minimisers are exactly its proper list-colourings. $\square$

Corollary 4. *Any finite-domain all-different constraint system can be encoded, in polynomial time, as a signed weighted synthetic p -adic residual objective whose global minimisers are exactly the domain-respecting assignments with minimum conflict count. If the constraint system is satisfiable, these minimisers are exactly its satisfying assignments.*

Proof. Relabel the union of the explicitly listed domain values by $\{1, \dots, q\}$, preserving equality across domains. Here $q \leq \sum_i |D_i|$. Choose a prime $p > q$ (for $q > 1$, Bertrand’s postulate gives one below $2q$); because q is bounded by the explicit input length, scanning this interval with deterministic primality testing is polynomial in that input length. Form the primal graph: the vertices are the variables, and two variables are adjacent if they appear together in some all-different constraint. The satisfying assignments are exactly the proper list-colourings of this graph, with the variable domains as lists, and the minimum-conflict assignments are exactly the domain-respecting assignments minimising the corresponding deduplicated edge-conflict sum. Apply Definitions 2 and 3, and Theorem 3. $\square$

Discrete-metric variant. The same synthetic dataset also works with the discrete metric

$$d_{\text{disc}}(s, t) := \mathbf{1}_{s \neq t}.$$

If each residual $|u^\top x - b|_p$ is replaced by $d_{\text{disc}}(u^\top x, b)$, then the loss becomes

$$L_S^{\text{disc}}(x) = \lambda \sum_{i=1}^n \sum_{a \in D_i} \mathbf{1}_{x_i \neq a} - \sum_{1 \leq i < j \leq n} w_{ij} \mathbf{1}_{x_i \neq x_j}.$$

The unary wells satisfy

$$U_i^{\text{disc}}(t) := \sum_{a \in D_i} \mathbf{1}_{t \neq a} = \begin{cases} |D_i| - 1, & t \in D_i, \\ |D_i|, & t \notin D_i. \end{cases}$$

Hence replacing any $x_i \notin D_i$ by a value $b \in D_i$ decreases the positive part by exactly λ , while the total increase in the negative part is at most $\sum_j w_{ij} \leq \Delta$. Since $\lambda = 1 + \Delta$, the same snapping argument goes through. Therefore the conclusions of Theorem 3 and Corollary 4 remain valid for the discrete metric as well. The p -adic case remains the main one because it realises the same indicator behaviour inside the affine p -adic regression framework used throughout the paper.

Boolean clause rewards. Let

$$\Phi = \bigwedge_{r=1}^m C_r$$

be a CNF formula on variables $z_1, \dots, z_n$, with every clause of width at most k , and encode truth values by

$$x_i = 0 \iff z_i \text{ is true}, \quad x_i = 1 \iff z_i \text{ is false}.$$

For a literal λ on variable z_i , define its failure indicator by

$$\delta(\lambda; x) = \begin{cases} x_i, & \lambda = z_i, \\ 1 - x_i, & \lambda = \neg z_i. \end{cases}$$

For a clause $C = (\lambda_1 \vee \dots \vee \lambda_s)$, where $s \leq k$,

$$C(x) \text{ is false} \iff \sum_{j=1}^s \delta(\lambda_j; x) = s.$$

After moving constants to the right-hand side, this means that there are $u_C \in \mathbb{Z}^n$ and $t_C \in \mathbb{Z}$ such that

$$C(x) \text{ is true} \iff u_C^\top x \neq t_C.$$

Here u_C records the ± 1 literal coefficients, and $t_C = s - \nu_C$, where ν_C is the number of negated literals in the clause. The translation is mechanical: a positive literal contributes $+x_i$, a negated literal contributes $-x_i$, and the forbidden right-hand side is $s - \nu_C$. For example,

$$(z_1 \vee z_2 \vee \neg z_3) \rightsquigarrow x_1 + x_2 - x_3 \neq 2.$$

If $p > k$ and $x \in \{0, 1\}^n$, then $u_C^\top x - t_C$ is 0 when C is false and belongs to $\{-1, \dots, -s\}$ when C is true, so

$$|u_C^\top x - t_C|_p = \mathbf{1}_{C(x) \text{ is true}}.$$

Thus a negative observation $(-1, u_C, t_C, 1)$ rewards satisfaction of the clause. If Δ is the maximum number of clauses containing any variable and $\alpha > \Delta$, then

$$L_\Phi(x) = \alpha \sum_{i=1}^n (|x_i|_p + |x_i - 1|_p) - \sum_{C \in \Phi} |u_C^\top x - t_C|_p$$

has the same snapping property as before: every global minimiser lies in $\{0, 1\}^n$, and on Boolean assignments

$$L_\Phi(x) = \alpha n - \text{sat}_\Phi(x).$$

So the global minimisers are exactly the assignments that maximise the number of satisfied clauses. Unlike the earlier ordinary summed 2-adic MAX-CUT reduction [2], this construction uses a signed objective; its 3-CNF specialisation assumes $p > 3$.

General false labels. Nothing above requires the false value to be 1 for every variable. Encode $z_i = \text{false}$ by any $b_i \equiv 1 \pmod{p}$, not necessarily distinct, keep the ± 1 literal coefficients, take as the forbidden target the sum of the positive literals' labels, and replace the Boolean wells by $|x_i|_p + |x_i - b_i|_p$. On Boolean-labelled assignments the clause residual equals minus the sum of the false labels of the satisfied literals: zero when the clause is falsified, and otherwise a sum of at most $k < p$ labels congruent to 1, hence a unit. The snapping and domination arguments are unchanged because every integer norm is at most 1. The uniform label $b_i = 1$ is the degenerate member of this family, and the experiments in this paper use it; Section 3.3 describes the member $b_i = 1 + p2^i$, which leaves the loss landscape identical while making each residual value identify the satisfied literals of its clause.

Corollary 5 (NP-hardness at a fixed prime). *The threshold decision problem for signed affine p -adic residual objectives is NP-hard already for the fixed prime $p = 5$; consequently, so is global minimisation.*

Proof. Apply the construction above to a 3-CNF formula, with $p = 5$ and $\alpha = \Delta + 1$. Its minimum is at most the threshold $\alpha n - m$ if and only if all m clauses can be satisfied. This is a polynomial-time reduction from 3-SAT to the threshold problem. $\square$

Signed versus positive complement encodings. The signed construction is more compact rather than uniquely expressive. For the uniform label $b_i = 1$, the same clause can be encoded positively through its failure sum

$$s_C(x) := \sum_{j=1}^s \delta(\lambda_j; x)$$

and the allowed set $S_C = \{0, \dots, s-1\}$. For $S \subseteq \{0, \dots, s\}$, set

$$W_S(t) = \sum_{a \in S} |t - a|_p.$$

When $p > s$ and $t \in \{0, \dots, s\}$, the positive term $W_{S_C}(t)$ equals $s-1$ on the satisfying values $0, \dots, s-1$ and s on the forbidden value s . It therefore encodes exactly the same clause penalty using s positive observations. By contrast, the signed encoding uses one negative observation for the single forbidden affine equality. Filling the missing positive well at s makes the positive sum constant, which illustrates the complement relationship. The contribution of the signed form is the direct one-row representation of a small forbidden set, together with the coordinatewise domination theorem that keeps its negative reward bounded and snaps variables to their domains.

4.2 Comparison with the Archimedean case

The hypotheses of Theorem 1 are genuinely non-Archimedean. If we try to transplant the construction to $\mathbb{R}$ by scoring the same signed data with squared residuals,

$$L_{\mathbb{R}}(x) = \sum_{\ell} \sigma_{\ell} \gamma_{\ell} (u_{\ell}^{\top} x - b_{\ell})^2, \quad x \in \mathbb{R}^n$$

it fails for two independent reasons.

First obstruction: unboundedness. $L_{\mathbb{R}}$ is a quadratic function whose leading form is $x^{\top} Q x$ with $Q = \sum_{\ell} \sigma_{\ell} \gamma_{\ell} u_{\ell} u_{\ell}^{\top}$. Such a function is bounded below on $\mathbb{R}^n$ if and only if Q is positive semidefinite and the linear part vanishes on $\ker Q$. Boundedness is therefore governed by global spectral and null-space conditions on the entire design, rather than by a termwise bound on the residuals, and a sufficiently weighted negative row makes Q indefinite. In particular, the coordinatewise domination hypothesis of Theorem 1 is unsound over $\mathbb{R}$. Take $n = 2$, pin each variable to the singleton domain $\{0\}$ with weight λ , and reward their inequality with one negative row:

$$L_{\mathbb{R}}(x_1, x_2) = \lambda x_1^2 + \lambda x_2^2 - \gamma (x_1 - x_2)^2.$$

Along the line $x_1 = -x_2 = t$ this equals $2(\lambda - 2\gamma)t^2$, so the choice $\lambda = 3$, $\gamma = 2$ satisfies the domination condition $\lambda > \gamma$ while $L_{\mathbb{R}} \rightarrow -\infty$; recentring the wells at nonzero values changes only lower-order terms. (The p -adic compilation of the same contradictory two-variable system is bounded and returns its minimum-conflict assignment, as in Section 5.) Adding linear inequality constraints to make the real problem well posed does not remove the computational obstruction: minimising a quadratic function with a single negative eigenvalue under linear inequality constraints is NP-hard [3].

Second obstruction: no exact pinning. Convexity defeats the pinning rows before any negative weight appears. Score the pinning rows of a Boolean coordinate, $D_i = \{0, 1\}$, with squared residuals: the unary well becomes $\lambda(t^2 + (t-1)^2)$, minimised at the mean $t = \frac{1}{2}$ — in neither well. Increasing λ simply keeps t closer to $\frac{1}{2}$, as perturbations from other data points

have less effect. The same holds for any finite domain: the convex analogue $\sum_{a \in D_i} (t - a)^2$ of the unary well is minimised at the mean of D_i , rather than precisely on every point of D_i . More generally, the minimiser set of a convex function is convex, so no convex separable penalty can pin a real variable exactly to a finite non-singleton domain. Even where the real penalty method does work — a singleton domain, i.e. an equality constraint — the quadratic penalty is only asymptotically exact: at any finite weight the remaining rows drag the minimiser off the constraint, and exactness requires $\lambda \rightarrow \infty$. The domination threshold of Theorem 1 is, by contrast, a finite weight that pins exactly. Exact pinning over $\mathbb{R}$ already requires nonconvex multiwell penalties before any negative weight appears.

Over $\mathbb{Z}_p$ both obstructions disappear at once. Each residual norm lies in $[0, 1]$, so for every $x \in \mathbb{Z}_p^n$,

$$- \sum_{\ell: \sigma_\ell = -1} \gamma_\ell \leq L(x) \leq \sum_{\ell: \sigma_\ell = +1} \gamma_\ell,$$

a two-sided bound that holds term by term, for every configuration of signs and weights: a negative row is a bounded reward, not a source of indefiniteness. At the same time the unary sum $\sum_{a \in D_i} |t - a|_p$ is minimised exactly on D_i (Lemma 2), so multiwell pinning is available inside the affine residual class itself. These two facts are what make the coordinatewise condition of Theorem 1 an exact penalty: the strong triangle inequality caps the effect of any single-coordinate change on every interaction row, so a pinning weight above the incident interaction weight dominates all rewards simultaneously.

Unlike $\mathbb{R}$, away from its zero hyperplane the map $x \mapsto |u^\top x - b|_p$ is locally constant, so the loss offers no gradient and no notion of a residual being “nearly” zero; this is why Zubarev proposes random-walk rather than gradient dynamics for p -adic losses [14]. The boundedness that licenses signed weights and the flatness that starves local search are two faces of the same non-Archimedean absolute value; Appendix D analyses a concrete instance of the latter for the powers-of-two encoding.

5 Unsatisfiable instances

Consider what happens when the instance has no proper list-colouring: there the global minimisers are the domain-respecting assignments of least conflict count. For example, take the triangle K_3 with all three lists equal to $\{1, 2\}$. No proper 2-colouring of K_3 exists, so every domain-respecting assignment leaves at least one edge monochromatic. Here $\Delta = 2$, so $\lambda = 3$, and by Theorem 3 the global minimisers are exactly the assignments with a single conflict, at loss $\lambda \sum_i (|D_i| - 1) - |E| + 1 = 3 \cdot 3 - 3 + 1 = 7$. This Max-CSP regime is distinct from the satisfiable case.

If a best-effort solution should treat some constraints as more important than others, assign them correspondingly higher or lower losses. Replacing the unit reward on an edge e by a weight $w_e > 0$, and raising each pinning weight λ_i above the total weight incident on coordinate i , gives the weighted minimum-conflict objective by the same domination argument.

6 Sudoku as a special case

Sudoku has standard exact-cover, constraint-programming, and SAT formulations [10, 11, 12], and puzzle variants have their own complexity theory [13]. The construction below is not meant to compete with those solvers. Sudoku is used because its variables, domains, and all-different constraints are small enough to write out explicitly. We then perform experiments with stochastic optimisation methods from the p -adic regression literature on a small sample of randomly carved Sudoku instances.

6.1 Sudoku

A (standard) Sudoku puzzle consists of a partially filled 9×9 grid. The task is to assign a digit in $\{1, \dots, 9\}$ to each empty cell such that:

1. each row contains all digits $1, \dots, 9$ exactly once;
2. each column contains all digits $1, \dots, 9$ exactly once; and
3. each 3×3 box contains all digits $1, \dots, 9$ exactly once.

Equivalently, in each unit (row, column, box) all entries are *pairwise distinct* and each entry lies in $\{1, \dots, 9\}$.

Standard Sudoku fits Corollary 4 directly. The vertices are the 81 cells, two vertices are adjacent when the corresponding cells share a row, column, or 3×3 box, unclued cells have domain $\{1, \dots, 9\}$, and clue cells have singleton domains. A proper list-colouring of this graph is exactly a valid Sudoku completion.

The Sudoku facts below are direct corollaries of the unary-well and edge-indicator lemmas. We state them before writing the concrete objectives.

6.2 Positive pinning: snapping coefficients to digits

Let $D = \{1, 2, \dots, 9\} \subset \mathbb{Z}_p$, and write the Sudoku variables as a vector

$$x \in \mathbb{Z}_p^{81},$$

with one coefficient per cell.

Definition 4 (Sudoku digit-snapping penalty). *For $p > 9$, define the digit-snapping penalty*

$$U_D(t) := \sum_{k=1}^9 |t - k|_p.$$

By Lemma 2 applied to the common domain D , one has $U_D(t) \geq 8$ for every $t \in \mathbb{Z}_p$, with equality if and only if $t \in D$.

The unary term is the nine-valued specialisation of the arbitrary-residue positive wells in Mihara's general forcing theorem [17]: the observations $t = k$ for all $k \in D$ create a multi-well objective with minima exactly at D . The additional signed terms below reward pairwise inequality and produce the Sudoku/list-colouring objective.

6.3 Negative signed residual terms: rewarding inequality via p-adic norms

The remaining Sudoku constraints are that entries in each row/column/box are pairwise unequal. Pairwise inequality can be encoded using differences $x_i - x_j$.

Corollary 6 (Sudoku differences as inequality indicators). *Let $p > 9$ and $a, b \in D$. Then*

$$|a - b|_p = \begin{cases} 0 & a = b, \\ 1 & a \neq b. \end{cases}$$

Proof. This is Lemma 1 with $q = 9$. □




Figure 3: The 20 distinct peers of cell x : eight cells in the same row, eight in the same column, and four additional cells in the same 3×3 box.

6.4 Minimal and expanded residual objectives

Let $\mathcal{P}$ be the set of cell-pairs (i, j) that share an exclusion constraint (same row, same column, or same box). Let $\mathcal{C}$ be the set of given clues; for $i \in \mathcal{C}$ let $g_i \in D$ be the fixed digit.

Specialising Definitions 2 and 3, together with Theorem 3, to the Sudoku graph gives the minimal synthetic dataset

$$L_{\min}(x) = \alpha \sum_{i \notin \mathcal{C}} \sum_{k=1}^9 |x_i - k|_p + \alpha \sum_{i \in \mathcal{C}} |x_i - g_i|_p - \sum_{(i,j) \in \mathcal{P}} |x_i - x_j|_p. \quad (1)$$

A separate coefficient on the pairwise term is unnecessary here: any positive edge weight can be scaled out, so we normalise that coefficient to 1. Each cell appears in 20 pairs: the 8 row disequalities, the 8 column disequalities and the other 4 disequalities in its box. (See Figure 3.)

Thus α itself can play the role of the general pinning weight λ , and any choice $\alpha > 20$ satisfies the domination condition from Theorem 3. The minimal dataset therefore contains $9(81 - |\mathcal{C}|) + |\mathcal{C}| = 729 - 8|\mathcal{C}|$ positive observations and 810 negative observations. This is the formulation used in the correctness statements below.

For exposition, we also use the redundant expanded objective

$$L(x) = \alpha \sum_{i=1}^{81} \sum_{k=1}^9 |x_i - k|_p + \alpha_{\text{clue}} \sum_{i \in \mathcal{C}} |x_i - g_i|_p - \sum_{(i,j) \in \mathcal{P}} |x_i - x_j|_p. \quad (2)$$

Equation (2) keeps the nine digit-well residuals visible even on clue cells and then adds the clue pins separately. It therefore contains $729 + |\mathcal{C}|$ positive observations and the same 810 negative observations. The first two sums are positive pinning terms, and the final sum is a negative pairwise reward term. Equivalently, counting peer pairs per unit gives $27 \binom{9}{2} = 972$ negative terms, but 162 of these pairs lie simultaneously in a row/column *and* a box, leaving 810 distinct pairs overall.

This expanded form needs an explicit clue-weight assumption. On a clue cell, the first sum in (2) has the same value 8α for every digit $x_i \in D$, so clue fidelity is enforced only by $\alpha_{\text{clue}} |x_i - g_i|_p$. The same domination argument applies to (2) when $\alpha_{\text{clue}} > 20$; the simplest choice is $\alpha_{\text{clue}} = \alpha = 21$. Under that extra condition, (2) is a redundant expanded form of (1).

Design choice: clues as data. A conventional discrete-optimisation model would substitute the clue digits and optimise over the unclued cells alone. Both objectives instead keep all 81 coordinates and enforce clues through heavily weighted unary rows, because the paper frames completion as regression: the coefficient space $\mathbb{Z}_p^{81}$ and the row schema are then fixed once for all puzzles, and editing a clue changes observations rather than the variable space, just as changing a dataset does not change a regression model class. Nothing is lost by this choice: the domination theorem absorbs the substitution view as the special case of singleton domains, and on clue-consistent states both formulations induce the same conflict count. The expanded form (2) makes the reading visible by separating the puzzle-independent digit wells from the clue rows.

Once x is digit-valued, the pairwise part is simply

$$- \sum_{(i,j) \in \mathcal{P}} |x_i - x_j|_p = -|\mathcal{P}| + \sum_{(i,j) \in \mathcal{P}} \mathbf{1}_{x_i=x_j}.$$

For the minimal objective on domain-respecting states, and for the expanded objective on digit-valued, clue-consistent states, the remaining terms are constant. In those regimes the loss differs from the *deduplicated* peer-conflict count only by an additive constant. The heuristics below do not optimise that deduplicated peer objective directly: on the row-permutation state space they use a duplicated unit-scope column/box surrogate that counts conflicts separately inside each column and each box. That surrogate is described in Section 8 and Appendix B.

Corollary 7 (Sudoku completion as a special case). *Let G_{Sud} be the graph on the 81 cells of a Sudoku puzzle, with an edge between two cells exactly when they share a row, column, or 3×3 box. For a puzzle with clue set $\mathcal{C}$ and clue digits g_i , define*

$$D_i := \begin{cases} \{g_i\}, & i \in \mathcal{C}, \\ \{1, \dots, 9\}, & i \notin \mathcal{C}. \end{cases}$$

Assume $\alpha > 20$. Then every global minimiser of the minimal objective (1) is a clue-respecting digit assignment that minimises the peer-conflict count. In particular, if the Sudoku instance is satisfiable, the global minimisers are exactly the valid completions of the puzzle.

Proof. Each row, column, and box of Sudoku forms a clique of size 9 in G_{Sud} . Thus a proper list-colouring assigns pairwise distinct digits in each unit. Since the available values are exactly $\{1, \dots, 9\}$, pairwise distinctness in a unit is equivalent to containing every digit exactly once. The singleton domains enforce the clues. Apply Theorem 3. $\square$

In the deduplicated peer graph, every cell has degree 20, so Theorem 3 requires $\alpha > 20$ for the minimal objective (1); $\alpha = 21$ is enough. For the expanded objective (2), the same claim requires $\alpha_{\text{clue}} > 20$, because the all-digit wells are constant on clue cells. If one instead counts row, column, and box overlaps separately, each cell has $8 + 8 + 8 = 24$ incident negative terms, and the safe unary bound becomes > 24 .

7 Representational parsimony

A standard SAT or exact-cover lift introduces Boolean variables

$$y_{r,c,d} \in \{0, 1\},$$

with the intended meaning that cell (r, c) contains digit d . This produces $9 \times 9 \times 9 = 729$ indicators before any clues are applied. The p-adic construction instead uses an 81-cell digit space. This variable-level comparison is the main parsimony claim: one digit-valued parameter per semantic object rather than nine Boolean indicators per cell.

The minimal objective (1) is already a single scalar loss on that state space. The theorem-side expanded objective (2) contains 729 digit-snapping residuals, $|\mathcal{C}|$ clue residuals, and 810 pairwise residuals. A structured constraint-programming model with 81 cell variables and 27 *alldifferent* constraints is already semantically close to the puzzle, so the comparison here is not based on raw constraint count alone. The signed p -adic construction packages the all-different structure into one residual objective on the 81 cell variables.

Appendix D records an alternative encoding that maps digits to powers of two so that each row, column, or box contributes a single sum residual rather than pairwise terms. In local-search experiments on 50 benchmark puzzles, that encoding produced no successful solves: the search repeatedly stalled on loss plateaus.

8 Computations with the induced p -adic loss

We implemented two finite-state local-search solvers: a greedy row-swap search and a discrete Zubarev walk. We also implemented a Mihara-inspired last-digit (modulo- p) equality fit as a diagnostic comparison. Appendix B defines the solver loss, records the two algorithms and a locality lemma for row swaps, and gives traces on a standard puzzle.

The greedy solver simply counts integer conflicts: it does not evaluate a p -adic valuation numerically. On the digit-restricted state space this count is an exact integer representative of the induced zero-or-one residual loss, with column-box overlaps counted twice. The Zubarev solver uses the same induced loss through the Boltzmann transition rule $\exp(-\beta \Delta L)$; its finite implementation can likewise compute ΔL from integer conflicts because all relevant norms have already collapsed to indicators. The Mihara-inspired comparison instead performs modulo-19 last-digit equality fitting on a positive-only expansion: every negative peer row is replaced by the sixteen equalities for nonzero digit differences, and unary-row weights are preserved in the consensus score.

On a small sample of 18 randomly carved puzzles, the greedy and Zubarev solvers both completed every puzzle, giving 36 successful method-puzzle runs. The row-swap search used fewer steps on 14 of the 18 paired puzzles. Its median step counts were 537.5, 2784, and 7040 at 36, 30, and 26 clues, versus 4533.5, 8751.5, and 9911 for the Zubarev walk. Appendix C gives the experimental setup, full table, and a representative loss curve. These proof-of-concept experiments show only that both finite-state procedures can reach completions in this sample; they are not a solver benchmark. The Mihara-inspired solver is not included among the 36 solver runs, since it did not successfully solve any of the sample puzzles.

The solver is available at <https://padic-logic.symmachus.org/> (with source code at <https://github.com/solresol/padic-logic>); a screenshot appears in Figure 4. The code that ran these experiments is at <https://github.com/solresol/sudoku-padic-regression>.



Figure 4: Screenshot of <https://padic-logic.symmachus.org/>: the Sudoku route after a row-swap run reaches a valid completion. The native 81-cell grid, the 1,299-row signed objective summary, the theoretical-floor equality, and the zero-conflict search result.

9 Related work

From the constraint-programming side, the finite-domain objective is a valued-CSP or Max-CSP penalty function [4]. Replacing a global *alldifferent* constraint by a clique of pairwise inequalities preserves its solutions but not the stronger propagation of a matching-based global constraint [5]. On the finite domain, the list-colouring objective is the zero-temperature antiferromagnetic Potts energy with local list constraints [6]; related discrete problems are often mapped to Ising or QUBO objectives [7]. The local-search experiments are closest algorithmically to min-conflicts repair search [8] and to Lewis’s metaheuristic Sudoku study [9], whose simulated annealing keeps each 3×3 box as a permutation of $1, \dots, 9$ and swaps two non-clue cells within a box; the heuristics in Appendix B make the analogous choice with rows as the permutation unit. Sudoku itself is routinely formulated using exact cover, SAT, or *alldifferent* constraints [10, 11, 12]. Martins gives a broader recent account of learning primitives over p -adic spaces [15]; the present construction specialises instead to signed affine objectives that compile finite-domain constraints.

10 Conclusion

Signed p -adic residuals have a direct finite-domain role. Positive synthetic terms pin variables to a finite set; after that, negative terms are bounded rewards for inequality or clause satisfaction.

Sudoku is a finite-domain case study in which the variables, domains, and all-different constraints are explicit. All-different systems admit polynomial-time encodings whose global minimisers are the domain-respecting minimum-conflict assignments, and in the satisfiable case exactly the satisfying assignments.

The same signed-residual construction is not limited to pairwise inequality. After Boolean pinning, every clause of width less than p becomes one forbidden affine equality, so a single signed term rewards its satisfaction. A positive-only affine encoding can represent the same finite-domain penalty by listing all allowed residual values; the signed formulation’s advantage is the compact one-row representation of the forbidden complement within that affine class. Section 3.3 shows how variables can receive distinct false labels whose residual values identify the satisfied literals without changing the loss landscape. No optimisation or verification advantage is claimed for these labellings.

The companion site, <https://padic-logic.symmachus.org/>, lets readers trace a Boolean CSP from clauses to forbidden affine equalities and a signed residual dataframe, or compile an editable Sudoku into its 1,299-row objective and watch search reach the theoretical floor.

A Mihara’s digitwise regression and positive complement expansion

Mihara’s forcing theorem [17] considers a product $C = \prod_i B_i$ of residue sets, a nonnegative base objective satisfying a concentration condition near C , and a positive unary forcing term whose weight M exceeds the base objective’s range on C . The forced objective has the same optima on C ; specialising the construction to affine residual data proves ordinary positive p -adic linear regression NP-hard for every fixed prime.

	Mihara’s forcing theorem	Signed affine compiler here
Base terms	Nonnegative p -adic optimisation concentrated near a product of residue sets	Signed affine residuals that are zero or units on the target finite domain
Pinning condition	One forcing scale M above the base objective’s range on the finite set	Coordinatewise λ_i above the absolute incident interaction weight
Off-domain control	Concentration plus positive unary forcing	Ultrametric Lipschitz bound for positive and negative interaction rows
Finite-domain role	Preserve the base objective’s optima on C	Realise equality, inequality, and forbidden-hyperplane indicators exactly
Main consequence	Positive linear regression NP-hard for each fixed prime	Compact complement encoding and exact minimum-conflict characterisation

Table 6: Comparison with Mihara’s generalisation of Baker forcing [17]. The two results share finite-domain pinning but use different hypotheses to control the remaining objective.

Mihara’s linear-regression algorithm is described in [16]. For his digitwise regression algorithm, the data are samples

$$(\vec{x}_i, y_i) \in \mathbb{Z}_p^D \times \mathbb{Z}_p$$

from a single hidden affine graph

$$y = \langle c, \vec{x} \rangle,$$

with digitwise noise. Writing

$$I_e = \{i : y_i - \langle c, \vec{x}_i \rangle \in p^e \mathbb{Z}_p\},$$

the method estimates $c \bmod p^E$ recursively: first solve a modulo- p linear-regression problem to estimate $c \bmod p$, subtract that digit, divide residuals by p , restrict to the samples in I_1 , and repeat. The probabilistic argument relies on a large, sufficiently random sample from the hidden affine graph, a small digitwise corruption rate such as

$$\frac{|I_e \setminus I_{e+1}|}{|I_e|} \leq r \ll \frac{1}{2},$$

and the condition that the noise-free samples have the right affine hull modulo p at each digit step.

Each finite-field elimination, consistency check, and dataset scan between random draws is polynomial-time. The complete published procedure is not worst-case polynomial-time: Algorithm 6 has an outer **while True** restart loop, while its sampling subroutines have no polynomial bound on the number of random draws. Mihara explicitly notes that the process need not terminate and reports one $D = 100$, $r = 0.1$ experiment in which it had not terminated after 1,700 initialisations. The probability analysis gives useful expected behaviour when the

random-sampling, affine-hull, and noise assumptions hold; it does not provide a polynomial termination guarantee for arbitrary input data.

Those assumptions do not directly match the signed Sudoku construction. In this paper the unknowns x_i are the cell values themselves, not coefficients of an observed response law. The residual rows are exact synthetic constraints chosen by the modeller: unary wells pin cells to allowed digits, while negative residuals $-|x_i - x_j|_p$ reward inequality across peer edges. After digit snapping, the problem is a finite-domain conflict-minimisation problem. There is no naturally sampled response vector Y , no hidden coefficient vector c , and no large noise-free affine locus whose graph is assumed to have generated the observations.

For a finite-domain negative row, however, there is an exact positive-only reformulation. Let

$$S = \{u^\top x : x \in C\}$$

be the attainable affine values on the forced finite domain C , and let $t \in S$ be the forbidden target. When distinct elements of S remain distinct modulo p ,

$$\sum_{s \in S \setminus \{t\}} |u^\top x - s|_p = (|S| - 1) - |u^\top x - t|_p, \quad x \in C.$$

Indeed, at $u^\top x = t$ all $|S| - 1$ positive rows contribute one, whereas at an allowed value exactly one complementary row vanishes. Thus the positive family has exactly the same minimisers as the original negative row, differing only by the constant $|S| - 1$.

For a CNF clause, $S_C = \{u_C^\top x : x \in \{0, 1\}^n\}$ contains at most one more value than the clause width. Replacing the forbidden row $u_C^\top x = t_C$ by the positive rows $u_C^\top x = s$ for $s \in S_C \setminus \{t_C\}$ is therefore a polynomial-size expansion. Together with the positive weighted Boolean wells, it gives Mihara’s modulo- p stage a positive-only weighted-consensus dataset: a satisfying clause contributes one unit of inlier weight, while a failed clause contributes none. The original signed row is retained for reporting $v_p(u_C^\top x - t_C)$, its norm, and its signed contribution to the displayed loss.

For a Sudoku peer row, $S = \{-8, -7, \dots, 7, 8\}$ and the forbidden target is 0. The positive complement therefore contains the sixteen equalities $x_i - x_j = s$ with $s \neq 0$. Choosing $p = 19$ keeps those integer differences distinct modulo p . On digit states an unequal peer satisfies exactly one complementary equality and an equal peer satisfies none.

The companion website uses the positive complement expansion in both its Boolean-CSP and Sudoku Mihara modes. For Sudoku it plots two histories: the non-increasing positive-consensus loss used to select fits and the original signed objective used only as an audit. A better consensus fit can still be off-domain or violate clues, and the signed audit need not decrease. The interface therefore continues fresh starts until a decoded vector satisfies the original constraints or the user stops it. It treats the procedure as an unbounded-restart heuristic rather than a polynomial-time solver. A method guaranteed to solve every compiled instance in polynomial time would decide the NP-hard threshold problem of Corollary 5; Mihara’s algorithm makes no such guarantee.

B Heuristic details

B.1 Row-swap local search

To keep local updates cheap, the greedy implementation does not evaluate (2) or any p -adic valuation numerically. Instead, on the digit-valued, clue-consistent row-permutation state space it minimises the duplicated unit-scope column/box conflict count

$$H_{\text{cb}}(x) := \sum_{c=1}^9 \text{conf}(C_c; x) + \sum_{b=1}^9 \text{conf}(B_b; x),$$

Algorithm 1 Row-swap local search

Require: Puzzle with clues $\mathcal{C}$, max steps T , restarts R

```
1: for  $r = 1$  to  $R$  do
2:   Initialise each row as a permutation of  $1, \dots, 9$  consistent with its clues
3:   for  $t = 1$  to  $T$  do
4:     if no column/box conflicts then
5:       return solution
6:     end if
7:     Choose a row involved in a conflict
8:     Find the best swap of two non-clue cells in that row (largest decrease in  $H_{cb}$ )
9:     Apply the swap (or a random swap if no improving swap exists)
10:  end for
11: end for
12: return best assignment found
```

where C_c and B_b are the cells in column c and box b , and

$$\text{conf}(U; x) := \sum_{d=1}^9 \binom{\#\{u \in U : x_u = d\}}{2}.$$

Because each row is kept as a permutation of $\{1, \dots, 9\}$, the corresponding row contribution is identically zero and is omitted. This duplicated unit-scope loss is close to, but not identical with, the deduplicated peer-conflict objective coming from $\mathcal{P}$: a conflicting pair that lies simultaneously in a column and a box is counted twice. For the seed-0 initialisation shown later in Figure 6, the deduplicated peer-conflict count is 47 whereas $H_{cb} = 56$, because nine conflicting pairs lie in both a column and a box.

The heuristics work directly on the digit-valued, clue-consistent row-permutation state space and minimise H_{cb} . Concretely, we initialise each row as a random permutation of $1, \dots, 9$ consistent with its clues, and then apply row-wise swaps that reduce H_{cb} . This is a block-local search on the integer state space. The state space and neighbourhood follow the standard metaheuristic Sudoku design of Lewis [9], with rows rather than boxes as the permutation unit; the search procedure itself is not a contribution of this paper.

Lemma 4 (Locality of row swaps). *Let x be a digit-valued, clue-consistent Sudoku state in which each row is a permutation of $1, \dots, 9$. Let ξ swap two non-clue entries in a single row r , at columns $c_1 \neq c_2$. Then the change*

$$\Delta H_{cb}(\xi) := H_{cb}(x \oplus \xi) - H_{cb}(x)$$

is determined entirely by the conflict-pair contributions from columns c_1 and c_2 , together with the one or two boxes containing (r, c_1) and (r, c_2) . No other term of the digit-restricted objective changes.

Proof. On the row-permutation state space, the heuristic objective is exactly H_{cb} , so only column and box contributions matter. A within-row swap preserves the row permutation, so the omitted row contribution remains zero. Every cell outside row r is unchanged, and within row r only the two swapped positions change value. Hence only the two corresponding columns can change their conflict counts. Likewise, only the boxes containing those two cells can change. All other columns and boxes see the same multiset of digits before and after the swap, so their contributions are unchanged. $\square$

5	3			7				
6			1	9	5			
	9	8					6	
8				6				3
4			8		3			1
7				2				6
	6					2	8	
			4	1	9			5
				8			7	9

Figure 5: Standard example puzzle used for the heuristic traces.

Step	Row	Swap (columns)	Swap (digits)	Type	Conflicts (before)	(after)
1	5	7 $\leftrightarrow$ 8	2 $\leftrightarrow$ 6	best	56	53
2	6	3 $\leftrightarrow$ 6	1 $\leftrightarrow$ 5	best	53	49
3	2	2 $\leftrightarrow$ 3	2 $\leftrightarrow$ 8	best	49	45
4	4	7 $\leftrightarrow$ 6	7 $\leftrightarrow$ 4	random	45	47
5	7	1 $\leftrightarrow$ 5	3 $\leftrightarrow$ 9	best	47	40
6	4	6 $\leftrightarrow$ 7	7 $\leftrightarrow$ 4	best	40	38
7	2	2 $\leftrightarrow$ 9	8 $\leftrightarrow$ 7	best	38	36
8	1	3 $\leftrightarrow$ 4	8 $\leftrightarrow$ 4	best	36	35

Table 7: First eight swap steps for the standard example puzzle (seed 0). The table records both the swapped column indices and the digits occupying those columns before each move. Rows and columns are 1-indexed.

B.2 Trace on a standard puzzle

To make the row-swap heuristic concrete, Figure 5 shows the standard example puzzle used in many Sudoku tutorials. With seed 0 (restart 0), the row-wise random initialisation used by the solver produces the filled grid in Figure 6; this state has 56 column/box conflict pairs. Table 7 shows the first few swaps from that initial state.

Step 2 illustrates the locality claim. After Step 1, row 6 contains

$$(7, 3, 1, 8, 2, 5, 4, 9, 6),$$

and the chosen move swaps the entries in columns 3 and 6, exchanging 1 and 5. By Lemma 4, only column 3, column 6, the box on rows 4–6 and columns 1–3, and the box on rows 4–6 and columns 4–6 need to be inspected. Before the swap these four units contribute

$$4 + 6 + 1 + 2 = 13$$

conflict pairs; afterwards they contribute

$$3 + 3 + 2 + 1 = 9.$$

Thus $\Delta H_{cb} = -4$, exactly as reported in Table 7. For this instance the solver reaches a full solution after 227 swaps on the same restart.

5	3	8	4	7	2	1	9	6
6	2	8	1	9	5	3	4	7
3	9	8	1	4	7	2	6	5
8	2	9	5	6	4	7	1	3
4	5	7	8	9	3	2	6	1
7	3	1	8	2	5	4	9	6
3	6	1	7	9	5	2	8	4
2	6	3	4	1	9	7	8	5
3	2	4	6	8	5	1	7	9

Figure 6: Seed-0 row-wise random initialisation (restart 0), before any swaps.

B.3 A discrete Zubarev walk

The row-swap heuristic above is tailored to the strong-snapping Sudoku setting. It is also natural to test a more generic training dynamic from the p -adic regression literature. In [14], Zubarev proposes a random-walk-based optimisation scheme for loss functions built from p -adic norms, precisely because such losses are locally constant almost everywhere and hence poorly served by gradient methods.

Concretely, the proposed training dynamics is a discrete-time random process

$$w_{t+1} = w_t + \xi_t(w_t, \beta_t), \quad (3)$$

where $\beta_t > 0$ is a “continuity” (inverse temperature) parameter and ξ_t is sampled from a distribution biased toward loss-decreasing moves. In Zubarev’s formulation the conditional law has density (with respect to the p -adic Haar measure)

$$P(\xi \mid w, \beta) \propto \exp(-\beta(L(w + \xi) - L(w))). \quad (4)$$

Under mild conditions (in particular, that the set of improving moves has nonzero measure), Zubarev shows there is a regime of β values for which the expected loss decreases, i.e. $L(w_t)$ is a strict supermartingale [14].

In the digit-restricted implementation used here, the state is already digit-valued, clue-consistent, and row-permuted. We therefore treat the Zubarev walk as a *finite-move* stochastic optimiser:

- The parameter vector w is the current Sudoku filling $x \in D^{81}$.
- The loss is the duplicated unit-scope column/box count $H_{\text{cb}}(x)$.
- A move ξ is a swap of two non-clue cells within a single row (preserving each row as a permutation of $1, \dots, 9$).

Replacing Haar measure and a continuous p -adic state space by counting measure on row swaps changes the hypotheses of Zubarev’s result. No supermartingale or convergence guarantee is claimed for the finite heuristic below; the Boltzmann weighting is used only as a motivated move-selection rule.

For a chosen row r and current state x , let $\Xi_r(x)$ be the set of all such swaps, and let $\Delta H_{\text{cb}}(\xi) := H_{\text{cb}}(x \oplus \xi) - H_{\text{cb}}(x)$ be the change in loss after applying swap ξ (where $x \oplus \xi$

Algorithm 2 Zubarev walk over row swaps (heuristic)

Require: Puzzle with clues $\mathcal{C}$, max steps T , restarts R , schedule $\{\beta_t\}_{t=1}^T$

- 1: **for** $r = 1$ to R **do**
- 2: Initialise each row as a permutation of $1, \dots, 9$ consistent with its clues
- 3: **for** $t = 1$ to T **do**
- 4: **if** no column/box conflicts **then**
- 5: **return** solution
- 6: **end if**
- 7: Choose a row involved in a conflict
- 8: Enumerate row swaps $\Xi_r(x)$ and compute $\Delta H_{\text{cb}}(\xi)$ for each $\xi \in \Xi_r(x)$
- 9: Sample $\xi \in \Xi_r(x)$ with probability $\propto \exp(-\beta_t \Delta H_{\text{cb}}(\xi))$
- 10: Apply swap ξ
- 11: **end for**
- 12: **end for**
- 13: **return** best assignment found

Step	Row	Swap (columns)	Conflicts (before)	(after)
1	5	$2 \leftrightarrow 8$	56	56
2	6	$7 \leftrightarrow 8$	56	56
3	2	$3 \leftrightarrow 7$	56	55
4	8	$2 \leftrightarrow 8$	55	51
5	4	$2 \leftrightarrow 3$	51	50
6	4	$6 \leftrightarrow 7$	50	51
7	2	$7 \leftrightarrow 8$	51	52
8	8	$3 \leftrightarrow 7$	52	49

Table 8: First eight Zubarev-walk swap steps for the standard example puzzle (seed 0). Rows and columns are 1-indexed.

denotes “apply the swap”). Replacing the Haar measure in (4) with the counting measure on the finite set $\Xi_r(x)$ gives the discrete sampling rule

$$\Pr(\xi \mid x, \beta_t) = \frac{\exp(-\beta_t \Delta H_{\text{cb}}(\xi))}{\sum_{\xi' \in \Xi_r(x)} \exp(-\beta_t \Delta H_{\text{cb}}(\xi'))}. \quad (5)$$

When $\beta_t \rightarrow 0$ this is uniform random swapping; when $\beta_t \rightarrow \infty$ it concentrates on the best (most loss-decreasing) swap, recovering a soft version of the greedy stepwise algorithm. In practice we use a simple annealing schedule: β_t increases linearly from β_0 to β_1 over the allotted steps, gradually shifting from exploration to exploitation.

B.4 Zubarev trace on the standard puzzle

Using the same standard example puzzle, the Zubarev walk (seed 0, restart 0, $\beta_0 = 0.5$, $\beta_1 = 6.0$ linear schedule) starts from the same row-consistent initialisation with 56 column/box conflict pairs. Unlike the greedy stepwise method, the walk sometimes accepts loss-increasing or loss-neutral swaps early on; Table 8 shows the first few moves. For this instance the Zubarev walk reaches a full solution after 10,029 swaps on the same restart.

C Illustrative experiments

We implemented both solvers above in JavaScript for the website and in pure Python; the experiment code is available at <https://github.com/solresol/sudoku-padic-regression>. The prime was set to $p = 11$, but in the digit-restricted regime the relevant residual norms are exactly zero-or-one indicators. The greedy solver evaluates the resulting integer conflict count H_{cb} directly. The Zubarev solver uses changes in the same induced loss in its Boltzmann probabilities; those changes can also be computed from H_{cb} without numerically calling a valuation routine. Thus the p -adic construction determines the finite-state loss, while the implementation uses its exact integer representation.

C.1 Experimental setup

To obtain a quick, reproducible testbed, we generated random puzzles by:

1. sampling a random solved grid; then
2. carving it down to a specified clue count by removing entries uniformly at random.

This procedure does *not* enforce uniqueness of the resulting puzzle. Since Theorem 3 characterises the entire set of global minimisers as the set of valid completions, a puzzle with several completions has several global minimisers, and the heuristics report whichever one their trajectory reaches first. Each carved puzzle was then solved with up to $T = 60,000$ steps and $R = 15$ random restarts. All results reported below use a fixed RNG seed (123) for reproducibility. The two methods receive the same 18 puzzle seeds and the same corresponding solve seeds, so their results are paired. There is only one solve seed per method–puzzle pair; the sample is not difficulty-normalised and supports no inferential performance claim.

The table can be regenerated from the repository root with the following commands:

```
python3 code/run_experiments.py --outdir outputs/paper_stepwise \
--seed 123 --n 6 --clues 36,30,26 --max-steps 60000 \
--restarts 15 --method stepwise
python3 code/run_experiments.py --outdir outputs/paper_zubarev \
--seed 123 --n 6 --clues 36,30,26 --max-steps 60000 \
--restarts 15 --method zubarev --beta0 0.5 --beta1 6.0 \
--beta-schedule linear
```

C.2 Results

Table 9 summarises 36 method–puzzle runs over 18 paired puzzles (six puzzles at each clue count, evaluated by both heuristics). Both methods succeeded on every puzzle. The row-swap method took fewer steps on 14/18 paired runs, including 5/6, 6/6, and 3/6 puzzles at 36, 30, and 26 clues respectively. Runtimes are machine-dependent and noisy, and the sample is too small for stronger algorithmic claims.

Figure 7 shows the conflict trajectory for the stepwise row-swap heuristic on the first 30-clue table instance, with puzzle seed 115642242 (solve seed 2738956839), using the row-wise random initialiser described above, $T = 60,000$, and $R = 15$. The plotted run is restart 0, and the vertical axis is the duplicated column/box conflict count H_{cb} . The corresponding trace puzzle, solution, CSV row, and figure source are all included in `outputs/paper_stepwise/` in the submission archive.

D Powers-of-two experiments

An alternative maps digits $d \in \{1, \dots, 9\}$ to powers of two,

$$d \mapsto 2^{d-1} \in A := \{1, 2, 4, \dots, 256\}.$$

Method	Clues	Puzzles	Solved	Median steps	Median time (s)
Stepwise	36	6	6	537.5	0.270
Stepwise	30	6	6	2784	1.315
Stepwise	26	6	6	7040	3.990
Zubarev walk	36	6	6	4533.5	2.091
Zubarev walk	30	6	6	8751.5	3.951
Zubarev walk	26	6	6	9911	4.786

Table 9: Descriptive proof-of-concept results on 18 paired, randomly carved puzzles (not uniqueness-checked), using $T = 60,000$ steps and $R = 15$ restarts. The Zubarev walk uses a linear schedule $\beta_0 = 0.5$ to $\beta_1 = 6.0$.




Figure 7: Conflict trajectory for the stepwise row-swap heuristic on the paired-table 30-clue instance with puzzle seed 115642242 (solve seed 2738956839), from the row-wise random initialisation on restart 0.

If every cell variable is restricted to A , then the condition that a row, column, or box contains each digit exactly once is equivalent to a single sum constraint

$$\sum_{(r,c) \in g} \beta_{r,c} = 1 + 2 + \dots + 256 = 2^9 - 1 = 511,$$

for each unit g . This replaces the pairwise penalties by 27 residuals of the form

$$r_g(\beta) := 511 - \sum_{(r,c) \in g} \beta_{r,c}.$$

For a prime p , one can then study the objective

$$L_p(\beta) := \sum_g |r_g(\beta)|_p,$$

optionally together with a regulariser that encourages $\beta_{r,c} \in A$ and enforces the clues.

The archived local-search experiments used the 50 puzzles from Project Euler Problem 96. Table 10 summarises the outcomes. None of these runs found a valid completion.

Experiment	Setting	Solved	Summary
E1	Greedy cell-swap on 15 primes, 50 puzzles, 3 random initialisations per puzzle–prime pair (2250 runs)	0/2250	Mean lift 0.003; mean 12.5 steps
E2 greedy	Greedy cell-swap on the 5 strongest E1 primes, again with 50 puzzles and 3 initialisations (750 runs)	0/750	Mean lift 0.009; mean 19.3 steps
E2 SA	Simulated annealing on the same 750 runs	0/750	Mean lift 0.000; mean 5000 steps

Table 10: Archived local-search results for the powers-of-two encoding. The E1 prime sweep used primes 2, 3, 5, 7, 11, 13, 17, 23, 47, 73, 97, 127, 257, 521, 2311.

Why the encoding defeats local search. An Archimedean search on the same statistic would see a graded signal: the deficit $|511 - \sum_{(r,c) \in g} \beta_{r,c}|$ is monotone on either side of the target, its sublevel sets are nested intervals, and a single-cell change moves the unit sum by at most 255 — a warmer/colder signal pointing at 511. Nothing of the sort survives p -adically. The sublevel sets $\{t \in \mathbb{Z}_p : |t|_p \leq p^{-k}\} = p^k \mathbb{Z}_p$ are clopen subgroups of a totally disconnected space, and $|\cdot|_p$ is locally constant on $\mathbb{Z}_p \setminus \{0\}$. Since the attainable residuals satisfy $|r_g(\beta)| \leq 1793$, each unit term $|r_g(\beta)|_p$ depends on the unit sum only through its residue modulo p^K with $K = \lfloor \log_p 1793 \rfloor + 1$, and takes at most $K + 1$ values. The loss is therefore constant on ultrametric plateaus: at $p = 11$ a unit summing to 390 (residual $121 = 11^2$) receives the near-perfect term 11^{-2} , while a unit summing to 510 (residual 1) receives the worst possible term 1.

Lemma 5 (Plateaus, near-misses, and all-or-nothing progress). *Let p be an odd prime and g a unit with residual $r = r_g(\beta)$. Consider a local move that changes one entry of g from 2^b to 2^a with $a \neq b \in \{0, \dots, 8\}$ (for a two-cell swap, each unit containing exactly one of the cells is of this form), so that the residual becomes $r' = r - \varepsilon$ with $\varepsilon = 2^a - 2^b$.*

- (i) $|\varepsilon|_p = |2^{a-b} - 1|_p$, which equals 1 unless $\text{ord}_p(2)$ divides $|a - b| \leq 8$. This divisibility is impossible for $p \in \{11, 13, 23, 47, 73, 97\}$, whose orders are 10, 12, 11, 23, 9, 48, and automatically for $p > 255 \geq |\varepsilon|$. For all such primes every move is a p -adic unit step; in particular, a state differing from a valid completion in a single cell has every affected unit term equal to 1, and is scored identically to a unit whose sum is arbitrary and coprime to p .
- (ii) If $r \neq 0$, the move strictly decreases the unit term if and only if $\varepsilon \equiv r \pmod{p^{v_p(r)+1}}$: improvement requires the move to reproduce the residual’s leading p -adic digit exactly.
- (iii) If $|\varepsilon|_p > |r|_p$ — in particular whenever ε is a unit and the unit sum is exactly ($r = 0$) or approximately ($v_p(r) \geq 1$) satisfied — then $|r'|_p = |\varepsilon|_p$: a single generic move erases all accumulated valuation on that unit at once.

Proof. (i) $2^a - 2^b = 2^{\min(a,b)}(2^{|a-b|} - 1)$ and $|2|_p = 1$ for odd p ; $p \mid 2^d - 1$ if and only if $\text{ord}_p(2) \mid d$, and the listed orders all exceed 8, while $0 < |\varepsilon| \leq 255 < p$ settles $p > 255$. A single-cell error leaves each affected unit with residual $\pm \varepsilon$. (ii) $|r - \varepsilon|_p < |r|_p$ if and only if $v_p(r - \varepsilon) > v_p(r)$, i.e. $p^{v_p(r)+1} \mid r - \varepsilon$. (iii) The strong triangle inequality holds with equality when the two norms differ. $\square$

The problem can be exhibited exactly. For $p = 7$ ($\text{ord}_7(2) = 3$), note $511 = 7 \cdot 73$, so the target itself is 7-adically small and any unit whose sum is divisible by 7 has $|r_g|_7 \leq 7^{-1}$.

Concretely, the near-miss unit holding eight correct entries and $2^0 = 1$ in place of $2^8 = 256$ has residual $255 = 3 \cdot 5 \cdot 17$ and term 1, while the scrambled multiset $(8, 4, 2, 2, 1, 1, 1, 1, 1)$ sums to 21, has residual $490 = 2 \cdot 5 \cdot 7^2$, and receives the term 7^{-2} : eight-ninths of a solved unit is ranked forty-nine times worse than noise. The same problem occurs at $p = 73$. For the remaining small sweep primes the occasional sub-unit steps reward divisibility of the digit gap by $\text{ord}_p(2)$ — $p = 7$ discounts gaps 3 and 6, $p = 17$ the single gap 8 ($255 = 3 \cdot 5 \cdot 17$), $p = 127$ the gap 7 ($127 = 2^7 - 1$) — congruences between the exchanged digits with no relation to correctness. For $p = 2$ the valuation of r_g counts how many low-order binary digits of the unit sum agree with $511 = 11111111_2$, a carry condition on the multiset of entries, again independent of how many cells hold their correct values.

Under the heuristic model that unit sums equidistribute modulo powers of p , Lemma 5(ii) makes the per-unit improvement event a leading-digit hit of density about $1/p$. Lemma 5(iii) makes all partial progress fragile: a cell lies in three units whose residuals shift in lockstep, so repairing one unit while protecting another requires simultaneous congruences. For $p \geq 43$ one has $p^2 \geq 1849 > 1793$, so the attainable valuations are 0 or 1 and each unit term is 0, p^{-1} , or 1; for $p > 1793$ — the sweep’s $p = 2311$ — every nonzero attainable residual is a unit and the loss collapses exactly to the number of unsatisfied unit sums, an integer in $\{0, \dots, 27\}$ that a move improves only by making some unit sum exactly 511. At small p the landscape is arithmetic noise; at large p it is an exact-hit count; at no prime does the term grade progress toward a permutation. The archived traces are consistent with plateau termination rather than descent into structured basins: the greedy runs ended after 12.5 and 19.3 steps on average with mean lift at most 0.009, and annealing achieved mean lift 0.000 over 5000-step runs (Table 10).

The pairwise construction of Section 6 is immune precisely because it never asks the norm to measure anything. Its off-target residuals on the domain are differences of digits, bounded by $8 < p$, so Lemma 1 collapses every edge term to an equality indicator; the loss becomes an integer conflict count whose single-swap increments are small, informative integers (Lemma 4), and local search behaves as it does on any Max-CSP objective. The powers-of-two encoding fails this twice over: at moderate primes its off-target residuals carry spurious valuations, and at $p > 1793$, where the norm does degenerate to an indicator, it indicates only 27 exact-sum events, each flipped by a vanishing fraction of moves, where the pairwise family fields 810 local indicators, several of which change under every swap. The compilation principle is that a p -adic residual should be engineered so that its off-target values are units — the norm employed as an indicator, never as a measurement of size — and that the indicators be numerous and local enough for the neighbourhood structure to see them. The construction of Sections 4 and 6 satisfies both by design. This is the concrete instance promised in Section 2: the local constancy that starves the search here is the same non-Archimedean geometry that makes signed weights safe there.

Funding

This research was supported by an Australian Government Research Training Program Scholarship.

Compliance with ethical standards

This article does not contain any studies with human participants or animals performed by the author.

Conflict of interest

The author declares that he has no conflict of interest.

Author contributions

This is a single-author paper. The author is responsible for the conceptual development, proofs, implementation, and writing.

Code and data availability

The Python implementation used for the heuristic experiments is publicly available at:

```
https://github.com/solresol/sudoku-padic-regression
Dataset archive: Hugging Face dataset
Experiment-code revision: ba49a8b2e51670f66db624d814d3f31678881b93
Main scripts: code/padic_sudoku_regression.py, code/run_experiments.py
Mihara-inspired comparison script: code/padic_comparison_algorithms.py
Powers-of-two script: archive/scripts/run_experiments.py
Raw E1 data: archive/results/e1_prime_sweep.csv
Raw E2 data: archive/results/e2_heuristic_comparison.csv
```

The submitted source package includes the experiment CSV files, puzzle seeds, trace puzzle and solution files, and figure source used for Tables 9 and 10 and Figure 7. The raw-data revision above generated the archived CSV rows; the submitted driver corrects the summary formatter so that half-integer medians are not truncated. The main experiment outputs were produced with Python 3.11.6 and Matplotlib 3.9.0 on an Apple M1 system. Timing columns are retained as descriptive provenance only.

Interactive demonstration

A browser-based demonstration of the construction is shown in Figure 4 and available at

```
https://padic-logic.symmachus.org
https://padic-logic.symmachus.org/#sudoku
```

The Sudoku and Boolean-CSP compilers, residual dataframes, objective evaluations, and representative searches run client-side. Their source is maintained separately at <https://github.com/solresol/padic-logic>, with the paper-linked application snapshot pinned at revision a8130ee; the deployed values shown in Figure 4 were checked on 13 July 2026. The optional natural-language schema extractor requires a browser exposing the on-device Prompt API and is therefore not part of the browser-independent reproducibility claim.

References

- [1] G. Baker, S. McCallum, and D. Pattinson. Linear regression in p -adic metric spaces. *p-Adic Numbers, Ultrametric Analysis and Applications* 17(4), 333–347 (2025). <https://doi.org/10.1134/S2070046625040016>
- [2] G. Baker. Expressivity and NP-hardness of p -adic linear regression. *p-Adic Numbers, Ultrametric Analysis and Applications* 18(2), 210–216 (2026). <https://doi.org/10.1134/S2070046626020081>
- [3] P. M. Pardalos and S. A. Vavasis. Quadratic programming with one negative eigenvalue is NP-hard. *Journal of Global Optimization* 1(1), 15–22 (1991). <https://doi.org/10.1007/BF00120662>

- [4] T. Schiex, H. Fargier, and G. Verfaillie. Valued constraint satisfaction problems: hard and easy problems. In *Proceedings of IJCAI-95*, 631–639 (1995). <https://www.ijcai.org/Proceedings/95-1/Papers/083.pdf>
- [5] J.-C. Régin. A filtering algorithm for constraints of difference in CSPs. In *Proceedings of AAAI-94*, 362–367 (1994). <https://aaai.org/Papers/AAAI/1994/AAAI94-055.pdf>
- [6] J. A. Ellis-Monaghan and I. Moffatt. A note on recognizing an old friend in a new place: list coloring and the zero-temperature Potts model. *Annales de l’Institut Henri Poincaré D* 1(4), 429–442 (2014). <https://doi.org/10.4171/AIHPD/12>
- [7] A. Lucas. Ising formulations of many NP problems. *Frontiers in Physics* 2, 5 (2014). <https://doi.org/10.3389/fphy.2014.00005>
- [8] S. Minton, M. D. Johnston, A. B. Philips, and P. Laird. Solving large-scale constraint-satisfaction and scheduling problems using a heuristic repair method. In *Proceedings of AAAI-90*, 17–24 (1990). <https://cdn.aaai.org/AAAI/1990/AAAI90-003.pdf>
- [9] R. Lewis. Metaheuristics can solve sudoku puzzles. *Journal of Heuristics* 13(4), 387–401 (2007). <https://doi.org/10.1007/s10732-007-9012-8>
- [10] Donald E. Knuth. *Dancing Links. Millennial Perspectives in Computer Science*, 187–214, 2000. Also available as arXiv:cs/0011047. <https://doi.org/10.48550/arXiv.cs/0011047>
- [11] Helmut Simonis. *Sudoku as a Constraint Problem*. In *Modelling and Reformulating Constraint Satisfaction Problems*, Fourth International Workshop, Sitges (Barcelona), Spain, October 1, 2005. <https://citeseerx.ist.psu.edu/document?doi=4f069d85116ab6b4c4e6dd5f4776ad7a6170faaf>
- [12] Inês Lynce and Joël Ouaknine. *Sudoku as a SAT Problem*. In *Proceedings of the Ninth International Symposium on Artificial Intelligence and Mathematics (ISAIM 2006)*, 2006. <https://people.mpi-sws.org/~joel/publications/sudoku05abs.html>
- [13] T. Yato and T. Seta. Complexity and completeness of finding another solution and its application to puzzles. *IEICE Transactions on Fundamentals*, 86-A(5):1052–1060, 2003.
- [14] A. P. Zubarev. p -Adic polynomial regression as alternative to neural network for approximating p -adic functions of many variables. *p -Adic Numbers, Ultrametric Analysis and Applications* 17(4), 413–420 (2025). <https://doi.org/10.1134/S2070046625040065>
- [15] A. F. T. Martins. Learning with the p -adics. arXiv:2512.22692 (2025). <https://arxiv.org/abs/2512.22692>
- [16] T. Mihara. p -adic linear regression for random sampling with digitwise noise. arXiv:2604.13137 (2026). <https://arxiv.org/abs/2604.13137>
- [17] T. Mihara. Generalisation of Baker’s forcing method to arbitrary prime and NP-hardness of several p -adic optimisations. arXiv:2607.06092 (2026). <https://arxiv.org/abs/2607.06092>