

Database Exception – yii\db\Exception



SQLSTATE[42P01]: Undefined table: 7 ERROR: missing FROM-clause entry for table "calendarsites"

LINE 1: SELECT calendarSites."id", calendarSites."uid", calendarSite...

^

The SQL being executed was: SELECT calendarSites."id", calendarSites."uid", calendarSites."calendarId", calendarSites."siteId", calendarSites."enabledByDefault", calendarSites."hasUrls", calendarSites."uriFormat", calendarSites."template"

FROM "calendar_calendar_sites" "calendarSites"

WHERE "calendarId"=1

ORDER BY "id"

Error Info: Array

```
(
  [0] => 42P01
  [1] => 7
  [2] => ERROR: missing FROM-clause entry for table "calendarsites"
LINE 1: SELECT calendarSites."id", calendarSites."uid", calendarSite...
```

)

↳ Caused by: PDOException

SQLSTATE[42P01]: Undefined table: 7 ERROR: missing FROM-clause entry for table "calendarsites"

LINE 1: SELECT calendarSites."id", calendarSites."uid", calendarSite...

^

in /usr/share/nginx/vendor/yiisoft/yii2/db/Command.php at line 1302

1. in /usr/share/nginx/vendor/yiisoft/yii2/db/Schema.php at line 678

```
669
670     $exceptionClass = '\yii\db\Exception';
671     foreach ($this->exceptionMap as $error => $class) {
672         if (strpos($e->getMessage(), $error) !== false) {
673             $exceptionClass = $class;
674         }
675     }
676     $message = $e->getMessage() . "\nThe SQL being executed was: $rawSql";
677     $errorInfo = $e instanceof PDOException ? $e->errorInfo : null;
678     return new $exceptionClass($message, $errorInfo, $e->getCode(), $e);
679 }
680
681 /**
682  * Returns a value indicating whether a SQL statement is for read purpose.
683  * @param string $sql the SQL statement
684  * @return bool whether a SQL statement is for read purpose.
685  */
686 public function isReadQuery($sql)
687 {
```

2. in /usr/share/nginx/vendor/yiisoft/yii2/db/Command.php – yii\db\Schema::convertException(PDOException, 'SELECT calendarSites."id", calen...') at line 1307

3. in /usr/share/nginx/vendor/yiisoft/yii2/db/Command.php – yii\db\Command::internalExecute('SELECT calendarSites."id", calen...') at line 1168

4. in /usr/share/nginx/vendor/yiisoft/yii2/db/Command.php – yii\db\Command::queryInternal('fetchAll', null) at line 410

5. in /usr/share/nginx/vendor/yiisoft/yii2/db/Query.php – yii\db\Command::queryAll() at line 249

6. in /usr/share/nginx/vendor/craftcms/cms/src/db/Query.php – yii\db\Query::all(null) at line 152

```
146     /**
147     * @inheritdoc
148     */
149     public function all($db = null)
150     {
151         try {
152             return parent::all($db);
153         } catch (QueryAbortedException $e) {
154             return [];
```

```

155     }
156   }
157
158   /**

```

7. in /usr/share/nginx/vendor/solospace/craft3-calendar/packages/plugin/src/Services/CalendarSitesService.php – at line 38
craft\db\Query::all()

```

32   public function getSiteSettingsForCalendar(CalendarModel $calendar): array
33   {
34       $rows = $this
35           ->getQuery()
36           ->where(['[[calendarId]]' => $calendar->id])
37           ->indexBy('siteId')
38           ->all()
39       ;
40
41       $models = [];
42       foreach ($rows as $row) {
43           $models[$row['siteId']] = $this->createModel($row);
44       }

```

8. in /usr/share/nginx/vendor/solospace/craft3-calendar/packages/plugin/src/Models/CalendarModel.php – at line 203
Solospace\Calendar\Services\CalendarSitesService::getSiteSettingsForCalendar(Solospace\Calendar\Models\CalendarModel)

```

197     }
198
199     if (!$this->id) {
200         return [];
201     }
202
203     $this->setSiteSettings(Calendar::getInstance()->calendarSites->getSiteSettingsForCalendar($this));
204
205     return $this->siteSettings;
206 }
207
208 /**
209  * Sets the section's site-specific settings.

```

9. in /usr/share/nginx/vendor/solospace/craft3-calendar/packages/plugin/src/Models/CalendarModel.php – at line 227
Solospace\Calendar\Models\CalendarModel::getSiteSettings()

```

221
222 /**
223  * @return null|CalendarSiteSettingsModel
224  */
225 public function getSiteSettingsForSite(int $siteId)
226 {
227     $settings = $this->getSiteSettings();
228
229     if (isset($settings[$siteId])) {
230         return $settings[$siteId];
231     }
232
233     return null;

```

10. in /usr/share/nginx/vendor/solospace/craft3-calendar/packages/plugin/src/Elements/Event.php – at line 1320
Solospace\Calendar\Models\CalendarModel::getSiteSettingsForSite(3)

```

1314     if (!$this->enabled) {
1315         return null;
1316     }
1317
1318     // Make sure the section is set to have URLs for this site
1319     $siteId = \Craft::$app->getSites()->getCurrentSite()->id;
1320     $siteSettings = $this->getCalendar()->getSiteSettingsForSite($siteId);
1321
1322     if (!isset($siteSettings) || !$siteSettings->hasUrls) {
1323         return null;
1324     }
1325
1326     return [

```

11. in /usr/share/nginx/vendor/craftcms/cms/src/base/Element.php – Solospace\Calendar\Elements\Event::route() at line 2086

```

2080         // todo: stop checking if $event->route !== null in v4
2081         if ($event->handled || $event->route !== null) {
2082             return $event->route ?: null;
2083         }
2084     }
2085
2086     return $this->route();
2087 }
2088
2089 /**
2090  * Returns the route that should be used when the element's URI is requested.
2091  *
2092  * @return mixed The route that the request should use, or null if no special action should be taken

```

12. in /usr/share/nginx/vendor/craftcms/cms/src/web/UrlManager.php – craft\base\Element::getRoute() at line 245

```

239     * @param ElementInterface|false|null $element
240     * @since 3.2.3
241     */
242     public function setMatchedElement($element)
243     {
244         if ($element instanceof ElementInterface) {
245             if ($route = $element->getRoute()) {
246                 if (is_string($route)) {
247                     $route = [$route, []];
248                 }
249                 $this->_matchedElement = $element;
250                 $this->_matchedElementRoute = $route;
251                 return;

```

13. in /usr/share/nginx/vendor/craftcms/cms/src/web/UrlManager.php – craft\web\UrlManager::setMatchedElement(Solospace\Calendar\Elements\Event) at line 402

```

396         if ($path !== Element::HOMEPAGE_URI) {
397             $element = Craft::$app->getElements()->getElementByUri($path, Craft::$app->getSites()->getCurrentSite()->id, true);
398         } else {
399             $element = null;
400         }
401
402         $this->setMatchedElement($element ?: false);
403
404         if (YII_DEBUG) {
405             Craft::debug([
406                 'rule' => 'Element URI: ' . $path,
407                 'match' => $this->_matchedElement instanceof ElementInterface,
408                 'parent' => null,

```

14. in /usr/share/nginx/vendor/craftcms/cms/src/web/UrlManager.php – craft\web\UrlManager::_getMatchedElementRoute(craft\web\Request) at line 354

```

348         // Is there a token in the URL?
349         if (($route = $this->_getTokenRoute($request)) !== false) {
350             return $route;
351         }
352
353         // Is this an element request?
354         if (($route = $this->_getMatchedElementRoute($request)) !== false) {
355             return $route;
356         }
357
358         // Do we have a URL route that matches?
359         if (($route = $this->_getMatchedUrlRoute($request)) !== false) {
360             return $route;

```

15. in /usr/share/nginx/vendor/craftcms/cms/src/web/UrlManager.php – craft\web\UrlManager::_getRequestRoute(craft\web\Request) at line 114

```

108     /* @var Request $request */
109     // Just in case...
110     if ($request->getIsConsoleRequest()) {
111         return false;
112     }
113
114     if (($route = $this->_getRequestRoute($request)) === false) {
115         return false;

```

```

116
118     // Make sure there's a params array
119     if (!isset($route[1])) {
120         $route[1] = [];

```

16. in /usr/share/nginx/vendor/craftcms/cms/src/web/Request.php – craft\web\UrlManager::parseRequest(craft\web\Request)

at line 1313

```

1307     /**
1308      * @inheritdoc
1309      * @internal Based on \yii\web\Request::resolve(), but we don't modify $_GET/$this->queryParams in the process.
1310      */
1311     public function resolve()
1312     {
1313         if (($result = Craft::$app->getUrlManager()->parseRequest($this)) === false) {
1314             throw new NotFoundHttpException(Craft::t('yii', 'Page not found.'));
1315         }
1316
1317         [$route, $params] = $result;
1318
1319         /* @noinspection AdditionOperationOnArraysInspection */

```

17. in /usr/share/nginx/vendor/yiisoft/yii2/web/Application.php – craft\web\Request::resolve()

at line 83

18. in /usr/share/nginx/vendor/craftcms/cms/src/web/Application.php – yii\web\Application::handleRequest(craft\web\Request)

at line 263

```

257         if (($response = $this->_processActionRequest($request)) !== null) {
258             return $response;
259         }
260
261         // If we're still here, finally let Yii do it's thing.
262         try {
263             return parent::handleRequest($request);
264         } catch (\Throwable $e) {
265             $this->_unregisterDebugModule();
266             throw $e;
267         }
268     }
269

```

19. in /usr/share/nginx/vendor/yiisoft/yii2/base/Application.php – craft\web\Application::handleRequest(craft\web\Request)

at line 392

20. in /usr/share/nginx/web/index.php – yii\base\Application::run()

at line 22

```

16     }
17
18     // Load and run Craft
19     define('CRAFT_ENVIRONMENT', getenv('ENVIRONMENT') ? 'production');
20     /** @var craft\web\Application $app */
21     $app = require CRAFT_VENDOR_PATH.'/craftcms/cms/bootstrap/web.php';
22     $app->run();

```

```

$_GET = [
    'p' => '/events/supergen-ore-hub-third-annual-assembly',
];

```

```

$_COOKIE = [
    'CookieControl' => '{"necessaryCookies":[],"optionalCookies":{},"initialState":{"type":"open"},"statement":{},"consent":{},"CraftSessionId" => "sqjtd7e7mptkra2nirqvejn41e",
    '757c1ed330140d14091f9024f49c9e4b_identity' => 'aee8a8c463868e6b75f19682af5ff32e022b9031a6bb2bd18448f4fa841684c4a:2:{i:0;s:16:"CRAFT_CSRF_TOKEN"'
    'CRAFT_CSRF_TOKEN' => '0e717494d783bab3e508d04bacf03862c10ccec7ba4a037f4091fcb3844d9c82a:2:{i:0;s:16:"CRAFT_CSRF_TOKEN"'
    '757c1ed330140d14091f9024f49c9e4b_username' => 'f23244d5f160855df7861fe377d37a6c94e0468872049e06153190592e514638a:2:{i:0;s:16:"CRAFT_CSRF_TOKEN"'
];

```

```

$_SESSION = [
    'fbc8b3fd2ee933f9687f986bd52939c8__flash' => [],
    '757c1ed330140d14091f9024f49c9e4b_token' => 'Q2-GRPI7huLEk3ud7E5BlnJY030HGPytPlscK-pTRfD03L59CismurtVCKT71Bgkh4rGhciBw',
    '757c1ed330140d14091f9024f49c9e4b_id' => 1,
    '__authKey' => '{"Q2-GRPI7huLEk3ud7E5BlnJY030HGPytPlscK-pTRfD03L59CismurtVCKT71Bgkh4rGhciBwbo7Je-4oSCP0vGVFTbxsd43-y3"'
    '757c1ed330140d14091f9024f49c9e4b_expire' => 1626451880,
    '__duration' => 1209600,
];

```

2021-07-02, 17:11:20

nginx/1.15.12

Yii Framework/2.0.42.1

