



CONTENTS

PV Mounting Components & Solutions	01 - 20
PV Module Fixing Solution	
Other PV Mounting Accessories & Metal Surface Treatment	
Residential Roof PV Mounting Solutions	21 - 24
Commercial & Industrial Roof PV Mounting Solutions	25 - 28
Off-Grid Solar Power System Mounting Solutions	29 - 32
RV & Marine Solar Power Mounting Solutions	33 - 38

1. PV Mounting Components & Solutions

Designed with reference to ANSI/UL467, UL2703, CSA and AS/NZS1170.2 standards.

Easy installation for solar PV mounting projects.

An ideal, easy-install solution for solar PV mounting projects.

PV mtg. acce

A widely used PV grounding method for roof, ground, carport and greenhouse systems.

PV mounting accessory for solar installation projects.

PV mounting accessory for solar installation projects.

qualityreliable

Made of SUS304 or SUS316 stainless steel for strong corrosion resistance.

PV mounting accessory for solar installation projects.

Tested for thermal cycling, accelerated aging and salt-water rinsing.

Tested for thermal cycling, accelerated aging and salt-water rinsing.

Compat. wi

Compatible with most framed PV modules and common mounting rails.

PV mounting accessory for solar installation projects.

PV mounting accessory for solar installation projects.

10-year warranty

10-year warranty is available for this PV mounting product.



Technical Data

Site: Roof, ground, carport PV systems

Material: Made of SUS304 or SUS316 stainless steel for strong corrosion resistance.



surface treatment: Degreasing, nickel plating or tin plating

design standard: PV mounting accessory for solar installation projects

Rail: Aluminum PV rails (roof/ground/carport), C-channel, U-channel and H-channel steel

10-year wa 10 years

Custom product Custom product



PV Lightning Protection & Grounding Solution

PV mounting accessory for solar installation projects.

The teeth pierce the anodized layer to create a reliable electrical connection.


Made of SUS304 or SUS316 stainless steel for strong corrosion resistance.

Easy installation for solar PV mounting projects.

The teeth pierce the anodized layer to create a reliable electrical connection.

The teeth pierce the anodized layer to create a reliable electrical connection.

This creates a stable, light conductive path between metal components.




Features

1. Made of SUS304 or SUS316 stainless steel for strong corrosion resistance.
2. Tool-free or simple-tool installation saves labor and installation time.
3. Low-cost design can replace conventional yellow-green grounding wire.
4. Easy installation for solar PV mounting projects.
5. PV mounting accessory for solar installation projects.
6. Custom production is available according to project requirements.



Technical Data

1. Made of SUS304 or SUS316 stainless steel for strong corrosion resistance.
 2. Easy installation for solar PV mounting projects.
 3. Easy installation for solar PV mounting projects.
 4. PV mounting accessory for solar installation projects.
- BIPV projects



Grounding Clip Washer

 Item No.: ING-FLX-25 Material: SUS304 Size: 25mmx 48mm Thickness: 0.3mm Rail: 25-27mmwide rail	 Item No.: ING-FLX-30 Material: SUS304 Size: 30mmx 32mm Thickness: 0.3mm Rail: 28x 55rail	 Item No.: ING-FLX-30H Material: SUS304 Size: 30mmx 32mm Thickness: 0.3mm Rail: 28x 55rail	Note PV mounting accessories for solar installation projects. PV mounting accessories for solar installation projects. PV mounting accessories for solar installation projects. PV mounting accessories for solar installation projects. PV mounting accessories for solar installation projects. Easy installation for solar PV mounting projects. PV mounting accessories for solar installation projects. Custom production is available. 	 Item No.: ING-DSK-24G Material: SUS304 Size: Dia.24mm Thickness: 0.6mm Rail: PV mounting accessories for solar installation projects. Any rail connector	 Item No.: ING-DSK-34G Material: SUS304 Size: Dia.34mm Thickness: 0.6mm Rail: PV mounting accessories for solar installation projects. Any rail	 Item No.: ING-DSK-34 Material: SUS304 Size: Dia.34mm Thickness: 0.3mm Rail: PV mounting accessories for solar installation projects. Any rail	 Item No.: ING-DSK-44 Material: SUS304 Size: Dia.44mm Thickness: 0.3mm Rail: PV mounting accessories for solar installation projects. Any rail
 Item No.: ING-CLP-31 Material: SUS304 Size: 31.6mmx 50mm Thickness: 0.3mm Rail: PV mounting accessories for solar installation projects.	 Item No.: ING-CLP-41 Material: SUS304 Size: 41.4mmx 50mm Thickness: 0.3mm Rail: PV mounting accessories for solar installation projects. PV mtg. accessory fo	 Item No.: ING-CLP-41H Material: SUS304 Size: 41.4mmx 50mm Thickness: 0.3mm Rail: PV mounting accessories for solar installation projects. PV mtg. accessory fo		 Item No.: ING-SLT-25 Material: SUS304 Size: 26mmx 50mm Thickness: 0.3mm Rail: PV mounting accessories for solar installation projects.	 Item No.: ING-SLT-34 Material: SUS304 Size: 34mmx 32mm Thickness: 0.3mm Rail: PV mounting accessories for solar installation projects.	 Item No.: ING-SLT-35 Material: SUS304 Size: 35mmx 55mm Thickness: 0.3mm Rail: PV mounting accessories for solar installation projects.	 Item No.: ING-SLT-40 Material: SUS304 Size: 40mmx 50mm Thickness: 0.3mm Rail: PV mounting accessories for solar installation projects. PV mtg. acco
 Item No.: ING-CLP-50 Material: SUS304 Size: 50mmx 30mm Thickness: 0.3mm Rail: PV mounting accessories for solar installation projects. PV mtg. accesso	 Item No.: ING-CLP-61 Material: SUS304 Size: 61mmx 13mm Thickness: 0.3mm Rail: 60mm Wsteel profile	 Item No.: ING-CLP-LGL Material: SUS304 Size: 20mmx 37mm Thickness: 0.3mm Rail: groundinglugwidth =20mm	 Item No.: ING-CLP-LUG Material: SUS304 Size: 20mmx 30mm Thickness: 0.3mm Rail: groundinglugwidth =20mm	 Item No.: ING-RPT-40 Material: SUS304 Size: 41mmx 52mm Thickness: 0.3mm Rail: PV mounting accessories for solar installation projects.	 Item No.: ING-RPT-49 Material: SUS304 Size: 20.3mmx 49mm Thickness: 0.3mm Rail: end clamp plate	 Item No.: ING-RPT-69 Material: SUS304 Size: 20.3mmx 69mm Thickness: 0.3mm Rail: mid clamp plate	 Item No.: ING-RGD-29 Material: SUS304 Size: 29.5mmx 50mm Thickness: 0.3mm Rail: PV mounting accessories for solar installation projects. wide rail

PV Grounding Clip Washer Compatibility Table

Item No.	Size	Material	Thickness	Photo	Compatible PV Rail / Profile
ING-FLX-25	25mmx48mm	SUS304	0.3mm		25-27mmwide rail
ING-SLT-28	28mmx50mm	SUS304	0.3mm		PV mtg. accessory
ING-FLX-30	30mmx32mm	SUS304	0.3mm		28X 55rail
ING-FLX-30H	30mmx32mm	SUS304	0.3mm		28X 55rail
ING-CLP-31	31.6mmx50mm	SUS304	0.3mm		PV mtg. accessory
ING-SLT-34	34mmx32mm	SUS304	0.3mm		PV mtg. accessory
ING-DSK-34	Φ=34mm	SUS304	0.3mm		PV mounting accessory for solar installation projects.
ING-DSK-34G	Φ=34mm	SUS304	0.6mm		PV mounting accessory for solar installation projects.
ING-SLT-35	35mmx55mm	SUS304	0.3mm		PV mtg. accessory
ING-SLT-40	40mmx50mm	SUS304	0.3mm		PV mounting accessory for solar installation projects.
ING-RPT-40	40mmx52mm	SUS304	0.3mm		PV mtg. acc
ING-CLP-41	41.6mmx50mm	SUS304	0.3mm		PV mounting accessory for solar installation projects.
ING-SLT-42	42mmx50mm	SUS304	0.3mm		PV mounting accessory for solar installation projects.
ING-DSK-44	Φ=44mm	SUS304	0.3mm		PV mounting accessory for solar installation projects.
ING-RPT-69	20.3mmx69mm	SUS304	0.3mm		mid clamp plate
ING-CLP-50	50x30X5/10mm	SUS304	0.3mm		PV mounting accessory for solar installation projects.
ING-RGD-60	60mmx80mm	SUS304	0.3mm		PV mounting accessory for solar installation projects.
ING-CLP-61	61mmx13mm	SUS304	0.3mm		60mm Wateel profile
ING-CLP-LUG	20mmx30mm	SUS304	0.3mm		PV mounting accessory for solar installation projects.
ING-CLP-LGL	20mmx37.2mm	SUS304	0.3mm		PV mounting accessory for solar installation projects.
PV mounting accessory for solar installation projects. Custom production is available according to project requirements.					



Grounding Lug



PV mounting accessory for solar installation projects.

Easy installation for solar PV mounting projects.

PV mounting accessory for solar installation projects.

Easy installation for solar PV mounting projects.

PV mounting accessory for solar installation projects.

The teeth pierce the anodized layer to create a reliable electrical connection.

This creates a stable, tight conductive path between metal components.

PV mounting accessory for solar installation projects.



Features

1. PV mounting accessory for solar installation projects.
2. Tool-free or simple-tool installation saves labor and installation time.
3. Easy installation for solar PV mounting projects.
4. PV mounting accessory for solar installation projects.
5. PV mounting accessory for solar installation projects.
6. Custom production is available according to project requirements.

Item No.	Length mm [in.]	Width mm [in.]	Height mm [in.]	Hole Dia. mm [in.]	Matched Screw Size
ING-LUG-TC (Sn-Cu)	40.00[1.575]	18.00[0.709]	6.76[0.266]	M8+M6	M8x25+M6x20
ING-LUG-NA6 (Ni-Al)	40.00[1.575]	20.00[0.787]	8.20[0.323]	M8+M6	M8x25+M6x20
ING-LUG-NA8 (Ni-Al)	40.00[1.575]	20.00[0.787]	8.20[0.323]	M8+M8	M8x25+M8x20



PV Grounding Wire Clip

The PV cable clip provides tidy cable routing for PV modules and rails.


The PV cable clip provides tidy cable routing for PV modules and rails.

The PV cable clip provides tidy cable routing for PV modules and rails.

PV mounting accessory for solar installation projects.

The teeth pierce the anodized layer to create a reliable electrical connection.

PV mounting accessory for solar installation projects.




Features

1. mountingeasy;
2. PV mounting accessory for solar installation projects.
PV mtg. accessory
3. PV mounting accessory for solar installation projects.
PV mounting accessory for solar installation projects.
4. Designed for convenient assembly in MCA and MCA-compatible connectors.
This teeth pierce the anodized layer to create a reliable electrical connection.
5. PV mtg. accessory
6. Easy installation for solar PV mounting projects.
7. 10-year warranty



Item No.: ING-BJP/TC
Material: Tinned Copper
Size: 20mm X 150/250mm
Site: Aluminum rail or C-channel



Item No.: ING-BJP
Material: Copper
Size: 20mm X 150/250mm
Site: Aluminum rail or C-channel

PV Grounding Copper Braid

Anodizing improves corrosion resistance, wear resistance and appearance.

PV mounting accessory for solar installation projects.

PV mounting accessory for solar installation projects.

This creates a stable, tight conductive path between metal components.

PV mounting accessory for solar installation projects.



Features

1. PV mounting accessory for solar installation projects.
2. PV mounting accessory for solar installation projects.
3. PV mounting accessory for solar installation projects.
4. PV mounting accessory for solar installation projects.
5. PV mounting accessory for solar installation projects.


Custom production is available according to project requirements.

PV mounting accessory for solar installation projects	Specification	
	Wmm[In.]	Lmm[In.]
6[0.009]	10.00[0.394]	PV mtg. accessor sizecustomized
8[0.012]	12.00[0.472]	
10[0.015]	14.00[0.551]	
14[0.022]	18.00[0.709]	
16[0.025]	20.00[0.787]	



PV Cable Management Solution

PV mounting accessory for solar installation projects.



Features

1. Smooth edges and cable-position design help protect cable insulation.
Rear barb design helps prevent the clip from falling off after installation.
The PV cable clip provides side cable routing for PV modules and rails.
2. Made of SUS304 or SUS316 stainless steel for strong corrosion resistance.
PV mounting accessory for solar installation projects.
3. Compatible with common PV modules and mounting profiles.
PV mounting accessory for solar installation projects.
PV mounting accessory for solar installation projects.
4. 10-year warranty is available for this PV mounting product.

Technical Data	
Application	PV mounting accessory for solar installation projects.
Material	SUS304/316 Stainless Steel
Surface Treatment	PV mtg. acc
Design: Standard	PV mounting accessory for solar installation projects.
Cable Size	Ø6.0mm-Ø6.50mm (4mm²) Ø6.8mm-Ø7.50mm (6mm²)
Clamping Thickness	PV mounting accessory for solar installation projects. railpurlin
Warranty	10 years

PV Cable Clip

An ideal, easy-install solution for solar PV mounting projects.

PV mounting accessory for solar installation projects.

Tool-free or simple-tool installation saves labor and installation time.

Keeps PV cables neatly routed and improves system safety and appearance.

Easy installation for solar PV mounting projects.

Custom production is available according to project requirements.

Photo						
Item No.	ING-SCC-4S/2	ING-SCC-ST/2	ING-SCC-6S/2	ING-SCC-US/2	ING-SCC-4S/4	ING-SCC-6S/4
Size	2 x4mmsq	2 x4mmsq	2 x6mmsq	2 x4/6mmsq	4 x4mmsq	4 x6mmsq
Cable Routing	PV mtg. acc 180parallel	PV mtg. acc 180parallel	PV mtg. acc 180parallel	PV mtg. acc 180parallel	PV mtg. acc 180parallel	PV mtg. acc 180parallel

Photo						
Item No.	ING-SCC-ST/4M	ING-SCC-ST/4	ING-SCC-90/4S/2	ING-SCC-90/6S/2	ING-SCC-90/6S/4	ING-SCC-CT
Size	4 x4mmsq	4 x4mmsq	902 x 4mm 2	902 x 6mm 2	904 x 6mm 2	cable tewidth<=8mm
Cable Routing	PV mtg. acc 180parallel	PV mtg. acc 180parallel	PV mtg. acc 90vertical	PV mtg. acc 90vertical	PV mtg. acc 90vertical	90 or 180

Features

1. Made of SUS304 or SUS316 stainless steel for strong corrosion resistance.
2. Smooth edges and cable-position design help protect cable insulation.
PV mounting accessory for solar installation projects.
3. Rear barb design helps prevent the clip from falling off after installation.
4. PV mounting accessory for solar installation projects.
5. Tool-free or simple-tool installation saves labor and installation time.
6. Smooth edges and cable-position design help protect cable insulation.
7. PV mounting accessory for solar installation projects.



Special Frame Cable Clip

The PV cable clip provides tidy cable routing for PV modules and rails.
The PV cable clip provides tidy cable routing for PV modules and rails.
Tool-free or simple-tool installation saves labor and installation time.
Custom production is available according to project requirements.

Features

1. PV mounting accessory for solar installation projects.
 2. PV mtg. accessory
 3. Easy installation for solar PV mounting projects.
 4. Easy installation for solar PV mounting projects.
- PV mounting accessory for solar installation projects.
5. Tool-free or simple-tool installation saves labor and installation time.
- PV mtg.
6. Smooth edges and cable-position design help protect cable insulation.
 7. PV mounting accessory for solar installation projects.
- PV mounting accessory for solar installation projects.
Easy inst. for



Installation Effect



ING-SCC-90/4S/2



90-Degree PV Cable Clip

The PV cable clip provides tidy cable routing for PV modules and rails.
The PV cable clip provides tidy cable routing for PV modules and rails.
Tool-free or simple-tool installation saves labor and installation time.
Easy installation for solar PV mounting projects.
Rear barb design helps prevent the clip from falling off after installation.
PV mounting accessory for solar installation projects.

PV mounting accessory for solar installation projects.

ING-SCC-90/US/2



Features

ING-SCC-90/6S/2



1. Made of SUS304 or SUS316 stainless steel for strong corrosion resistance.
2. PV mounting accessory for solar installation projects.
3. Tool-free or simple-tool installation saves labor and installation time.
4. Smooth edges and cable position design help protect cable insulation.
5. Easy installation for solar PV mounting projects.

ING-SCC-90/6S/4





Tie Clip for Multiple PV Cables

Keeps PV cables neatly routed and improves system safety and appearance.

Tool-free or simple-tool installation saves labor and installation time.

Used with stainless steel cable ties to secure multiple PV cables.

PV mounting accessory for solar installation projects.



Features

1. Made of SUS304 or SUS316 stainless steel for strong corrosion resistance.
2. Used with stainless steel cable ties to secure multiple PV cables.
PV mounting accessory for solar installation projects.
3. Used with stainless steel cable ties to secure multiple PV cables.
4. PV mounting accessory for solar installation projects.
5. PV mounting accessory for solar installation projects.
PV mtg. acces
6. Smooth edges and cable-position design help protect cable insulation.
7. PV mounting accessory for solar installation projects.
Easy inst. for s



Stainless Steel Cable Tie for PV

Used with stainless steel cable ties to secure multiple PV cables.

Keeps PV cables neatly routed and improves system safety and appearance.

PV mounting accessory for solar installation projects.

Used with stainless steel cable ties to secure multiple PV cables.

Custom production is available according to project requirements.



Features

1. Made of SUS304 or SUS316 stainless steel for strong corrosion resistance.
2. Used with stainless steel cable ties to secure multiple PV cables.
3. PV mounting accessory for solar installation projects.
4. high tensile strength;
5. Smooth edges and cable-position design help protect cable insulation.
6. PV mounting accessory for solar installation projects.



Item No.	Width mm [in.]	Length mm [in.]	PV mtg. accessor mm[in.]	PV mtg. accessory f [N]
ING-SCT-4.6x250	4.60[0.181]	250.00[9.843]	63.00[2.480]	800
ING-SCT-4.6X300	4.60[0.181]	300.00[11.811]	76.00[2.992]	800
ING-SCT-4.6X350	4.60[0.181]	350.00[13.780]	89.00[3.504]	800
ING-SCT-4.6x400	4.60[0.181]	400.00[15.748]	102.00[4.016]	800
ING-SCT-7.5x300	7.90[0.311]	300.00[11.811]	76.00[2.992]	1200
ING-SCT-7.5x350	7.90[0.311]	350.00[13.780]	89.00[3.504]	1200



PV Module Fixing Solution



Name: Mid Clamp
Item No.: ING-SMC
Material: AL6005-T5
Size: 35mmx 30/32/35/
38/40/45/50mm



Name: Thin-Film Mid Clamp
Item No.: ING-TMC
Material: AL6005-T5
Size: 46mmx 80mm



Name: End Clamp
Item No.: ING-SEC
Material: AL6005-T5
Size: 35mmx 30/32/35/
38/40/45/50mm



Name: Thin-Film End Clamp
Item No.: ING-TEC
Material: AL6005-T5
Size: 36mmx 80mm

Thin-Film Clamp Assembly



Other PV Mounting Accessories



Name: PV mounting accessory to other installation points
Material: AL6005-T5
Size: 29mmx 23.7mm



Standard Rail Connector
Material: AL6005-T5
Size: L 140mm



DC Isolator Bracket
Material: SUS304
Size: 10mmx 24mm




Name: Hex Socket Bolt
Material: SUS304
Size: M 8x 20-80



Name: Carriage Bolt
Material: SUS304
Size: M 10x 25, M 10x 30



Name: T Bolt
Material: SUS304
Size: M 8x 25-60



Name: Anti-Theft Bolt
Material: SUS304
Size: M 8x 20-60



Name: Expansion Bolt
Material: SUS304
Size: M 6x 60, M 8x 60



Name: Self-Tapping Screw
Material: PV mtg. accessory for
Size: Dia. 5.5x 19, Dia. 6.3x 60,
Φ6.3x65, Φ6.3x80



Name: Flange Nut
Material: SUS304
Size: M 6, M 8, M 10



Name: Spring Washer
Material: SUS304
Size: M 6, M 8



Name: Butterfly Washer
Material: SUS304
Size: M 6, M 8

PV Mounting Waterproof Rubber Parts

 PV Ground Screw End Cap Material: EPDM Size: I.D.: Dia. 36mm O.D.: Dia. 50mm	 PV Ground Screw End Cap Material: EPDM Size: I.D.: Dia. 52mm O.D.: Dia. 82.2mm	 Post Waterproof Cap Material: EPDM Size: I.D.: Dia. 39.4mm O.D.: Dia. 48.5mm	 Post Waterproof Cap Material: EPDM Size: I.D.: Dia. 30.5mm O.D.: Dia. 38.3mm		 Ground Aluminum Beam End Cap Material: EPDM Size: L: 103.8mmx W: 63.5mm	 Ground Aluminum Beam End Cap Material: EPDM Size: L: 96.8mmx W: 21.8mm	 PV Module T Waterproof Sealing Strip Material: EPDM Size: Custom production I W: 33.3mmx H: 20.3mm
 L Foot Waterproof Rubber Pad Material: EPDM Size: L: 38.1mmx W: 35.1mm width: 2mm	 Name: Rubber Pad Material: EPDM Size: L: 50mmx W: 38.2mm Thickness: 2mm	 L Foot Waterproof Rubber Pad Material: EPDM Size: L: 40mmx W: 40mm PV mtg. ac	 Name: Rubber Pad Material: EPDM Size: L: 58.1mmx W: 50mm Thickness: 2mm		 PV Module T Waterproof Sealing Strip Material: EPDM Size: Custom production I W: 38.8mmx H: 27.3mm	 Ground Aluminum Base Protective Pad Material: EPDM Size: 160mmx 160mmx 2mm 120mmx160mmx2mm	 Thin Film Clamp Rubber Pad Material: EPDM Size: L: 80mmx H: 10.5mm PV mtg. accessory for sola
 Stainless Steel Metal Roof Clamp Rubber Pad Material: EPDM Size: L: 50mmx W: 25mm Thickness: 4mm	 Adjustable Foot Base Waterproof Rubber Pad Material: EPDM Size: L: 110mmx W: 40.3mm PV mtg. ac	 Thin-Film Clamp Rubber Pad Material: EPDM Size: W: 17.1mmx H: 6.9mm PV mtg. access	 Thin-Film Clamp Rubber Pad Material: EPDM Size: W: 23.3mmx H: 9.5mm PV mtg. access		 KlipLok 700 Clamp Rubber Pad Material: EPDM Size: W: 65mmx L: 100.2mm PV mtg. ac	 KlipLok 406 Clamp Rubber Pad Material: EPDM Size: W: 50.2mmx L: 100mm PV mtg. ac	 KlipLok 406 Mini Clamp Rubber Pad Material: EPDM Size: W: 49.8mmx L: 51.7mm PV mtg. ac

MC4 PV Connector Spanner

Designed for convenient assembly of MC4 and MC4-compatible connectors.

Designed for convenient assembly of MC4 and MC4-compatible connectors.

Easy installation for solar PV mounting projects.

Easy installation for solar PV mounting projects.

Features

1. PV mounting accessory for solar installation projects.

2. PV mounting accessory for solar installation projects.

3. PV mounting accessory for solar installation projects.

4. Designed for convenient assembly of MC4 and MC4-compatible connectors.

Designed for convenient assembly of MC4 and MC4-compatible connectors.



Anodizing Surface Treatment for PV Aluminum Parts



Anodizing improves corrosion resistance, wear resistance and appearance.

PV mounting accessory for solar installation projects.

PV mounting accessory for solar installation projects.

Anodizing improves corrosion resistance, wear resistance and appearance.

PV mounting accessory for solar installation projects.

PV mounting accessory for solar installation projects.

PV mounting accessory for solar installation projects.

PV mounting accessory for solar installation projects.



PV mounting accessory for solar installation projects.

PV mounting accessory for solar installation projects.

Anodizing improves corrosion resistance, wear resistance and appearance.

Anodizing improves corrosion resistance, wear resistance and appearance.


Anodizing improves corrosion resistance, wear resistance and appearance.

Anodizing improves corrosion resistance, wear resistance and appearance.

Anodizing improves corrosion resistance, wear resistance and appearance.


PV mounting accessory for solar installation projects.





2. Residential Roof PV Mounting Solutions

Easy installation for solar PV mounting projects.
Roof hooks and flashing provide fixed support and waterproofing for PV systems.
Easy installation for solar PV mounting projects.
Easy installation for solar PV mounting projects.



Features

- 1. PV mounting accessory for solar installation projects.
Easy installation for solar PV mounting projects.
- 2. Compatible with common PV modules and mounting profiles.
Easy installation for solar PV mounting projects.
- 3. PV mounting accessory for solar installation projects.
- 4. Easy installation for solar PV mounting projects.
Easy installation for solar PV mounting projects.
- 5. 10-year warranty is available for this PV mounting product.
warranty.

Technical Data

Installation Site	residential roof
Installation Angle	45°-60°
Wind Load	60m/s
Snow Load	4KN/m3
Tensile Load	400Kg
Material	SUS304 stainless steel
Surface Treatment	PV mounting accessory for solar installation projects
Warranty	10 years
Service Life	20+ years

Residential Roof Stainless Steel Hooks



3. Commercial & Industrial Roof PV Mounting Solutions

Designed for metal roof PV mounting with reliable clamps and supports.
 Designed for metal roof PV mounting with reliable clamps and supports.
 Designed for metal roof PV mounting with reliable clamps and supports.
 Designed for metal roof PV mounting with reliable clamps and supports.
 PV mounting accessory for solar installation projects.

Features

1. Anodizing improves corrosion resistance, wear resistance and appearance.

PV mounting accessory for solar installation projects.

Designed for metal roof PV mounting with reliable clamps and supports.

PV mounting accessory for solar installation projects.

Ease installation for solar PV mounting projects.

2. Compatible with common PV modules and mounting profiles.

PV mounting accessory for solar installation projects.

3. PV mounting accessory for solar installation projects.

PV mounting accessory for solar installation projects.

4. Easy installation for solar PV mounting projects.

Easy installation for solar PV mounting projects.

PV mtg.

5. 10-year warranty is available for this PV mounting product.

Technical Data	
Installation Site	C&Metal roof
Installation Angle	45°-60°
Wind Load	60m/s
Snow Load	4KN/m3
Tensile Load	400Kg
Part No.	PV mounting accessory for solar installation projects. AL6005-T5 Aluminum Alloy
Surface Treatment	Anodizing improves corr.
Warranty	10 years
Service Life	20+ years



Metal Roof Brackets & Clamps



Metal Roof Clamp T01
 Item No.: ING-MRB-T01
 Material: SUS304
 Roof: Trapezoidal metal roof



Metal Roof Clamp T02
 Item No.: ING-MRB-T02
 Material: SUS304
 Roof: Trapezoidal metal roof



Metal Roof Clamp T03
 Item No.: ING-MRB-T03
 Material: SUS304
 Roof: Trapezoidal metal roof



Name: L Foot
 Item No.: ING-MRB-LF
 Material: AL6005-T5
 Roof: Metal roof



L Foot with Curved Base
 Item No.: ING-MRB-LC
 Material: AL6005-T5
 Roof: Corrugated metal roof



Hanger Bolt with Support Plate
 Item No.: ING-MRB-HP
 Material: AL6005-T5&SUS304
 Roof: Metal roof




Hanger Bolt with L Foot
 Item No.: ING-MRB-HL
 Material: AL6005-T5&SUS304
 Roof: Metal roof



Name: Adjustable Foot Support
 Item No.: ING-ATL
 Material: AL6005-T5
 Roof: Metal roof

Metal Roof Waterproof Aluminum Flashing



Name: Waterproof Aluminum Flashing
High quality corrosion-resistant materials.
Roof: North American shingle roof



Name: Waterproof Aluminum Flashing
High quality corrosion-resistant materials.
Roof: North American shingle roof



Name: Waterproof Aluminum Flashing
High quality corrosion-resistant materials.
Roof: North American shingle roof



Name: Waterproof Aluminum Flashing
High quality corrosion-resistant materials.
Roof: North American shingle roof



Commercial & Industrial Roof PV Mounting Solutions

Designed for metal roof PV mounting with reliable clamps and supports.

Designed for metal roof PV mounting with reliable clamps and supports.

Designed for metal roof PV mounting with reliable clamps and supports.

Designed for metal roof PV mounting with reliable clamps and supports.

Rail-less clamps reduce material, transport and installation costs.


PV mounting accessory for solar installation projects.



Kliplok 406 Clamp
Item No.: ING-MRB-K406
Material: AL6005-T5
Roof: Kliplok 406 roof



Kliplok 700 Clamp
Item No.: ING-MRB-K700
Material: AL6005-T5
Roof: Kliplok 700 roof



Longline 305 Clamp
Item No.: ING-MRB-L305
Material: AL6005-T5
Roof: Longline 305 roof



Kliplok Mini Clamp
Item No.: ING-MRB-M406
Material: AL6005-T5
Roof: Kliplok 406 roof



Name: Standing Seam Clamp
Item No.: ING-MRB-SS
Material: SUS304
Roof: Standing seam roof



Rail-Integrated Standing Seam Clamp
Item No.: ING-MRB-SSR01
Material: AL6005-T5
Roof: Standing seam roof



Rail-Integrated Standing Seam Clamp
Item No.: ING-MRB-SSR02
Material: AL6005-T5
Roof: Standing seam roof



4. Off-Grid Solar Power System Mounting Solutions



Portable Foldable Triangle Bracket

Portable foldable brackets are lightweight, easy to transport and simple to install.

Easy installation for solar PV mounting projects.


Made of AL6005-T5 aluminum alloy with anodized surface treatment.

PV mounting accessory for solar installation projects.

One triangle bracket set includes:

PV mtg. accessory I	PV mounting accessory for solar installation projects.	PV mounting accessory for solar installation projects.
PV mtg. accessory I	M 6 x 20 hexbolt 4 pcs	M 6 spring washers 4 pcs
M 6 flat washers 4 pcs	PV mtg. accessory I	ST 5.5X 38 stainless steel self-drilling screws 6 pcs

Item No.	Product Name	Size (mm)	Compatible Module	G.W.	Packing	Carton Size
ING-ATT-22	22in.portable Portable foldable	Base & beam=50x 25x 556 adjusting bar=30x 20x 290	<100W	1.48kg/set	10set/carton	74*27*17cm
ING-ATT-28	28in.portable Portable foldable	Base & beam=50x 25x 712 adjusting bar=30x 20x 375	<150W	1.81kg/set	10set/carton	74*27*17cm
ING-ATT-41	41in.portable Portable foldable	Base & beam=50x 25x 1040 adjusting bar=30x 20x 545	200W-350W	2.46kg/set	10set/carton	107*27*17cm



Features

1. Portable foldable brackets are lightweight, easy to transport and simple to install.

Suitable for RV, yacht, flat roof and small off-grid solar systems.

PV mounting accessory for solar installation projects.

PV mounting accessory for solar installation projects.

2. Made of AL6005-T5 aluminum alloy with anodized surface treatment.

Anodizing improves corrosion resistance, wear resistance and appearance.

High-quality corrosion-resistant materials.

PV mtg. accessory

3. Portable foldable brackets are lightweight, easy to transport and simple to install.

PV mounting accessory for solar installation projects.

Easy installation for solar PV mounting projects.

PV mounting accessory for solar installation projects.

Custom product

4. 10-year warranty is available for this PV mounting product.

Technical Data

Product Name	Portable Foldable Triangle Bracket
Application	RV, yacht, roof, balcony, wall or solar pump, etc.
Material	AL 6005-T5 Aluminum Alloy, anodized surface treatment
Packing	1 set/box (2 triangle brackets and fasteners)
Fasteners	SUS304 stainless steel
Finish	bright anodized aluminum
Warranty	10 years
Service Life	20+ years



Easy installation for solar PV mounting projects.

Easy installation for solar PV mounting projects.
 PV mounting accessory for solar installation projects.
 PV mounting accessory for solar installation projects.
 PV mounting accessory for solar installation projects.
 Easy installation for solar PV mounting projects.
 Easy installation for solar PV mounting projects.

Features

1. PV mounting accessory for solar installation projects.
2. PV mounting accessory for solar installation projects.
3. Anodizing improves corrosion resistance, wear resistance and appearance.
4. PV mounting accessory for solar installation projects.



Easy installation for solar PV mounting projects.

PV mounting accessory for solar installation projects.

Made of AL6005-T5 aluminum alloy with anodized surface treatment.

Anodizing improves corrosion resistance, wear resistance and appearance.

Features

1. Easy installation for solar PV mounting projects.
2. PV mounting accessory for solar installation projects.
3. PV mounting accessory for solar installation projects.



5. RV & Marine Solar Power Mounting Solutions

Suitable for RV, yacht, flat roof and small off-grid solar systems.
 Suitable for RV, yacht, flat roof and small off-grid solar systems.
 Easy installation for solar PV mounting projects.
 PV mounting accessory for solar installation projects.



Features

1. Suitable for RV, yacht, flat roof and small off-grid solar systems.
 PV mounting accessory for solar installation projects.
 PV mounting accessory for solar installation projects.
2. PV mounting accessory for solar installation projects.
 PV mounting accessory for solar installation projects.
 Anodizing improves corrosion resistance, wear resistance and appearance.
 PV mtg. accessor
3. Suitable for RV, yacht, flat roof and small off-grid solar systems.
 Suitable for RV, yacht, flat roof and small off-grid solar systems.
4. 10-year warranty is available for this PV mounting product.
 PV mtg. acces

Technical Data

PV mtg. acce	Solar RVyachtmountingbracket
Installation Site	Suitable for RV, yacht, flat roof and small off-grid solar systems.
Packing	PV mtg. acce PV mounting accessory for solar installation projects.
Fasteners	PV mounting accessory for solar installation projects.
Warranty	PV mtg. accesso PV mounting accessory for solar installation projects.
Service Life	PV mounting accessory for solar installation projects.



Suitable for RV, yacht, flat roof and small off-grid solar systems.

Suitable for RV, yacht, flat roof and small off-grid solar systems.
 Easy installation for solar PV mounting projects.
 Easy installation for solar PV mounting projects.
 Suitable for RV, yacht, flat roof and small off-grid solar systems.
 Easy installation for solar PV mounting projects.

PV mounting accessory for solar installation projects.

Features

1. PV mounting accessory for solar installation projects.
 service life;
2. Easy installation for solar PV mounting projects.
3. PV mounting accessory for solar installation projects.
4. Suitable for RV, yacht, flat roof and small off-grid solar systems.



Item No	Product Name	PV mtg. a	PV mtg. a	PV mtg. PV mtg.	PV mtg. a
ING-ABS-4PC/W	PV mounting accessory for solar installation projects.	33cm*16cm*9.5cm	0.80Kgs	15	51cm*50cm*36cm
ING-ABS-4PC/B	PV mounting accessory for solar installation projects.	33cm*16cm*9.5cm	0.80Kgs	15	51cm*50cm*36cm
ING-ABS-5PC/W	PV mounting accessory for solar installation projects.	33cm*16cm*9.5cm	0.90Kgs	15	51cm*50cm*36cm
ING-ABS-5PC/B	PV mounting accessory for solar installation projects.	33cm*16cm*9.5cm	0.90Kgs	15	51cm*50cm*36cm
ING-ABS-6PC/W	PV mounting accessory for solar installation projects.	33cm*26cm*9.5cm	1.10Kgs	10	55cm*50cm*36cm
ING-ABS-6PC/B	PV mounting accessory for solar installation projects.	33cm*26cm*9.5cm	1.10Kgs	10	55cm*50cm*36cm
ING-ABS-7PC/W	PV mounting accessory for solar installation projects.	33cm*26cm*9.5cm	1.25Kgs	10	55cm*50cm*36cm
ING-ABS-7PC/B	PV mounting accessory for solar installation projects.	33cm*26cm*9.5cm	1.25Kgs	10	55cm*50cm*36cm
ING-ABS-CEH/W	Suitable for RV, yacht, flat roof and small off-grid solar systems.	11.5cm*9.3cm*5.3cm	0.15Kgs	120	58cm*48cm*28cm
ING-ABS-CEH/B	Suitable for RV, yacht, flat roof and small off-grid solar systems.	11.5cm*9.3cm*5.3cm	0.15Kgs	120	58cm*48cm*28cm



Suitable for RV, yacht, flat roof and small off-grid solar systems.

Suitable for RV, yacht, flat roof and small off-grid solar systems.
An ideal, easy-install solution for solar PV mounting projects.
Suitable for RV, yacht, flat roof and small off-grid solar systems.
PV mounting accessory for solar installation projects.

Easy inst. for so



Features

1. PV mounting accessory for solar installation projects.
2. Suitable for RV, yacht, flat roof and small off-grid solar systems.
3. Easy installation for solar PV mounting projects.
4. Compatible with common PV modules and mounting profiles.
5. Easy installation for solar PV mounting projects.


Easy installation for solar PV mounting projects.



PV mounting accessory for solar installation projects.	
PV mounting accessory for solar installation projects.	
Item No.	ING-ZBR-01
Product Name	Suitable for RV, yacht, flat roof and small off-grid solar systems.
Size	60mm*50mm*30mm
Weight	0.18 kg/set
Packing	100 set/ carton
Carton Size	36cm*19cm*24cm

Suitable for RV, yacht, flat roof and small off-grid solar systems.

An ideal, easy-install solution for solar PV mounting projects.
Suitable for RV, yacht, flat roof and small off-grid solar systems.
Easy installation for solar PV mounting projects.



Features

1. PV mounting accessory for solar installation projects.
2. Suitable for RV, yacht, flat roof and small off-grid solar systems.
3. Easy installation for solar PV mounting projects.
4. Compatible with common PV modules and mounting profiles.
5. Easy installation for solar PV mounting projects.

PV mounting accessory for solar installation projects.



PV mounting accessory for solar installation projects.	
4 pcs aluminum alloy ZBR-02bracket/4 pcs M 6x 20hex screw/4 pcs M 6hex nut /4 pcs M 6flat washers/4 pcs M 6spring washers/8 pcs ST 5.5x 38stainless steelself-drilling screws	
Item No.	ING-ZBR-02
Product Name	Suitable for RV, yacht, flat roof and small off-grid solar systems.
Size	60mm*100mm*40mm
Weight	0.26kg/set
Packing	100 set/ carton
Carton Size	54cm*22cm*22cm

Solar RV & Marine Z Bracket ZBR-03

An ideal, easy-install solution for solar PV mounting projects.
 Suitable for RV, yacht, flat roof and small off-grid solar systems.
 Easy installation for solar PV mounting projects.



Features

1. PV mounting accessory for solar installation projects.
2. Suitable for RV, yacht, flat roof and small off-grid solar systems.
3. Easy installation for solar PV mounting projects.
4. Compatible with common PV modules and mounting profiles.
5. Easy installation for solar PV mounting projects.

PV mounting accessory for solar installation projects.



One ZBR-03 bracket set includes

4 pcs aluminum ZBR-02 brackets / 4 pcs M6x20 hex screws / 4 pcs M6 hex nuts
 / 4 pcs M6 flat washers / 4 pcs M6 spring washers / 16 pcs ST5.5x38 SS self-drilling screws

Item No.	ING-ZBR-03
Product Name	Solar RV & Marine Z Bracket ZBR-03
Size	60mm*100mm*30mm
Net Weight	0.30kg/set
Packing	100 set/ carton
Carton Size	54cm*22cm*22cm

