Webservices – Financial Transactions

Version 5.1E

January 2009

For general information about our webservices see the Twinfield Webservices Manual

Twinfield International NV
De Beek 9-15
3871 MS Hoevelaken
Netherlands

copyright © 2005 – 2011 - Twinfield International N.V.

the no. 1 in online accounting

Contents

1 Posting financial transactions 3
1.1 Building the XML file 3
1.2 General information (header) 3
1.3 Detail lines (lines) 5
1.3.1 VAT calculation 6
2 Transaction type codes (Day book codes) 8
3 Sample – sales invoice 9

the no. 1 in online accounting

1 Posting financial transactions

When posting financial transactions such as lease invoices, wage journals, etc, the instructions as described in this chapter should be followed.

A financial transaction is made up of two elements in Twinfield:

1. General information (header), such as company, day book, transaction date, currency, etc.
2. Transaction lines (lines), of which there are three types
   a. Total line, with any relevant customer or supplier details
   b. Detail lines, which are often an analysis of the total line per cost centre
   c. VAT lines, with totals per VAT rate and the amounts on which the VAT was calculated.

A minimum of two transaction lines must be provided per day book.

1.1 Building the XML file

Tag	Attributes	Out/In	Description	Qty
<transactions>	result="1" result="0" msg=""	Out Out Out	OK Not OK, see Error handling	1
<transaction>	destiny="temporary" destiny="final" autobalancevat="true" raisewarning="false" location=""	In In Out	Save as provisional Save as final VAT rounding (max 2 cent) Suppress warnings Company	1-∞
<header>				1
<...></...>				
</header>				
<lines>				1-∞
<line>	id="xx" type="total" type="detail" type="vat"	In	Line number Line type	1
<...></...>				
</line>				
</lines>				
</transaction>				
</transactions>				

Possible values of the attribute 'destiny' and 'location':

1. 'temporary': save as a provisional transaction (changes still allowed).
2. 'final': save as a final transaction (changes not allowed).

The 'destiny' attribute only appears in the XML sent to Twinfield while the 'location' attribute only appears in the XML result file sent back from Twinfield.

1.2 General information (header)

The possible header fields in the XML request file are:

Tag	Description	Type
office	Company code	Varchar(16)*
code	Day book code	Varchar(16)*
number	Day book number	Long Integer. If this tag is not included or if it is left empty, the number is determined by the system
period	Financial year and period	Period (yyyy/mm). If this tag is not included or if it is left

the no. 1 in online accounting

Tag	Description	Type
		empty, the period is determined by the system based on the transaction date provided
currency	Currency	Varchar(16)*
date	Transaction date	Date
currencydate	Currency date	Date
duedate	Due date	Date
invoicenumber	Invoice number (only required for purchase and sales invoice transactions)	Varchar(40)
description	Description of the transaction	Varchar(40)
statementnumber	Statement number (only required when posting bank or cashbook statements)	Integer
startvalue	Opening balance (only required when posting bank or cashbook statements)	Money
closevalue	Closing balance (only required when posting bank or cashbook statements)	Money
userdefinedtag	-	-

Header fields in the response file.

Tag	Description	Type
office	Company code	Varchar(16)*
code	Day book code	Varchar(16)*
number	Day book number	Long Integer. If this tag is not included or if it is left empty, the number is determined by the system
period	Financial year and period	Period (yyyy/mm)
currency	Currency	Varchar(16)*
date	Transaction date	Date
currencydate	Currency date	Date
duedate	Due date	Date
invnumber	Invoice number (only required for purchase and sales invoice transactions)	Varchar(40)
description	Description of the transaction	Varchar(40)
statementnumber	Statement number (only required when posting bank or cashbook statements)	Integer
startvalue	Opening balance (only required when posting bank or cashbook statements)	Money
closevalue	Closing balance (only required when posting bank or cashbook statements)	Money
userdefinedtag	Information provided in this field will not be processed by Twinfield. For example, it could be used to provide key fields from the requesting system. Twinfield will then return the same values.	-
origin	Source of possible values	Varchar
user	The user code used to post the transaction	Varchar(16)*

the no. 1 in online accounting

1.3 Detail lines (lines)

The possible detail line fields in the XML request file are:

Tag	Description	Type
destoffice	Used for inter company transactions – here you define in which company the transaction line should be posted	Varchar(16)*
dim1	Nominal code	Varchar(16)*
dim2	• For purchase invoices, this is the creditor • For sales invoices, it is the debtor • For other transactions, this could be a cost centre	Varchar(16)*
dim3	Project	Varchar(16)*
dim4 – dim6	Reserved	Varchar(16)*
invoicenumber	Invoice number, should only be provided on line level for bank and cashbook statements.	Varchar(40)
freechar	In the case of sales or purchase invoices, if this is N the invoice is excluded from direct debit or payment runs done in Twinfield.	Varchar(1)*
freetext1 – freetext3	Additional text fields, can be setup in the transaction master	Varchar(40)
value	Amount per line type • total; amount incl. VAT • detail; amount excl. VAT • vat; VAT amount	Money
debitcredit	• Debit in the case of debit lines • Credit in the case of credit lines	Enumeration (debit/credit)
description	Description of the transaction line	Varchar(40)
duedate	Due date; do not provide this on line level	Date
vatcode	VAT code	Varchar(16)*
userdefinedtag	-	-

Line fields in the response file.

Tag	Description	Type
destoffice	Used for inter company transactions – here you define in which company the transaction line should be posted	Varchar(16)*
dim1	Nominal code	Varchar(16)*
dim2	• For purchase invoices, this is the creditor • For sales invoices, it is the debtor • For other transactions, this could be a cost centre	Varchar(16)*
dim3	Project	Varchar(16)*
dim4 – dim6	Reserved	Varchar(16)*
invoicenumber	Invoice number, should only be provided on line level for bank and cashbook statements.	Varchar(40)
freetext1 – freetext3	Reserved	Varchar(40)

the no. 1 in online accounting

Tag	Description	Type
value	Amount per line type • total; amount incl. VAT • detail; amount excl. VAT • vat; VAT amount	Money
basevalue	Amount in the base currency	Money
rate	The exchange rate used for the calculation in the base rate	Money
repvalue	Amount in the reporting currency	Money
reprate	The exchange rate used for the calculation in the reporting currency	Money
valueopen	The amount still owed (shown in the currency defined in the header)	
basevalueopen	The amount still owed (base currency)	
repvalueopen	The amount still owed (reporting currency)	
matchlevel	Reserved for matching	
customersupplier	Reserved for matching	
matchstatus	Payment status of the transaction; available, matched, included in a payment/direct debit run.	Enumeration (available/ matched/ proposed)
debitcredit	Whether the line is debit or credit	Enumeration (debit/credit)
description	Description of the transaction line	Varchar(40)
duedate	Due date; do not provide this on line level	Date
vatcode	VAT code	Varchar(16)*
vattotal	VAT amount (in the currency of the header), 'total' lines only	Money
vatbasetotal	VAT amount in base currency, 'total' lines only	Money
vatreptotal	VAT amount in reporting currency, 'total' lines only	Money
vatvalue	BTW amount (in the currency of the header), 'detail' lines only	Money
vatbasevalue	VAT amount in base currency, 'detail' lines only	Money
vatrepvalue	VAT amount in reporting currency, 'detail' lines only	Money
vatturnover	Amount on which VAT was calculated (header currency), VAT lines only	Money
vatbaseturnover	Amount on which VAT was calculated (base currency), VAT lines only	Money
vatrepturnover	Amount on which VAT was calculated (reporting currency), VAT lines only	Money
userdefinedtag	-	-

1.3.1 VAT calculation

The VAT fields should only be used if the day book uses VAT.

The VAT line is not mandatory (so the highlighted tags in the XML example below do not have to be sent). If the VAT fields are used, the calculations are validated. If the VAT amounts in the XML file do not match the amounts calculated by Twinfield the transaction will be rejected.

Tag	Description	Type
vatcode	VAT rate code. Only populate for detail and VAT lines.	Varchar(16)*

the no. 1 in online accounting

Tag	Description	Type
vatvalue	VAT amount. Only populate on detail lines.	Money
vattotal	Total of all VAT amounts. Only populated on total line.	Money
vatturnover	Total amount excl. VAT per VAT rate code.	Money

the no. 1 in online accounting

2 Transaction type codes (Day book codes)

Each financial transaction is linked to a day book code. These codes have to be used when posting transactions.

Day book code	Description
PNV	Purchase invoice
SLS	Sales invoice
JNL	Journal
WAGES	Wage journal
OPENBAL	Opening balance journal (these can only be posted to period 0)
YEND-JNL	Year end journal (these can only be posted to period 55)
CASH	Standard cashbook (if extra cashbooks have been setup, use the code as defined in Twinfield)
BNK	Standard bank (if extra bank accounts have been setup, use the code as defined in Twinfield)

the no. 1 in online accounting

3 Sample – sales invoice

Below is an example of the XML request file for a sales invoice which is to be posted as provisional.

XML	Description
<transactions>	
<transaction destiny="temporary">	Trans status: provisional
<header>	**General info**
<office>100</office>	Company code
<code>SLS</code>	Day book code
<currency>EUR</currency>	Currency
<period>2006/6</period>	Financial period
<date>20060615</date>	Transaction date
<invoicenumber>112</invoicenumber>	Invoice number
</header>	
<lines>	**Lines**
<line id="1" type="total">	**Total line + line number**
<dim1>1300</dim1>	Nominal code
<dim2>1000</dim2>	Customer number
<value>119.00</value>	Total amount (incl. VAT)
<debitcredit>debit</debitcredit>	Post the amount as debit
</line>	
<line id="2" type="detail">	**Detail line + line number**
<dim1>8020</dim1>	Nominal code
<value>100.00</value>	Amount (excl. VAT)
<vatcode>SH</vatcode>	VAT rate code
<debitcredit>credit</debitcredit>	Post amount as credit
<description>...</description>	Description
</line>	
<line type="vat" id="3">	**VAT line + line number**
<dim1>1530</dim1>	VAT control account
<value>19.00</value>	Total VAT per code
<vatcode>SH</vatcode>	VAT code
<debitcredit>credit</debitcredit>	Post amount as credit
</line>	
</lines>	
</transaction>	
</transactions>	

the no. 1 in online accounting

Result file:

XML

```
<transaction result="1" location="temporary">
  <header>
    <period>2006/6</period>
    <date>20060615</date>
    <currency>EUR</currency>
    <office name="Webshop Demonstration" shortname="">100</office>
    <code name="Sales invoice" shortname="Sales">SLS</code>
    <origin>import</origin>
    <user name="Job Lammers" shortname="Job Lammers">JOB</user>
    <number>200600006</number>
    <duedate>20060715</duedate>
    <invoicenumber>112</invoicenumber>
  </header>
  <lines>
    <line id="1" type="total">
      <dim1 name="Other debtors"
            shortname="Other debtors"
            type="BAS" inuse="true" vatcode="" vatobligatory="false">1310</dim1>
      <dim2 name="Customer account 2"
            shortname=""
            type="DEB" inuse="true" vatcode="" vatobligatory="false">1000</dim2>
      <value>119.00</value>
      <freechar />
      <debitcredit>debit</debitcredit>
      <rate>1</rate>
      <basevalue>119.00</basevalue>
      <matchlevel>2</matchlevel>
      <customersupplier>2</customersupplier>
      <openvalue>119.00</openvalue>
      <openbasevalue>119.00</openbasevalue>
      <matchstatus>available</matchstatus>
      <vattotal>19.00</vattotal>
      <vatbasetotal>19.00</vatbasetotal>
    </line>
    <line id="2" type="detail">
      <dim1 name="Turnover"
            shortname="Turnover"
            type="PNL" inuse="true" vatcode="" vatobligatory="false">8020</dim1>
      <value>100.00</value>
      <vatcode name="VAT 19%" shortname="S 19%">SH</vatcode>
      <vatvalue>19.00</vatvalue>
      <debitcredit>credit</debitcredit>
      <description />
      <rate>1</rate>
      <basevalue>100.00</basevalue>
      <matchstatus>notmatchable</matchstatus>
      <vatbasevalue>19.00</vatbasevalue>
    </line>
    <line type="vat" id="4">
      <dim1 name="VAT to be paid19%"
            shortname=" VAT to be paid19%"
            type="BAS" inuse="true" vatcode="SH" vatobligatory="false">1530</dim1>
      <value>19.00</value>
      <baseline>1</baseline>
```


the no. 1 in online accounting

XML

```
      <vatcode shortname="S 19%" name="VAT 19%">SH</vatcode>
      <debitcredit>credit</debitcredit>
      <rate>1</rate>
      <basevalue>19.00</basevalue>
      <matchstatus>notmatchable</matchstatus>
      <vatturnover>100.00</vatturnover>
      <vatbaseturnover>100.00</vatbaseturnover>
    </line>
  </lines>
</transaction>
```


the no. 1 in online accounting