Webservices – Matching Xml

manual, version 5.4

January 2010

For general information about our webservices see the Twinfield Webservices Manual

Twinfield International NV
De Beek 9-15
3871 MS Hoevelaken
Netherlands

copyright © 2005 – 2011 - Twinfield International N.V.

the no. 1 in online accounting

Table of contents

Matching Xml 3

Example partial payment 4
Example write off 5

the no. 1 in online accounting

Matching Xml

Xml structure

Tag	Parent node	Description	Type definition
match	-	root node	-
set	match	Node	-
matchcode	set		ENUMERATION, mandatory - 070 - 170 - 270 - 370
office	set	Office code	CODE
matchdate	set	Matching date, ISODATE	DATE
lines	set	Node	-
line	lines	Node	-
@type	attribute	Attribute on the “line” element	ENUMERATION - currency - discount - writeoff
transcode	line	Daybook code	CODE, mandatory
transnumber	line	Transaction number	INTEGER, mandatory
transline	line	Transaction line number	INTEGER, mandatory
matchvalue	line	Match amount, only for partial payments, this value is optional	AMOUNT; you need to include an “-“ on credit lines.
writeoff	line	Currency, discount or write off amount, this value is optional.	AMOUNT; you need to include an “-“ on credit lines.

Available match codes

Code	Description
070	Matching suspense accounts
170	Matching customers
270	Matching Suppliers
370	Matching projects

the no. 1 in online accounting

Example partial payment

Daybook	Transaction number	Line number	GL	Customer	(Invoice) Amount
INK	200700027	1	1600	2002	-/-10.00
INK	200700027	1	1600	2002	8.00

After the match -/- 2.00 will remain as outstanding amount

Request Xml

```
<?xml version="1.0"?>
<match>
    <set>
        <matchcode>270</matchcode>
        <office>0000</office>
        <matchdate>20081016</matchdate>
        <lines>
            <line>
                <transcode>INK</transcode>
                <transnumber>200700027</transnumber>
                <transline>1</transline>
                <matchvalue>-8</matchvalue>
            </line>
            <line>
                <transcode>INK</transcode>
                <transnumber>200700028</transnumber>
                <transline>1</transline>
            </line>
        </lines>
    </set>
</match>
```


the no. 1 in online accounting

Example write off

Daybook	Transaction number	Line number	GL	Customer	(Invoice) Amount
INK	200700027	1	1600	2002	-/-10.00
INK	200700027	1	1600	2002	8.00

After the match there will be no outstanding amount. Twinfield will automatically generate a “Write-off” transaction, as described below. The GL account 9045 is set in the dimension page on the office master (menu: General>My Accounts>Company settings).

Daybook	GL	Customer		(Invoice) Amount
WRITEOFF	1600	2002		2.00
WRITEOFF	9045			2.00

Request Xml

```
<?xml version="1.0"?>
<match>
    <set>
        <matchcode>270</matchcode>
        <office>0000</office>
        <matchdate>20081016</matchdate>
        <lines>
            <line type="writeoff">
                <transcode>INK</transcode>
                <transnumber>200700027</transnumber>
                <transline>1</transline>
                <matchvalue>-8</matchvalue>
            </line>
            <line>
                <transcode>INK</transcode>
                <transnumber>200700028</transnumber>
                <transline>1</transline>
            </line>
        </lines>
    </set>
</match>
```


the no. 1 in online accounting

Response Xml (based on the partial payment Xml)

```
<match result="1">
    <set result="1">
        <matchcode name="Betalen crediteuren">250</matchcode>
        <matchdate>20081016</matchdate>
        <lines>
            <line result="1">
                <transcode name="Inkoopfactuur"
                           shortname="Inkoop">INK</transcode>
                <transnumber>200700027</transnumber>
                <transline>1</transline>
                <matchvalue>-8.00</matchvalue>
                <origin>manual</origin>
                <status>final</status>
                <dim1 name="Crediteuren"
                      shortname="Crediteuren">1600</dim1>
                <dim2 name="JJLammers" shortname="">2000</dim2>
                <matchlevel>2</matchlevel>
                <basevalueopen>-10.00</basevalueopen>
                <repvalueopen>0.00</repvalueopen>
                <valueopen>-10.00</valueopen>
                <matchvaluerep>0.00</matchvaluerep>
                <matchvaluecur>-8.00</matchvaluecur>
            </line>
            <line type="" result="1">
                <transcode name="Inkoopfactuur"
                           shortname="Inkoop">INK</transcode>
                <transnumber>200700028</transnumber>
                <transline>1</transline>
                <origin>manual</origin>
                <status>final</status>
                <dim1 name="Crediteuren"
                      shortname="Crediteuren">1600</dim1>
                <dim2 name="JJLammers" shortname="">2000</dim2>
                <matchlevel>2</matchlevel>
                <basevalueopen>8.00</basevalueopen>
                <repvalueopen>0.00</repvalueopen>
                <valueopen>8.00</valueopen>
                <matchvalue>8.00</matchvalue>
                <matchvaluerep>0.00</matchvaluerep>
                <matchvaluecur>8.00</matchvaluecur>
            </line>
        </lines>
        <dimensions>
            <dimension level="2" matchnumber="14">2000</dimension>
        </dimensions>
        <value>0.00</value>
    </set>
</match>
```