



Module 3 challenge

1. A data analyst at a logistics company is tasked with analyzing routes and transit times for all orders. The current database of orders contains millions of rows. What tool would be most efficient for the analyst to use?

1 / 1 point

- ☐ CSV
- ☐ Word processor
- ☒ SQL
- ☐ Spreadsheet

✓ Correct

2. A data team has a dataset that contains a float column that goes to numerous decimal places. This level of granularity is not needed for their analysis. What SQL function will convert the data to be integers?

1 / 1 point

- ☐ SUBSTR
- ☐ TRIM
- ☒ CAST
- ☐ LENGTH

✓ Correct

3. Fill in the blank: A data team collaborating with the HR department uses the SQL command _____ to add a row for a new employee to their organization's database.

1 / 1 point

- ☒ INSERT INTO
- ☐ DROP TABLE IF EXISTS
- ☐ CREATE TABLE IF NOT EXISTS
- ☐ UPDATE

✓ Correct

4. You are working with a database table that has columns about products, such as product_name. Which **SUBSTR** function and **AS** command will retrieve the first 2 characters of each product name and store the result in a new column called product_ID?

1 / 1 point

- ☒ `SUBSTR(product_name, 1, 2) AS product_ID`
- ☐ `SUBSTR AS (1, 2 product_name) product_ID`
- ☐ `SUBSTR(product_name) AS (1, 2) product_ID`
- ☐ `SUBSTR(product_name, 2) AS product_ID`

✓ Correct

5. In SQL, what function can be used to remove leading spaces from a piece of data?

1 / 1 point

- ☐ `SUBSTR`
- ☐ `AVG`
- ☒ `TRIM`
- ☐ `FORMAT`

✓ Correct

6. While working with a database table that contains the column employee_name, you notice that there are some duplicate entries. Which SQL clause would you use in a query to return the employee_name data without these duplicates?

1 / 1 point

- ☐ `DUPLICATE employee_name`
- ☐ `DELETE employee_name`
- ☒ `DISTINCT employee_name`
- ☐ `DROP employee_name`

✓ Correct

7. Fill in the blank: The SQL command _____ is irreversible, so data analysts should consider whether data should be backed up before using it.

1 point

- ☐ `INSERT INTO`
- ☐ `UPDATE`
- ☐ `DROP TABLE IF EXISTS`
- ☒ `CREATE TABLE IF NOT EXISTS`

✗ Incorrect

Review [the video about using queries in SQL](#).

Ans:- Drop Table IF Exists

8. You are using a database table that includes the column `credit_card_numbers`, and you want to check for any fraudulent activity. Which SQL clause will help you identify any credit card numbers that are more than 16 characters long?

1 / 1 point

- ☐ `IDENTIFY(credit_card_numbers) < 16`
- ☐ `COUNT(credit_card_numbers) > 16`
- ☒ `LENGTH(credit_card_numbers) > 16`
- ☐ `WHERE(credit_card_numbers) < 16`

✓ Correct

9. As you migrate data from a legacy system to a new database, you find that many client records contain missing values in the `email_address` column. What SQL function can you use to replace these null values with a value in a different column?

1 / 1 point

- ☐ `TRIM`
- ☒ `COALESCE`
- ☐ `CAST`
- ☐ `CONCAT`

✓ Correct