



Test your knowledge on VLOOKUP

1. Fill in the blank: The purpose of _____ is to gather data from multiple sources in order to combine it into a single, summarized collection.

1 / 1 point

- ☐ data collection
- ☐ data blending
- ☒ data aggregation
- ☐ data transfer

✓ Correct

The purpose of data aggregation is to gather data from multiple sources in order to combine it into a single, summarized collection.

2. Which function can be used to change a text string in spreadsheet cell B11 to a numerical value?

1 / 1 point

- ☐ =NUM(B11)
- ☐ =MATCH(B11)
- ☐ =CONVERT(B11)
- ☒ =VALUE(B11)

✓ Correct

The function =VALUE(B11) can be used to change the text string in spreadsheet cell B11 to a numerical value.

3. What is the purpose of the absolute references within the function **=AVERAGE(\$B\$2:\$B\$11)**?

1 / 1 point

- ☒ Ensure the rows and columns will not change if the function is copied
- ☐ Make formulas and functions unconditional
- ☐ Represent missing values in a formula or function
- ☐ Remove unnecessary instructions from a formula or function

✓ **Correct**

The purpose of absolute references is to ensure the rows and columns will not change if the function is copied.

4. In this spreadsheet, which **VLOOKUP** function will search for the height of the building in Shenzhen?

1 / 1 point

	A	B	C	D
1	Location	Building	Height	Year completed
2	Dubai	Burj Khalifa	2,717 feet	2010
3	Shanghai	Shanghai Tower	2,073 feet	2015
4	Mecca	Makkah Royal Clock Tower	1,972 feet	2012
5	Shenzhen	Ping An Finance Center	1,965 feet	2017
6	St. Petersburg	Lakhta Center	1,516 feet	2019
7	Chicago	Willis Tower	1,451 feet	1974

- ☒ **=VLOOKUP("Shenzhen", A2:D7, 3, FALSE)**
- ☐ **=VLOOKUP(Shenzhen, A2:D7, 3, TRUE)**
- ☐ **=VLOOKUP(Shenzhen, A2:D7, 2, TRUE)**
- ☐ **=VLOOKUP("Shenzhen" A2-D7, 2, FALSE)**

✓ **Correct**

To search for the height of the building in Shenzhen, the correct function is **=VLOOKUP("Shenzhen", A2:D7, 3, false)**. "Shenzhen" is the reference. A2:D7 is the table array. The 3 indicates the number of the column from which the value should be returned. And the word **FALSE** instructs the function to return an exact match.