



Upload the avocado dataset to BigQuery

Using public datasets is a great way to practice working with SQL. Later in the course, you are going to use historical data on avocado prices to perform calculations in BigQuery. This is a step-by-step guide to help you load this data into your own BigQuery console so that you can follow along with the upcoming video.

Upload the avocado dataset to BigQuery

In an upcoming video, the instructor demonstrates how to embed simple calculations in SQL. For this example, they use a publicly available Avocado Prices dataset from Kaggle. Follow the directions below to upload the avocado dataset to BigQuery. Once you've uploaded this data, you'll be able to practice with this data on your own!


Step 1: Download the [avocado dataset csv file](#). This dataset is publicly available as [Avocado Prices from Kaggle](#). This data has been made available by [Justin Kiggins](#) under an [Open Data Commons](#) license. Kaggle is a great resource for all types of data analytics resources, and there are also other public datasets on the platform that you can download and use.

Note: We recommend downloading directly from the link to the csv file provided above, rather than from Kaggle due to formatting variations in the column names. If you opt to download directly from Kaggle, you will need to create a free account first, and your queries may vary slightly from what is shown in this course.


You will find some more information about the avocado dataset, including the context, content, and original source on this page. For now, you can simply download the file.

Step 2: Create the dataset.

1. After you have downloaded the dataset, remember where you save the avocado.csv file for upload into your BigQuery console.
2. Open your BigQuery Console and create a new dataset.
3. In the Explorer pane on the left side of your console, select the project where you want to add a dataset. Note that your project will have a unique name and won't be the same as the one in the example pictured below (loyal-glass-371423). If you already have it starred, don't choose bigquery-public-data as your project because that's a public project that you can't change.



4. Select the Actions icon (three vertical dots) next to your project and select Create dataset.



5. Name the dataset avocado_data. In the Location type section, select Multi-region, then select US (multiple regions in United States, and make sure the default Encryption method within the Advanced options is set to the Google_managed encryption key. Then, select Create dataset (blue button) to create your new dataset. This will add data in the Explorer on the left of your console.

Create dataset

Project ID
bigquery-public-data

[CHANGE](#)

Dataset ID *
avocado_data

Letters, numbers, and underscores allowed

Location type ?

- ☐ Region
Specify a region to colocate your datasets with other GCP services.
- ☒ Multi-region
Allow BigQuery to select a region within a group to achieve higher quota limits.

Multi-region *
US (multiple regions in United States)

Default table expiration

☐ Enable table expiration ?

Default maximum table age Days

Advanced options ^

Encryption ?

- ☒ Google-managed encryption key
No configuration required
- ☐ Customer-managed encryption key (CMEK)
Manage via [Google Cloud Key Management Service](#)

Case Insensitive

☐ Enable case insensitive table names ?


Default Collation

☐ Enable default collation ?

CREATE DATASET

CANCEL

6. Navigate to the dataset in your console by expanding your project and selecting the correct dataset listed. In this case, it will be avocado_data.



7. On the far right of the screen, select the blue + CREATE TABLE button to open the Create table window. To fill out this window:

- Under Source, for the Create table from selection, select Upload.
- Click Browse to select the unzipped .csv file titled avocado you just downloaded to your computer from Kaggle. The File format should automatically change from Avro to CSV when you select the file.
- For Table name, enter avocado_prices.
- For Schema, click the Auto detect checkbox.
- Finally, to create the table, select Create table (blue button).

Create table ✕

Source

Create table from
Upload

Select file +
avocado.csv ✕ [BROWSE](#) ?

File format
CSV

Destination

Project +
loyal-glass-371423 [BROWSE](#)

Dataset +
avocado_data

Table +
avocado_prices
Unicode letters, marks, numbers, connectors, dashes or spaces allowed.

Table type
Native table ?

Schema

☒ Auto detect

! Schema will be automatically generated.

Partition and cluster settings

Partitioning
No partitioning ?

[CREATE TABLE](#) [CANCEL](#)

Step 3: Review the table information.

1. In the Explorer, the avocado_prices table will appear under the dataset you created.

Explorer + ADD ⌕

?

Viewing workspace resources.

[SHOW STARRED ONLY](#)

loyal-glass-371423 ★ ⋮

avocado_data ☆ ⋮

avocado_prices ☆ ⋮

[SHOW MORE](#)

[SHOW MORE](#)

2. Select the table you created to develop a greater understanding of the table schema, details, and the data preview in the main editor window.

☐	Field name	Type	Mode	Key	Collation	Default Value	Policy Tags	Description
☐	int64_field_0	INTEGER	NULLABLE					
☐	Date	DATE	NULLABLE					
☐	AveragePrice	FLOAT	NULLABLE					
☐	Total_Volume	FLOAT	NULLABLE					
☐	_4046	FLOAT	NULLABLE					
☐	_4225	FLOAT	NULLABLE					
☐	_4770	FLOAT	NULLABLE					
☐	Total_Bags	FLOAT	NULLABLE					
☐	Small_Bags	FLOAT	NULLABLE					
☐	Large_Bags	FLOAT	NULLABLE					
☐	XLarge_Bags	FLOAT	NULLABLE					
☐	type	STRING	NULLABLE					
☐	year	INTEGER	NULLABLE					
☐	region	STRING	NULLABLE					

Well done! You are now ready to follow along with the video and learn more about performing calculations with queries!