



Glossary terms from module 1

Terms and definitions from the course

Alternative text: Text that provides an alternative to non-text content, such as images and videos

Annotation: Text that briefly explains data or helps focus the audience on a particular aspect of the data in a visualization

AVERAGEIF: A spreadsheet function that returns the average of all cell values from a given range that meet a specified condition

Balance: The design principle of creating aesthetic appeal and clarity in a data visualization by evenly distributing visual elements

Bar graph: A data visualization that uses size to contrast and compare two or more values

Calculus: A branch of mathematics that involves the study of rates of change and the changes between values that are related by a function

Causation: When an action directly leads to an outcome, such as a cause-effect relationship

Channel: A visual aspect or variable that represents characteristics of the data in a visualization

Chart: A graphical representation of data from a worksheet

Cluster: A collection of data points on a data visualization with similar values

CONVERT: A SQL function that changes the unit of measurement of a value in data

Correlation: The measure of the degree to which two variables change in relationship to each other

CREATE TABLE: A SQL clause that adds a temporary table to a database that can be used by multiple people

Data composition: The process of combining the individual parts in a visualization and displaying them together as a whole

Decision tree: A tool that helps analysts make decisions about critical features of a visualization

Design thinking: A process used to solve complex problems in a user-centric way

Distribution graph: A data visualization that displays the frequency of various outcomes in a sample

DROP TABLE: A SQL clause that removes a temporary table from a database

Dynamic visualizations: Data visualizations that are interactive or change over time

Emphasis: The design principle of arranging visual elements to focus the audience's attention on important information in a data visualization

HAVING: A SQL clause that adds a filter to a query instead of the underlying table that can only be used with aggregate functions

Headline: Text at the top of a visualization that communicates the data being presented

Heat map: A data visualization that uses color contrast to compare categories in a dataset

Histogram: A data visualization that shows how often data values fall into certain ranges

Inner query: A SQL subquery that is inside of another SQL statement

Label: Text in a visualization that identifies a value or describes a scale

Legend: A tool that identifies the meaning of various elements in a data visualization

Line graph: A data visualization that uses one or more lines to display shifts or changes in data over time

Map: A data visualization that organizes data geographically

Mark: A visual object in a data visualization such as a point, line, or shape

MAXIFS: A spreadsheet function that returns the maximum value from a given range that meets a specified condition

Mental model: A data analyst's thought process and approach to a problem

Movement: The design principle of arranging visual elements to guide the audience's eyes from one part of a data visualization to another

MINIFS: A spreadsheet function that returns the minimum value from a given range that meets a specified condition

Narrative: (Refer to story)

Ordinal data: Qualitative data with a set order or scale

Pattern: The design principle of using similar visual elements to demonstrate trends and relationships in a data visualization

Pie chart: A data visualization that uses segments of a circle to represent the proportions of each data category compared to the whole

Pre-attentive attributes: The elements of a data visualization that an audience recognizes automatically without conscious effort

Proportion: The design principle of using the relative size and arrangement of visual elements to demonstrate information in a data visualization

R: A programming language used for statistical analysis, visualization, and other data analysis

Ranking: A system to position values of a dataset within a scale of achievement or status

Relativity: The process of considering observations in relation or proportion to something else

Repetition: The design principle of repeating visual elements to demonstrate meaning in a data visualization

Rhythm: The design principle of creating movement and flow in a data visualization to engage an audience

Scatterplot: A data visualization that represents relationships between different variables with individual data points without a connecting line

SELECT INTO: A SQL clause that copies data from one table into a temporary table without adding the new table to the database

Sort range: A spreadsheet menu function that sorts a specified range and preserves the cells outside the range

Sort sheet: A spreadsheet menu function that sorts all data by the ranking of a specific sorted column and keeps data together across rows

Static visualization: A data visualization that does not change over time unless it is edited

Story: The narrative of a data presentation that makes it meaningful and interesting

Subtitle: Text that supports a headline by adding context and description

Tableau: A business intelligence and analytics platform that helps people visualize, understand, and make decisions with data

Unity: The design principle of using visual elements that complement each other to create aesthetic appeal and clarity in a data visualization

Variety: The design principle of using different kinds of visual elements in a data visualization to engage an audience

Visual form: The appearance of a data visualization that gives it structure and aesthetic appeal

X-axis: The horizontal line of a graph usually placed at the bottom, which is often used to represent time scales and discrete categories

Y-axis: The vertical line of a graph usually placed to the left, which is often used to represent frequencies and other numerical variables