



Module 3 challenge

1. Fill in the blank: In Python, the `index()` method interprets a string as a _____.

1 / 1 point

- ☐ string slice
- ☐ boolean
- ☐ substring
- ☒ sequence of characters

✓ Correct

2. A data professional assigns the string `'pie and cake'` to the variable `desserts`. What Python code can they use to find the index of the character `'p'`?

1 / 1 point

- ☒ `desserts.index('p')`
- ☐ `index.desserts('p')`
- ☐ `pie.index('p')`
- ☐ `index.pie('p')`

✓ Correct

3. What would be the output from executing the following code?

1 / 1 point

```
1 x = 1
2 y = 2
3 print(f'{x} + {y}')
```

- ☐ 3
- ☐ '12'
- ☐ '3'
- ☒ '1+2'

✓ Correct

4. Fill in the blank: The Python `range()` function returns a sequence of numbers starting from ____; then increments by one, by default; then stops before the given number.

1 / 1 point

- ☐ one
- ☐ three
- ☒ zero
- ☐ two

✓ Correct

5. A data professional assigns the string `'classical'` to the variable `genre`. What Python code will return the slice `'class'`?

1 / 1 point

- ☒ `genre[:5]`
- ☐ `genre[1:5]`
- ☐ `genre[5: ]`
- ☐ `genre[-1]`

✓ Correct

6. Fill in the blank: A data professional can use the `format()` method to insert specific _____ in a larger string.

1 / 1 point

- ☒ substrings
- ☐ `while` loops
- ☐ `for` loops
- ☐ libraries

✓ Correct

7. What type of loop can a data professional use to repeat a specific block of code until a condition is no longer met?

1 / 1 point

- ☐ `else` loop
- ☐ `for` loop
- ☐ `if` loop
- ☒ `while` loop

✓ Correct

8. What Python code can a data professional use to concatenate the strings `'brain'` and `'storm'`?

1 / 1 point

- ☐ `'brain' != 'storm'`
- ☐ `'brain' == 'storm'`
- ☐ `'brain' % 'storm'`
- ☒ `'brain' + 'storm'`

✓ Correct

9. A data professional wants to set up a `for` loop. They write the following code: `for x in range(5, 101, 10):`. What is the step value of the `range()` function?

1 / 1 point

- ☐ 101
- ☐ 5
- ☐ 100
- ☒ 10

✓ Correct

10. What Python code instructs the computer to loop through values from 20 to 90 (inclusive)?

1 / 1 point

- ☐ `for x in range(21, 91):`
- ☒ `for x in range(20, 91):`
- ☐ `for x in range(21, 90):`
- ☐ `for x in range(20, 90):`

✓ Correct