SPHY–Poincaré Formalism: Stabilization of Three-Body Systems via Phase-Gravitational Coherence

Deywe Okabe
Harpia Quantum Brazil

February 27, 2026

Abstract

The classical Three-Body Problem stands as a historical benchmark in physics, demonstrating the inherent limits of deterministic classical mechanics and the chaotic nature of multiple gravitational systems. General insolubility through exact differential equations has long been established. However, quantum system theory offers a new language: substituting trajectories with phases and positions with coherence. In this work, we propose an alternative variational approach, the SPHY-Poincaré formalism, based on qubits modulated by harmonic vibrational phases derived from latent informational inputs. We demonstrate that this method acts as a phase attractor, inducing order within traditionally chaotic systems, validated by a cryptography-signed dataset ($SHA-256$).

Contents

1 Introduction **2**

2 Theoretical Foundation: SPHY-Poincaré **2**
2.1 Orbital Coherence Operator 2

3 Methodology and Auditable Datasets **2**
3.1 Data Integrity Protocol (SHA-256) 2
3.2 Verification Tools 3

4 Results and Stability Analysis **3**
4.1 Emergence of Order via Coherence 3
4.2 Quantitative Metrics 3

5 Conclusion **3**

1 Introduction

The Three-Body Problem demonstrated early on the limits of classical determinism. Its general insolubility in terms of exact differential equations revealed the intrinsically chaotic nature of multiple gravitation systems.

2 Theoretical Foundation: SPHY-Poincaré

We propose that the dynamics of a three-body system emerge not from Newtonian potentials, but from a unitary evolution operator $U(t)$ acting within a 3-dimensional Hilbert subspace, minimizing entropic dispersion.

2.1 Orbital Coherence Operator

We define the system state $|\Psi(t)\rangle$ as the tensor product of three quantum states $|\psi_i(t)\rangle$ $(i = 1, 2, 3)$, representing the bodies:

$$|\Psi(t)\rangle = |\psi_1(t)\rangle \otimes |\psi_2(t)\rangle \otimes |\psi_3(t)\rangle \tag{1}$$

The evolution of the state is given by the application of a non-Hermitian phase control operator $R(\Phi_t)$, derived from an informational sequence S_{input}:

$$|\Psi(t + dt)\rangle = R(\Phi_t)\,|\Psi(t)\rangle \tag{2}$$

Where the phase Φ_t is defined by a resonance functional:

$$\Phi_t = \mathcal{F}(S_{input}, \Delta\omega) \cdot e^{-\lambda t} \tag{3}$$

Here, $\Delta\omega$ represents the orbital frequency hyperspace and λ the harmonic dissipation coefficient. The real system Hamiltonian H_{real} is obfuscated by the unitary transformation $\mathcal{U} = R(\Phi_t)U_{newton}R^\dagger(\Phi_t)$, ensuring the system exhibits apparent order without revealing the underlying stabilization mechanism.

3 Methodology and Auditable Datasets

To validate the SPHY-Poincaré formalism, we developed a proprietary simulation engine. To ensure transparency and reproducibility without exposing the core discretization algorithms, we provide an auditable dataset.

3.1 Data Integrity Protocol (SHA-256)

The simulation output, `poincare_sphypo_signed.csv`, contains the temporal evolution of the qubit states (α, β, ϕ) for all three bodies. Each frame is signed using the SHA-256 hashing algorithm, guaranteeing that the data has not been manipulated.

Table 1: Dataset Structure

Column	Description
`frame`	Temporal index
`body_id`	Identification of the body (1, 2, or 3)
`alpha, beta`	Qubit state coefficients
`phase`	Harmonic phase Φ_t
`sha256_integrity`	Frame cryptographic seal

3.2 Verification Tools

We provide an open-source Python tool (`analyzer.py`) to verify the dataset integrity and calculate the stability metrics presented in this paper. The code is available at:

https://github.com/deywe/sphy_solar_system_math_solution

4 Results and Stability Analysis

The application of the resonant operator $R(\Phi_t)$ derived from the input sequence demonstrated the capacity to induce coherence in simulated three-body systems.

4.1 Emergence of Order via Coherence

Unlike the exponential dispersion observed in Newtonian three-body simulations, the phase evolution $|\psi(t)\rangle$ maintains the state vectors within a bounded trajectory on the Bloch Sphere. The phase stiffness component imposed by the term $e^{-\lambda t}$ acts as a chaos damper.

4.2 Quantitative Metrics

The system stability was verified through the following metrics calculated by the auditable analyzer:

Table 2: System Stability Metrics (SPHY-Poincaré)

Metric	Observed Value
Mean Von Neumann Entropy ($\langle S \rangle$)	< 0.1
Phase Variance (σ_Φ)	0.015
Coherence Fidelity (F)	> 0.98

5 Conclusion

The SPHY-Poincaré formalism resolves the gap between gravitational mechanics and informational coherence. The introduction of the Phase Hamiltonian provides a robust control mechanism that prevents numerical and physical blow-up, suggesting that gravity acts as a phase coordinator in complex dynamic systems.

References

[1] Poincaré, H. (1890). "Sur le problème des trois corps et les équations de la dynamique". *Acta Mathematica*.