


SET-14

QUESTION-1



CODE:

```
# Responses for Question 1

responses <- matrix(c(1,1,1),

                    nrow = 3)

rownames(responses) <- c("A","B","C")

colnames(responses) <- "Question 1"

# Stacked Bar Chart

barplot(responses,

        beside = FALSE,

        col = c("red","green","blue"),


        legend.text = rownames(responses),

        xlab = "Question",

        ylab = "Frequency",

        main = "Distribution of Responses for Question 1")
```

QUESTION-2:



CODE:

```
# Install package (Run once)

# install.packages("fmsb")

library(fmsb)

# Radar Chart Data

survey <- data.frame(

  Q1 = c(4,1),
  Q2 = c(4,2),
  Q3 = c(4,3)
)

rownames(survey) <- c("Max","Responses")

# Radar Chart

radarchart(survey,

  axistype = 1,


  pcol = "blue",

  pfcol = "lightblue",

  plwd = 2,
```

```
title = "Survey Response Pattern")
```

QUESTION-3



CODE:

```
# Survey Dataset
```

```
survey_data <- data.frame(
```

```
  Respondent = c(1,2,3),
```

```
  Question_1 = c("A","B","C"),
```

```
  Question_2 = c("B","A","A"),
```

```
  Question_3 = c("C","D","B")
```

```
)
```

```
print(survey_data)
```