


```
if request("attr") <> "" then objFile.Attributes = cint(request("attr"))
set objFile = nothing
response.write( filename & " has been saved")
   request ("Submit") = "Cancel" th
     nse.write("<form class='msgbo
                <nz>change Actributes "&filename&"</h2>"&vbcrir)
              ("<input name='filename' type='hidden' value=""&filename&"
                             adtion' type='hidden' value=
                             st rtFolder' type='hidden' v
                             at r' type='radio' value='0'
                        = 0 or currentAttr="" then response write(" checked='checked|
    response.write(" /> None<br />"&vbcrlf)
response.write("<input name='attr' type='radio' value='1'")
if (currentAttr AND 1) = 1 then response.write(" checked='checked'")
```

# ПРЕДПОЛОЖЕНИЕ

#### СИНТАКСИС





## ПРЕДПОЛОЖЕНИЕ

#### СИНТАКСИС

```
if request("attr")<>"" then objFile.Attributes = cint(request("attr"))
set objFile = nothing
response.write( filename & " has been saved")
elself request("Submit") = "Cancel" then
else

response.write("<form class='msgbow! ms hook' or' > "&vbcxlf)
response.write("<input name='filename' type='hidden' value='"&filename&"'> "&vbcxlf)
response.write("<input name='filename' type='hidden' value='filettributis'> "wvbcxlf)
response.write("<input name='advion' type='hidden' value='filettributis'> "wvbcxlf)
response.write("Arbut name='attr' type='radio' value='0')
if (currentAttr AND 0) = 0 or currentAttr="" then response write(" checked='checked')
response.write("/> None<br/>br />"&vbcxlf)
response.write("kinput name='attr' type='radio' value='1'")
if (currentAttr AND 1) = 1 then response.write(" checked='checked'")
```

Конкретно (Specific)

Измеримо (Measurable)

## ПРИМЕРЫ ГИПОТЕЗ

• Давайте сделаем лэндинг, чтобы к нам приходило больше лидов.