Bharucha, E. K., 1988. An observation on the relationship between a Sambar and a Tree-Pie. *Journal of the Bombay Natural History Society* 84 (3): 675 (1987).

Bird, R. B., Bird, D. W., Codding, B. F., Parker, C. H., & Jones, J. H., 2008. The 'Fire Stick Farming' hypothesis: Australian Aboriginal foraging strategies, biodiversity, and anthropogenic fire mosaics. *Proceedings of the National Academy of Sciences* 105: 14796–14801.

Bonta, M., Gosford, R., Eussen, D., Ferguson, N., Loveless, E., & Witwer, M., 2017. Intentional fire-spreading by "Firehawk" raptors in Northern Australia. *Journal of Ethnobiology* 37 (4): 700–718.https://doi.org/10.2993/0278-0771-37.4.700

Chhangani, A. K., 2004. Cannibalism observed in Rufous Treepie (*Dendrocitta vaqabunda*). *Newsletter for Birdwatchers* 44 (5): 79.

Gosford, R., 2015.Ornithogenic Fire: Raptors as propagators of fire in the Australiansavanna. Paper presented at the 6th International Fire Ecology and Management Congress. San Antonio, TX. Website URL: http://2015.afefirecongress.org/wpcontent/uploads/ 2012/01/SA-Abstracts-and-Presenter-Biographies.pdf. [Accessed on 22 April 2018.]

Krishnakumar, R., & Sudha G., 2002.Indian Tree Pie *Dendrocitta vagabunda* parvula (Whistler & Kinnear) (Corvidae). A predatory bird of red palm weevil *Rhynchophorus ferrugineus* (Oliver). *Insect Environment* 8: 133.

Marzluff, J. M., & Angell, T., 2005. Cultural coevolution: How the human bond with crows and ravens extends theory and raises new questions. *Journal of Ecological Anthropology* 9: 69–75.

Seed, A., Emery, N., & Clayton, N., 2009. Intelligence in corvids and apes: A case of convergent evolution? *Ethology* 115: 401–420.

Sharma, S. K., 1993. Tree Pie Dendrocitta vagabunda (Latham) feeding on aril of seeds of Pithecellobium dulce. Journal of the Bombay Natural History Society 89 (3): 374.

- Raju Vyas & Kartik Upadhyay

Raju Vyas, 1–Shashwat Apartment, 23 Anandnagar Śocietý, BPC Road, Alkapuři, Vadodara 390007, Gujarat, India E-mail: razoovyas@hotmail.com [Corresponding Author] Kartik Upadhyay, 1/101–Avni Residence, Near Bansal Super Market, Gotri Vasna Road, Vadodara, Gujarat, India E-mail: kartik_upadhyay35@yahoo.com

Sighting of Northern Long-eared Owl *Asio otus* in the Teesta grasslands, Jalpaiguri, West Bengal

On 16 February 2018, during the hot midday at the Teesta grasslands (26.52°N, 88.73°E) near Jalpaiguri, West Bengal, I found an owl roosting approximately one meter above the ground, on a branch of a small, almost naked, tree that stood under the shade of a three meter high *Zizyphus* tree surrounded by tall thick grasses and thorny bushes. As I had no camera with me, I returned to the spot on 18 February at 1615 hrs and found



82. Northern Long-eared Owl in the Teesta grasslands, Jalpaiguri, West Bengal.

the owl exactly at the same spot. Without disturbing it, I was able to take some photos of the bird [82]. On 25 February, I again visited the place with Biswapriya Rahut and at 1730 hrs found the owl perched about two and a half meters above the ground, on a branch of the *Zizyphus* tree. However, it flushed and disappeared into the tall thick 'kash' *Saccharum* sp., grasses c. 100 m away. I made no further visits to the area to avoid disturbing its roost.

On comparing the photograph with standard references (Grimmett et al. 2011) and photographs on websites like http://orientalbirdimages.org/, it was clear that this was a Northern Longeared Owl Asio otus. Its long, slim, heavily streaked body, orange eyes, very long black ear tufts with pale edges, two black lines between the eyes and the white lines beside the bill eliminated all other species.

The Northern Long-eared Owl is a rare, and apparently erratic winter visitor to north-western India. It has rarely reached Gujarat, western Uttaranchal, the Delhi area, Nepal, and Bhutan (Ali & Ripley 1987; Rasmussen & Anderton 2012). More recently, it has been photographed in Sikkim (Ash et al. 2017), and further eastwards in the Mishmi Hills, Arunachal Pradesh (Kalita & Bhuyan 2015). This is the first record of this species from West Bengal, though not unexpected, given the recent observations from the eastern parts of the country.

References

Ash, D., Khanna, A., & Bagchi, H., 2017. Northern Long-eared Owl *Asio otus* in East Sikkim. *Indian BIRDS* 13 (2): 44–45.

Grimmett, R., Inskipp, C., & Inskipp, T., 2011. *Birds of the Indian Subcontinent.* 2nd ed. London: Oxford University Press & Christopher Helm. Pp. 1–528.

Kalita, B., & Roon, B., 2015. Snapshot sightings: Long-eared Owl from Mishmi Hills, Arunachal Pradesh. Indian BIRDS 10 (2): 56A.

Rasmussen, P. C., & Anderton, J. C., 2012. *Birds of South Asia: the Ripley guide.* 2nd ed. Washington, D.C. and Barcelona: Smithsonian Institution and Lynx Edicions. 2 vols. Pp. 1–378; 1–683.

Prateek Choudhury

C/o Mr Prabir Choudhury & Mrs Krishna Choudhury Sirish Tala, College Para, Jalpaiguri 735101, West Bengal, India E-mail: prateekchoudhury5@gmail.com

Jerdon's Bushlark *Mirafra affinis* in Midnapore, West Bengal

On 09 February 2018 we were birding in the Salua forest range (22.23°N, 87.28°E), Paschim Midnapore District, West Bengal when, at 1536 hrs, we spotted a lark (Alaudidae) near some bushes. Initially we thought it was a Bengal Bushlark *Mirafra assamica*. But its continuous call was quite different from that bird—with which we were familiar. We shot some pictures [83, 84] and also video-graphed the bird calling https://www.hbw.com/ibc/video/jerdons-bushlark-mirafra-affinis/jerdons-bushlark-west-bengal-video-graphic-record-sourav. There were two to three birds in the vicinity, with the same set of field features.

Back from the field, we worked on the identification. The pointed thick bill, spotted breast, a comparatively smaller tail and, most important, a call that was a dry metallic rattle, helped us confirm it as a Jerdon's Bushlark *M. affinis*. Next day we visited the same area, and could locate more than ten individuals of the species.

We discussed this observation with several birders like Sujan Chatterjee, Kanad Baidya, and Santanu Manna, who agreed with our identification, and confirmed its rarity in West Bengal. Jerdon's Bushlark is considered a resident in southern India and Sri Lanka extending till eastern Odisha (Rasmussen & Anderton 2012). Its