

NAME : D.SOMYA

ROLL NO : A24126552258

BRANCH & SECTION : CSM-B

COURSE NAME : FULL STACK WEB DEVELOPMENT

COURSE CODE : 23CM4121

Experiment : 01

Date :

Title : Design Static Webpage using HTML Components

System Requirements:

- **Hardware :** Processor (eg., Core i5), RAM (e.g., 8GB), Storage.
- **Software :** Operating System (e.g., Windows 11/ Linux), Code Editor (e.g., Vs Code), Browser (e.g., Chrome), Runtime/Database (e.g., Node.js, MangoDB).

Source code :

```
<!DOCTYPE html>
```

```
<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-
scale=1.0">

  <title>Semantic HTML5 Web Page</title>

</head>

<body>


  <!-- Header Section -->

  <header>

    <h1>Welcome to the Webpage</h1>

    <p>A page only with HTML5 semantic concepts</p>


    <!-- Primary Navigation -->

    <nav>

      <ul>

        <li><a href="#article">Featured Article</a></li>

        <li><a href="#media">Media</a></li>

        <li><a href="#contact">Contact Form</a></li>

      </ul>

    </nav>

  </header>


  <hr>
```

<!-- Main Content Area -->

<main>

<!-- Article Section -->

<article id="article">

<header>

<h2>Understanding Semantic HTML5</h2>

<p>learn the basic HTML5 concepts.</p>

</header>

<section>

<h3>Why Semantics Matter?</h3>

<p>Semantic tags help search engines, screen readers, and developers understand the purpose of web content without relying purely on styled <code><div></code> tags.</p>

</section>

<section id="media">

<h2>Media Elements</h2>

</section>

</article>

<hr>

<aside>

<h3>Quick Links & Resources</h3>

<a href="https://www.w3schools.com/html/"
target="_blank">Learn HTML

Do
you know the The Father of HTML?

</aside>

<hr>

<!-- Form Section -->

<section id="contact">

<h2>Contact Us</h2>

<form action="#" method="post">

<fieldset>

<legend>Contact Information</legend>

<p>

<label for="name">Name:</label>

<input type="text" id="name" name="name"
placeholder="Enter your full name">

</p>

<p>

<label for="email">Email:</label>

<input type="email" id="email" name="email"
placeholder="name@example.com">

</p>

<p>

<label for="topic">Topic:</label>

<input type="text" id="topic" name="topic" list="topics">

<datalist id="topics">

<option value="HTML5 Accessibility">

<option value="Semantic Layouts">

<option value="Form Controls">

</datalist>

</p>

<p>

<label for="message">Message:</label>


```
        <textarea id="message" name="message" rows="4"
cols="40"></textarea>
```

```
    </p>
```

```
    <p>
```

```
        <button type="submit">Submit</button>
```

```
        <button type="reset">Reset</button>
```

```
    </p>
```

```
</fieldset>
```

```
</form>
```

```
</section>
```

```
</main>
```

```
<hr>
```

```
<!-- Footer Section -->
```

```
<footer>
```

```
    <p>&copy; 2026 about html5.</p>
```

```
</footer>
```

```
</body>
```

```
</html>
```

OUTPUT :

Welcome to the Webpage

A page only with HTML5 semantic concepts

- [Featured Article](#)
- [Media](#)
- [Contact Form](#)

Understanding Semantic HTML5

learn the basic **HTML5** concepts.

Why Semantics Matter?

Semantic tags help search engines, screen readers, and developers understand the purpose of web content without relying purely on styled <div> tags.

Media Elements



Quick Links & Resources

- [Learn HTML](#)
- [Do you know the The Father of HTML?](#)

Contact Us

Contact Information

Name:

Email:

Topic:

Message: