



PRESSURE EVALUATION LOG

WELL : PRELUDE P1 ST1

FROM (m): 250

TO (m): 5150

SCALE: 1/ 200

Country : AUSTRALIA

Region : BROWSE BASIN

Field : PRELUDE

Permit : WA-44-L

Well Type : DEVELOPMENT

Rig Name : CLYDE BOUDREAU

POSITION

Latitude : 13° 49' 00.96"S

Longitude : 123° 19' 37.68"E

X (m) : E 535355.40

Y (m) : N 8 472 495.66

DATUM : GDA94

PROJECTION : MGA94,UTM51S,CM123aS

CASING

36" Shoe at (mMDRT) : 332.8

26" Shoe at (mMDRT) : 609.5

18 5/8" Shoe at (mMDRT) : 1359.7

13 3/8" Shoe at (mMDRT) : 2397.4

9 5/8" Shoe at (mMDRT) : 4301.7

7" Shoe at (mMDRT) : 5135.0

Spud Date : 11-09-2013

Total Depth Date : 27-09-2014

Total Depth (mMDRT) : 5139.0

T.V.D. (mTVDRT) : 4104.9

Status : GAS PRODUCER

RT-LAT (m) : 21.9

RT-Seabed (m) : 259.3

ABBREVIATIONS


MW MUD WEIGHT	NB NEW BIT
FV FUNNEL VISCOSITY	RR RERUN BIT
PV PLASTIC VISCOSITY	CB CORE BIT
YP YIELD POINT	WOB WEIGHT ON BIT
FC FILTER CAKE	RPM REVS PER MINUTE
SOL SOLIDS	FLC FLOW CHECK
WL FILTRATE	CR CIRCULATE RETURNS
SD SAND - %	PR POOR RETURNS
S SALINITY - PPM	NR NO RETURNS
RM MUD RESISTIVITY	BG BACKGROUND GAS
RMF MUD FILTRATE	TG TRIP GAS
C CARBIDE TEST	STG SHORT TRIP GAS
LAT LOGGED AFTER TRIP	CG CONNECTION GAS
DS DEVIATION SURVEY	SG SWAB GAS
FG FORMATION GAS	SVG SURVEY GAS


LITHOLOGY LEGEND



Clay-shale	Medium sandstone	Calcarene	Calcareous
Silty clay-shale	Coarse sandstone	Calclrudite	Dolomitic
Sandy clay-shale	Arg Sandstone	Arg Calcilutite	Fossils
Calc Claystone	Silty Sandstone	Dolomite	Foraminiferae
Siltstone	Calc Sandstone	Cement	Lignitic shale
Arg Siltstone	Dolo Sandstone	Calcite	Carbonated shale
Sandy Siltstone	Calcilutite	Glaucinite	Mica
Calc Siltstone	Calcsiltite	Pyrite	


ENGINEERING


	Core
	Mud gain
	Mud loss
	Sidewall core
	Survey
	FIT
	Casing shoe


















































































































13-3/8" CASING @ 2397.4mMDRT


28-02-14


28-08-14


BIT #3: MS1713 HLBPX
S/N: JJ6086
SIZE: 12.25"
JETS: 3x13, 7x14
IN: 2407.0m OUT: 4312.0m
RUN: 1905.0m, HRS: 77.40
COND:1-2-BT-G-X-1/16-OT-TD


LOT @ 2397.4mTVDR
EMW : 1.710 sg








































31-08-14

3226

3230

3234

3238

3242

3246

3250

3254

3258

3262

3266


3270


3274

3278


3197.2


— —





















































13-09-14

4398

4037

4402

4406

4410

4414

4418

4422

4426

4430

4434

4438


4442


4446

4450

4044

























BIT #6: BHI KYMERA HP524
S/N: 7043494
SIZE: 8.5"
JETS: 2x14, 2x18
IN: 5003.0m OUT: 5139.0m
RUN: 136.0m, HRS: 19.20
COND: 1-1-WT-S-A-I-NO-TD
1-2-BT-S-E-I-NO-TD

27-09-14

