

HOUSE EXPENSE DASHBOARD

Project Report

Project Title

House Expense Dashboard

Objective

The objective of this project is to help users manage their household finances by tracking income and expenses. The dashboard provides a simple interface to add, view, and delete transactions while automatically calculating total income, total expenses, current balance, and transaction count.

Technologies Used

- HTML5
- CSS3
- JavaScript (ES6)
- Bootstrap 5.3

Features

1. Add Income Transactions
2. Add Expense Transactions
3. Delete Transactions
4. Automatic Balance Calculation
5. Transaction Counter
6. Local Storage Data Persistence
7. Responsive Design
8. Dark Mode User Interface

System Modules

1. Dashboard Summary

Displays:

- Total Income
- Total Expense
- Available Balance
- Number of Transactions

2. Transaction Entry Module

Allows users to:

HOUSE EXPENSE DASHBOARD

- Enter transaction name
- Enter amount
- Select transaction type (Income/Expense)
- Add transaction

3. Transaction Table

Shows:

- Transaction Name
- Amount
- Transaction Type
- Delete Button

4. Data Storage Module

Uses browser Local Storage to:

- Save transactions permanently
- Load transactions automatically after page refresh

Working Process

1. User enters transaction details.
2. User clicks Add button.
3. Transaction is stored in Local Storage.
4. Dashboard updates automatically.
5. Income and expense totals are recalculated.
6. Balance is displayed as:

Balance = Total Income – Total Expense

7. User can delete transactions when needed.

Functions Used

saveData()

Stores transaction data in Local Storage.

addTransaction()

Adds a new transaction to the array and updates the dashboard.

deleteTransaction(index)

Removes a selected transaction.

HOUSE EXPENSE DASHBOARD

render()

Displays all transactions and updates summary cards.

User Interface

The application uses:

- Bootstrap Cards
- Bootstrap Table
- Responsive Grid Layout
- Dark Theme Design

Advantages

- Easy to use
- Responsive on mobile and desktop
- No database required
- Data remains saved after refresh
- Clean dark mode interface

Limitations

- No user authentication
- No category filtering
- No monthly reports
- No export functionality

Future Enhancements

- PDF Report Generation
- Excel Export
- Charts and Graphs
- Monthly Statistics
- User Login System
- Transaction Categories
- Search and Filter Options

Conclusion

The House Expense Dashboard is a simple and effective web application for managing household finances. It allows users to monitor income and expenses efficiently while maintaining data persistence through Local Storage. The dark mode interface improves user experience and provides a modern appearance.

CODE:

```
<!DOCTYPE html>
```

HOUSE EXPENSE DASHBOARD

```
<html lang="en" data-bs-theme="dark">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>House Expense Dashboard</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
<style>
body{
background:#121212;
}
.card-box{
border-radius:15px;
transition:.3s;
}
.card-box:hover{
transform:translateY(-5px);
}
.table-container{
background:#1e1e1e;
padding:20px;
border-radius:15px;
}
.card{
background:#1e1e1e;
border:1px solid #333;
}
.table{
color:#fff;
}
.table-bordered th,
.table-bordered td{
border-color:#444;
}
.form-control,
.form-select{
background:#2a2a2a;
color:#fff;
border:1px solid #444;
```

HOUSE EXPENSE DASHBOARD

```
}
.form-control::placeholder{
color:#aaa;
}
.form-control:focus,
.form-select:focus{
background:#2a2a2a;
color:#fff;
border-color:#0d6efd;
box-shadow:none;
}
h2{
color:#fff;
}
</style>
</head>
<body>
<div class="container py-4">
<h2 class="text-center mb-4">
House Expense Dashboard
</h2>
<div class="row g-3">
<div class="col-md-3">
<div class="card card-box bg-success text-white">
<div class="card-body">
<h5>Total Income</h5>
<h3 id="income">₹0</h3>
</div>
</div>
<div class="col-md-3">
<div class="card card-box bg-danger text-white">
<div class="card-body">
<h5>Total Expense</h5>
<h3 id="expense">₹0</h3>
</div>
</div>
</div>
```

HOUSE EXPENSE DASHBOARD

```
<div class="col-md-3">
<div class="card card-box bg-primary text-white">
<div class="card-body">
<h5>Balance</h5>
<h3 id="balance">₹0</h3>
</div>
</div>
</div>

<div class="col-md-3">
<div class="card card-box bg-warning">
<div class="card-body">
<h5>Transactions</h5>
<h3 id="count">0</h3>
</div>
</div>
</div>

<div class="card mt-4">
<div class="card-body">
<div class="row g-3">
<div class="col-md-4">
<input type="text"
id="title"
class="form-control"
placeholder="Transaction Name">
</div>

<div class="col-md-3">
<input type="number"
id="amount"
class="form-control"
placeholder="Amount">
</div>

<div class="col-md-3">
<select id="type" class="form-select">
<option value="income">Income</option>
<option value="expense">Expense</option>
</select>
</div>
</div>
<div class="col-md-2">
```

HOUSE EXPENSE DASHBOARD

```
<button class="btn btn-primary w-100"
onclick="addTransaction()">
Add
</button>
</div>
</div>
</div>
</div>
<div class="table-container mt-4">
<table class="table table-bordered">
<thead>
<tr>
<th>Name</th>
<th>Amount</th>
<th>Type</th>
<th>Action</th>
</tr>
</thead>
<tbody id="tableBody"></tbody>
</table>
</div>
</div>
<script>
let transactions =
JSON.parse(localStorage.getItem("transactions")) || [];
function saveData(){
localStorage.setItem(
"transactions",
JSON.stringify(transactions)
);
}
function addTransaction(){
const title =
document.getElementById("title").value;
const amount =
document.getElementById("amount").value;
const type =
```

HOUSE EXPENSE DASHBOARD

```
document.getElementById("type").value;
if(title=== "" || amount=== ""){
return;
}
transactions.push({
title,
amount: Number(amount),
type
});
saveData();
render();

document.getElementById("title").value="";
document.getElementById("amount").value="";
}

function deleteTransaction(index){
transactions.splice(index,1);
saveData();
render();
}

function render(){
let income=0;
let expense=0;
const tableBody =
document.getElementById("tableBody");
tableBody.innerHTML="";
transactions.forEach((item,index)=>{
if(item.type==="income"){
income += item.amount;
}else{
expense += item.amount;
}
tableBody.innerHTML += `
<tr>
<td>${item.title}</td>
<td>₹${item.amount}</td>
<td>${item.type}</td>
<td>
```


HOUSE EXPENSE DASHBOARD

```
<button class="btn btn-danger btn-sm"
onclick="deleteTransaction(${index})">
Delete
</button>
</td>
</tr>
`;
});
document.getElementById("income").innerText =
"₹"+income;
document.getElementById("expense").innerText =
"₹"+expense;
document.getElementById("balance").innerText =
"₹"+(income-expense);
document.getElementById("count").innerText =
transactions.length;
}
render();
</script>
</body>
</html>
```

OUTPUT:



