HOUSING: PRICE PREDICTION

Submitted by:

Sonali Kadam

ACKNOWLEDGMENT

I would like to thank my mentors at Data Trained, who taught me the concepts of Data Analysis, building a machine learning model, and tuningthe parameters for best outcomes.

I would also like to thank my mentor in Fliprobo, Khushboo Garg, for providing me with the dataset and problem statement for performingthis wonderful task.

INTRODUCTION

Business Problem Framing

The objective was to model the price of houses with the available independent variables. This model can then be used by the management to understand how exactly the prices vary with the variables. They can accordingly manipulate the strategy of the firm and concentrate on areas that will yield high returns. Further, the model will be a good way for the management to understand the pricing dynamics of a new market.

Conceptual Background of the Domain Problem

Houses are one of the necessary needs of each and every person around the globe and therefore housing and real estate market is one of the markets which is one of the major contributors in the world's economy. It is a very large market and there are various companies working in the domain. Data science comes as a very important tool to solve problems in the domain to help the companies increase their overall revenue, profits, improving their marketing strategies and focusing on changing trends in house sales and purchases. Predictive modelling, Market mix modelling, recommendation systems are some of the machine learning techniques used for achieving the business goals for housing companies. Our problem is related to one such housing company.

A US-based housing company named Surprise Housing has decided to enter the Australian market. The company uses data analytics to purchase houses at a price below their actual values and flip them at a higher price. For the same purpose, the company has collected a data set from the sale of houses in Australia. The data is provided in the CSV file below. The company is looking at prospective properties to buy houses to enter the market. I was required to build a model using Machine Learning in order to predict the actual value of the prospective properties and decide whether to invest in them or not. For this company wants to know:

• Which variables are important to predict the price of variable?
• How do these variables describe the price of the house?

Technical Requirements:

- Data contains 1460 entries each having 81 variables.
- Data contains Null values. You need to treat them using the domain knowledge and your own understanding.
- Extensive EDA has to be performed to gain relationships of important variable and price.
- Data contains numerical as well as categorical variable. You need to handle them accordingly.
- Need to build Machine Learning models, apply regularization and determine the optimal values of Hyper Parameters.
- Need to find important features which affect the price positively or negatively.

Analytical Problem Framing

- ## Mathematical/ Analytical Modeling of the Problem

  This is a Regression problem, where our end goal is to predict the Prices of House based on given data. I will be dividing my data into **Training** and **Testing** parts. A Regression Model will be built and trained using the Training data and the Test data will be used to predict the outcomes. This will be compared with available test results to find how well the model has performed.

  The 'r2' score will be used to determine the best model among,
    - Linear Regression with Lasso, Ridge
    - Random Forest Regression
    - XGBoost
- The best results were obtained using Lasso Regression.

Data Sources and their formats

A US-based housing company named Surprise Housing has decided to enter the Australian market. The company uses data analytics to purchase houses at a price below their actual values and flip them at a higher price. For the same purpose, the company has collected a data set from the sale of houses in Australia. The data is provided in the CSV file

Here's how the top 10 rows of the data looks like:

```
# Rows, Columns
df.shape

(1460, 81)
```

	Id	MSSubClass	MSZoning	LotFrontage	LotArea	Street	Alley	LotShape	LandContour	Utilities	LotConfig	LandSlope	Neighborhood	Condition1
0	1	60	RL	65.0	8450	Pave	NaN	Reg	Lvl	AllPub	Inside	Gtl	CollgCr	Norm
1	2	20	RL	80.0	9600	Pave	NaN	Reg	Lvl	AllPub	FR2	Gtl	Veenker	Feedr
2	3	60	RL	68.0	11250	Pave	NaN	IR1	Lvl	AllPub	Inside	Gtl	CollgCr	Norm
3	4	70	RL	60.0	9550	Pave	NaN	IR1	Lvl	AllPub	Corner	Gtl	Crawfor	Norm
4	5	60	RL	84.0	14260	Pave	NaN	IR1	Lvl	AllPub	FR2	Gtl	NoRidge	Norm
5	6	50	RL	85.0	14115	Pave	NaN	IR1	Lvl	AllPub	Inside	Gtl	Mitchel	Norm
6	7	20	RL	75.0	10084	Pave	NaN	Reg	Lvl	AllPub	Inside	Gtl	Somerst	Norm
7	8	60	RL	NaN	10382	Pave	NaN	IR1	Lvl	AllPub	Corner	Gtl	NWAmes	PosN
8	9	50	RM	51.0	6120	Pave	NaN	Reg	Lvl	AllPub	Inside	Gtl	OldTown	Artery
9	10	190	RL	50.0	7420	Pave	NaN	Reg	Lvl	AllPub	Corner	Gtl	BrkSide	Artery

Condition2	BldgType	HouseStyle	OverallQual	OverallCond	YearBuilt	YearRemodAdd	RoofStyle	RoofMatl	Exterior1st	Exterior2nd	MasVnrType
Norm	1Fam	2Story	7	5	2003	2003	Gable	CompShg	VinylSd	VinylSd	BrkFace
Norm	1Fam	1Story	6	8	1976	1976	Gable	CompShg	MetalSd	MetalSd	None
Norm	1Fam	2Story	7	5	2001	2002	Gable	CompShg	VinylSd	VinylSd	BrkFace
Norm	1Fam	2Story	7	5	1915	1970	Gable	CompShg	Wd Sdng	Wd Shng	None
Norm	1Fam	2Story	8	5	2000	2000	Gable	CompShg	VinylSd	VinylSd	BrkFace
Norm	1Fam	1.5Fin	5	5	1993	1995	Gable	CompShg	VinylSd	VinylSd	None
Norm	1Fam	1Story	8	5	2004	2005	Gable	CompShg	VinylSd	VinylSd	Stone
Norm	1Fam	2Story	7	6	1973	1973	Gable	CompShg	HdBoard	HdBoard	Stone
Norm	1Fam	1.5Fin	7	5	1931	1950	Gable	CompShg	BrkFace	Wd Shng	None
Artery	2fmCon	1.5Unf	5	6	1939	1950	Gable	CompShg	MetalSd	MetalSd	None

ExterQual	ExterCond	Foundation	BsmtQual	BsmtCond	BsmtExposure	BsmtFinType1	BsmtFinSF1	BsmtFinType2	BsmtFinSF2	BsmtUnfSF	TotalBsmtSF
Gd	TA	PConc	Gd	TA	No	GLQ	706	Unf	0	150	856
TA	TA	CBlock	Gd	TA	Gd	ALQ	978	Unf	0	284	1262
Gd	TA	PConc	Gd	TA	Mn	GLQ	486	Unf	0	434	920
TA	TA	BrkTil	TA	Gd	No	ALQ	216	Unf	0	540	756
Gd	TA	PConc	Gd	TA	Av	GLQ	655	Unf	0	490	1145
TA	TA	Wood	Gd	TA	No	GLQ	732	Unf	0	64	796
Gd	TA	PConc	Ex	TA	Av	GLQ	1369	Unf	0	317	1686
TA	TA	CBlock	Gd	TA	Mn	ALQ	859	BLQ	32	216	1107
TA	TA	BrkTil	TA	TA	No	Unf	0	Unf	0	952	952
TA	TA	BrkTil	TA	TA	No	GLQ	851	Unf	0	140	991

Heating	HeatingQC	CentralAir	Electrical	1stFlrSF	2ndFlrSF	LowQualFinSF	GrLivArea	BsmtFullBath	BsmtHalfBath	FullBath	HalfBath	BedroomAbvGr
GasA	Ex	Y	SBrkr	856	854	0	1710	1	0	2	1	3
GasA	Ex	Y	SBrkr	1262	0	0	1262	0	1	2	0	3
GasA	Ex	Y	SBrkr	920	866	0	1786	1	0	2	1	3
GasA	Gd	Y	SBrkr	961	756	0	1717	1	0	1	0	3
GasA	Ex	Y	SBrkr	1145	1053	0	2198	1	0	2	1	4
GasA	Ex	Y	SBrkr	796	566	0	1362	1	0	1	1	1
GasA	Ex	Y	SBrkr	1694	0	0	1694	1	0	2	0	3
GasA	Ex	Y	SBrkr	1107	983	0	2090	1	0	2	1	3
GasA	Gd	Y	FuseF	1022	752	0	1774	0	0	2	0	2
GasA	Ex	Y	SBrkr	1077	0	0	1077	1	0	1	0	2

KitchenAbvGr	KitchenQual	TotRmsAbvGrd	Functional	Fireplaces	FireplaceQu	GarageType	GarageYrBlt	GarageFinish	GarageCars	GarageArea	GarageQual
1	Gd	8	Typ	0	NaN	Attchd	2003.0	RFn	2	548	TA
1	TA	6	Typ	1	TA	Attchd	1976.0	RFn	2	460	TA
1	Gd	6	Typ	1	TA	Attchd	2001.0	RFn	2	608	TA
1	Gd	7	Typ	1	Gd	Detchd	1998.0	Unf	3	642	TA
1	Gd	9	Typ	1	TA	Attchd	2000.0	RFn	3	836	TA
1	TA	5	Typ	0	NaN	Attchd	1993.0	Unf	2	480	TA
1	Gd	7	Typ	1	Gd	Attchd	2004.0	RFn	2	636	TA
1	TA	7	Typ	2	TA	Attchd	1973.0	RFn	2	484	TA
2	TA	8	Min1	2	TA	Detchd	1931.0	Unf	2	468	Fa
2	TA	5	Typ	2	TA	Attchd	1939.0	RFn	1	205	Gd

GarageCond	PavedDrive	WoodDeckSF	OpenPorchSF	EnclosedPorch	3SsnPorch	ScreenPorch	PoolArea	PoolQC	Fence	MiscFeature	MiscVal	MoSold
TA	Y	0	61	0	0	0	0	NaN	NaN	NaN	0	2
TA	Y	298	0	0	0	0	0	NaN	NaN	NaN	0	5
TA	Y	0	42	0	0	0	0	NaN	NaN	NaN	0	9
TA	Y	0	35	272	0	0	0	NaN	NaN	NaN	0	2
TA	Y	192	84	0	0	0	0	NaN	NaN	NaN	0	12
TA	Y	40	30	0	320	0	0	NaN	MnPrv	Shed	700	10
TA	Y	255	57	0	0	0	0	NaN	NaN	NaN	0	8
TA	Y	235	204	228	0	0	0	NaN	NaN	Shed	350	11
TA	Y	90	0	205	0	0	0	NaN	NaN	NaN	0	4
TA	Y	0	4	0	0	0	0	NaN	NaN	NaN	0	1

YrSold	SaleType	SaleCondition	SalePrice
2008	WD	Normal	208500
2007	WD	Normal	181500
2008	WD	Normal	223500
2006	WD	Abnorml	140000
2008	WD	Normal	250000
2009	WD	Normal	143000
2007	WD	Normal	307000
2009	WD	Normal	200000
2008	WD	Abnorml	129900
2008	WD	Normal	118000

The last Feature: SalePrice is the target variable. The above Snapshots show all the features and the top 10 rows. As mentioned earlier, there are 1460 rows and 81 columns.

Data Description:

MSSubClass: Identifies the type of dwelling involved in the sale.

20	1-STORY 1946 & NEWER ALL STYLES	75	2-1/2 STORY ALL AGES
30	1-STORY 1945 & OLDER	80	SPLIT OR MULTI-LEVEL
40	1-STORY W/FINISHED ATTIC ALL AGES	85	SPLIT FOYER
45	1-1/2 STORY - UNFINISHED ALL AGES	90	DUPLEX - ALL STYLES AND AGES
50	1-1/2 STORY FINISHED ALL AGES	150	1-1/2 STORY PUD - ALL AGES
60	2-STORY 1946 & NEWER	160	2-STORY PUD - 1946 & NEWER
70	2-STORY 1945 & OLDER	180	PUD - MULTILEVEL - INCL SPLIT LEV/FOYER
120	1-STORY PUD (Planned Unit Development) - 1946 & NEWER		
190	2 FAMILY CONVERSION - ALL STYLES AND AGES		

MSZoning: Identifies the general zoning classification of the sale.

A: Agriculture   C: Commercial   FV: Floating Village R: Residential I: Industrial RH: Residential High Density RL:Residential Low DensityRP:Residential Low Density ParkRM:Residential Medium Density

LotFrontage: Linear feet of street connected to property

LotArea: Lot size in square feet

Street: Type of road access to property

Grvl Gravel   PavePaved

Alley: Type of alley access to property

Grvl: Gravel   Pave:Paved   NA:No alley access

LotShape: General shape of property

Reg: Regular   IR1: Slightly irregular   IR2: Moderately Irregular   IR3: Irregular

LandContour: Flatness of the property

Lvl: Near Flat/Level   Bnk: Banked - Quick and significant rise from street grade to building
HLS Hillside - Significant slope from side to side   Low: Depression

Utilities: Type of utilities available

AllPub: All public Utilities (E,G,W,& S)   NoSewr: Electricity, Gas, and Water (Septic Tank)
NoSeWa: Electricity and Gas Only   ELO: Electricity only

LotConfig: Lot configuration

Inside: Inside lot   Corner: Corner lot   CulDSac: Cul-de-sac   FR2: Frontage on 2 sides of property
FR3 Frontage on 3 sides of property

LandSlope: Slope of property

Gtl: Gentle slope   Mod: Moderate Slope   Sev: Severe Slope

Neighborhood: Physical locations within Ames city limits

Blmngtn: Bloomington Heights   Blueste: Bluestem   BrDale: Briardale   BrkSide: Brookside
ClearCr: Clear Creek   CollgCr: College Creek   Crawfor : Crawford   Edwards:Edwards
Gilbert: Gilbert   IDOTRR: Iowa DOT and Rail Road   MeadowV: Meadow Village   Mitchel:Mitchell
Names: North Ames   NoRidge: Northridge   NPkVill: Northpark Villa   NridgHt: Northridge Heights
NWAmes: Northwest Ames   OldTown: Old Town   SWISU: South & West of Iowa State University
Sawyer: Sawyer   SawyerW: Sawyer West   Somerst: Somerset   StoneBr: Stone Brook
Timber: Timberland   Veenker: Veenker

Condition1: Proximity to various conditions

    Artery: Adjacent to arterial street   Feedr: Adjacent to feeder street   Norm: Normal
    RRNn: Within 200' of North-South Railroad   RRAn: Adjacent to North-South Railroad
    PosN: Near positive off-site feature--park, greenbelt, etc.
    PosA: Adjacent to postive off-site feature   RRNe: Within 200' of East-West Railroad
    RRAe: Adjacent to East-West Railroad

Condition2: Proximity to various conditions (if more than one is present)

    Artery: Adjacent to arterial street   Feedr: Adjacent to feeder street   Norm: Normal
    RRNn: Within 200' of North-South Railroad   RRAn: Adjacent to North-South Railroad
    PosN: Near positive off-site feature--park, greenbelt, etc.   PosA: Adjacent to postive off-site feature
    RRNe: Within 200' of East-West Railroad   RRAe: Adjacent to East-West Railroad

BldgType: Type of dwelling
    1Fam: Single-family Detached   2FmCon: Two-family Conversion; originally built as one-family dwelling
    Duplx: Duplex   TwnhsE: Townhouse End Unit   TwnhsI: Townhouse Inside Unit

HouseStyle: Style of dwelling
    1Story: One story   1.5Fin: One and one-half story: 2nd level finished
    1.5Unf: One and one-half story: 2nd level unfinished   2Story: Two
    story
    2.5Fin: Two and one-half story: 2nd level finished   2.5Unf: Two and one-half story: 2nd level unfinished
    SFoyer   Split Foyer   SLvl   Split Level

OverallQual: Rates the overall material and finish of the house

    10 Very Excellent   9   Excellent   8   Very Good   7 Good   6   Above Average
    5   Average   4   Below Average   3   Fair   2   Poor   1   Very Poor

OverallCond: Rates the overall condition of the house
    10 Very Excellent   9   Excellent   8   Very Good   7 Good   6   Above Average
    5   Average   4   Below Average   3   Fair   2   Poor   1   Very Poor
YearBuilt: Original construction date
YearRemodAdd: Remodel date (same as construction date if no remodeling or additions)
RoofStyle: Type of roof
    Flat: Flat   Gable: Gable Gambrel: Gabrel (Barn)   Hip: Hip   Mansard: Mansard   Shed: Shed

RoofMatl: Roof material
    ClyTile: Clay or Tile   CompShg: Standard (Composite) Shingle   Membran: Membrane
    Metal: Metal   Roll: Roll   Tar&Grv: Gravel & Tar   WdShake: Wood Shakes   WdShngl: Wood Shingles

Exterior1st: Exterior covering on house
    AsbShng   Asbestos Shingles   AsphShn   Asphalt Shingles   BrkComm   Brick Common
    BrkFace: Brick Face   CBlock: Cinder Block CemntBd Cement Board HdBoard: Hard   Board
    ImStucc: Imitation Stucco   MetalSd Metal Siding   Other   Other   Plywood   Plywood
    PreCast   PreCast   Stone: Stone   Stucco: Stucco   VinylSd: Vinyl Siding
    Wd Sdng   Wood Siding   WdShing Wood Shingles

Exterior2nd: Exterior covering on house (if more than one material)

    AsbShng   Asbestos Shingles   AsphShn   Asphalt Shingles   BrkComm   Brick Common
    BrkFace: Brick Face   CBlock: Cinder Block   CemntBd Cement Board   HdBoard   Hard Board
    ImStucc   Imitation Stucco   MetalSd   Metal Siding   Other: ther   Plywood   Plywood

PreCast   PreCast   Stone Stone   Stucco   Stucco   VinylSd: Vinyl Siding   Wd Sdng Wood Siding
WdShing   Wood Shingles

MasVnrType: Masonry veneer type

BrkCmn   Brick Common   BrkFace Brick Face   CBlock   Cinder Block   None   None
Stone   Stone

MasVnrArea: Masonry veneer area in square feet

ExterQual: Evaluates the quality of the material on the exterior

Ex   Excellent   Gd   Good   TA   Average/Typical   Fa   Fair   Po   Poor

ExterCond: Evaluates the present condition of the material on the exterior

Ex   Excellent   Gd   Good   TA   Average/Typical   Fa   Fair   Po   Poor

Foundation: Type of foundation

BrkTil   Brick & Tile   CBlock   Cinder Block   PConc   Poured Contrete
Slab Slab   Stone   Stone   Wood   Wood

BsmtQual: Evaluates the height of the basement

Ex   Excellent (100+ inches)   Gd   Good (90-99 inches)   TA   Typical (80-89 inches)
Fa   Fair (70-79 inches)   Po   Poor (<70 inches)   NA No Basement

BsmtCond: Evaluates the general condition of the basement

Ex   Excellent (100+ inches)   Gd   Good (90-99 inches)   TA   Typical (80-89 inches)
Fa   Fair (70-79 inches)   Po   Poor (<70 inches)   NA No Basement

BsmtExposure: Refers to walkout or garden level walls

Gd   Good Exposure   Av   Average Exposure (split levels or foyers typically score average or above)
Mn   Mimimum Exposure   No   No Exposure   NA   No Basement

BsmtFinType1: Rating of basement finished area

GLQ Good Living Quarters   ALQ   Average Living Quarters   BLQ   Below Average Living Quarters
Rec   Average Rec Room   LwQ   Low Quality   Unf   Unfinshed   NA No Basement

BsmtFinSF1: Type 1 finished square feet

BsmtFinType2: Rating of basement finished area (if multiple types)

GLQ Good Living Quarters   ALQ   Average Living Quarters   BLQ   Below Average Living Quarters
Rec   Average Rec Room   LwQ   Low Quality   Unf   Unfinshed   NA No Basement

BsmtFinSF2: Type 2 finished square feet

BsmtUnfSF: Unfinished square feet of basement area

TotalBsmtSF: Total square feet of basement area

Heating: Type of heating

Floor: Floor Furnace   GasA: Gas forced warm air furnace   GasW: Gas hot water or steam heat
Grav Gravity furnace   OthW: Hot water or steam heat other than gas   Wall   Wall furnace

HeatingQC: Heating quality and condition

Ex   Excellent   Gd   Good   TA   Average/Typical   Fa   Fair   Po   Poor

CentralAir: Central air conditioning

N   No   Y Yes

Electrical: Electrical system

SBrkr   Standard Circuit Breakers & Romex
FuseA   Fuse Box over 60 AMP and all Romex wiring (Average)

FuseF   60 AMP Fuse Box and mostly Romex wiring (Fair)
FuseP   60 AMP Fuse Box and mostly knob & tube wiring (poor)
Mix Mixed

1stFlrSF: First Floor square feet
2ndFlrSF: Second floor square feet
LowQualFinSF: Low quality finished square feet (all floors)
GrLivArea: Above grade (ground) living area square feet
BsmtFullBath: Basement full bathrooms
BsmtHalfBath: Basement half bathrooms
FullBath: Full bathrooms above grade
HalfBath: Half baths above grade
Bedroom: Bedrooms above grade (does NOT include basement bedrooms)
Kitchen: Kitchens above grade
KitchenQual: Kitchen quality

   Ex   Excellent   Gd Good   TA   Typical/Average   Fa   Fair   Po   Poor

TotRmsAbvGrd: Total rooms above grade (does not include bathrooms)

Functional: Home functionality (Assume typical unless deductions are warranted)
   Typ Typical Functionality
   Min1: Minor Deductions 1   Min2: Minor Deductions 2   Mod: Moderate Deductions
   Maj1: Major Deductions 1   Maj2: Major Deductions 2   Sev: Severely Damaged   Sal: Salvage only

Fireplaces: Number of fireplaces

FireplaceQu: Fireplace quality
   Ex   Excellent - Exceptional Masonry Fireplace
   Gd Good - Masonry Fireplace in main level
   TA Average - Prefabricated Fireplace in main living area or Masonry Fireplace in basement
   Fa   Fair - Prefabricated Fireplace in basement
   Po   Poor - Ben Franklin Stove   NA   No Fireplace

GarageType: Garage location

   2Types   More than one type of garage
   Attchd   Attached to home   Basment   Basement Garage
   BuiltIn   Built-In (Garage part of house - typically has room above garage)
   CarPort   Car Port   Detchd   Detached from home   NA   No Garage

GarageYrBlt: Year garage was built
GarageFinish: Interior finish of the garage
   Fin Finished   RFn Rough Finished   Unf   Unfinished   NA   No Garage

GarageCars: Size of garage in car capacity
GarageArea: Size of garage in square feet
GarageQual: Garage quality
   Ex:Excellent   Gd:Good   TA Typical/Average   Fa:Fair   Po:Poor   NA: No Garage

GarageCond: Garage condition
   Ex:Excellent   Gd:Good   TA:Typical/Average   Fa:Fair   Po:Poor   NA:No Garage

PavedDrive: Paved driveway

    Y   Paved   P   Partial Pavement   N   Dirt/Gravel

WoodDeckSF: Wood deck area in square feet
OpenPorchSF: Open porch area in square feet
EnclosedPorch: Enclosed porch area in square feet
3SsnPorch: Three season porch area in square feet
ScreenPorch: Screen porch area in square feet
PoolArea: Pool area in square feet
PoolQC: Pool quality

    Ex   Excellent   Gd   Good   TA   Average/Typical   Fa   Fair   NA   No Pool

Fence: Fence quality

    GdPrv   Good Privacy   MnPrv   Minimum Privacy
    GdWo   Good Wood   MnWw   Minimum Wood/Wire   NA   No Fence

MiscFeature: Miscellaneous feature not covered in other categories

    Elev Elevator   Gar2 2nd Garage (if not described in garage section)
    Othr Other   Shed   Shed (over 100 SF)   TenC   Tennis Court   NA   None

MiscVal: $Value of miscellaneous feature
MoSold: Month Sold (MM)
YrSold: Year Sold (YYYY)
SaleType: Type of sale

    WD Warranty Deed - Conventional   CWD   Warranty Deed - Cash
    VWD   Warranty Deed - VA Loan   New Home just constructed and sold
    COD Court Officer Deed/Estate   Con Contract 15% Down payment regular terms
    ConLw   Contract Low Down payment and low interest   ConLI   Contract Low Interest
    ConLD   Contract Low Down   Oth   Other

SaleCondition: Condition of sale

    Normal   Normal Sale   Abnorml Abnormal Sale - trade, foreclosure, short sale
    AdjLand   Adjoining Land Purchase
    Alloca   Allocation - two linked properties with separate deeds, typically condo with a garage unit
    Family   Sale between family members
    Partial   Home was not completed when last assessed (associated with New Homes)

Data Preprocessing

The above heatmap shows there are many Null Values, which can't be processed. One Observation here is that a lot of variables have been labelled at NaN, but they are actually not null values and have certain meaning.

For Example,

- NA in feature 'Alley' means No_Alley
- in case of PoolQC, NA means 'No Pool' (* Refer Data Description at the end of the notebook)

I've replaced them with actual variables before going further.
First let us handle Categorical features which are missing; based on domain knowledge and given explanation. The percentage of Null values in Categorical features:

```
Alley: 0.9377% missing values
MasVnrType: 0.0055% missing values
BsmtQual: 0.0253% missing values
BsmtCond: 0.0253% missing values
BsmtExposure: 0.026% missing values
BsmtFinType1: 0.0253% missing values
BsmtFinType2: 0.026% missing values
FireplaceQu: 0.4726% missing values
GarageType: 0.0555% missing values
GarageFinish: 0.0555% missing values
GarageQual: 0.0555% missing values
GarageCond: 0.0555% missing values
PoolQC: 0.9952% missing values
Fence: 0.8075% missing values
MiscFeature: 0.963% missing values
```

Then I replaced all other categorical missing values with a new label 'Missing'. The numerical missing values will be imputed during feature engineering.

Numerical variables

```
# list of numerical variables
numerical_features = [feature for feature in df.columns if df[feature].dtypes != 'O']

print('Number of numerical variables: ', len(numerical_features))

# visualise the numerical variables
df[numerical_features].head()
```

Number of numerical variables: 37

Identified all features that were numerical

Year Features

```
# (identified features with Year using key words 'year' or 'yr' in column headers)
year_feature = [feature for feature in numerical_features if 'Yr' in feature or 'Year' in feature]

year_feature
```

['YearBuilt', 'YearRemodAdd', 'GarageYrBlt', 'YrSold']

```
# Analyzing Prices of House vs Year Built
df.groupby('YrSold')['SalePrice'].mean().plot()
plt.title("Mean House Price vs YearSold")
```

Text(0.5, 1.0, 'Mean House Price vs YearSold')

There seems to be a peak in House Prices, but a sharp drop in between 2007 to 2008. This can be due to Economic Crash. "Economies worldwide slowed during this period since credit tightened and international trade declined. Housing markets suffered and unemployment soared, resulting in evictions and foreclosures."

Let's see the scatterplot between All years features with SalePrice


- Obs 1: The Houses built recently have Higher Sales Price.
- Obs 2: The Houses remodelled recently have Higher Sales Price.
- Obs 3: The Houses whose Garages were built recently have Higher Sales Price.

Identifying Discrete Variables

The following 17 features were identified as discrete variables:

```
['MSSubClass', 'OverallQual', 'OverallCond', 'LowQualFinSF', 'BsmtFullB
ath', 'BsmtHalfBath', 'FullBath', 'HalfBath', 'BedroomAbvGr', 'KitchenA
bvGr', 'TotRmsAbvGrd', 'Fireplaces', 'GarageCars', '3SsnPorch', 'PoolAr
ea', 'MiscVal', 'MoSold']
```

Plotted Bar Plots like these to understand relations with Sale Price

Similarly, plotted for all discrete values, and observed features.

Identifying Continuous Features

```
continuous_feature=[feature for feature in numerical_features if feature not in discrete_feature+year_feature+['Id']]
print("Continuous feature Count",len(continuous_feature))
```

Continuous feature Count 16

I've plotted Histograms for all 16 features like the following

As clear from above a lot of features were not normally distributed. Let's I did log transformation, plotted the scatterplots to see the trends.

Categorical Features

```
categorical_features=[feature for feature in df.columns if df[feature].dtypes=='O']
```

Identified total unique categories in each feature:

MSZoning has 5 categories
Street has 2 categories
Alley has 3 categories
LotShape has 4 categories
LandContour has 4 categories
Utilities has 2 categories
LotConfig has 5 categories
LandSlope has 3 categories
Neighborhood has 25 categories
Condition1 has 9 categories
Condition2 has 8 categories
BldgType has 5 categories
HouseStyle has 8 categories
RoofStyle has 6 categories
RoofMatl has 8 categories
Exterior1st has 15 categories
Exterior2nd has 16 categories

MasVnrType has 5 categories
ExterQual has 4 categories
ExterCond has 5 categories
Foundation has 6 categories
BsmtQual has 5 categories
BsmtCond has 5 categories
BsmtExposure has 5 categories
BsmtFinType1 has 7 categories
BsmtFinType2 has 7 categories
Heating has 6 categories
HeatingQC has 5 categories
CentralAir has 2 categories
Electrical has 6 categories
KitchenQual has 4 categories
Functional has 7 categories
FireplaceQu has 6 categories
GarageType has 7 categories
GarageFinish has 4 categories
GarageQual has 6 categories
GarageCond has 6 categories
PavedDrive has 3 categories
PoolQC has 4 categories
Fence has 5 categories
MiscFeature has 5 categories
SaleType has 9 categories
SaleCondition has 6 categories

Plotted all Categorical variables vs SalesPrice as shown below

Feature Engineering

I had already treated all Null Values in categorical Features, Now I will check for numerical variables. Imputed the numerical null values with medians.

Now, as there were some features(Temporal) which contained year values. Differences:

	YearBuilt	YearRemodAdd	GarageYrBlt
0	5	5	5.0
1	31	31	31.0
2	7	6	7.0
3	91	36	8.0
4	8	8	8.0

Handling Rare Categorical Feature

We will remove categorical variables that are present less than 1% of the observations

```python
for feature in categorical_features:
    temp=df.groupby(feature)['SalePrice'].count()/len(df)
    temp_df=temp[temp>0.01].index
    df[feature]=np.where(df[feature].isin(temp_df),df[feature],'Rare_var')
```

Label Encoding the Categorical Features For Machine to understand

```python
from sklearn.preprocessing import LabelEncoder
le = LabelEncoder()
for i in categorical_features:
    df[i]=le.fit_transform(df[i])
```

Skewness in some Continuous Variables

There are a lot of skewed variables. I have treated them with log1 transformation.

# Before Treating Skewness, Splitting into train and test set to avoid data leakage

```python
from sklearn.model_selection import train_test_split
df_train,df_test = train_test_split(df,train_size=0.8,test_size=0.2,random_state=42)
```

80% data will be used for training and 20% for Testing

Reducing Skewness

```python
for col in df_train[continuous_feature].columns:
    if df_train.skew().loc[col]>0.55 and col!='SalePrice':
        df_train[col]=np.log1p(df_train[col])
```

As seen in the below examples, I've treated all the features.

Before Treating for Skewness

After Treating for Skewness

Scaling the dataset

Splitting Dependent and Independent Features

```python
y_train = df_train.pop('SalePrice')
X_train = df_train
```

```python
y_test = df_test.pop('SalePrice')
X_test = df_test
```

```python
#Lets scale the parameters
from sklearn.preprocessing import StandardScaler
sc=StandardScaler()
X_train=sc.fit_transform(X_train)
X_train=pd.DataFrame(X_train,columns=df_train.columns)
X_train.head()
```

```python
#Lets scale the test parameters
X_test=sc.fit_transform(X_test)
X_test=pd.DataFrame(X_test,columns=df_test.columns)
X_test.head()
```

I've used Standard Scalar to make all the data comparable.

Modelling

1. Random Forest Regressor with PCA

```python
# Selecting 70 features, as it explains 99% of data
```

```python
pca = PCA(n_components=70)
x=pca.fit_transform(x)
x_t=X_test.copy()
x_t=pca.fit_transform(x_t)
```

```python
from sklearn.ensemble import RandomForestRegressor
from sklearn.model_selection import RandomizedSearchCV
parameters={'bootstrap': [True, False],
 'max_depth': [10, 20, 30, 40, 50, 60, 70, 80, 90, 100, None],
 'max_features': ['auto', 'sqrt'],
 'min_samples_leaf': [1, 2, 4],
 'min_samples_split': [2, 5, 10],
 'n_estimators': [200, 400, 600, 800, 1000, 1200, 1400, 1600, 1800, 2000]}
rfr=RandomForestRegressor()
rand = RandomizedSearchCV(estimator = rfr, param_distributions = parameters,
                        n_iter = 100, cv = 3, verbose=2, random_state=42, n_jobs = -1,scoring='r2')
rand.fit(x,y_train)
rand.best_params_
```

```
Fitting 3 folds for each of 100 candidates, totalling 300 fits
```

```
[Parallel(n_jobs=-1)]: Using backend LokyBackend with 8 concurrent workers.
[Parallel(n_jobs=-1)]: Done   25 tasks      | elapsed:    54.6s
[Parallel(n_jobs=-1)]: Done  146 tasks      | elapsed:  6.9min
[Parallel(n_jobs=-1)]: Done  300 out of 300 | elapsed: 18.9min finished
```

```python
rfr=RandomForestRegressor(n_estimators =1800,
                        min_samples_split= 5,
                        min_samples_leaf= 4,
                        max_features= 'auto',
                        max_depth= 80,
                        bootstrap= True)
```

```python
rfr.fit(x,y_train)
y_pred = rfr.predict(x_t)
from sklearn.metrics import r2_score
from sklearn.metrics import mean_squared_error
print("RMSE is: ",np.sqrt(mean_squared_error(y_test,y_pred)))
print("r2_score is: ",r2_score(y_test,y_pred))
```

Results: Top 10 Features and R2 Score

	Features	Gini-Importance
0	MSSubClass	0.801095
1	LotFrontage	0.058321
2	LotShape	0.005449
3	Alley	0.005347
4	LotArea	0.005258
5	Utilities	0.002516
6	MSZoning	0.002034
7	Street	0.001795
8	LandContour	0.001484
9	LotConfig	0.001342

```
RMSE is:  41621.690289391634
r2_score is:  0.7741471411055758
```

2. XGBoost Regressor with PCA

```
params = {
        'min_child_weight': [1, 5, 10],
        'gamma': [0.5, 1, 1.5, 2, 5],
        'subsample': [0.6, 0.8, 1.0],
        'colsample_bytree': [0.6, 0.8, 1.0],
        'max_depth': [3, 4, 5]
        }
```

```
xg = XGBRegressor(learning_rate=0.02, n_estimators=600,
                  silent=True, nthread=1)
```

```
skf = StratifiedKFold(n_splits=5, shuffle = True, random_state = 1001)

random_search = RandomizedSearchCV(xg, param_distributions=params, n_iter=5, scoring='r2',
                                   n_jobs=4, cv=skf.split(x,y_train), verbose=3, random_state=1001 )
```

```
random_search.fit(x,y_train)
random_search.best_params_
```

```
Fitting 5 folds for each of 5 candidates, totalling 25 fits
```

```
[Parallel(n_jobs=4)]: Using backend LokyBackend with 4 concurrent workers.
[Parallel(n_jobs=4)]: Done  25 out of  25 | elapsed:   45.1s finished
```

```
xg = XGBRegressor(learning_rate=0.02, n_estimators=600,
                  silent=True, nthread=1,subsample = 0.8,
                  min_child_weight= 1, max_depth = 4, gamma = 1,
                  colsample_bytree = 1.0)
```

```
xg.fit(x,y_train)
y_pred = xg.predict(x_t)
from sklearn.metrics import r2_score
from sklearn.metrics import mean_squared_error
print("RMSE is: ",np.sqrt(mean_squared_error(y_test,y_pred)))
print("r2_score is: ",r2_score(y_test,y_pred))
```

Results:

```
RMSE is:  43960.40768938855
r2_score is:  0.7480527695932312
```

The score was way less than Random Forest, so I've rejected this model. Then I checked with the following models

3. Linear Regression with RFE

a. Lasso b. Ridge

Preparing the Data by reducing features using RFE

```python
# Eliminate features at a step 0.05*n_featurees
from sklearn.feature_selection import RFECV
from sklearn.model_selection import KFold
def feature_RFE(model,train_data,y_data):
    support = []
    n_features = []
    scores = []
    rfecv = RFECV(estimator=model, step=0.05, cv=KFold(5,random_state=0,shuffle=True))
    rfecv.fit(train_data, y_train)
    return rfecv
```

```python
# Now we run RFE for linear regression
from sklearn.linear_model import LinearRegression
lm  = LinearRegression()
rfecv = feature_RFE(lm,X_train,y_train)
```

```python
print("Optimal RFE number of features : %d" % rfecv.n_features_)
print("Feature Ranking: ")
print(rfecv.ranking_)
```

```
Optimal RFE number of features : 49
Feature Ranking:
[ 1  8  1  1  1  1  2  1  1  4  1  1  7  1  1  1  1  1  1 10  1  1  1  1
  2 11  1 11  1  1  1  1  1  1  6  3  4  5  5 11  9 10  1  1 10  1  1  9
  1  1  1  1  1  1  1  1  3  1  6  1  1  1  6  1  2  1  8  7  3  1  1  1
  8  5  7  4  9  1  1]
```

```python
from sklearn.feature_selection import RFE
lm.fit(X_train,y_train)
rfe = RFE(lm,49)
rfe.fit(X_train,y_train)
```

```
RFE(estimator=LinearRegression(), n_features_to_select=49)
```

```python
rfe_scores = pd.DataFrame(list(zip(X_train.columns,rfe.support_,rfe.ranking_)))
rfe_scores.columns = ['Column_Names','Status','Rank']
rfe_sel_columns = list(rfe_scores[rfe_scores.Status==True].Column_Names)
```

Lets filter the train and test set for the RFE selected columns

```python
X_train_lm = X_train[rfe_sel_columns]
X_test_lm = X_test[rfe_sel_columns]
```

```python
X_train_lm.shape
```

```
(1168, 49)
```

3 a) Lasso regression model with Grid search CV

```
GridSearchCV(cv=KFold(n_splits=10, random_state=42, shuffle=True),
             estimator=Lasso(),
             param_grid={'alpha': [0.001, 0.01, 0.1, 1.0, 5.0, 10.0, 20.0]},
             return_train_score=True, scoring='r2', verbose=1)
```

```
lasso = Lasso(alpha=20)
lasso.fit(X_train_lm,y_train)

y_train_pred = lasso.predict(X_train_lm)
y_test_pred = lasso.predict(X_test_lm)

print(r2_score(y_true=y_train,y_pred=y_train_pred))
print(r2_score(y_true=y_test,y_pred=y_test_pred))
```

R2 Scores for Train and Test Data

```
0.8413407167403752
0.8115457630494485
```

3 b) Now lets use the ridge regression

```
GridSearchCV(cv=KFold(n_splits=10, random_state=42, shuffle=True),
             estimator=Ridge(),
             param_grid={'alpha': [0.001, 0.01, 0.1, 0.2, 0.5, 0.9, 1.0, 5.0,
                                   10.0, 20.0]},
             return_train_score=True, scoring='r2', verbose=1)
```

```
# Checking the best parameter(Alpha value)
model_cv.best_params_
```

{'alpha': 20.0}

```
ridge = Ridge(alpha=20)
ridge.fit(X_train_lm,y_train)

y_train_pred = ridge.predict(X_train_lm)
print(r2_score(y_train,y_train_pred))
y_test_pred = ridge.predict(X_test_lm)
print(r2_score(y_test,y_test_pred))
```

R2 Scores for Train and Test Data

```
0.8399787386121278
0.8112957990384801
```

Finally, after all the model testing, I've found Lasso Ridge to be the best performing model. Building final Model.

Final Model

```python
lasso = Lasso(alpha=20)
lasso.fit(X_train_lm,y_train)

y_train_pred = lasso.predict(X_train_lm)
y_test_pred = lasso.predict(X_test_lm)

print(r2_score(y_true=y_train,y_pred=y_train_pred))
print(r2_score(y_true=y_test,y_pred=y_test_pred))
```

```
0.8413407167403752
0.8115457630494485
```

The R2 score is almost equal for both training and test data.

```python
print("RMSE is: ",np.sqrt(mean_squared_error(y_test,y_pred)))
```

```
RMSE is:  43960.40768938855
```

```python
sns.distplot(y_test-y_test_pred)
```

```
<AxesSubplot:xlabel='SalePrice', ylabel='Density'>
```



```python
# We are getting an almost normal distribution in our predicted values
```

```python
plt.scatter(y_test,y_test_pred)
```

```
<matplotlib.collections.PathCollection at 0x1a95d102130>
```



```python
# The model is also almost a straight line
```

Top 10 Features Based on effect on Sales Price of House

	Feature	Coef	Coef_Absolute
0	MSSubClass	181441.541952	181441.541952
46	BsmtFullBath	28383.907099	28383.907099
47	BsmtHalfBath	-27781.415681	27781.415681
13	Condition2	18222.129811	18222.129811
29	BsmtQual	16988.777175	16988.777175
35	BsmtFinSF2	-9269.760718	9269.760718
36	BsmtUnfSF	8861.579874	8861.579874
26	ExterQual	8201.874033	8201.874033
3	LotArea	8057.779549	8057.779549
22	Exterior1st	-7578.851452	7578.851452

Effect of Top 10 Features on Sales Price

CONCLUSION

- ## Key Findings and Conclusions of the Study:

  - MS Sub Class seems to have the biggest impact on House Prices, followed by Basement Full Bath and Basement Half Bath

  - Other than the Basement related features, Condition 2, Exterior Quality and Lot Area are some of the other important features.

- ## Learning Outcomes of the Study in respect of Data Science

  - Got to understand about the concept of Data Leakage. All transformation must be done after splitting the data to test and train, otherwise the parameters are affected.
  - Used RFE for the first time. It is a great technique for Feature Selection.
  - Learned about the usage of Lasso and Ridge Regression.

- ## Limitations of this work and Scope for Future Work

  The `biggest limitation I observed was that not all categories of a particular feature were available in the training data. So, if there is a new category in the test data/new data, the model would not be able to identify the new categories.

  Example: All 8 categories in MSZoning are:

  ```
  MSZoning: Identifies the general zoning classification of the sale.

         A        Agriculture
         C        Commercial
         FV       Floating Village Residential
         I        Industrial
         RH       Residential High Density
         RL       Residential Low Density
         RP       Residential Low Density Park
         RM       Residential Medium Density
  ```

  However, in the dataset, MSZoning only has 5 categories available. So, if the other 3 categories are present in the test set, it would become difficult for the machine to identify. **[REFER PAGE 6 FOR OTHER MODEL ASSUMPTIONS]**