11) What is unsupervised learning?
Answer - d) None of the above
12) Which of the following is not a machine-learning algorithm?
Answer - b) SVG
13) is the scenario when the model fails to decipher the underlying trend in the input data
Answer - b) Underfitting
<b>14)</b> Real-Time decisions, Game AI, Learning Tasks, Skill acquisition, and Robot Navigation are applications of
Answer - a) Reinforcement learning
<b>15)</b> What is called the average squared difference between classifier predicted output and actual output?
55) What is called the average squared difference between 55classifier
Answer - b) Mean squared error
<b>16)</b> Logistic regression is a regression technique that is used to model data having a outcome.
Answer - a) Linear, binary
<b>17)</b> You are given reviews of few netflix series marked as positive, negative and neutral. Classifying reviews of a new netflix series is an example of
Answer - A. supervised learning
18) Following is powerful distance metrics used by Geometric model
Answer - A. euclidean distance
19) Which of the following techniques would perform better for reducing dimensions of a data set?
Answer - A. removing columns which have too many missing values

**20)** Supervised learning and unsupervised clustering both require which is correct according to the statement.

Answer - C. input attribute.

21) What is the meaning of hard margin in SVM?

Answer - (A) SVM allows very low error in classification

**22)** Increase in which of the following hyper parameter results into overfit in Random forest? (1). Number of Trees. (2). Depth of Tree, (3). Learning Rate

Answer - (B) Only 2

**23)** Below are the 8 actual values of target variable in the train file: [0,0,0, 0, 1, 1,1,1,1,1], What is the entropy of the target variable?

Answer - (A)  $-(6/10 \log(6/10) + 4/10 \log(4/10)$ 

24) Lasso can be interpreted as least-squares linear regression where

Answer - (A) weights are regularized with the l1 norm

**25)** Consider the problem of binary classification. Assume I trained a model on a linearly separable training set, and now I have a new labeled data point that the model properly categorized and is far away from the decision border. In which instances is the learnt decision boundary likely to change if I now add this additional point to my previous training set and re-train? When the training model is,

Answer - (B) Logistic regression and Gaussian discriminant analysis

**26)** Assume you've discovered multi-collinear features. Which of the following actions do you intend to take next? (1). Both collinear variables should be removed. (2). Instead of deleting both variables, we can simply delete one. (3). Removing correlated variables may result in information loss. We may utilize penalized regression models such as ridge or lasso regression to keep such variable

Answer - (D) Either 2 or 3

**27)** A least squares regression study of weight (y) and height (x) yielded the following least squares line: y = 120 + 5x. This means that if the height is increased by one inch, the weight should increase by what amount?

Answer - (A) increase by 1 pound

28) The line described by the linear regression equation (OLS) attempts to \_\_\_\_\_?Answer - (A) Pass through as many points as possible

**29)** For two real-valued attributes, the correlation coefficient is 0.85. What does this value indicate?

Answer - (C) As the value of one attribute decreases the value of the second attribute increases

**30)** Which neural network architecture would be most suited to handle an image identification problem (recognizing a dog in a photo)?

Answer - (B) Convolutional Neural Network